

BRITISH LIBRARY
; SEP 1955
OF
AND
ENCE

THE
REGISTRAR GENERAL'S

① S E72

HA16

② A2(R7)

STATISTICAL REVIEW

OF

ENGLAND AND WALES

FOR THE TWO YEARS

1950-1951

SUPPLEMENT ON
HOSPITAL IN-PATIENT STATISTICS



LONDON: HER MAJESTY'S STATIONERY OFFICE

1955

PRICE 7S. 6D. NET

PUBLICATIONS OF THE GENERAL REGISTER OFFICE

Weekly Return

Infectious diseases in each local area : Births and deaths in Great Towns, distinguishing deaths from certain notifiable diseases : Meteorological report. 1s. (1s. 1½d.)

Quarterly Return

Numbers of births (live and still), marriages and deaths (distinguishing infant and neonatal deaths), together with rates in each quarter and year : Quarterly and annual figures of deaths by cause and sex: Vital statistics of certain foreign countries and great towns : Summaries of corrected notifications of infectious diseases : Changes in boundaries of administrative areas : Numbers of insured persons absent from work owing to sickness or industrial injury : Meteorological report : Special annual tables of National population estimates (by sex and age and in the Standard Regions and Conurbations), of populations and births and deaths assigned to each County and to the Metropolitan Boroughs, the 160 Great Towns and the 160 Smaller Towns, and of population projections and life tables. 1s. 6d. (1s. 7½d.)

Statistical Review

The annual presentation and review of the vital statistics of England and Wales.

Tables volumes :

1950	Part I, Medical	12s. 6d. (13s. 0d.)
	Part II, Civil	5s. (5s. 3d.)
1951	Part I	12s. 6d. (13s. 0d.)
	Part II	5s. (5s. 3d.)
1952	Part I	10s. (10s. 5d.)
	Part II	6s. (6s. 3d.)
1953	Part I	10s. (10s. 5d.)
	Part II	5s. (5s. 3d.)

Text volumes :

1946/1947	Text, Medical. Covering the two years	6s. 6d. (6s. 10d.)
1948/1949	Text, Medical	" " " " 10s. (10s. 5d.)
1950	Text, Medical	... 6s. 6d. (6s. 10d.)
1946/1950	Text, Civil. Covering the five years	6s. 6d. (6s. 10d.)
1951	Text, (Medical and Civil combined)	10s. (10s. 5d.)
1952	Text, (Medical and Civil combined)	In preparation

Supplements :

1949	Supplement on General Morbidity, Cancer and Mental Health	7s. 6d. (7s. 9d.)
	Supplement on Hospital In-patient Statistics	15s. (15s. 6d.)
1950/1951	Supplement on Hospital In-patient Statistics	In preparation

Estimates of the Population of England and Wales

A series of annual publications issued to meet a general demand for up-to-date figures of local populations, containing estimates of the populations of each local government area in England and Wales.

Populations as at 30th June, 1954 ... 9d. (10½d.)

Decennial Supplement

A decennial review of the vital statistics of England and Wales.		
1931	Part I Life Tables	... 3s. (3s. 2d.)
	Part II Occupational Mortality	... 17s. 6d. (17s. 10d.)
	Part III Occupational Fertility, 1931 and 1939	13s. 6d. (13s. 10d.)
	Part III Estimates of Population, Statistics of Births, Deaths and Marriages, 1921/1931	... 70s. (71s. 3d.)
	Part IV Multiple or Secondary Causes of Death	12s. 6d. (12s. 10d.)

(Prices in brackets include postage)

Obtainable from

HER MAJESTY'S STATIONERY OFFICE

at the addresses shown on page four of the cover

or through any bookseller

THE REGISTRAR GENERAL'S

STATISTICAL REVIEW

OF

ENGLAND AND WALES

FOR THE TWO YEARS

1950-1951

SUPPLEMENT ON HOSPITAL IN-PATIENT STATISTICS

LONDON: HER MAJESTY'S STATIONERY OFFICE

1955

Hospital in-patient statistics by diagnosis can be useful, both in conjunction with other morbidity and mortality statistics in disclosing the pattern of ill-health in the community and also as an aid to planning hospital services so as to provide those facilities which are most needed. The Enquiry which provided the statistics presented in this Supplement and in the previous Supplement on this subject has until now been experimental. In the years 1949 to 1951 the summary form used was directed more to the first use mentioned above, viz. the provision of morbidity statistics of a general character, than to the production of the statistics more specifically needed in the administration of the hospital service. In 1953 and 1954, a modified form was used in which more emphasis was placed on the latter aspects. In 1955 the Enquiry is leaving its experimental phase, since sufficient experience has been obtained with the summary form and methods used and several regions expect to be able to secure the participation of all hospitals in the region other than specifically mental and mental deficiency hospitals.

Because of the experimental nature of the Enquiry and also of the lack of experience in presenting statistics of this kind, the preparation of the present volume has taken a considerable time. The pattern and problems of the hospital service have, however, not changed so much since 1951 that such lessons as can be drawn from the figures presented are not still relevant, both in the study of morbidity and in planning. It is hoped that their publication will stimulate others further to explore the uses of statistics of this kind. It has not been possible to publish more than a selection of the type of information which might be derived from the Enquiry and, quite deliberately, a different selection has been presented for each of the years 1949 (in the earlier Supplement), 1950 and 1951.

In addition to statistics derived from the In-patient Enquiry, the present volume includes an appendix giving the sex and age distribution of patients in hospital on Census night, 8th April, 1951, in each of the hospital regions in England and Wales, and rates per hundred thousand population living in those regions. These figures are derived from a special count made by the General Register Office for the Guillebaud Committee from the Census schedules completed by hospitals, and they provide new material on which comparisons between regions and forecasts of future trends may be based.

TABLE OF CONTENTS

	Page
Introduction	1
Definitions and notes on technical terms	3
The tables for the year 1950	5
Variations in average duration of stay:-	
by hospital group.....	5
by diagnosis.....	7
by sex.....	7
by age.....	8
by social class.....	8
Distribution of discharges by days between admission and discharge	9
Average duration of stay in each of the years 1949, 1950 and 1951 for certain diagnoses.....	10
The tables for the year 1951	11
Distribution by age, sex and diagnosis.....	12
Distribution by number of days in hospital and diagnosis	13
Single livebirths delivered during 1951 by weight at birth.....	13
Table 1. Thirty-one selected diagnoses: Variations in average stay by year, sex, age, social class and hospital group - 1950 and 1949	17
Table 2. Thirty-one selected diagnoses: distribution by days of in-patient care - 1950	25
Table 3. Fifty-eight selected diagnoses: social class distribution of discharges - 1950	29
Table 4. All discharges other than maternity conditions: sex and age distribution for diagnostic groups and selected diagnoses - 1951	41
Table 5. All discharges other than maternity conditions: distribution by in-patient days for diagnostic groups and selected diagnoses - 1951	85
Table 6. Single livebirths in hospital; distribution by sequel and length of stay according to birth weight - 1951	123

	Page
Appendix A: List of hospitals participating in the Enquiry during the period 1949-1951, indicating by an asterisk those included in the tables for each year, and showing the age distribution of discharges from individual hospitals included in the tables for 1949.....	131
Appendix B: Numbers of patients, by Sex and Age, in N.H.S. Hospitals on Census Night, 8th April 1951, with rates per 100,000 Population.....	143

INTRODUCTION

The present volume presents a further selection of tables prepared from summaries of in-patient case-records; it relates to patients discharged during 1950 and 1951 from hospitals participating in the Hospital In-patient Enquiry. Tables for discharges in 1949 were published in the Hospital Statistics Supplement to the Annual Review for 1949.(1)

This enquiry began in 1949, and continued in its original form until 31st December, 1951. Its main purpose was to provide experience in collecting diagnostic information from hospitals with a view to undertaking a more representative enquiry later. A modified enquiry, on a sampling basis, was introduced towards the end of 1952 and this is being much extended in 1955. The changes introduced enable the principal diagnosis, and other factors, to be linked with the specialist department responsible for treatment. In this way the enquiry will in future be complementary to the in-patient hospital statistics by department published annually by the Ministry of Health.(2) The aims and objects of such enquiries were briefly discussed in the Supplement for 1949; they are, broadly, to assist in hospital administration by supplementing the statistics by department in terms of the diseases treated and the characteristics of the patients who had these diseases and also to supplement information about the pattern of ill-health in the community derived from mortality and other morbidity statistics.

The original enquiry covered the majority of teaching hospitals in England and Wales, nearly all the hospitals in Leicester and Leicestershire, a substantial proportion of the acute and mainly acute non-teaching hospitals in Manchester, two large acute hospitals in Middlesex and one mainly acute hospital in Wales. These hospitals participated on a voluntary basis and completed a standard summary form for every in-patient discharged from 1st January, 1949, to 31st December, 1951. The main items of information recorded were sex, age, marital status and occupation of the patient, together with the final diagnosis at discharge. The only facts recorded about the hospital or its administrative arrangements for dealing with the patient comprised the hospital's name and whether the case had been transferred to or from another hospital. A copy of the summary form itself, and an extract from the accompanying instructions, were reproduced in the first report on the enquiry.(3)

Certain hospitals participated in full for the first time in 1950; certain others that participated in 1949 withdrew either in 1950 or 1951. Appendix A lists the participating hospitals whose summary forms contributed to the tabulations in each or any of the

(1) General Register Office: Registrar General's Statistical Review, 1949, Supplement on Hospital In-patient Statistics. H.M.S.O. price 15s. net.

(2) Ministry of Health: Hospital and Specialist Services, England and Wales; Statistics for the year ended 31st December, 1949 and each subsequent year. H.M.S.O. price 20s. net.

(3) General Register Office: Studies on Medical and Population Subjects, No.4. Hospital Morbidity Statistics, by Donald MacKay, M.A., M.B. H.M.S.O. price 3s.6d. net.

years 1949, 1950 and 1951. The number of summaries from each hospital relating to 1949 - i.e. discharges in 1949 - and their age distributions are also shown. These, in several instances, fell short of the total in the hospitals' annual statistical returns to the Ministry of Health.

The discharges from all hospitals in the enquiry taken together in 1949 were 10% of the total from all hospitals in England and Wales. But, while the teaching hospitals account for only about 15 per cent of discharges from all hospitals in the National Health Service, they comprised about 75 per cent of discharges in the 1949-51 enquiry. The relative representation in 1950 and 1951 changed little from that in 1949, when the proportion of discharges from participating teaching and non-teaching hospitals to the national totals were about 50% and 3% respectively (livebirths in hospital being excluded in each case).

The distribution by diagnosis of all discharges from participating hospitals may therefore give an erroneous picture of relative frequencies due to considerable overweighting of certain conditions and certain specialties in favour of the teaching hospitals (e.g. congenital malformations). It is for this reason that discharges from teaching and non-teaching hospitals have been tabulated separately.

Attempts to estimate the number of discharges for a particular condition in the country as a whole can be made by 'weighting' the separate totals before combining them. For example, one can multiply the number discharged from participating non-teaching hospitals by 33 and add to the figure so obtained twice the teaching hospital discharges⁽¹⁾. This will give a better idea of the relative order of frequency for broad groups of diseases, but it is best frankly to recognise that the enquiry, at the stage covered by this Supplement, was not sufficiently representative to yield estimates of discharge frequencies on a national scale. The main reasons are that (a) specialist consultant departments in the participating hospitals were not represented in the same proportions as in the hospitals of the National Health Service as a whole, (b) there were no mental hospitals in the non-teaching group, (c) few chronic sick hospitals were included and (d) none of the hospitals involved had any general practice units. These deficiencies are likely to be removed in 1955.

The material relating to sex, age, duration of stay, etc., for individual diagnoses published in this and in preceding publications relating to the enquiry can be used with greater confidence, however, as the bias is mainly in the relative frequency one to another of different diseases and injuries, and not in the distribution of cases within each condition by sex, age, days of in-patient care, etc. The only serious limitations which must be kept in mind are that discharges at ages 65 and over, particularly those relating to the chronic or terminal illnesses of old age, may be under-represented and that the proportion of discharges under 15 to those

(1) $\frac{100}{3} \times \text{All 'non-teaching' discharges in 1949} + \frac{100}{50} \times \text{All 'teaching' discharges in 1949}$.

15 and over may be biased in certain circumstances. These limitations arise because, at the two extremes of the age span, a large proportion of the hospital load is dealt with in special hospitals (chronic hospitals and children's hospitals).

Definitions and comment regarding certain of the terms used were published in the 1949 Hospital Supplement; some of these are of particular importance in relation to the tables which follow, and are therefore repeated.

Definitions and Notes on technical terms

Discharges

A discharge signifies a completed period of in-patient care in the hospital concerned, whether the patient returned to his home, was transferred to another hospital or institution, or died. Discharges (and summary forms) therefore relate to the termination of periods of stay (spells of in-patient care) in particular hospitals. They do not specify the number of persons who received hospital care nor do they specify the number of illnesses for which in-patient care was given since they take no account of whether there were two or more successive periods in the same hospital, in different hospitals or in convalescent homes.

Bed-days; Average Duration of Stay

Bed-days for a single period of in-patient care are the number of days between admission and discharge, the days of admission and discharge together being counted as one. The mean bed-days (average duration of stay, or of spells of in-patient care) is obtained by dividing the total bed-days by the total number of discharges during the year.

The bed-days computed from the dates of admission and discharge will correspond, for patients suffering from short-term illnesses at least, to the number of times such patients were counted during the year in the daily midnight census of bed-occupation plus the numbers admitted and discharged the same day, i.e. who were not in the hospital at midnight.

Private patients

These were included only when their case histories were kept with the general hospital records. This was the practice in a number of the participating hospitals. The form itself does not provide any means of distinguishing such patients, but they represent only a small proportion of the cases assigned to social classes I and II.

Day patients

The memorandum on how to complete the summary form stated that a form was to be completed 'for every patient who is discharged from, or dies in, hospital after having passed one or more nights

in an in-patient bed. In-patients admitted and discharged the same day and who did not spend a night in the hospital were, however, usually included where their case-histories were kept with those of other in-patients. Each such admission was credited with one patient day, as if a night had been spent in the hospital.

Transfers to and from other hospitals

Where it was the practice for one in-patient record to cover the stay in a pre-convalescent unit or a convalescent home as well as the stay in the parent hospital, one summary form covered the whole period as a single spell of in-patient care. This procedure was followed by nearly two-thirds of the participating hospitals. Otherwise, the summary form from the parent hospital alone was received and was coded as 'transfer to another hospital'; the convalescent units concerned did not complete summary forms for these cases.

The proportion of discharges admitted as transfers from other hospitals was about 1% through the period, while transfers to other hospitals did not exceed 3% of the total discharges.

Table 1 in the preliminary report on the Enquiry (Studies on Medical and Population Subjects; No.4) shows how these proportions varied by diagnosis. As indicated above, transfers to convalescent units were not recorded as such, and in many cases were included in the one period of in-patient care.

Readmissions

No arrangement was made to identify the number of patients admitted twice or more in the year on account of the same condition. The proportion is known to vary considerably according to the disease and there is evidence that it was higher in some hospitals than in others.

Principal Cause of Admission

The method of diagnosis reporting used in the Enquiry during 1949-1951 followed the suggestions in the Medical Research Council's Classification of Diseases published in 1942. The form in which diagnoses were reported, and a discussion of the terms used and their definitions, will be found on pages 21-23 of the preliminary report.

The present series of tables is limited to analyses by the 'Principal Cause of Admission', which was generally interpreted by the hospitals as the final diagnosis of the specific or principal specific condition treated during the admission or found on investigation to be the underlying cause immediately responsible for the patient's symptoms.

The principal diagnosis was coded to one or other of the rubrics in the 6th Revision of the International Statistical Classification of Diseases and Injuries (1948), with due regard to the presence of any complications and accessory conditions where

the terms of the classification allow them to modify the coding of the primary condition.

Deaths in hospital

Deaths occurring in hospital among the discharges are distinguished in some of the tables. For each of these deaths a death certificate will have been completed giving the cause of death. In some cases the certified cause of death will not be the same as the disease or condition that led to admission to hospital. For example, a patient admitted to hospital because of gastric ulcer may die in hospital from, say, cerebral haemorrhage, this latter condition being unrelated to the ulcer or to treatment given on its account. In such circumstances the diagnosis on the hospital record would correctly be gastric ulcer, but the certified cause of death would be cerebral haemorrhage.

THE TABLES FOR THE YEAR 1950

The analyses of summary forms relating to 1950 are limited to selected diagnoses and diagnostic groups: 31 are shown in the case of Tables 1 and 2, and 58 in the case of Table 3. They include some of the commonest conditions admitted to in-patient care. Coding of diagnoses has been in accordance with the International Classification, but the order in which the diagnoses appear departs from the conventional ranking in the Classification in favour of an arrangement intended to bring together conditions commonly dealt with in the same specialist department of the hospital. It is necessary to emphasise that individual cases were not assigned to the department from which they were discharged; this was impossible, for the summary form in use during 1949-51 did not ask for the department or specialty. The assignment has been made according to what is believed to be customary practice for the disease or injury taken as a whole.

Table I: Variations in average duration of stay by hospital group, diagnosis, sex, age and social class

Variations in average stay by hospital group

The average duration of stay recorded by different hospitals for each of the various specialties, e.g., general surgery, gynaecology, otolaryngology, often differ considerably. The interpretation of these differences in terms of 'good' or 'bad' turnover may be difficult when the only figures available are total discharges classified by specialist department. The anomalies which result when the healthiness or unhealthiness of towns is judged solely by the numbers of their residents dying per thousand inhabitants (the crude mortality rates) are well known. These crude rates will be high where the proportion of old to young is high and comparisons should therefore be made only after the data have been suitably adjusted to allow for differences in the age-composition of the populations concerned.

Difficulties of the same sort arise when comparing the average durations of stay in various hospitals, or even in the same department at different hospitals. Previous tabulations for the In-patient Enquiry showed that

(a) the average period of hospital care varies with the disease⁽¹⁾ - e.g., 21 days for pneumonias, and 28 days or more for heart diseases; 25 days or more for "surgical" cancers such as those of the gastro-intestinal tract and the breast; 12-14 days for appendicitis and hernia; 21 days for peptic ulcer; 7-8 days for traumatic wounds.

(b) the relative frequency with which different diseases are admitted changes appreciably with age⁽²⁾.

(c) the proportion of males to females among the discharges differs considerably from one disease to another.⁽²⁾

Comparisons between departments are therefore valid only when they admit similar diseases in similar proportions. Evidence on this point is not yet available, but the present enquiry enables us to isolate discharges relating to the more important diseases and examine the average stay in different hospital groups for patients suffering from the same disease.

This is the purpose of Table 1 in the present volume. The differences in average stay between hospital groups for the same disease are often quite marked, and inspection of the figures suggests that where the mean stay for one condition in a particular hospital group is unusually long (or short) it also tends to be long (or short) for other conditions of a similar type (compare groups B, D, F, W, X and GG on the one hand with groups G, Q, T, U, and DD on the other). Even for one disease, however, variations between hospitals may arise, not only or exclusively from differences in medical or administrative policy with regard to length of stay, but from the inherently different needs of male and female patients, of younger and older patients, or possibly of patients coming from different socio-economic backgrounds.

Accordingly, it must be shown whether differences in average stay between patients classified with respect to these factors can be sufficiently large to account for the observed differences between hospital groups. It is reasonable to suppose that the general effects on length of hospitalisation which can be attributed to age, sex or social circumstances will tend to work in the same direction in each hospital, whether its overall length of stay is above or below the average. For the purpose of demonstrating the probable magnitude of the effect of these factors it will therefore be sufficient to consider data based on the combined experience of the participating hospitals.

(1) General Register Office: Registrar General's Statistical Review, 1949, Supplement on Hospital In-patient Statistics. H.M.S.O. price 15s. net.

(2) General Register Office: Studies on Medical and Population Subjects, No. 4. Hospital Morbidity Statistics, by Donald MacKay, M.A., M.B. H.M.S.O. price 3s.6d. net.

From Table 1, variations in average duration of stay among individual hospital groups for each of the selected conditions can be compared with the variations in mean stay, based on the pooled experience of all the hospitals, between - (a) the two sexes; (b) three different social class groups (social classes I-II, III, IV-V); (c) children, younger and older working adults, and the elderly (ages 0-14, 15-44, 45-64, 65 and over). The mean stay at different ages had been taken from data previously published in the 1949 Hospital supplement; the rest of the material is based on cases discharged during 1950. Additional lines show the average stay in the two years 1949 and 1950 for the selected conditions. (The number of bed days were derived by adding together the days of care recorded for each case; they were not obtained from the distributions shown in Table 2.)

Variations in average stay by diagnosis

Differences in average stay between diseases likely to be dealt with in the same department are considerable in some cases (e.g. abortion and uterovaginal prolapse; 8 and 20 days respectively). On the whole, marked differences between diagnoses are maintained irrespective of sex, age, social class, or the hospital concerned. Prima facie, comparisons between one department and another should take into account the relative proportion of "long-stay" and "short-stay" cases in the departments concerned.

Table 1 in this volume and Table H2 in the 1949 Supplement suggest, however, that many conditions, though aetiologically different, have similar requirements in respect of length of hospitalisation: e.g., peptic ulcer 22 days; cholecystitis and cholelithiasis 21 days. Only one or two broad diagnostic groupings within departments may be needed for more exact duration of stay comparisons, provided they are realistically chosen to distinguish conditions with unusually short and unusually long bed-stay requirements. The operation performed and whether the admission was for observation or diagnostic investigation may be more relevant to certain duration of stay comparisons than the principal diagnosis.

Variations in average stay by sex

There does not appear to be any consistent pattern in the differences in average stay between the sexes for the same disease, and more often than not it is usual to find that the figures are almost identical.

Differences may become apparent where the nature or the severity of the condition is not the same for each sex, or where the diagnostic group is a broad one comprising several varieties each affecting males and females in different proportions. (e.g. hernia, prolapsed intervertebral disc, peptic ulcer.)

At individual hospitals, however, the shortage of accommodation for females may necessitate discharging patients earlier than usual for all conditions. In other hospitals the same may be true for males. On a national scale, however, there is likely to be some tendency for such shortages to balance out as between the sexes.

Variations in average stay for the same condition by age of patient

Among adults of different ages treated for the same condition, duration of stay tends, in most instances, to be longer at ages 45 and over than at younger ages, and there is often a further increase in the length of bed care required at ages 65 and over. These trends are in accordance with expectation. Advancing age brings a greater likelihood of associated illness, such as cardio-renal disorder, or bronchitis, which will prolong treatment, and also a greater liability to develop complications, such as post-operative chest disturbances.

Children have a longer stay than adults in several instances, but in others the average period in hospital is substantially shorter. From the medical and administrative point of view, however, the in-patient facilities needed for children are usually quite distinct from those for adults, even for what is nominally the same disease.

The important point which emerges from this table (and from Table H.2 in the 1949 Supplement) is that, for individual diseases, differences in length of stay in hospital between age groups are often more substantial than differences between the two sexes. In many situations it seems unnecessary to examine the average length of stay for each sex separately by diagnosis, provided the range of diseases tabulated is sufficiently comprehensive to distinguish the most important of the conditions which affect one sex more than the other as well as the conditions peculiar to each, and gives the number of male and female discharges by age.

Variations in average stay for the same condition by social class⁽¹⁾

In a considerable proportion of cases insufficient information was provided on the discharge form to permit a social class assignment, especially among housewives and the elderly. Such cases included a number of emergency admissions of patients who were too ill for the usual interview with the records officer.

It was nevertheless decided to carry out a tabulation of average stay by social class within selected diagnoses, and the results are included in Table 1. It follows from what has just been said that any conclusions based on these figures cannot apply to the elderly or to whole-time housewives.

The mean stay in the three social class groups are remarkably similar throughout the range of diagnoses. The overall mean of the average periods of stay in days for all the conditions specified in Table 1, excluding bronchitis were as follows:-

I & II	III	IV & V
14.7	15.1	15.4

The slight upward gradient revealed by the aggregate amounts to less than one day as between classes I and II and IV and V. On this evidence, socio-economic circumstances do not appear to have

(1) For description of Social Classes see:- General Register Office; Registrar General's Statistical Review, 1949 Supplement on Hospital In-Patient Statistics, Page 9. H.M.S.O. price 15s. net.

any general or systematic influence on the length of time which National Health Service patients spend in hospital. The influence of socio-economic circumstances on average stay is often considerable for individual patients, but such instances would not seem to affect materially the figures for the social class groups.

A certain number of private patients will have been included in the enquiry though it is known that summary forms were not submitted for the majority of such patients. The bulk of the cases classified to social classes I and II were admitted either to the ordinary or amenity beds of the Health Service, so that no conclusion can be drawn from these figures as to any influence which hospital charges may or may not have on average length of stay.

Table 2: Distribution of discharges shown in Table 1
by days between admission and discharge

Table 2 for all hospitals combined shows how the discharges classed to each of the conditions distinguished in Table 1 were distributed according to the number of days between admission and discharge.

The range of each of these combined distributions tends to be wider than that of any single hospital distribution. The following typical example shows the percentage distribution for 'inguinal hernia without obstruction' in four hospital groups separately and in the four combined, together with the distribution for the aggregate of all participating hospitals in 1951. Discharges in the first five days of admission, together with discharges at 18 days or over, amounted to 25 per cent of the total for all hospitals combined; the corresponding percentages in each of the groups A, U, AA, and GG were 16, 31, 6 and 16.

Length of stay in days	Percentage distribution of discharges					
	Group A 258 cases	Group U 358 cases	Group AA 222 cases	Group GG 132 cases	A; U; AA; GG 970 cases	All Groups 6,117 cases
0-1	1	3	3	2	2	2
2-3	1	4	2	2	3	3
4-5	1	7	0	-	3	3
6-7	4	19	2	-	9	8
8-9	12	17	20	3	15	12
10-11	21	13	41	20	23	21
12-13	23	11	20	20	18	17
14-15	16	5	7	35	12	12
16-17	8	4	2	8	5	6
18-19	5	4	0	4	3	4
20-21	2	4	0	4	3	4
22 and over	6	9	1	4	6	9

Discharges in 1951 have also been tabulated by diagnosis on the lines of Table 2 to show the distribution in each participating hospital by days between admission and discharge. Most of the conditions shown in that table, together with some others, have been analysed, and the tables are available for reference at the General Register Office.

Average duration of stay in each of the years
1949, 1950 and 1951 for certain diagnoses

The average stay during 1949, 1950 and 1951 is shown in the following table for some of the conditions specified in Table 1; in some cases slightly different disease groupings were used in each year.

Diagnosis	Average length of stay in all participating hospitals combined		
	1949	1950	1951
Lobar pneumonia (490)	20.3	20.7	19.3
Rheumatoid arthritis (722.0)	57.2(1)	64.2(1)	67.1
Thyrotoxicosis (252)	19.7	22.2	22.5
Peptic ulcer (540; 541)	22.1	23.2	22.8
Cholecystitis and cholelithiasis (584; 585)	20.7	22.1	21.4
Haemorrhoids (461)	13.9	14.2	14.2
Hernia without obstruction (560)	13.8	13.9	13.7
Appendicitis (550-552)	12.7	12.9	12.7
Internal derangement of knee joint (734)	14.9	15.3	15.1
Displacement of intervertebral disc (735)	19.8	23.5	24.2(2)
Hallux valgus and varus (747)	14.8	14.3	14.6
Fibromyomata of uterus (214)	19.0	18.6	19.3
Cervicitis, etc. (630.0; 630.1)	9.3	9.0	8.1(3)
Disorders of menstruation (634)	8.6	8.5	8.2
Abortion (650-652)	8.5	8.3	7.9(4)
Uterovaginal prolapse (631)	20.5	20.6	20.5
Cataract (385)	15.3	15.3	15.5
Otitis media (391)	12.0	12.7	13.9
Mastoiditis (392; 393)	19.5	21.8	21.0
Sinusitis (471; 513)	10.0(5)	9.5	9.3
Hypertrophy of tonsils and adenoids (510)	4.1	4.2	4.1
Acute tonsillitis and pharyngitis (472; 473)	5.9	7.5(6)	6.9(6)

- (1) Rheumatoid arthritis (722.0) together with allied conditions (722.1)
- (2) Includes sciatica (363). Mean stay in 1949 for 735 and 363 combined was 19.6 days.
- (3) Excludes infective diseases of uterus other than cervicitis (630.1)
- (4) Includes only spontaneous or unspecified (650.0)
- (5) Excludes acute sinusitis (471)
- (6) Includes streptococcal sore throat (051)

The number of participating hospitals did not remain the same in each of the three years, and in 1949 a few of them had to be excluded from tabulation for reasons explained in the 1949 Supplement. These entries and withdrawals detract little from the validity of the figures, as the discharges involved were relatively few in relation to the total number handled each year. In 1949 and 1950 bed days were obtained by adding the actual numbers recorded (as for Table 1); but in 1951 they were computed from distributions similar to those in Table 2, but class intervals were in single days

up to 29. The bed days were derived by multiplying the discharges in each class-interval by the interval midpoint.

It is evident that the changes in average duration of hospital care for specific diseases in all the hospitals combined over a period of two years are relatively insignificant in comparison with the striking differences in length of stay for the same conditions in the same year between individual hospital groups.

THE TABLES FOR THE YEAR 1951

All summary forms received from the participating hospitals for 1951 have been tabulated, with the exception of forms relating to (a) deliveries and complications of pregnancy, childbirth and the puerperium (640-689) and (b) individuals who were not sick (Supplementary Classification, Y rubrics). Single livebirths in hospital have been tabulated separately in relation to birth-weight.

The diagnostic list used in Tables 4 and 5 is a condensation of the complete (4 digit) list in the International Statistical Classification. Common or interesting conditions are distinguished within the framework of a series of summary groupings. These groupings are based on the section headings which sub-divide the seventeen sections of the Classification. The residual aggregate within each summary grouping is shown for convenience; it may have little clinical significance. (The proportions in which the constituent rubrics are represented in the residual can be derived from Table H.1 in the 1949 Hospital Supplement.) It is possible to produce, by simple addition, from the list used in these Tables, the International "C" List of 50 causes for tabulating morbidity data.

The original working tables gave the distributions for each disease or injury distinguished in the classification. These detailed tables are available for reference at the General Register Office. There are also separate tabulations, in full diagnostic detail, which relate only to children under 15 and give for each condition: the distribution of discharges by length of stay and an age-analysis in finer age groupings - viz: (age last birthday) under 4 weeks; 4 weeks - 2 months; 3-5 months; 6-11 months; 1 year; 2 years; 3-4 years; 5-6 years; 7-8 years; 9-11 years; 12-14 years.

In studying these tables, one should keep in mind the limitations of the summary form used. It did not ask doctors to differentiate between discharges given the same final diagnosis according to whether the patient had been admitted for treatment or had been taken into the wards for detailed investigation in order to get a firm diagnosis or prognosis of his complaint, nor did it distinguish between the first, second or third etc., admissions to the hospital during the year for the same disorder.

The International Statistical Classification distinguishes cases where there was no complaint of sickness or injury (which it assigns to rubrics in the Supplementary Classification) from cases admitted with a complaint of sickness or injury. Very few in-patient admissions come into the former category. Those who are sick must be assigned to one or other of the specified diseases or injuries, which cover the whole range of morbid conditions, unless observation or investigation of the presenting sign or symptoms shows no need for further treatment or medical care, - e.g. forms marked 'N.A.D.'. The prescribed assignment for these cases is to category 793.

Any disease, injury, sign or symptom of definite character stated to be the final diagnosis of the primary condition was accordingly coded by the General Register Office as the primary condition, whether or not qualified by the words 'investigation only'.

In a proportion of summary forms, however, the only entry under 'final diagnosis' was a phrase such as 'For investigation', 'Investigation N.Y.D.', 'Barium X-ray examination', 'Renal Investigation'. Strictly speaking the rubric 793 is not appropriate to such cases, for it is not stated that the results of the investigation were definitely negative. These cases were generally coded to the Supplementary Classification in 1949 and 1950, and rubric 793 was restricted to instances where normal findings were reported. In 1951, however, the use of the Supplementary Classification was restricted to cases who were not sick, e.g., healthy mothers admitted with sick babies, blood and other tissue donors, routine follow-up examinations without mention of investigation or other procedure indicating continued treatment, relapse, or the development of complications. (These 'non-sick' cases have not been included in the tabulations). The group of cases mentioned above had in consequence to be accommodated in one or other of the disease or injury rubrics. It was decided to assign them to 793. The full title of this rubric 'Observation, without need for further medical care' is therefore too narrow in the context of this enquiry; 'Observation or Investigation, not otherwise specified' would be a more appropriate designation.

The increase in numbers for rubric 793 in 1951 compared with 1949 is mostly explained by the transfer of cases previously included among the special admissions, but summary forms where investigation was recorded in conjunction with a diagnosis qualified by the words 'not yet determined' or their equivalent were also classed to this rubric.

The number of cases admitted solely or mainly for investigation was therefore considerably higher than those classed to 793 - but the exact numbers are not known.

Table 4: Distribution by age, sex and diagnosis

Table 4 shows how discharges from (a) Teaching Hospitals and (b) Hospitals under Regional Boards were distributed in 1951 by diagnosis, age and sex; those among them at each age recorded as dying in hospital are shown separately.

The value of sex and age distribution data in hospital clinical practice was briefly discussed on pp.13-14 of the 1949 Hospital Supplement. Any changes which may have taken place in the last few years in the sex ratios or age distributions of individual diseases are generally unimportant in relation to the sampling error, and 1949 and 1951 figures may be combined with advantage when the numbers are small. The purpose of this tabulation is accordingly twofold: (a) to give additional sex and age figures to use in conjunction with those published in 1949 in respect of relatively rare but clear-cut diagnostic entities, where one year's experience does not yield many cases; (b) to supplement 1949 figures in instances where the numbers shown for any age or sex group within a disease seem excessively high for a chance fluctuation and might be due to the repeated hospitalisation of one patient; (c) to provide age-specific hospital mortality ratios.

Table 5: Distribution by number of days in hospital and diagnosis

Table 5 classifies by diagnosis the discharges in 1951 from Teaching and Regional Board hospitals participating in the Enquiry according to length of stay in groups of days. The sexes are not distinguished, but the separate distributions for males and females are available at the General Register Office to those who wish to consult them. Deaths in hospital during each period of stay among the relevant discharges are also shown.

The class intervals for the 'days in hospital' groupings are broader than those shown in Table 2 and it will be evident that only approximate calculations of bed days can be made from these distributions.

The percentages discharged after one week or ten days, and the percentages remaining after 4 weeks, or 3 months, are useful comparative indices. Simplified 'Hospital Stay' tables on the lines of a life table can be derived by calculating how many out of every 100 admissions will still be in hospital at the end of each period. For acute and other conditions with an average stay of under 6-8 weeks, there will be little error in assuming that figures based on cases discharged over any given period will be practically the same as figures based on cases admitted during the same period.

Tables 6a-6c: Single livebirths delivered during 1951 by weight at birth

Table 6a shows how the 32,915 single livebirths in the participating hospitals during 1951 were distributed by weight in pounds at birth. The babies in each weight-group are classified according to whether they were discharged home, died in hospital, or were transferred to another hospital, and the distribution by days of stay in hospital is shown in each case. (This distribution, since it is designed primarily for hospital stay analyses, gives the numbers discharged or dying at or under 7 days, 28 days, etc., and not under 7 days, under 28 days.)

A per cent mortality ratio is given in Table 6a for each weight-group. This relates to all discharges, but the rate of mortality per 1,000 liveborn at different intervals of time can be calculated for example at 28 days or under, as in the following table, which also shows the percentage of babies in each weight-group.

Weight group	Number of single livebirths	Percent distribution of single livebirths	Mortality per 1,000 livebirths 0-28 days (excluding transfers)
2½ lb weight and under	124	0.4)	814)
- 3 lb	84	0.3)	549)
- 3½ "	133	0.4)	414)
- 4 "	161	0.5) 7%	269) 160
- 4½ "	268	0.9)	119)
- 5 "	477	1.5)	83)
- 5½ "	897	2.9)	35)
- 6 "	1,895	6.1)	12)
- 7½ "	14,349	46.2)	6)
- 8 "	5,058	16.3) 93%	5) 6
- 9 "	5,805	18.7)	4)
- 10 "	1,498	4.8)	3)
Over 10 lb weight	304	1.0)	27)

Mortality from about 15 days onwards may be underestimated, for a few babies discharged home from about the 10th day onwards may have become ill and died before the 28th day. The number of such deaths is not known.

The average weight of single livebirths was 7.2 lb.

The risk of death decreased steadily with increasing weight up to about 7 lb.; then more slowly. Mortality was least among babies between 8 lb. and 10 lb., where deaths in the first 28 days were only 4 per 1,000. But mortality rose sharply again to 27 per 1,000 at weights over 10 lb. though there were only 304 such babies - 1 per cent of the total.

Among babies of over 10 lb., there will be some whose weight is high because of the presence of disease or congenital abnormality; these will be poor risks in any event, and the rate might be lower if they could be excluded. Many babies, however, have a very high birth weight because they are 'postmature', and owing to placental insufficiency the risk of anoxia during delivery may be greater. In addition, the risks of mechanical trauma at birth are always increased with large babies. The neonatal mortality rate of 27 among babies over 10 lb. is not far short of the rate of 35 which prevailed among babies between 5 lb. and 5½ lb.

Seven per cent of all single livebirths were 'premature', i.e. 5½ lb. or under, but 42 per cent of those 2,144 'premature' infants weighed between 5 and 5½ lb. i.e. they were only just below the arbitrary 5½ lb. level.

73 per cent of all infants dying within 48 hours were 'premature'; 69 per cent of those dying at or under 1 week of age, and 66 per cent of those dying at or under 4 weeks.

Tables 6a and 6b show separately the experience of participating hospitals in the Greater London area and in the North of England. The mortality rates in the first 28 days per 1,000 liveborn in each of four weight groupings are compared in the following table, which shows the extent to which mortality rates in the northern hospitals were in excess.

Birth weight group	Mortality at 0-28 days per 1,000 live-born	
	Hospitals in Greater London Area	Hospitals in North of England
3½ lb. and under	548	593
Over 3½ lb.; not over 5½ lb.	54	86
Over 5½ lb.; not over 7½ lb.	4.7	8.2
Over 7½ lb.	4.2	5.0

Disparities between hospitals in their neonatal mortality rates are often due to differences in the proportion of maternities at various ages and parities admitted, and in the number of 'normal' cases dealt with in each age and parity group. The information which hospitals were asked to supply on the summary form used in 1951 was not sufficiently detailed to reveal the nature and extent of such differences. The majority of these hospitals were teaching units; the proportion of complicated or assisted deliveries in 1949 was 27 per cent in the London Teaching hospitals and 35 per cent in the Provincial Teaching hospitals.

Table 6a shows also that babies (and their mothers) were discharged home earlier from the 'North of England' group of hospitals, except for the few infants weighing less than 3½ lb. Excluding deaths and transfers, the proportions discharged before the 12th day were:

	Per cent discharged home by 12th day	
	Hospitals in Greater London Area	Hospitals in North of England
3½ lb. and under	17	7
Over 3½ lb.; not over 5½ lb.	29	44
Over 5½ lb.; not over 7½ lb.	60	73
Over 7½ lb.	58	73

TABLE I - Thirty-one selected diagnoses: Variations in average stay (in days) by year, sex, age, social class and hospital group - 1950 and 1949.

Thirty-one selected diagnoses arranged according to the hospital department or specialty in which they are mainly treated and classified in different ways; number of discharges and average length of stay for each category displaying the range of variation in average stay within each diagnosis:

- (a) between two years - 1950 and 1949: all participating hospitals combined
- (b) between four age groups - 0-14, 15-44, 45-64, 65 and over: 1949 all participating hospitals combined
- (c) between the sexes - 1950: all participating hospitals combined
- (d) between three social class groups; I and II, III, IV and V: 1950, all participating hospitals combined
- (e) between three aggregates of participating hospitals: 1950, London Teaching, Provincial Teaching and Regional Board Hospitals
- (f) between the thirty-two individual hospital groups participating in the enquiry.

TABLE I

(82685)

Category or Hospital Group	Medical					Medical or Surgical					Ophthalmological	
	Chronic rheumatic heart disease (410-416)	Coronary heart disease etc: (420)	Acute tonsill- itis and pharyng- itis, etc: (051, 472, 473)	Pneumonia (490-493)	Bronchitis other than chronic (500, 501)	Thyro- toxicosis (252)	Peptic ulcer (540, 541)	Ulcer of stomach (540)	Ulcer of duodenum (541)	Chole- cystitis and chole- lithiasis (584, 585)	Cataract (385)	Strab- ismus (384)

1949: Numbers and Average Stay by Ages

All hospitals, total	1,424	28.4	1,407	26.9	2,203	5.9	4,247	20.4	*	2,058	19.7	8,624	22.1	3,190	23.6	5,434	21.3	2,388	20.7	3,022	15.3	2,445	11.0
Ages 0-14	67	55.2	-	-	1,496	5.4	1,644	17.3	*	8	20.9	27	16.3	13	15.9	14	16.7	3	21.3	104	10.1	1,738	11.0
" 15-	859	26.0	75	27.4	644	6.9	923	19.2	*	1,223	18.5	3,478	20.3	976	20.9	2,502	20.1	568	18.0	220	13.0	649	10.6
" 45-	453	28.6	865	27.7	43	7.7	1,043	22.4	*	737	20.8	4,279	23.1	1,753	24.7	2,526	22.0	1,271	21.2	868	15.6	40	12.8
" 65 and over	43	31.5	454	25.4	5	6.0	624	27.3	*	85	26.1	813	24.6	438	25.3	375	23.8	536	22.3	1,820	15.7	13	12.8

18

1950: Numbers and Average Stay by Sex and by Social Class

All hospitals, total	1,867	29.4	2,071	29.7	1,727	7.5	4,434	22.1	1,134	27.9	2,397	22.2	9,207	23.2	3,500	25.0	5,707	22.1	2,857	22.1	3,068	15.3	3,010	10.7
Males	535	28.4	1,434	29.7	805	7.5	2,533	22.1	599	36.7	350	22.4	7,328	22.3	2,510	23.6	4,818	21.6	558	21.4	1,396	15.2	1,432	11.1
Females	1,332	29.8	637	29.5	922	7.5	1,901	22.1	535	18.0	2,047	22.1	1,879	26.7	990	28.5	889	24.6	2,299	22.3	1,672	15.5	1,578	10.3
Social class I, II	171	28.8	355	25.8	266	7.0	462	19.1	104	17.2	353	19.9	1,111	22.7	369	25.8	742	21.1	384	20.8	240	14.8	309	10.2
Social class III	705	26.7	726	29.1	794	7.2	1,735	21.8	417	31.7	1,014	20.8	4,417	22.4	1,508	24.2	2,909	21.5	962	21.1	800	14.3	1,451	10.2
Social class IV, V	334	27.0	301	34.0	379	7.9	1,114	20.6	293	18.6	469	20.3	2,474	23.2	1,001	24.2	1,473	22.6	516	21.3	515	14.9	634	10.5
Social class Not assigned	657	33.7	689	30.4	288	8.4	1,123	25.2	320	35.0	561	27.7	1,205	26.3	622	27.7	583	24.9	995	23.9	1,513	16.1	616	12.2
Excl. London Teaching:-																								
Social class I, II	113	27.6	237	20.7	156	7.8	370	19.1	77	17.0	245	16.8	846	21.5	277	25.1	569	19.7	313	21.1	169	15.0	216	9.6
Social class III	517	26.3	536	26.9	504	7.8	1,505	21.2	341	35.7	768	17.4	3,477	20.9	1,113	22.6	2,364	20.1	813	20.4	611	14.2	1,064	9.9
Social class IV, V	227	26.7	209	32.5	228	8.8	962	20.3	232	18.8	370	16.9	1,976	21.6	734	22.2	1,242	21.2	446	20.7	407	15.2	505	10.2
Social class Not assigned	324	37.0	454	28.5	115	7.9	772	27.4	194	48.0	257	21.1	807	24.1	421	24.8	386	23.4	685	23.7	982	16.3	248	13.0

(82685)

1950: Numbers and Average Stay by Hospital Groups

London Teaching Groups	686	29.4	635	35.3	724	6.8	825	22.1	290	15.4	757	31.7	2,101	28.8	955	29.9	1,146	27.9	600	24.1	899	15.2	977	11.5
Group A	86	24.0	86	30.6	22	12.1	82	24.6	13	18.2	131	33.1	371	27.4	158	28.1	213	26.9	85	26.0	40	16.4	29	11.2
Group B	119	32.9	91	34.7	34	11.2	79	33.7	28	20.2	173	34.3	358	30.6	194	31.7	164	29.4	87	30.5	91	17.8	178	12.8
Group C	54	22.3	31	26.4	16	9.3	41	18.8	9	18.9	50	20.4	109	27.2	46	30.1	63	25.1	24	29.4	13	25.9	5	16.6
Group D	51	24.2	91	34.1	31	8.8	142	19.1	38	16.5	68	34.0	266	29.0	114	28.0	152	29.8	77	24.8	76	17.9	57	11.1
Group E	65	32.2	111	32.2	27	12.9	74	20.3	24	13.2	113	26.8	267	30.1	92	32.4	175	28.9	93	22.3	157	13.2	33	13.5
Group F	49	28.5	37	45.0	27	9.5	29	26.3	9	24.6	56	29.0	136	28.8	53	27.3	83	29.7	59	22.5	79	19.8	241	11.3
Group G	40	23.1	40	37.9	449	5.2	130	20.2	60	12.3	59	22.6	170	23.2	75	26.5	95	20.						

(82685) TABLE I - continued

Category or Hospital Group	Surgical								Orthopaedic and Traumatic				
	Varicose veins (460,462)	Haemorrhoids (461)	Hernia, all forms (560,561)	Inguinal hernia, without obstr'n (560.0)	* Appendicitis (550-552)	Acute, without peritonitis (550.0)	Acute, with peritonitis (550.1)	Hyperplasia of prostate (610)	Internal derangement of knee joint (734)	Hallux valgus and varus (747)	Prolapsed intervertebral disc (735)	Synovitis, bursitis and tenosynovitis (741,742)	

1949: Numbers and Average Stay by Ages

All hospitals, total	2,741	12.5	1,891	13.9	8,831	13.8	5,367	13.5	10,497	12.7	5,649	11.6	1,305	18.6	2,047	26.4	751	14.9	914	14.8	1,209	19.8	865	8.3
Ages 0-14	5	7.4	11	12.3	2,009	9.3	1,218	10.0	2,444	12.7	1,455	11.5	387	17.9	2	28.0	25	15.6	26	13.4	2	31.0	153	13.0
" 15-	1,549	9.0	935	13.4	2,663	14.0	1,961	13.9	6,494	11.8	3,451	10.8	537	18.5	30	22.4	617	14.9	427	14.7	812	20.0	441	6.9
" 45	1,012	14.4	832	14.3	3,135	15.7	1,871	15.1	1,273	16.3	615	15.4	278	19.7	651	23.6	100	14.4	410	15.3	367	19.4	227	7.7
" 65 and over	166	33.9	109	16.6	1,000	16.6	307	16.3	253	18.9	109	18.0	103	19.1	1,353	27.9	4	14.2	46	12.3	15	23.4	41	10.1

20

1950: Numbers and Average Stay by Sex and by Social Class

All hospitals, total	2,865	13.0	2,072	14.2	9,393	13.9	5,757	13.3	10,607	12.9	5,916	11.5	1,532	19.7	2,310	27.7	1,004	15.3	802	14.3	1,135	23.5	959	9.2
Males	1,199	12.1	1,327	14.4	6,683	13.4	5,053	13.3	5,064	13.1	3,064	11.5	866	19.0	2,310	27.7	852	15.1	76	15.5	663	21.7	439	10.2
Females	1,666	13.6	745	13.9	2,710	15.3	704	13.0	5,543	12.8	2,852	11.4	666	20.7			152	16.7	726	14.2	472	26.1	520	8.4
Social class I, II	439	9.8	295	14.0	1,168	13.6	781	13.5	1,463	12.6	773	10.9	199	19.3	353	25.8	174	13.9	141	12.9	231	20.9	120	9.3
Social class III	1,249	11.0	999	13.9	4,411	13.5	3,001	13.1	5,057	12.8	2,800	11.7	719	18.9	794	26.8	538	15.6	347	14.5	507	23.9	431	9.3
Social class IV, V	586	11.4	480	14.1	2,204	13.9	1,411	13.6	2,073	13.0	1,122	11.5	309	19.9	486	28.0	204	15.8	157	13.1	240	23.0	216	10.0
Social class Not assigned	591	21.2	298	15.8	1,610	15.5	564	13.2	2,014	13.4	1,221	11.2	305	21.9	677	29.6	88	15.5	157	16.8	157	27.2	192	8.1
Excl. London Teaching:-																								
Social class I, II	267	10.6	233	13.4	820	13.1	523	12.9	1,194	12.5	668	10.9	181	18.7	280	24.8	94	14.1	52	11.0	153	19.7	66	8.9
Social class III	853	10.9	795	13.4	3,320	13.0	2,210	12.5	4,326	12.8	2,467	11.6	654	18.2	645	26.1	354	13.7	135	13.4	338	22.5	261	9.9
Social class IV, V	415	11.4	406	13.6	1,754	13.4	1,115	13.2	1,807	12.9	985	11.2	286	19.5	398	26.8	147	15.1	81	12.0	191	21.3	134	9.7
Social class Not assigned	235	22.0	173	14.7	1,030	15.4	317	13.3	1,485	13.2	914	11.0	257	20.9	519	28.2	39	12.7	53	19.4	76	22.5	83	9.4

1950: Numbers and Average Stay by Hospital Groups

London Teaching Groups	1,095	13.9	465	16.4	2,469	15.2	1,592	14.6	1,795	13.3	882	12.1	154	25.9	468	31.9	370	17.5	481	14.8	377	27.4	415	8.7
Group A	241	12.4	63	17.1	328	12.9	216	11.2	233	12.1	135	10.5	27	18.6	62	31.3	11	8.0	1	2.0	48	7.0	60	5.7
Group B	189	8.4	51	16.2	436	15.9	288	14.9	190	15.4	97	13.3	31	28.8	92	36.9	63	23.3	21	20.2	68	37.9	38	12.3
Group C	50	10.7	26	15.0	97	18.4	61	18.4	100	12.4	42	10.6	6	26.3	12	33.6	1	123.0	-	-	-	-	8	7.9
Group D	118	33.7	39	19.8	209	20.9	137	20.7	169	15.8	98	12.9	31	25.8	41	41.0	18	26.7	22	24.7	38	39.8	37	10.2
Group E	116	13.3	69	19.7	309	16.6	191	16.0	294	12.3	128	11.6	17	18.2	75	24.6	39	8.1	21	12.7	67	34.0	28	14.4
Group F	50	12.2	37	13.1	142	16.3	93	15.5	117	14.7	43	13.3	7	31.6	41	25.8	29	14.9	28	10.0	26	24.1	46	6.0
Group G	85	6.0	51	10.6	305	12.9	198	12.8	305	11.0	71	10.7	14	28.1	62	26.3	21	16.3	8	19.4	34	28.4	56	7.8
Group H	242	14.2	127	16.7	390	16.3	250	15.9	290	15.0	214	13.4	1											

TABLE I - continued

(82685)

Category or Hospital Group	Obstetrical		Gynaecological						Ear, Nose and Throat					
	Delivery, normal and complicated (660-678)	Uterine fibromyoma (214)	Other benign neoplasm of uterus (215)	Cervicitis etc. (630.0, 630.1)	Disorders of menstruation (634)	Abortion (650-652)	Uterovaginal prolapse (631)	Otitis media without mastoiditis (391)	Mastoiditis (392, 393)	Chronic sinusitis (513)	Deflected septum, nasal polyp (514, 515)	Hypertrophied tonsils and adenoids (510)		

1949: Numbers and Average Stay by Ages

All hospitals, total *	28,901	11.8	2,803	19.0	1,353	11.0	1,754	9.3	4,380	8.6	3,750	8.5	4,473	20.5	3,163	12.0	1,465	19.5	1,618	10.0	1,910	5.8	11,891	4.1
Ages 0-14	6	10.3	1	24.0	-	-	10	7.6	18	7.1	1	1.0	1	4.0	2,199	11.4	864	20.4	589	9.8	145	6.8	10,079	3.6
" 15-	28,716	11.8	1,501	18.6	729	11.6	1,375	9.2	3,194	8.3	3,697	8.5	1,511	19.6	729	13.3	475	17.6	733	9.7	1,222	5.9	1,666	6.3
" 45-	102	12.4	1,268	19.4	568	10.2	332	9.7	1,113	9.6	39	7.8	2,402	20.7	196	13.6	102	19.6	264	11.2	446	5.5	111	8.1
" 65 and over	-	-	29	20.2	54	11.0	29	11.6	44	8.2	-	-	550	21.9	29	14.1	19	26.0	20	11.6	79	4.1	12	13.2

2

1950: Numbers and Average Stay by Sex and by Social Class

All hospitals, total	32,289	12.0	3,024	18.6	1,616	10.6	1,826	9.0	6,028	8.5	4,048	8.3	4,827	20.6	3,073	12.7	1,485	21.8	1,888	9.6	2,492	5.7	18,072	4.2
Males																								
Females	32,289	12.0	3,024	18.6	1,616	10.6	1,826	9.0	6,028	8.5	4,048	8.3	4,827	20.6	1,417	12.3	665	21.0	858	9.7	819	5.5	9,147	4.3
Social class I, II	3,835	12.2	494	18.4	237	10.7	251	8.6	716	8.8	509	8.2	575	20.2	330	11.5	122	20.4	248	9.6	324	6.4	2,015	4.2
Social class III	16,171	11.9	1,347	19.0	677	10.5	800	8.9	2,688	8.1	1,901	8.2	1,691	19.6	1,333	12.6	685	21.2	905	9.5	1,278	5.7	8,397	3.7
Social class IV, V	6,342	12.0	586	17.8	327	10.8	383	9.3	1,364	8.7	855	8.7	1,030	20.4	616	13.3	339	21.5	334	9.6	497	5.4	3,134	3.8
Social class Not assigned	5,941	12.2	597	19.0	375	10.6	392	9.0	1,260	8.9	783	8.0	1,531	21.9	794	12.8	339	23.8	401	9.9	393	5.9	4,526	5.5
Excl. London Teaching:-																								
Social class I, II	3,066	11.9	381	17.9	190	10.0	221	8.3	576	8.9	449	7.7	507	19.5	234	11.0	101	18.2	171	9.2	231	5.5	1,416	3.6
Social class III	13,687	11.7	1,087	18.5	555	10.5	682	8.8	2,208	7.9	1,748	8.2	1,514	19.1	972	12.2	587	20.4	656	8.7	985	4.9	6,351	3.3
Social class IV, V	5,482	11.7	490	17.5	270	10.6	337	9.2	1,174	8.6	800	8.6	896	19.8	441	12.9	299	21.2	252	8.8	413	5.0	2,412	3.5
Social class Not assigned	1,639	11.1	255	18.9	175	9.1	216	8.4	613	8.0	454	7.6	822	20.8	411	11.2	220	18.4	237	8.3	265	4.9	1,661	3.9

(82685)

1950: Numbers and Average Stay by Hospital Groups

London Teaching Groups	8,415	12.9	811	19.8	426	11.7	370	9.8	1,457	9.2	597	9.1	1,088	23.6	1,015	14.0	278	29.1	572	11.6	598	8.0	6,232	5.6
Group A	537	15.1	105	17.1	48	11.8	17	9.3	161	9.7	53	10.2	140	21.3	12	7.5	6	12.8	10	9.5	3	5.3	85	7.6
Group B	662	13.9	141	24.5	101	13.3	36	8.6	169	8.9	44	9.3	127	27.4	145	18.0	32	23.8	33	12.6	104	8.3	355	7.9
Group C	562	14.5	67	21.6	41	11.8	47	13.1	103	9.9	22	8.5	89	26.0	131	13.1	14	23.1	35	11.1	25	8.1	300	7.2
Group D	1,046	12.4	79	19.6	24	9.4	43	6.1	227	7.7	125	10.0	116	20.9	115	12.8	26	26.5	125	11.6	107	7.6	1,133	7.2
Group E	850	11.5	213	19.0	119	11.3	81	10.7	364	10.0	146	8.9	319	24.6	68	14.3	21	33.3	60	17.3	55	8.9	562	7.3
Group F	473	12.0	46	20.1	17	13.6	10	13.1	63	11.0	27	6.7	49	26.0	86	15.9	3	28.7	38	16.3	79	10.6	325	8.6
Group G	567	11.6	72	14.8	27	8.2	55	7.9	141	8.3	71	7.5	94	19.8	119	11.2	45	17.1	123	10.6	53	5.4	1,029	3.4
Group H	1,374	14.1	85	20.4	47	11.3	80	10.5	227	9.1	58	8.7	153	22.6	163	13.1	77	18.0	106	8.2	151	7.5	1	

TABLE 2 - Thirty-one selected diagnoses: distribution by days of in-patient care - 1950.

Thirty-one selected diagnoses arranged according to the hospital department or specialty in which they are mainly treated: distribution of discharges classified to each condition in 1950 by days of in-patient care; (single days from 1-19, 10-day intervals from 20-99, and then by intervals of 100-, 200-, 400-, 600-, to 800 and over).

NOTE: This table provides data from which variance, standard error, etc., may be calculated for the average stays shown in Table 1. The distributions for 1950 are not available in any greater detail. The total patient-days used in computing the average stays for Table 1 were obtained by adding together individual days of care and not by calculation from the distributions.

TABLE 2

(82685)

Number of days in hospital	Medical					Medical or Surgical					Ophthalmological	
	Chronic rheumatic heart disease (410-416)	Coronary heart disease etc. (420)	Acute tonsillitis and pharyngitis, etc. (051, 472, 473)	Pneumonia (490-493)	Bronchitis, other than chronic (500, 501)	Thyro-toxicosis (252)	Peptic ulcer (540, 541)	Ulcer of stomach (540)	Ulcer of duodenum (541)	Cholecystitis and cholelithiasis (584, 585)	Cataract (385)	Strabismus (384)
Total discharges	1,867	2,071	1,727	4,434	1,134	2,397	9,207	3,500	5,707	2,857	3,068	3,010
1	84	207	64	214	19	317	316	140	176	45	53	51
2	50	54	72	71	23	48	142	62	80	29	136	50
3	28	43	225	64	31	45	134	64	70	35	120	54
4	36	43	292	69	40	34	142	49	93	40	161	58
5	40	43	144	92	57	32	152	48	104	56	91	74
6	33	46	153	113	58	31	157	60	97	58	63	179
7	46	44	207	146	66	37	138	48	90	67	95	372
8	48	40	116	172	66	48	162	60	102	59	44	216
9	60	35	95	172	76	37	173	53	120	66	45	351
10	39	50	69	188	69	56	208	73	135	79	66	225
11	55	54	46	160	47	58	294	87	207	72	69	325
12	50	42	43	191	48	80	308	98	210	84	138	213
13	50	37	31	167	31	50	259	85	174	117	236	271
14	71	38	20	172	52	50	357	97	260	146	374	265
15	59	38	24	157	36	56	272	85	187	113	169	63
16	53	36	20	143	31	48	288	89	199	124	157	43
17	49	32	12	151	33	55	275	92	183	113	135	34
18	47	36	12	144	18	60	277	91	186	129	114	38
19	43	24	9	128	27	65	260	107	153	102	90	24
20-	317	324	40	854	151	545	2,485	912	1,573	731	499	71
30-	185	226	20	407	56	313	1,279	548	731	340	114	19
40-	145	250	5	180	40	158	596	281	315	139	55	5
50-	93	130	2	117	17	73	278	141	137	55	21	4
60-	46	85	2	62	14	45	121	69	52	22	10	1
70-	42	35	1	18	9	26	58	22	36	17	3	3
80-	36	26	2	18	.	11	29	13	16	7	2	.
90-	14	19	1	13	3	7	11	5	6	1	1	.
100-	47	23	.	36	8	11	28	17	11	8	6	.
200-	.	6	.	7	3	1	6	2	4	1	1	.
400-	.	.	.	2	.	.	1	1
600-	1	2	.	1	1
800 and over	.	3	.	4	3	2	.	.
Not stated	.	.	.	1	2	.	.	1

TABLE 2 - continued

(82685)

Number of days in hospital	Surgical								Orthopaedic and Traumatic				
	Varicose veins (460, 462)	Haemorrhoids (461)	Hernia, all forms (560, 561)	Inguinal hernia, without obstr'n (560.0)	Appendicitis (550-552)	Acute, without peritonitis (550.0)	Acute, with peritonitis (550.1)	Hyperplasia of prostate (610)	Internal derangement of knee joint (734)	Hallux valgus and varus (747)	Prolapsed intervertebral disc (735)	Synovitis, bursitis and tenosynovitis (741, 742)	
Total discharges	2,865	2,072	9,393	5,757	10,607	5,916	1,532	2,310	1,004	802	1,135	959	
1	156	35	217	84	82	38	11	37	31	10	96	136	
2	185	33	223	107	82	38	8	34	10	8	30	100	
3	177	37	168	62	93	61	9	44	10	13	37	92	
4	195	29	152	73	126	72	19	38	9	13	22	65	
5	184	16	172	82	297	224	23	54	8	26	20	59	
6	162	27	290	160	468	336	25	41	22	35	23	38	
7	227	50	414	243	939	628	68	49	31	73	33	68	
8	173	57	418	270	1,101	733	80	36	20	15	25	35	
9	197	87	596	414	1,162	749	75	41	12	16	20	32	
10	200	138	810	574	1,250	782	91	35	13	11	24	36	
11	159	221	830	595	949	494	94	46	42	25	22	25	
12	124	210	698	483	644	334	65	46	68	32	22	30	
13	100	172	603	403	462	211	78	55	109	91	29	37	
14	84	217	702	492	452	192	74	76	163	133	27	40	
15	39	131	401	244	275	126	53	75	69	37	21	25	
16	39	101	354	228	240	95	64	74	65	57	38	19	
17	44	82	308	188	212	94	48	81	64	32	35	14	
18	27	75	268	153	195	81	59	67	42	36	27	14	
19	26	40	193	106	155	80	29	48	30	21	22	5	
20-	147	238	1,167	645	888	356	315	574	152	92	222	50	
30-	82	42	257	107	288	118	111	312	18	18	155	22	
40-	44	23	72	22	126	36	66	182	7	5	88	6	
50-	23	2	33	9	53	17	29	96	4	1	29	3	
60-	21	4	17	4	15	7	7	50	1	.	31	2	
70-	17	2	6	3	23	8	11	43	1	.	11	2	
80-	8	.	5	1	9	2	7	30	18	.	8	1	
90-	7	1	6	3	8	1	6	1					

TABLE 2 - continued

Number of days in hospital	Obstetrical	Gynaecological						Ear, Nose and Throat				
		Delivery, normal and complic- ated (660-678)	Uterine fibromyoma (214)	Other benign neoplasm of uterus (215)	Cervic- itis etc. (630.0, 630.1)	Disorders of men- struation (634)	Abortion (650-652)	Utero- vaginal prolapse (631)	Otitis media without mastoid- itis (391)	Mastoid- itis (392,393)	Chronic sinusitis (513)	Deflected septum, nasal polyp (514,515)
Total discharges	32,289	3,024	1,616	1,826	6,028	4,048	4,827	3,073	1,485	1,888	2,492	18,072
1	153	25	17	65	115	86	38	76	18	104	125	2,825
2	199	32	64	87	404	245	57	98	17	106	230	3,700
3	261	35	74	133	509	247	38	140	25	121	469	3,630
4	292	42	131	143	563	316	26	148	17	115	309	1,855
5	314	44	150	195	660	373	17	177	25	125	209	1,034
6	694	49	165	167	783	450	19	208	27	154	272	1,349
7	1,353	69	272	272	1,086	522	35	264	53	311	395	1,962
8	2,211	35	63	50	210	403	65	202	47	136	153	500
9	4,529	35	44	65	159	308	34	187	54	104	103	349
10	6,317	51	38	65	177	266	38	192	54	90	48	236
11	3,697	43	44	75	125	172	34	145	64	79	33	142
12	3,010	39	31	67	104	132	45	140	44	62	36	87
13	1,980	106	53	60	86	90	84	134	68	43	22	74
14	1,569	281	79	116	175	73	268	145	89	56	16	71
15	1,080	141	38	24	61	59	178	85	68	29	7	36
16	777	163	35	31	72	50	183	77	76	31	9	24
17	573	245	49	42	87	40	425	66	47	27	8	31
18	484	229	43	29	77	22	404	60	51	16	8	20
19	361	178	33	23	81	22	282	40	51	19	4	12
20-	1,685	909	149	91	374	116	2,045	292	321	94	25	76
30-	462	191	23	21	93	28	367	91	111	32	7	28
40-	161	51	13	2	15	15	94	48	70	12	1	12
50-	65	20	6	1	3	3	26	25	30	11	1	5
60-	21	6	1	1	5	3	13	12	19	4	1	4
70-	10	4	1	1	1	2	3	11	8	1	.	2
80-	12	.	.	.	1	1	6	6	8	1	.	3
90-	7	.	.	1	.	3	1	1	4	3	1	4
100-	9	1	1	.	1	1	1	3	15	2	.	4
200-	1	4	.	.	.
400-
600-
800 and over Not stated	1	1

TABLE 3 - Fifty-eight selected diagnoses: social class distribution of discharges - 1950.

Fifty-eight selected diagnoses arranged according to the hospital department or specialty in which they are mainly treated: percentage distribution by social class in 1950 for each diagnosis, of discharges where social class could be assigned, and the percentage of total discharges with occupational data unstated or not sufficiently specific to permit social class assignment.

Males and females shown separately for all hospitals combined, and for London Teaching Hospitals, Provincial Teaching Hospitals and Regional Board Hospitals.

NOTE: Distributions by social class for the discharges in 1949 relating to these diseases are given in Table H.3 of the Hospital In-patient Statistics Supplement to the 1949 Statistical Review.* A description of the social classes, and a note on the limitations and defects of the material, will be found on pp.9 and 17-18 of the same volume.

* The Registrar General's Statistical Review: Supplement on Hospital In-patient Statistics, 1949. H.M. Stationery Office, price 15s. 0d. net.

TABLE 3

(82685)

Principal Diagnosis on Discharge	Hospital Group	MALES							FEMALES							
		Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total	% Distribution	I&II	III	IV&V
				Total	% Distribution	I&II			Total	% Distribution	I&II					
All selected diagnoses	All hospitals	60,436	17	50,392	15.5 57.5 27.0		104,379	26	76,827	16.1 57.7 26.2						
	London Teaching	15,825	25	11,813	18.8 57.7 23.6		27,835	49	14,100	19.7 56.7 23.6						
	Provincial Teaching	31,208	13	27,112	14.9 56.2 28.9		52,562	17	43,385	16.7 57.0 26.3						
	Regional Boards	13,403	14	11,467	13.7 60.4 25.9		23,982	19	19,342	12.1 59.9 28.1						
Conditions mainly treated in Medical departments																
30	Diabetes mellitus (260)	All hospitals	964	19	779 21.7 55.1 23.2		1,505	49	765 17.4 52.3 30.3							
	London Teaching	212	23	164 24.4 57.9 17.7			325	63	120 19.2 51.7 29.2							
	Provincial Teaching	565	16	475 22.5 52.6 24.8			873	43	498 17.9 52.8 29.3							
	Regional Boards	187	25	140 15.7 60.0 24.3			307	52	147 14.3 51.0 34.7							
	Pernicious and other hyperchromic anaemias (280)	All hospitals	240	16	201 13.9 60.2 25.9		424	52	205 15.1 55.1 29.8							
	London Teaching	40	15	34 14.7 55.9 29.4			74	66	25 24.0 44.0 32.0							
	Provincial Teaching	174	15	148 14.9 60.1 25.0			272	44	151 15.9 57.6 26.5							
	Regional Boards	26	27	19 5.3 68.4 26.3			78	63	29 3.4 51.7 44.8							
	Hypochromic (iron deficiency) and unspecified anaemias (291:293)	All hospitals	272	14	235 19.1 46.4 34.5		617	35	399 13.8 54.4 31.8							
	London Teaching	86	21	68 16.2 45.6 38.2			166	51	81 17.3 55.6 27.2							
	Provincial Teaching	156	10	141 19.1 48.2 32.6			346	27	254 12.6 55.1 32.3							
	Regional Boards	30	13	26 26.9 38.5 34.6			105	39	64 14.1 50.0 35.9							
	Rheumatoid arthritis and allied conditions (722)	All hospitals	464	13	403 17.9 59.3 22.8		704	42	409 21.0 54.5 24.4							
	London Teaching	178	19	145 17.9 59.3 22.8			247	49	125 24.0 56.0 20.0							
	Provincial Teaching	187	9	170 20.0 59.4 20.6			297	36	190 20.5 52.1 27.4							
	Regional Boards	99	11	88 13.6 59.1 27.3			160	41	94 18.1 57.4 24.5							
31	Chronic rheumatic heart disease (410-416)	All hospitals	535	16	449 14.7 56.1 29.2		1,332	43	761 13.8 59.5 26.7							
	London Teaching	184	17	153 19.0 51.6 29.4			502	60	200 14.5 54.5 31.0							
	Provincial Teaching	268	16	225 11.1 58.7 30.2			592	30	412 13.8 62.1 24.0							
	Regional Boards	83	14	71 16.9 57.7 25.4			238	37	149 12.8 59.1 28.2							
	Arteriosclerotic heart disease, including coronary disease (420)	All hospitals	1,434	21	1,139 26.0 52.6 21.4		637	62	243 24.3 52.3 23.5							
	London Teaching	449	22	349 30.4 47.3 22.3			186	73	51 23.5 49.0 27.5							
	Provincial Teaching	652	17	541 27.0 52.3 20.7			286	53	134 25.4 50.0 24.6							
	Regional Boards	333	25	249 17.7 60.6 21.7			165	65	58 22.4 60.3 17.2							
	Hypertension with heart disease other than involving coronary arteries (440-443)	All hospitals	532	29	380 24.7 48.2 27.1		475	62	179 22.3 47.5 30.2							
	London Teaching	163	34	107 24.3 55.1 20.6			179	74	47 27.7 48.9 23.4							
	Provincial Teaching	230	18	189 28.6 48.1 23.3			158	46	86 24.4 45.3 30.2							
	Regional Boards	139	40	84 16.7 39.3 44.0			138	67	46 13.0 50.0 37.0							
	Hypertension without mention of heart (444-447)	All hospitals	791	12	695 26.0 49.9 24.0		1,096	39	674 22.6 54.3 23.1							
	London Teaching	198	13	173 31.8 50.9 17.3			340	48	178 24.7 54.5 20.8							
	Provincial Teaching	432	8	396 24.7 49.5 25.8			550	27	402 23.1 53.7 23.1							
	Regional Boards	161	22	126 22.2 50.0 27.8			206	54	94 16.0 56.4 27.7							
	Acute tonsillitis and pharyngitis including streptococcal sore throat (051:472:473)	All hospitals	805	18	661 15.3 58.4 26.3		922	16	778 21.2 52.4 26.3							
	London Teaching	362	24	275 17.8 56.0 26.2			362	24	276 22.1 49.3 28.6							
	Provincial Teaching	219	15	186 14.0 60.8 25.3			259	13	225 25.3 51.1 23.6							
	Regional Boards	224	11	200 13.0 59.5 27.5			301	8	277 17.0 56.7 26.3							
	Lobar pneumonia (490)	All hospitals	1,062	16	891 12.6 54.2 33.2		728	32	496 10.5 54.6 34.9							
	London Teaching	117	38	72 22.2 47.2 30.6			102	62	39 17.9 43.6 38.5							
	Provincial Teaching	420	15	358 14.0 53.4 32.7			298	30	210 11.0 56.2 32.9							
	Regional Boards	525	12	461 10.0 56.0 34.1			328	25	247 8.9 55.1 36.0							
	Other pneumonias (491-493)	All hospitals	1,471	19	1,188 15.5 51.6 32.9		1,173	37	736 15.5 50.0 34.5							
	London Teaching	319	30	224 17.9 52.2 29.9			287	52	139 20.9 44.6 34.5							
	Provincial Teaching	595	14	513 16.0 48.1 35.9			440	29	313 15.0 44.1 40.9							
	Regional Boards	557	19	451 13.7 55.2 31.0			446	36	284 13.4 59.2 27.5							
	Acute bronchitis (500)	All hospitals	298	24	227 9.3 48.5 42.3		288	32	196 13.8 56.6 29.6							
	London Teaching	88	43	50 14.0 36.0 50.0			73	47	39 20.5 46.2 33.3							
	Provincial Teaching	94	17	78 10.3 55.1 34.6			76	22	59 11.9 57.6 30.5							
	Regional Boards	116	15	99 6.1 49.5 44.4			139	29	98 12.2 60.2 27.6							

TABLE 3 - continued

(82685)

Principal Diagnosis on Discharge	Hospital Group	MALES						FEMALES					
		Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total Discharges	% Distribution
				Total	% Distribution	I&II			Total	% Distribution	I&II		
Conditions mainly treated in Medical departments (continued)													
Bronchitis unqualified (501)	All hospitals	301	26	224	14.3 50.9 34.8		247	32	167	14.4 49.1 36.5			
	London Teaching	65	42	38	13.2 65.8 21.1		64	42	37	18.9 40.5 40.5			
	Provincial Teaching	112	9	102	17.6 47.1 35.3		93	24	71	14.1 52.1 33.8			
	Regional Boards	124	32	84	10.7 48.8 40.5		90	34	59	11.9 50.8 37.3			
32 Chronic bronchitis (502)	All hospitals	715	22	560	9.8 47.7 42.5		284	47	151	17.9 45.0 37.1			
	London Teaching	151	22	118	9.3 47.5 43.2		87	53	41	24.4 34.1 41.5			
	Provincial Teaching	270	19	218	13.3 51.4 35.3		94	27	69	15.9 47.8 36.2			
	Regional Boards	294	24	224	6.7 44.2 49.1		103	60	41	14.6 51.2 34.2			
Conditions which may be treated in either Medical or Surgical departments													
Nontoxic nodular goitre (251)	All hospitals	140	2	137	20.4 52.6 27.0		1,023	27	751	17.4 51.0 31.6			
	London Teaching	54	4	52	23.1 50.0 26.9		373	43	212	20.3 59.0 20.8			
	Provincial Teaching	77	1	76	14.5 56.6 28.9		551	17	456	16.7 46.9 36.4			
	Regional Boards	9	-	9	55.6 33.3 11.1		99	16	83	14.5 53.0 32.5			
Thyrotoxicosis with or without goitre (252)	All hospitals	350	5	333	19.5 61.0 19.5		2,047	27	1,503	19.2 53.9 26.9			
	London Teaching	109	9	99	25.3 56.6 18.2		648	45	354	23.4 53.7 22.9			
	Provincial Teaching	218	3	212	16.5 63.7 19.8		1,240	18	1,020	18.1 53.3 28.5			
	Regional Boards	23	4	22	22.7 54.5 22.7		159	19	129	15.5 59.7 24.8			
Bronchiectasis (526)	All hospitals	746	19	606	11.9 56.3 31.8		830	33	559	11.6 62.4 25.9			
	London Teaching	286	33	191	17.8 61.8 20.4		339	52	163	16.0 63.2 20.9			
	Provincial Teaching	329	10	297	9.1 57.6 33.3		367	21	290	8.3 62.4 29.3			
	Regional Boards	131	10	118	9.3 44.1 46.6		124	15	106	14.2 61.3 24.5			
82685) Ulcer of stomach (540)	All hospitals	2,510	8	2,302	12.1 53.9 34.0		990	42	576	15.6 46.4 26.0			
	London Teaching	672	7	623	11.9 54.9 33.2		283	54	131	13.7 40.5 45.8			
	Provincial Teaching	1,325	8	1,216	12.6 52.5 35.0		468	36	301	16.3 46.2 37.5			
	Regional Boards	513	10	463	11.2 56.4 32.4		239	40	144	16.0 52.1 31.9			
Ulcer of duodenum (541)	All hospitals	4,818	6	4,515	14.3 57.0 28.7		889	31	609	16.1 54.8 29.1			
	London Teaching	940	9	855	17.7 58.5 23.9		206	54	94	23.4 47.9 28.7			
	Provincial Teaching	2,903	6	2,739	14.2 55.4 30.4		495	22	387	14.7 58.1 27.1			
	Regional Boards	975	6	921	11.3 60.5 28.2		188	32	128	14.8 50.0 35.2			
Cholecystitis and cholelithiasis including biliary colic (584:585)	All hospitals	558	15	477	27.7 51.8 20.5		2,299	40	1,385	18.2 51.6 30.2			
	London Teaching	119	15	101	34.7 47.5 17.8		481	61	189	19.0 53.4 27.5			
	Provincial Teaching	330	14	285	27.0 51.6 21.4		1,318	32	902	17.4 52.3 30.3			
	Regional Boards	109	17	91	22.0 57.1 20.9		500	41	294	20.1 48.3 31.6			
Conditions mainly treated in Surgical departments													
33 Non-acute lymphadenitis including non- specific mesenteric adenitis (468.0-468.2)	All hospitals	454	22	354	12.4 61.3 26.3		419	26	311	14.8 63.7 21.5			
	London Teaching	122	43	70	15.7 60.0 24.3		126	44	70	17.1 55.7 27.1			
	Provincial Teaching	187	13	162	14.2 56.2 29.6		178	17	147	12.9 66.0 21.1			
	Regional Boards	145	16	122	8.2 68.9 23.0		115	18	94	16.0 66.0 18.1			
Varicose Veins (460:462)	All hospitals	1,199	6	1,123	15.9 59.3 24.8		1,666	31	1,151	22.6 50.6 26.8			
	London Teaching	478	10	431	18.6 60.3 21.1		617	50	308	29.9 44.2 26.0			
	Provincial Teaching	445	4	428	14.7 56.5 28.7		712	19	578	20.8 52.4 26.8			
	Regional Boards	276	4	264	13.6 62.1 24.2		337	21	265	18.1 54.3 27.5			
Haemorrhoids (461)	All hospitals	1,327	5	1,260	16.1 56.0 27.9		745	31	514	17.9 57.2 24.9			
	London Teaching	278	8	255	18.4 58.4 23.1		187	55	85	17.6 64.7 17.6			
	Provincial Teaching	727	3	702	14.8 55.4 29.8		384	23	296	18.2 55.4 26.4			
	Regional Boards	322	6	303	17.2 55.1 27.7		174	24	133	17.3 56.4 26.3			
Anal fissure and fistula; abscess of anal and rectal regions (574:575)	All hospitals	686	10	617	20.7 55.8 23.5		447	30	315	24.1 51.1 24.8			
	London Teaching	182	19	148	23.0 56.1 20.9		149	48	78	37.2 48.7 14.1			
	Provincial Teaching	366	7	340	18.2 55.6 26.2		223	20	178	21.3 55.1 23.6			
	Regional Boards	138	7	129	24.8 55.8 19.4		75	21	59	15.3 42.4 42.4			
Inguinal hernia without obstruction (560.0)	All hospitals	5,053	8	4,654	15.2 57.8 26.9		704	23	539	13.4 57.5 29.1			
	London Teaching	1,431	12	1,260	19.2 58.8 22.0		161	47	85	18.8 58.8 22.4			
	Provincial Teaching	2,530	6	2,377	13.8 56.0 30.2		384	15	328	11.9 57.3 30.8			
	Regional Boards	1,092	7	1,017	13.6 61.0 25.5		159	21	126	13.5 57.1 29.4			

TABLE 3 - continued

(82685)

Principal Diagnosis on Discharge	Hospital Group	MALES						FEMALES					
		Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned				Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			
				Total	I&II	III	IV&V			Total	I&II	III	IV&V
Conditions mainly treated in Surgical departments (continued)													
Other hernia of abdominal cavity without obstruction (560 rdr.)	All hospitals	1,049	12	918	13.8	57.8	28.3	1,537	33	1,037	14.4	53.0	32.6
	London Teaching	295	17	244	19.3	59.0	21.7	425	50	211	14.7	52.6	32.7
	Provincial Teaching	557	8	513	12.7	55.0	32.4	828	21	656	13.4	53.2	33.4
	Regional Boards	197	18	161	9.3	65.2	25.5	284	40	170	17.6	52.9	29.4
Hernia of abdominal cavity with obstruction (561)	All hospitals	581	24	442	18.6	52.7	28.7	469	59	193	15.0	49.7	35.2
	London Teaching	95	29	67	14.9	53.7	31.3	62	65	22	9.1	40.9	50.0
	Provincial Teaching	321	20	258	19.8	51.2	29.1	270	57	115	16.5	51.3	32.2
	Regional Boards	165	29	117	17.9	55.6	26.5	137	59	56	14.3	50.0	35.7
Acute appendicitis without mention of peritonitis (550.0)	All hospitals	3,064	17	2,551	16.0	60.6	23.4	2,852	25	2,144	17.0	58.4	24.5
	London Teaching	456	30	318	16.7	60.1	23.3	426	40	257	20.2	55.3	24.5
	Provincial Teaching	1,660	16	1,393	16.2	59.2	24.6	1,544	24	1,168	17.3	57.5	25.2
	Regional Boards	948	11	840	15.4	63.2	21.4	882	18	719	15.4	61.1	23.5
Acute appendicitis with peritonitis (550.1)	All hospitals	866	12	758	15.7	59.2	25.1	666	30	469	17.1	57.6	25.4
	London Teaching	81	21	64	15.6	62.5	21.9	73	42	42	19.0	59.5	21.4
	Provincial Teaching	513	11	457	15.8	55.6	28.7	376	30	264	18.2	53.4	28.4
	Regional Boards	272	13	237	15.6	65.4	19.0	217	25	163	14.7	63.8	21.5
Other and unqualified appendicitis, incl. chronic and subacute forms (551.552)	All hospitals	1,134	11	1,011	18.7	58.6	22.7	2,025	18	1,660	18.2	57.0	24.8
	London Teaching	245	16	207	28.5	56.5	15.0	514	26	378	23.0	57.1	19.8
	Provincial Teaching	547	13	476	18.1	56.1	25.8	1,026	15	871	18.6	54.8	26.6
	Regional Boards	342	4	328	13.4	63.4	23.2	485	15	411	12.9	61.6	25.5

(82685)

Hyperplasia of prostate (610)	All hospitals	2,310	29	1,633	21.6	48.6	29.8
	London Teaching	468	34	310	23.5	48.1	28.4
	Provincial Teaching	1,257	27	920	22.2	46.2	31.6
	Regional Boards	585	31	403	18.9	54.6	26.5

Conditions mainly treated in the Traumatic and Orthopaedic Surgery department													
Fractured vault and base of skull; multiple and unqualified skull fractures, with or without head injury (N800:801:803:804)	All hospitals	854	27	620	11.8	56.1	32.1	318	44	178	19.1	48.3	32.6
	London Teaching	122	34	81	10.0	48.1	42.0	49	73	13	15.4	46.2	38.5
	Provincial Teaching	546	30	381	11.0	54.9	34.1	201	40	121	17.4	47.9	34.7
	Regional Boards	186	15	158	14.6	63.3	22.2	68	35	44	25.0	50.0	25.0
Concussion or other head injury (incl. scalp wounds) without skull fracture (N852-856)	All hospitals	1,675	24	1,272	9.0	59.4	31.6	600	40	359	13.6	49.3	37.0
	London Teaching	210	27	153	12.4	51.6	35.9	78	50	39	17.9	48.7	33.3
	Provincial Teaching	1,035	26	764	8.5	57.7	33.8	377	39	230	12.6	48.3	39.1
	Regional Boards	430	17	355	8.7	66.2	25.1	145	38	90	14.4	52.2	33.3
Fracture of ankle (N824)	All hospitals	188	10	169	16.6	55.0	28.4	193	49	99	22.2	44.4	33.3
	London Teaching	61	20	49	22.4	63.3	14.3	63	51	31	25.8	45.2	29.0
	Provincial Teaching	96	6	90	15.6	55.6	28.9	80	46	43	20.9	44.2	34.9
	Regional Boards	31	3	30	10.0	40.0	50.0	50	50	25	20.0	44.0	36.0
Fracture of tibia and fibula (N823)	All hospitals	690	18	565	10.8	58.1	31.1	316	45	173	13.9	50.3	35.8
	London Teaching	132	30	93	20.4	54.8	24.7	72	47	38	15.8	57.9	26.3
	Provincial Teaching	394	14	339	9.1	54.9	36.0	165	41	97	14.4	44.3	41.2
	Regional Boards	164	19	133	8.3	68.4	23.3	79	52	38	18.5	57.9	31.6
Fracture of femur (N820:821)	All hospitals	635	24	481	11.4	53.4	35.1	876	70	261	18.0	47.9	34.1
	London Teaching	92	32	63	12.7	52.4	34.9	153	75	39	12.8	51.3	35.9
	Provincial Teaching	387	22	302	10.6	55.0	34.4	456	66	156	17.9	46.2	35.9
	Regional Boards	156	26	116	12.9	50.0	37.1	267	75	66	21.2	50.0	28.8
Internal derangement of knee joint (734)	All hospitals	852	7	789	18.3	60.1	21.7	152	16	127	23.6	50.4	26.0
	London Teaching	303	11	270	26.3	56.3	17.4	67	24	51	17.6	62.7	19.6
	Provincial Teaching	329	7	307	13.0	60.9	26.1	61	10	55	27.3	43.6	29.1
	Regional Boards	220	4	212	15.6	63.7	20.8	24	12	21	28.6	38.1	33.3

TABLE 3 - continued

Principal Diagnosis on Discharge	Hospital Group	MALES							FEMALES							
		Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total Discharges	% with Social Class not assigned	Total	% Distribution	
				Total	% Distribution	I&II			Total	% Distribution	I&II			I&II	III	IV&V
Conditions mainly treated in the Traumatic and Orthopaedic Surgery department (continued)																
Displacement of intervertebral disc. (735)	All hospitals	663	6	623	17.2 53.0 29.9		472	25	355	34.9 49.9 15.2						
	London Teaching	181	8	166	21.1 59.6 19.3		196	34	130	33.1 53.8 13.1						
	Provincial Teaching	414	5	393	15.0 51.4 33.6		233	19	188	39.4 45.2 15.4						
	Regional Boards	68	6	64	20.3 45.3 34.4		43	14	37	18.9 59.5 21.6						
Hallux valgus and varus (747)	All hospitals	76	5	72	9.7 59.7 30.6		726	21	573	23.4 53.1 23.6						
	London Teaching	33	9	30	3.3 73.3 23.3		448	23	347	25.4 54.8 19.9						
	Provincial Teaching	30	3	29	13.8 41.4 44.8		162	20	130	18.5 50.8 30.8						
	Regional Boards	13	-	13	15.4 69.2 15.4		116	17	96	22.9 50.0 27.1						
Osteomyelitis and periostitis (730)	All hospitals	638	16	538	13.2 62.5 24.3		311	23	238	10.9 64.7 24.4						
	London Teaching	156	16	131	17.6 64.1 18.3		85	36	54	9.3 70.4 20.4						
	Provincial Teaching	366	16	306	11.8 61.1 27.1		176	20	141	12.1 62.4 25.5						
	Regional Boards	116	13	101	11.9 64.4 23.8		50	14	43	9.3 65.1 25.6						
Synovitis, bursitis and tenosynovitis (741.742)	All hospitals	439	10	396	12.4 59.8 27.8		520	29	371	19.1 52.3 28.6						
	London Teaching	164	12	144	14.6 56.9 28.5		251	35	162	20.4 54.3 25.3						
	Provincial Teaching	187	8	172	9.3 64.5 26.2		178	20	143	16.1 53.8 30.1						
	Regional Boards	88	9	80	15.0 55.0 30.0		91	27	66	22.7 43.9 33.3						
Conditions mainly treated in the Gynaecology department																
Uterine fibromyoma (214)	All hospitals						3,024	20	2,427	20.4 55.5 24.1						
	London Teaching						811	42	469	24.1 55.4 20.5						
	Provincial Teaching						1,782	10	1,600	20.6 53.9 25.5						
	Regional Boards						431	17	358	14.2 62.8 22.9						
Other benign neoplasm of uterus (215)	All hospitals						1,616	23	1,241	19.1 54.6 26.3						
	London Teaching						426	47	226	20.8 54.0 25.2						
	Provincial Teaching						973	14	838	19.3 55.1 25.5						
	Regional Boards						217	18	177	15.8 52.5 31.6						
Cervicitis and other infective diseases of uterus (630.0:630.1)	All hospitals						1,826	21	1,434	17.5 55.8 26.7						
	London Teaching						370	48	194	15.5 60.8 23.7						
	Provincial Teaching						1,094	11	970	17.9 54.2 27.8						
	Regional Boards						362	25	270	17.4 57.8 24.8						
Disorders of menstruation (634)	All hospitals						6,028	21	4,768	15.0 56.4 28.6						
	London Teaching						1,457	44	810	17.3 59.3 23.5						
	Provincial Teaching						3,651	12	3,196	15.3 54.7 30.1						
	Regional Boards						920	17	762	11.5 60.5 28.0						
Abortion (650-652)	All hospitals						4,048	19	3,265	15.6 58.2 26.2						
	London Teaching						597	55	268	22.4 57.1 20.5						
	Provincial Teaching						1,743	16	1,470	17.1 56.1 26.8						
	Regional Boards						1,708	11	1,527	12.9 60.5 26.6						
Uterovaginal prolapse (631)	All hospitals						4,827	32	3,296	17.4 51.3 31.3						
	London Teaching						1,088	65	379	17.9 46.7 35.4						
	Provincial Teaching						3,062	20	2,447	17.7 50.6 31.8						
	Regional Boards						677	31	470	15.7 58.9 25.3						
Conditions mainly treated in the Obstetrics department																
Delivery without complication speci- fied as spontaneous or normal (6600)	All hospitals						13,688	14	11,715	13.7 61.7 24.6						
	London Teaching						2,438	50	1,213	22.0 58.0 20.0						
	Provincial Teaching						6,205	5	5,915	15.9 62.6 21.5						
	Regional Boards						5,045	9	4,587	8.6 61.6 29.8						
Delivery without complication, with type of delivery unspecified (660.6)	All hospitals						8,348	27	6,092	13.0 60.9 26.1						
	London Teaching						3,468	58	1,440	14.6 61.9 23.5						
	Provincial Teaching						2,765	4	2,648	16.1 59.9 24.1						
	Regional Boards						2,115	5	2,004	7.8 61.6 30.6						
Delivery, complicated or assisted (includ- ing delivery before admission) (660.1- 660.5;660.7;670-678)	All hospitals						10,253	17	8,541	16.8 61.2 21.9						
	London Teaching						2,509	42	1,460	20.0 61.0 19.0						
	Provincial Teaching						5,802	5	5,497	17.9 61.0 21.1						
	Regional Boards						1,942	18	1,584	10.2 62.1 27.7						

TABLE 3 - continued

Principal Diagnosis on Discharge	Hospital Group	MALES						FEMALES					
		Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total	% Distribution
				Total	% Distribution	I&II			Total	% Distribution	I&II	III	IV&V
Conditions mainly treated in the Ear, Nose and Throat department													
Otitis media, without mention of mastoiditis (391)	All hospitals	1,656	24	1,266	13.4 59.0 27.6		1,417	29	1,013	15.8 57.8 26.4			
	London Teaching	559	34	370	12.4 61.1 26.5		456	43	262	19.1 51.5 29.4			
	Provincial Teaching	843	21	662	13.1 55.9 31.0		710	26	524	13.5 60.3 26.1			
	Regional Boards	254	8	234	15.8 64.5 19.7		251	10	227	17.2 59.5 23.3			
Mastoiditis, with or without otitis media (392,393)	All hospitals	820	19	668	10.2 60.5 29.3		665	28	478	11.3 58.8 29.9			
	London Teaching	161	39	98	14.3 64.3 21.4		117	48	61	11.5 57.4 31.1			
	Provincial Teaching	542	15	459	8.3 59.0 32.7		431	29	307	10.4 59.6 30.0			
	Regional Boards	117	5	111	14.4 63.1 22.5		117	6	110	13.6 57.3 29.1			
Sinusitis (471,513)	All hospitals	1,095	15	930	17.0 61.3 21.7		899	29	634	17.2 59.8 23.0			
	London Teaching	342	18	279	19.4 62.0 18.6		252	43	144	18.8 60.4 20.8			
	Provincial Teaching	593	16	500	17.8 57.6 24.6		506	26	373	16.4 60.3 23.3			
	Regional Boards	160	6	151	9.9 72.2 17.9		141	17	117	17.9 57.3 24.8			
Deflected nasal Septum (514)	All hospitals	1,101	10	990	16.1 60.8 23.1		395	25	298	13.4 61.7 24.8			
	London Teaching	314	15	267	21.3 62.9 15.7		122	30	85	15.3 63.5 21.2			
	Provincial Teaching	707	9	644	13.2 59.6 27.2		247	23	190	11.6 60.0 28.4			
	Regional Boards	80	1	79	21.5 63.3 15.2		26	12	23	21.7 69.6 8.7			
Nasal Polyp (515)	All hospitals	572	10	515	14.8 64.1 21.2		424	30	296	16.6 54.7 28.7			
	London Teaching	88	12	77	18.2 66.2 15.6		74	45	41	22.0 48.8 29.3			
	Provincial Teaching	381	9	346	15.6 61.0 23.4		308	30	216	16.7 54.6 28.7			
	Regional Boards	103	11	92	8.7 73.9 17.4		42	7	39	10.3 61.5 28.2			
Hypertrophy of tonsils and adenoids (510)	All hospitals	8,925	26	6,637	14.8 63.3 21.9		9,147	24	6,909	14.9 60.8 24.3			
	London Teaching	3,179	45	1,752	17.9 61.9 20.2		3,053	47	1,615	17.6 59.6 22.8			
	Provincial Teaching	3,898	13	3,382	13.7 62.1 24.2		4,273	15	3,652	14.7 60.5 24.8			
	Regional Boards	1,848	19	1,503	13.6 67.6 18.8		1,821	10	1,642	12.9 62.5 24.6			
Conditions mainly treated in the Ophthalmology department													
Strabismus (384)	All hospitals	1,432	20	1,139	12.6 60.7 26.7		1,578	20	1,255	13.2 60.5 26.3			
	London Teaching	461	39	282	13.5 63.1 23.4		516	37	327	16.8 63.9 19.3			
	Provincial Teaching	846	9	767	11.9 60.0 28.2		953	12	842	12.1 58.6 29.3			
	Regional Boards	125	28	90	15.6 60.0 24.4		109	21	86	10.5 66.3 23.3			
Cataract (385)	All hospitals	1,396	28	999	13.6 52.9 33.5		1,672	67	556	18.7 48.9 32.4			
	London Teaching	344	29	243	16.0 53.9 30.0		555	77	125	25.6 46.4 28.0			
	Provincial Teaching	948	28	678	12.5 52.8 34.7		970	62	365	17.3 48.2 34.5			
	Regional Boards	104	25	78	15.4 50.0 34.6		147	55	66	13.6 57.6 28.8			

TABLE 4 - All discharges other than maternity conditions: sex and age distribution for diagnostic groups and selected diagnoses - 1951.

All discharges other than those assigned to Section XI of the International Classification:^{*} classified in broad disease or injury groupings distinguishing the commoner diseases and injuries: distributions by sex and age (a) for all discharges (b) for those among them stated to have died in hospital.

Teaching hospitals (London and Provincial combined) and Hospitals under Regional Boards shown separately.

NOTE: The diseases shown in this table comprise selection and amalgamation of titles from a larger table which details the same information for each fourth-digit rubric in the International Statistical Classification. Figures for any particular rubric can be supplied on request, or arrangements can be made for the full table to be studied at the General Register Office.

* Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Sixth Revision, 1948.

(82685)
TABLE 4

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only											
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated	
Teaching Hospitals												
All discharges, excluding deliveries, complications of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions	(a) M	110,423	12,782	16,658	9,479	12,046	14,053	16,386	14,889	9,674	3,468	988
	F	121,293	8,873	13,808	12,540	15,769	20,048	20,723	14,767	10,259	3,692	814
	(b) M	4,454	333	83	109	190	360	730	998	994	540	117
	F	3,323	249	69	85	144	268	525	687	763	467	66
Diseases, excluding deliveries and complica- tions of pregnancy, child- birth and the puerperium	(a) M	99,746	11,923	15,017	7,756	10,316	12,445	15,085	14,043	9,199	3,227	735
	F	115,961	8,288	13,162	11,964	15,278	19,506	20,056	14,141	9,655	3,232	679
	(b) M	4,217	320	70	96	167	338	704	965	964	499	94
	F	3,149	241	65	79	136	264	515	670	734	391	54
Injuries and other effects of external causes	(a) M	10,677	859	1,641	1,723	1,730	1,608	1,301	846	475	241	253
	F	5,332	585	646	576	491	542	667	626	604	460	135
	(b) M	237	13	13	13	23	22	26	33	30	41	23
	F	174	8	4	6	8	4	10	17	29	76	12
Hospitals under Regional Boards												
All discharges, excluding deliveries, complications of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions	(a) M	27,784	3,810	4,531	2,248	2,574	3,066	3,498	3,488	2,896	1,604	69
	F	28,364	2,662	3,771	3,095	3,189	3,805	3,948	3,125	2,881	1,833	55
	(b) M	2,509	131	30	28	77	143	280	509	709	590	12
	F	2,321	91	18	34	54	113	221	401	658	727	4
Diseases, excluding deliveries and complica- tions of pregnancy, child- birth and the puerperium	(a) M	25,387	3,534	4,081	1,849	2,257	2,765	3,262	3,314	2,774	1,501	50
	F	26,881	2,497	3,593	2,927	3,094	3,647	3,777	2,965	2,685	1,647	49
	(b) M	2,416	129	26	24	69	134	270	496	696	562	10
	F	2,227	88	15	31	52	113	214	393	634	684	3
Injuries and other effects of external causes	(a) M	2,397	276	450	399	317	301	236	174	122	103	19
	F	1,483	165	178	168	95	158	171	160	196	186	6
	(b) M	93	2	4	4	8	9	10	13	13	28	2
	F	94	3	3	3	2	-	7	8	24	43	1

(82685)

43

(82685)

TABLE 4 - continued

(82685)

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																						
	Teaching Hospitals											Hospitals under Regional Boards											
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
I. INFECTIVE AND PARASITIC DISEASES (a)																							
	(b)																						
Tuberculosis of respiratory system (001-008)	(a) M	995	103	96	140	185	144	127	126	50	7	17	1095	35	51	212	326	209	149	78	25	7	
	(a) F	907	76	84	271	255	109	56	29	17	4	6	867	26	48	332	255	123	47	23	12	3	
	(b) M	51	4	1	1	6	6	8	10	8	4	3	87	4	2	3	12	18	16	22	8	2	
	(b) F	22	3	1	-	4	3	3	3	5	-	-	49	4	1	9	12	14	1	4	3	1	
Primary tuberculosis complex; tracheo-bronchial glandular tuberculosis (004,005)	(a) M	117	65	45	4	1	1	-	-	-	-	1	44	20	21	2	-	-	-	-	1	-	
	(a) F	110	56	46	6	1	-	1	-	-	-	-	33	11	18	3	1	-	-	-	-	-	
Pleurisy specified as tuberculosis (003.0)	(a) M	69	6	13	13	16	11	3	4	2	-	1	32	2	9	11	4	2	3	1	-	-	
	(a) F	43	-	7	21	8	3	2	-	1	-	1	31	-	7	13	2	6	2	-	1	-	
	(b) M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) F	2	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-		
Pleurisy with effusion without mention of cause (003.1)	(a) M	109	6	10	19	9	15	12	27	9	1	1	61	1	5	11	9	8	10	10	3	1	
	(a) F	111	1	11	35	18	11	11	10	8	3	3	41	1	5	11	4	5	5	5	5	-	
	(b) M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) F	3	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	
Pulmonary tuberculosis; other tuberculosis of respiratory system (001,002,006-008)	(a) M	700	26	28	104	159	117	112	95	39	6	14	958	12	16	188	313	199	136	67	21	4	2
	(a) F	643	19	20	209	228	95	42	19	8	1	2	762	14	18	305	248	112	40	18	6	1	-
	(b) M	46	-	-	1	6	6	8	10	8	4	3	87	4	2	3	12	18	16	22	8	2	-
	(b) F	17	3	1	-	3	2	3	3	2	-	-	47	4	1	8	12	14	1	4	2	1	-
Tuberculosis, other forms (010-019)	(a) M	1144	177	230	186	230	144	99	50	16	5	7	201	26	40	36	36	26	19	11	4	2	1
	(a) F	1414	134	242	364	280	172	111	65	25	12	9	249	29	41	49	59	30	23	8	10	-	-
	(b) M	53	16	8	8	8	6	3	1	1	-	2	24	4	3	4	2	3	2	2	1	1	
	(b) F	50	11	7	11	5	3	5	4	2	1	1	22	4	2	4	3	2	3	1	3	-	
Tuberculosis of meninges and central nervous system (010)	(a) M	138	66	24	16	12	14	1	2	-	-	3	36	12	11	8	2	2	1	-	-	-	
	(a) F	136	43	35	31	14	6	5	-	1	-	1	34	9	5	6	2	2	1	1	-	-	
	(b) M	37	16	8	5	5	2	-	-	-	-	1	14	4	2	4	2	2	2	1	-	-	
	(b) F	31	9	7	8	3	2	1	-	-	-	1	13	4	1	3	2	2	1	-	-	-	
Tuberculosis of bones and joints (inc. late effects) (012,013)	(a) M	344	38	67	60	87	40	36	13	2	1	2	61	6	10	13	12	8	4	6	1	-	
	(a) F	386	32	79	104	68	48	31	18	3	1	-	58	4	7	15	14	10	2	3	1	-	
	(b) M	4	-	-	1	-	-	2	1	-	-	-	5	-	1	-	-	-	-	1	-	-	
	(b) F	3	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Tuberculosis of skin and subcutaneous cellular tissue (014)	(a) M	50	4	11	6	7	7	9	6	-	-	-	6	-	1	2	1	1	1	1	-	-	
	(a) F	104	8	14	28	11	11	14	10	3	3	2	13	1	2	1	5	1	1	2	-	-	
	(b) M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis of lymphatic system (015)	(a) M	283	53	104	44	35	20	15	7	3	1	1	29	5	14	4	4	1	8	4	1	-	
	(a) F	396	32	94	113	58	38	29	19	6	6	1	63	11	20	6	10	4	8	4	1	-	
	(b) M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	(b) F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Tuberculosis of genito-urinary system (016)	(a) M	224	1	11	34	74	47	26	18	9	2	2	43	-	1	4	16	10	7	2	1	-	
	(a) F	220	-	2	46	89	48	21	10	3	-	1	50	-	3	10	19	10	8	-	1	-	
	(b) M	9	-	-	3	1	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	(b) F	5	-	-	-	1	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Tuberculosis, other organs (inc. intestines and mesenteric glands) (011; 017,018)	(a) M	85	7	12	23	12	16	9	4	1	1	-	22	3	3	5	1	3	4	2	1		

TABLE 4 - continued

(82685)

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
	Teaching Hospitals												Hospitals under Regional Boards									
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Infectious diseases commonly arising in intestinal tract (040-049)	(a) M F (b) M F	206 116 1 1	52 32 - -	33 22 - -	17 26 - -	50 10 1 -	29 8 - -	16 7 - -	4 3 - -	3 2 - -	2 2 - -	223 183 3 -	142 112 1 -	39 28 - -	6 18 - -	8 10 - -	9 4 - -	9 3 - -	5 5 - -	4 1 - -	1 2 - -	
Dysentery, all forms (045-048)	(a) M F (b) M F	160 82 1 -	41 27 - -	22 15 - -	10 17 - -	48 8 1 -	23 5 - -	9 2 - -	3 2 - -	3 2 - -	1 1 - -	142 114 - -	100 74 - -	22 15 - -	1 11 - -	6 6 - -	5 2 - -	3 3 - -	2 4 - -	1 1 - -		
Typhoid and para-typhoid fever; other salmonella infections (040-042)	(a) M F (b) M F	26 22 1 -	9 5 - -	8 4 - -	5 7 - -	- 1 - -	1 1 - -	3 3 - -	- 1 - -	- 1 - -	- - -	76 68 3 -	42 38 1 -	17 12 7 -	5 4 2 -	3 2 - -	3 3 - -	1 1 - -	1 1 - -			
Other infectious diseases arising in intestinal tract (043, 044; 049)	(a) M F (b) M F	20 12 - -	2 - -	3 3 - -	2 2 - -	2 1 - -	5 2 - -	4 2 - -	1 2 - -	- 1 - -	1 1 - -	5 1 - -	- - -	- 1 - -	- 1 - -	- - -	- - -	- - -	- - -			
All other infective and parasitic diseases (036-039; 050-138)	(a) M F (b) M F	1468 1244 35 18	357 299 13 9	310 230 2 -	239 236 4 1	212 170 3 2	142 122 2 1	99 85 4 5	58 48 6 5	28 29 1 -	9 11 - -	14 14 - -	1025 1027 13 14	484 441 6 8	292 280 3 2	88 116 1 1	58 64 1 1	42 44 1 1	25 30 1 1	12 20 1 1	16 19 1 1	7 12 1 1
Scarlet fever (050)	(a) M F (b) M F	33 18 - -	9 7 - -	19 6 - -	3 2 - -	1 1 - -	1 1 - -	- 1 - -	- 1 - -	- - -	- - -	223 229 - -	103 84 - -	110 134 - -	7 9 - -	1 1 - -	1 1 - -	1 1 - -	1 1 - -			
Streptococcal sore throat (051)	(a) M F (b) M F	14 20 - -	3 3 - -	3 4 - -	2 10 - -	3 1 - -	2 1 - -	1 1 - -	- - -	- - -	- - -	14 18 - -	7 3 - -	3 4 - -	2 8 - -	1 1 - -	1 2 - -	- - -	- - -			
Diphtheria (055)	(a) M F (b) M F	5 2 - -	3 - -	1 - -	- 1 - -	- 1 - -	1 - -	- - -	- - -	- - -	- - -	- - -	17 13 - -	6 2 - -	7 7 - -	3 4 - -	1 1 - -	- - -	- - -	- - -		

(82685)

Whooping cough (056)	(a) M F (b) M F	53 61 2 3	45 45 2 3	8 13 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	114 133 3 4	102 121 3 4	10 12 - -	1 - -	- - -	- - -	- - -	1 - -	- - -	- - -
Meningococcal infections (057)	(a) M F (b) M F	77 57 9 4	57 46 7 3	7 1 - -	5 3 1 -	2 1 - -	4 - -	2 3 1 -	2 1 - -	- - -	- - -	40 40 3 3	30 27 2 2	6 5 1 -	2 1 - -	2 1 - -	1 - -	2 3 1 1	- - -	- - -	
Acute Poliomyelitis (080)	(a) M F (b) M F	95 77 5 -	36 34 2 -	29 20 1 -	9 12 1 -	14 6 1 -	3 2 1 -	1 1 1 -	- - -	- - -	2 3 1 1	44 40 1 1	15 16 12 -	12 12 7 1	10 7 5 -	4 5 2 1	2 - -	1 - -			
Paralytic deformities and other sequelae of poliomyelitis (081)	(a) M F (b) M F	196 252 1 -	33 51 - -	90 87 1 -	33 49 - -	17 39 - -	14 19 - -	3 4 - -	4 4 - -	- - -	2 3 - -	41 32 - -	9 10 - -	20 12 - -	6 5 - -	5 3 - -	1 2 - -	- - -	- - -		
Acute infectious encephalitis (082)	(a) M F (b) M F	71 37 2 2	19 10 1 1	23 3 - -	12 8 - -	13 9 - -	1 4 - 1	1 1 - 1	1 1 1 -	- - -	- - -	1 1 - 1	51 47 1 1	7 3 - 1	16 11 - -	13 10 - -	6 7 - -	4 2 - 1	2 1 - -	1 - -	
Parkinsonism and other post encephalitic conditions (083)	(a) M F (b) M F	28 17 - -	- - -	2 1 - -	9 5 - -	11 3 - -	5 4 - -	1 2 - -	- 1 - -	- 1 - -	- 1 - -	8 7 1 1	- - -	- - -	- - -	2 3 1 1	4 2 - -	1 1 - -	1 1 - -		
Measles (085)	(a) M F (b) M F	83 55 2	46 26 1	25 15 - -	10 9 - -	1 4 - -	1 1 - -	1 1 - -	- - -	- - -	- - -	192 159 1 1	149 119 - 1	38 27 5 1	1 5 4 3	3 2 2 1	1 2 - -	- - -	- - -		
Herpes zoster (088)	(a) M F (b) M F	71 65 - -	- - -	1 2 - -	5 2 - -	4 9 - -	13 12 - -	17 15 - -	19 10 - -	7 10 - -	1 - -	18 24 - -	- - -	1 1 - -	1 1 - -	3 3 - -	3 4 - -	6 5 - -	4 9 - -		
Mumps (089)	(a) M F (b) M F	36 17 - -	2 1 - -	11 6 - -	18 4 - -	4 5 - -	1 1 - -	- - -	- - -	- - -	- - -	19 19 - -	6 2 - -	3 2 - -	4 11 - -	5 3 - -	1 1 - -	- - -	- - -		
Infectious hepatitis (092)	(a) M F (b) M F	109 92 3	7 8 - -	19 20 - -	14 25 - -	26 11 - -	22 9 - -	11 8 - -	5 5 - -	4 1 - -	- - -	41 40 2 1	3 1 - -	9 6 - -	7 9 - -	8 9 - -	5 5 - -	4 4 - 1	1 1 - -	- - -	

47	Measles (085)	(a) M F (b) M F	83 55 2	46 26 1	25 15 - -	10 9 - -	1 4 - -	1 1 - -	1 1 - -	- - -	- - -	- - -	192 159 1 1	149 119 - 1	38 27 5 1	1 5 4 3	3 2 2 1	1 2 - -	- - -	- - -	- - -
<tbl

TABLE 4 - continued

82685

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
	Teaching Hospitals												Hospitals under Regional Boards									
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
All other infective and parasitic diseases - continued																						
Glandular fever (infectious mononucleosis) (093)	(a) M F	105 75	9 4	19 9	39 45	27 12	7 2	1 1	- -	- -	3 2	45 29	4 2	17 7	13 14	7 4	3 1	- -	- 1	- -	- -	1
Rickettsial diseases (inc. typhus and Q fever) (100-108)	(a) M F	2 -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Malaria (110-117)	(a) M F	36 5	- 1	2 1	14 2	11 1	5 1	4 -	- -	- -	- -	6 2	- -	2 1	- 1	- -	3 -	1 -	- -	- -	- -	
Intestinal and other worm infestations (123-130)	(a) M F	120 84	27 19	14 13	15 8	28 11	16 19	13 7	5 3	1 3	- 1	18 18	1 6	7 3	1 4	2 2	2 2	2 1	- -	- -	- -	
Fungus infections (131-134)	(a) M F	88 75	17 7	8 1	11 10	15 20	17 20	14 11	6 6	- -	- -	11 21	4 3	- -	2 4	- 5	4 6	- -	1 1	- -	- 2	
Remaining infective and parasitic diseases (036-039; others in 050-138)	(a) M F	246 235	44 37	31 30	47 44	37 29	34 36	29 11	16 8	4 3	123 156	38 42	33 37	16 24	12 13	11 9	6 13	1 5	4 11	2 1	- 1	

82685

II. NEOPLASMS																									
Malignant neoplasms (140-205)		M	F	9105 10532	106 113	132 88	175 142	392 465	776 1425	1790 2514	2624 2803	2230 2185	829 715	51 82	1420 1451	6 5	9 10	14 12	38 40	105 146	231 319	390 416	444 321	183 181	- 1
Malignant neoplasm of buccal cavity and pharynx (140-148)	(a) M F	873 427	1 -2	3 9	15 20	20 55	49 94	131 99	204 103	287 42	158 38	5 3	62 38	- -	- -	- -	3 1	4 3	15 6	7 4	18 11	15 8	- 5		
Malignant neoplasm of stomach (151)	(a) M F	784 466	- -1	4 5	7 7	60 36	182 78	260 146	207 149	58 41	6 3	171 100	- -	1 1	- -	3 2	11 3	28 5	54 16	57 29	17 29	- 9			
Malignant neoplasm of large intestine and rectum (153,154)	(a) M F	1063 979	1 -1	3 1	25 20	72 94	184 188	316 295	331 274	127 97	4 9	207 232	- -	1 1	- -	1 5	12 16	19 39	51 62	87 65	37 44	- -			
Malignant neoplasm of bronchus and lung (inc. trachea) (162,163)	(a) M F	1639 279	- -1	1 3	32 14	141 36	503 71	629 90	290 53	28 10	12 2	330 58	- -	1 1	- -	2 2	26 12	97 32	117 36	78 43	10 15	- 5			
Malignant neoplasm of breast (170)	(a) M F	47 2414	- -3	- 4	2 70	2 430	9 701	13 611	14 444	7 136	4 18	302 302	- -	1 1	- -	1 6	2 46	97 85	117 89	78 46	10 29	- -			
Malignant neoplasm of cervix uteri (171)	(a) M F	- 1646	- 1	- 8	- 84	- 289	- 463	- 464	- 261	- 63	- 13	- 158	- -	- -	- -	15 1	27 1	42 1	40 6	23 46	11 85	- -			
Malignant neoplasm of corpus, and of other or unspecified parts of uterus (172-174)	(a) M F	- 633	- 1	- 3	- 8	- 61	- 174	- 236	- 115	- 29	- 6	- 87	- -	- -	- -	- 7	- 25	- 30	- 20	- 5	- -				
Malignant neoplasm of ovary, Fallopian tube, and broad ligament (175)	(a) M F	- 505	- 1	- 4	- 10	- 88	- 179	- 137	- 63	- 20	- 3	- 82	- -	- -	- -	- 2	- 4	- 30	- 25	- 10	- 4	- -			
	(b) M F	- 1107	- 18	- 17	- 20	- 38	- 108	- 232	- 287	- 264	- 109	- 14	- 376	- 1	- 2	- 4	- 23	- 53	- 89	- 118	- 85	- -			

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																						
	Teaching Hospitals										Hospitals under Regional Boards												
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
Malignant neoplasms - continued																							
Malignant neoplasm of other and unspecified female genital organs (176)	(a) M F	209 13	-	-	1	4	9	31	55	76	31	2	32	-	-	-	-	4	5	9	7	6	1
Malignant neoplasm of prostate (177)	(a) M F	326 39	1	-	-	-	2	10	70	163	80	-	149	-	-	-	-	4	23	69	53	-	
Malignant neoplasm of bladder and other urinary organs (181)	(a) M F	594 180	2	-	-	7	27	97	184	192	84	1	129	-	-	-	1	6	17	45	44	16	
Malignant neoplasm of skin, bone and connective tissue (190; 191; 196,197)	(a) M F	722 504	4	17	24	44	85	106	175	183	80	4	48	-	2	2	3	9	12	9	9	-	
Malignant neoplasm of brain and other parts of nervous system (193)	(a) M F	348 220	21	39	23	55	42	84	62	14	2	6	14	-	1	1	1	3	7	15	9	13	
Hodgkin's disease (201)	(a) M F	251 181	2	19	38	68	47	31	34	10	1	1	40	-	4	7	9	10	4	6	-	-	
Leukaemia and aleukæmia (204)	(a) M F	44 22	-	3	7	8	10	7	29	20	4	1	7	-	1	1	2	3	2	3	1	-	
Lymphosarcoma and other neoplasms of lymphatic and haematoopoietic tissues (200; 202,203; 205)	(a) M F	313 260	7	18	14	35	57	61	71	34	14	2	20	-	3	-	3	4	2	6	5	1	
Malignant neoplasm of all other and unspecified sites (others in 140-205)	(a) M F	1836 1335	37	12	20	70	142	344	556	462	183	10	218	3	-	3	11	23	30	54	70	24	
Benign and unspecified neoplasms (210-239)	(a) M F	280 242	53	15	22	50	124	268	337	343	117	6	187	2	1	1	1	12	33	45	61	31	
Benign neoplasm of respiratory system (212)	(a) M F	85 80	12	-	3	8	16	35	74	91	38	3	74	-	1	-	1	4	4	6	19	24	
Benign and unspecified neoplasm of breast (213; 232)	(a) M F	9 425	-	1	1	1	5	13	53	61	73	26	3	69	-	1	-	3	6	15	29	15	
Benign and unspecified neoplasm of ovary (216; 234)	(a) M F	-	1022	5	10	138	279	238	167	101	59	20	5	228	2	1	31	72	43	33	21	17	8
Uterine fibromyoma (214)	(a) M F	-	2606	-	-	12	205	1077	1175	97	30	6	4	452	-	1	4	22	182	214	22	7	-
Uterine polyp. (215 part)	(a) M F	-	983	-	-	17	80	289	409	135	44	7	2	162	-	3	21	53	56	23	4	2	
Other benign and unspecified neoplasm of uterus and female genital organs (215 rmdr; 217; 233; 235)	(a) M F	-	735	1	-	38	201	299	160	22	11	-	3	101	-	1	8	30	32	26	3	1	

Lymphosarcoma and other neoplasms of lymphatic and haematoopoietic tissues (200; 202,203; 205)	(a) M F	37	9	2	1	1	3	5	1	15	7	3	-	7	-	-	-	1	1	1	1	-	
Malignant neoplasm of all other and unspecified sites (others in 140-205)	(a) M F	1836 1335	37	12	20	70	142	344	556	462	183	10	218	3	-	3	11	23	30	54	70	24	
Benign and unspecified neoplasms (210-239)	(a) M F	280 242	53	15	22	50	124	268	337	343	117	6	187	2	1	1	1	12	33	45	61	31	
Benign neoplasm of respiratory system (212)	(a) M F	85 80	12	-	3	8	16	35	74	91	38	3	74	-	1	-	1	4	4	6	19	24	
Benign and unspecified neoplasm of breast (213; 232)	(a) M F	9 425	-	1	1	1	5	13	20	17	9	8	1	-	8	-	1	2	2	2	-		
Benign and unspecified neoplasm of ovary (216; 234)	(a) M F	-	1022	5	10	138	279	238	167	101	59	20	5	228	2	1	31	72	43	33	21	17	8
Uterine fibromyoma (214)	(a) M F	-	2606	-	-	12	205	1077	1175	97	30	6	4	452	-	1	4	22	182	214	22	7	-
Uterine polyp. (215 part)	(a) M F	-	983	-	-	17	80	289	409	135	44	7	2	162	-	3	21	53	56	23	4	2	
Other benign and unspecified neoplasm of uterus and female genital organs (215 rmdr; 217; 233; 235)	(a) M F	-	735	1	-	38	201	299	160	22	11	-	3	101	-	1	8	30	32	26	3	1	

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																						
	Teaching Hospitals											Hospitals under Regional Boards											
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
Benign and unspecified neoplasms - continued																							
Benign neoplasm of bladder (219 part)	(a) M	672	-	-	3	18	64	152	216	174	43	2	171	-	-	1	2	16	32	52	49	19	-
	(a) F	243	-	1	-	5	11	34	81	74	37	-	36	-	-	-	1	3	12	8	6	6	-
	(b) M	3	-	-	-	1	-	-	-	1	1	-	3	-	-	-	-	1	1	1	1	1	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of brain and other parts of nervous system (223; 237)	(a) M	412	20	38	34	53	84	99	66	13	1	4	44	1	1	-	10	7	16	6	2	1	-
	(a) F	502	21	46	46	80	98	110	66	31	3	1	51	1	6	5	4	6	10	12	6	1	-
	(b) M	54	2	3	1	8	4	21	11	3	-	1	18	-	1	-	6	1	6	2	1	1	-
	(b) F	34	-	1	3	4	5	10	6	4	1	-	17	-	1	-	2	2	4	5	3	-	-
Haemangioma and lymphangioma (228)	(a) M	222	107	41	30	16	11	9	6	1	1	-	12	3	2	2	2	1	2	1	1	-	1
	(a) F	333	175	47	25	24	22	13	14	6	2	5	26	10	5	3	1	-	1	-	-	-	-
	(b) M	2	1	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	(b) F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pilonidal cyst (221)	(a) M	173	1	-	50	74	29	16	2	-	-	1	22	-	-	11	6	3	2	-	-	-	-
	(a) F	166	2	-	80	55	23	5	1	-	-	-	27	1	-	12	13	1	-	-	-	-	-
	(b) M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of skin, bone and connective tissue (220; 222; 225-227; 238)	(a) M	532	53	67	61	68	93	89	63	27	7	4	94	11	10	13	9	14	12	13	7	5	-
	(a) F	816	57	78	120	84	166	167	96	39	6	3	117	6	7	13	16	22	25	19	9	-	-
	(b) M	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	2	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of all other and unspecified sites (others in 210-239)	(a) M	814	41	58	67	79	118	177	133	110	28	3	135	8	10	13	18	18	18	32	12	6	-
	(a) F	665	28	51	53	76	118	144	89	82	19	5	93	6	12	6	15	13	19	8	12	2	-
	(b) M	22	3	-	3	1	5	5	1	2	2	-	7	-	-	-	1	-	1	1	2	1	-
	(b) F	14	2	2	-	1	-	4	2	2	-	1	5	-	-	-	1	-	1	-	2	1	-

**IV ALLERGIC,
ENDOCRINE METABOLIC
AND NUTRITIONAL DISEASES;
DISEASES OF BLOOD**

Allergic disorders (240-245)	(a) M	618	107	154	41	69	68	79	61	29	5	5	206	46	32	17	15	20	35	25	12	4	-
	(a) F	615	47	78	75	65	87	110	95	47	7	4	232	26	16	18	26	36	51	33	25	1	-
	(b) M	21	2	-	-	-	-	9	7	3	-	-	13	-	-	-	1	1	2	5	3	2	-
	(b) F	15	-	1	-	-	3	5	3	3	-	-	17	1	-	1	1	2	3	5	4	-	-
Asthma and Hay Fever (240, 241)	(a) M	507	81	137	33	48	53	67	57	25	4	2	187	39	27	14	14	19	34	24	12	4	-
	(a) F	531	40	67	56	57	80	96	82	44	5	4	207	18	12	12	24	35	49	32	24	1	-
	(b) M	21	2	-	-	-	-	9	7	3	-	-	13	-	-	-	1	2	5	3	2	-	-
	(b) F	15	-	1	-	-	3	5	3	3	-	-	16	1	-	1	1	2	5	4	-	-	-
Angioneurotic oedema, urticaria, allergic eczema and other allergies (242-245)	(a) M	111	26	17	8	21	15	12	4	4	1	3	19	7	5	3	1	1	1	1	1	-	-
	(a) F	84	7	11	19	8	7	14	13	3	2	-	25	8	4	6	2	1	1	2	1	1	-
	(b) M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Avitaminoses, and nutritional deficiency states (280-286)	(a) M	168	49	27	3	8	17	25	21	14	4	-	24	11	5	-	2	1	3	1	-	1	-
	(a) F	181	61	28	5	8	30	17	16	9	7	-	33	14	4	2	1	1	2	3	6	1	-
	(b) M	4	-	-	-	1	1	2	-	1	1	-	2	-	-	-	-	-	-	-	1	-	-
	(b) F	6	-	-	-	1	-	2	1	1	-	-	2	-	-	-	-						

TABLE 4 - continued

(82685)

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																										
	Teaching Hospitals												Hospitals under Regional Boards														
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.					
Anaemias - continued																											
Aplastic, non- regenerative, and leuko-erythroblastic anaemia (292.3-292.5)	(a) M	100	1	18	8	1	5	13	17	31	6	-	12	-	-	-	-	-	-	1	8	3	-				
	(a) F	111	2	13	11	4	5	8	38	15	14	1	11	-	-	-	-	-	-	2	6	2	-				
	(b) M	8	-	-	-	-	1	2	2	1	2	-	2	-	-	-	-	-	-	1	1	-	-				
	(b) F	9	-	2	1	1	-	1	2	2	-	-	3	-	-	-	-	-	-	-	1	1	1	-			
Other anaemias (inc. anaemia unspecified) (291; 292 rmdr.; 293)	(a) M	277	69	28	17	10	24	28	41	43	15	2	48	6	4	4	-	4	8	14	7	1					
	(a) F	535	42	21	41	64	122	107	70	47	21	-	126	3	3	7	10	28	26	11	18	19	1				
	(b) M	7	-	-	1	-	1	-	1	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1			
	(b) F	12	1	-	-	-	1	4	3	2	1	-	8	-	-	-	-	-	1	1	1	2	3	-			
Endocrine and metabolic diseases; other diseases of blood (250-277; 287-289; 294-299)	(a) M	2080	140	217	192	205	331	391	357	182	49	16	270	14	20	22	38	36	40	43	45	12	-				
	(a) F	5412	85	187	460	930	1187	1092	800	542	101	28	681	7	13	63	71	119	119	117	117	125	44	3			
	(b) M	60	3	4	3	5	12	5	5	16	7	-	30	3	1	1	-	3	8	5	6	3	-				
	(b) F	116	1	2	2	4	11	19	28	34	14	1	49	-	1	2	-	4	6	12	14	10	-				
Non-toxic goitre (250,251)	(a) M	151	-	2	6	23	52	35	27	6	-	-	9	-	1	-	3	-	3	2	-	-	-	-			
	(a) F	1123	-	5	96	228	374	255	109	40	13	3	104	-	-	12	19	34	24	12	3	-	-	-			
	(b) M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	(b) F	5	-	-	-	1	-	-	2	2	-	-	2	-	-	-	-	-	-	1	1	-	-	-			
Thyrotoxicosis (252)	(a) M	339	-	1	20	52	73	105	69	18	1	-	21	-	-	-	7	5	2	5	2	2	-	-			
	(a) F	1988	10	13	212	428	489	454	262	109	7	4	144	-	1	8	21	46	40	23	3	1	1	-			
	(b) M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-			
	(b) F	15	-	-	-	2	-	2	8	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-			
Myxoedema, cretinism and other diseases of thyroid gland (253,254)	(a) M	60	7	4	4	2	9	12	15	6	1	-	6	-	-	-	1	-	1	2	2	2	-	-			
	(a) F	258	7	8	13	21	55	58	53	37	5	1	37	-	-	-	2	9	5	7	8	6	-	-			
	(b) M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	(b) F	2	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	-	-	-	-	1	4	-		
Diabetes mellitus, unqualified (260.part)	(a) M	455	6	52	42	47	57	85	86	55	21	4	101	3	5	8	10	17	16	15	22	5	-	-			
	(a) F	709	6	56	49	101	72	93	154	142	31	5	212	4	8	16	11	14	26	48	62	22	1	-	-		
	(b) M	13	-	-	-	1	-	2	1	5	3	-	8	-	-	-	1	2	1	2	2	2	2	-			
	(b) F	22	1	-	-	1	-	2	2	2	10	4	-	19	-	1	-	-	2	2	4	5	5	-			

(82685)

Diabetes mellitus with mention of complication (260 rmdr.)	(a) M	296	-	11	27	17	38	48	61	70	19	5	66	-	3	5	8	7	8	15	15	5
	F	461	1	11	24	39	30	54	112	142	43	5	98	-	6	2	6	7	11	19	41	13
	M	17	-	-	-	1	3	2	1	8	2	-	13	-	1	-	1	1	3	3	4	1
	F	44	-	1	-	-	5	6	8	15	9	-	14	-	1	-	1	2	2	7	1	-
Haemorrhagic con- ditions (inc. haemophilia and purpura) (295,296)	(a) M	247	76	88	27	14	21	9	6	5	-	1	23	6	8	6	2	-	-	-	1	-
	F	123	23	32	9	10	17	11	16	5	-	-	11	2	1	3	1	-	2	-	2	-
	M	8	1	2	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	1	1	-	-	-	2	-	1	-	-	-	-	1	-	-
Remaining endocrine and metabolic diseases; other diseases of blood (270-277; 287-289; 294; 297-299)	(a) M	532	51	59	66	50	81	97	93	22	7	6	44	5	3	3	7	7	10	4	3	2
	F	750	38	62	57	103	150	167	94	67	2	10	75	1	3	18	15	10	11	8	6	2
	M	19	-	2	2	3	4	1	3	2	2	-	9	3	-	-	1	1	3	1	-	-
	F	25	-	1	1	1	3	8	6	4	1	-	5	-	-	-	-	1	1	3	-	-

V. MENTAL, PSYCHO-
NEUROTIC AND
PERSONALITY
DISORDERS

၅၂

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																						
	Teaching Hospitals										Hospitals under Regional Boards												
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
Disorders of character, behaviour and intelligence - continued																							
Personality and behaviour disorders: (a) other conditions classified to 320-326 (b) (320-324; 326)	M F	315 170	23 17	44 27	51 41	71 32	58 26	41 18	21 5	3 4	-	3 -	22 14	3 1	1 1	1 2	3 2	5 4	4 4	2 -	3 1	-	
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS																							
Vascular lesions affecting central nervous system (330-334)	(a) M F	828 715	9 17	5 6	19 10	35 22	66 124	163 187	199 184	206 92	86 27	40 27	414 622	2 2	1 5	4 8	8 22	15 73	44 143	84 199	141 165	110 165	5 3
(b) M F	267 268	3 2	- -	1 3	7 5	22 9	45 38	58 65	66 86	42 50	23 10	234 356	- -	- -	- -	2 2	5 7	19 41	53 79	83 115	69 111	3 1	
Other diseases of central nervous system (340-357)	(a) M F	1802 1692	211 164	207 160	175 248	275 267	317 293	291 294	203 167	82 65	15 17	26 17	320 316	51 30	37 27	31 38	39 36	39 45	46 45	31 37	13 22	-	
(b) M F	76 49	8 6	4 5	9 3	7 3	8 8	15 6	11 4	6 5	3 8	5 1	5 42	58 42	9 4	2 -	1 1	5 2	6 5	9 6	13 13	13 11	-	
Meningitis and encephalitis (except meningococcal and tuberculous meningitis) (340: 343)	(a) M F	158 144	54 56	20 15	7 16	17 16	21 17	26 10	9 10	1 1	- 1	3 2	58 35	26 16	11 9	3 3	6 2	5 1	3 2	1 1	1 1	-	
(b) M F	29 15	3 4	- 2	2 -	1 1	4 4	1 1	1 1	1 1	1 1	- -	2 -	15 8	8 2	- -	- -	2 -	1 -	1 2	1 1	-		
Intracranial abscess and venous thrombosis; late effects of abscess and pyogenic infection (341, 342; 344)	(a) M F	136 75	35 14	17 12	25 20	16 8	15 9	14 4	8 6	3 -	- 1	3 1	14 12	5 4	3 4	3 2	- 1	1 1	1 1	1 1	1 1	-	
(b) M F	27 11	3 1	2 2	5 2	3 -	3 2	5 1	3 1	3 1	1 1	- 1	2 1	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	-	
Cerebral paralysis (inc. spastic infantile) (351, 352)	(a) M F	178 177	30 38	57 37	13 32	9 9	8 12	17 20	22 12	15 7	5 7	2 3	60 60	8 5	11 6	4 1	1 5	4 2	8 3	15 13	15 15	8 7	-
(b) M F	6 4	- -	- -	- -	- -	- -	- -	- 1	2 2	2 1	- 3	- 13	- -	- -	- -	- -	- -	- -	- 1	- 7	-		

Epilepsy (353)	(a) M F	552 456	75 44	83 70	74 100	110 75	76 66	69 63	39 21	10 9	2 2	14 6	75 83	11 9	10 6	12 22	13 13	12 13	10 12	4 1	1 6	2 1
(b) M F	5 6	- 1	1 1	1 1	1 1	1 1	1 1	1 1	- 1	- 1	- 1	1 3	1 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	-
Multiple sclerosis (345)	(a) M F	297 434	- 1	1 1	30 43	75 110	117 120	44 107	24 46	4 2	1 -	1 4	37 60	- -	- 5	2 10	7 10	8 17	5 15	10 12	5 1	-
(b) M F	3 -	- -	- -	- -	- 1	- -	- 2	- -	- -	- -	- -	7 9	- -	- -	- -	- -	- 1	4 2	- -	- -	-	
Other diseases of central nervous system (350; 354-357)	(a) M F	481 406	17 11	29 25	26 37	48 49	80 69	121 90	101 72	49 46	7 6	3 1	76 66	1 2	2 2	7 7	4 6	13 11	17 11	20 8	9 11	3 10
(b) M F	9 10	1 - 1	1 - -	1 - -	1 - -	1 - -	1 - -	2 1	2 3	2 2	2 2	8 8	- -	- -	- -	- -	- -	- -	- -	- 3	5	
Diseases of nerves and peripheral ganglia (360-369)	(a) M F	424 572	44 53	10 9	13 10	23 56	65 89	80 105	108 117	61 98	18 33	2 2	57 46	9 5	1 4	2 4	8 9	9 6	9 12	10 5	8 5	1 1
(b) M F	5 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-		
Trigeminal neuralgia (361)	(a) M F	140 249	- -	- -	- 7	12 19	28 49	53 70	33 28	12 1	2 8	- -	- -	- 1	- 1	- 1	- 1	- 1	- 1	- 3	1 -	
(b) M F	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-		
Sciatica (363)	(a) M F	48 63	- -	1 4	1 4	4 17	17 23	14 13	7 5	3 -	1 1	- -	21 19	- -	- 1	- 1	5 6	4 4	5 5	3 1	-	
(b) M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-		
Erythroedema polyneuritica (365)	(a) M F	46 46	42 46	2 -	- -	- -	1 -	- -	- -	1 -	- -	- -	9 4	9 4	- -	- -	- -	- -	- -	- -	-	
(b) M F	1 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	4 4	4 4	- -	- -	- -	- -	- -	- -	-	
Other diseases of nerves and peripheral ganglia (360; 362; 364; 366-369)	(a) M F	190 214	2 7	7 9	12 6	19 32	35 47	38 43	48 42	24 23	5 4	1 1	23 15	- 1	1 -	2 2	3 3	4 1	5 4	4 4	4 1	-
(b) M F	2 -	- -	- -	- -	- -																	

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																											
	Teaching Hospitals														Hospitals under Regional Boards													
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.						
Diseases of Eye - continued																												
Conjunctivitis (inc. ophthalmia); blepharitis; inflammation of lachrymal glands (370-372; 378)	(a) M 218 F 401	58 65	31 27	17 23	18 23	17 50	18 81	28 64	18 46	12 21	1 1	6 22	2 3	2 2	1 6	2 1	3 1	1 1	3 1	1 1	3 1	1 1	1 2	-	-	-	-	-
Corneal ulcer, keratitis, iritis and other inflammatory diseases of eye (373-377; 379; 381)	(a) M 950 F 757	33 29	64 53	84 52	110 75	199 114	171 149	152 135	101 99	35 47	1 4	19 26	1 1	1 1	5 3	4 3	2 5	3 7	1 2	1 2	1 2	1 2	1 2	-	-	-	-	-
Strabismus (384)	(a) M 1462 F 1381	164 170	863 852	250 211	102 72	42 40	23 21	10 9	2 4	1 1	4 1	100 91	16 11	76 64	2 12	3 1	2 2	1 1	-	-	-	-	-	-	-	-	-	-
(b) M F	1 -	-	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cataract (385)	(a) M 1264 F 1663	18 9	45 19	20 8	26 13	47 40	130 119	297 368	426 655	251 429	4 3	42 50	-	2 1	2 1	2 1	2 1	-	-	-	-	-	-	-	10 9	11 19	-	
(b) M F	4 4	-	-	-	-	-	-	-	-	1 1	2 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Detachment of retina (386)	(a) M 287 F 232	1 1	22 5	30 17	42 33	46 26	67 52	51 62	19 30	9 6	-	3 3	-	-	-	-	-	-	-	-	-	1 1	1 1	-	-	-	-	
(b) M F	1 -	-	-	-	-	-	-	-	-	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Glaucoma (387)	(a) M 583 F 852	- 1	2 2	8 4	12 5	30 41	95 124	181 218	184 321	68 135	3 1	14 21	-	-	-	-	-	-	1 1	2 3	3 3	7 12	4 -	-	-	-	-	
(b) M F	1 -	-	-	-	-	-	-	-	-	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other diseases and conditions of eye (380; 382; 383; 388-389)	(a) M 551 F 489	43 36	75 50	48 30	65 38	71 49	69 69	78 87	68 91	33 39	1 16	15 16	2 3	3 3	-	3 2	3 3	1 3	2 3	2 3	2 3	2 2	2 2	-	-	1 1	-	
(b) M F	2 2	-	-	-	-	-	-	-	-	2 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Diseases of ear and mastoid process (390-398)																													
(a) M 2247 F 1987	509 388	622 510	263 273	269 273	252 263	204 144	90 82	27 38	3 8	8 8	323 283	115 86	109 96	29 35	21 21	19 21	14 13	11 15	4 6	1 1	-	-	-	-	-	-	-	-	-
(b) M F	12 4	2 1	1 1	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1		
Otitis media without mention of mastoiditis (391)	(a) M 1211 F 1008	385 297	368 286	130 135	115 85	98 84	78 61	24 34	7 16	2 5	4 5	184 164	93 70	64 62	8 10	7 7	6 6	5 5	2 2	1 1	-	-	-	-	-	-	-	-	-
(b) M F	7 3	1 1	-	1 1	2 -	3 -	-	-	1 -	-	-	1 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Mastoiditis, with or without otitis media (392,393)	(a) M 523 F 384	79 49	142 129	93 70	69 43	57 39	51 27	22 17	6 8	-	4 2	99 68	19 11	33 21	19 14	11 8	7 9	6 3	4 1	-	-	-	-	-	-	-	-	-	-
Other diseases of ear and mastoid process; deafness (390; 394-398)	(a) M 513 F 595	45 42	112 95	40 68	85 145	97 140	75 56	44 31	14 14	1 3	1 1	40 51	3 5	12 13	2 11	3 6	8 6	6 5	2 2	3 3	1 1	-	-	-	-	-	-	-	-
(b) M F	1 1	-	-	-	-	-	-	-	1 -	-	-	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

VII. DISEASES OF THE CIRCULATORY SYSTEM

Rheumatic fever and rheumatic heart disease (400-416)																													
(a) M 727 F 1708	7 7	128 170	77 221	135 426	156 422	128 270	68 140	23 36	5 2	14 2	158 390	2 2	41 37	17 54	18 46	35 89	15 75	21 60	7 19	2 6	2 2	-	-	-	-	-	-	-	-
(b) M F	71 111	- 4	6 5	14 21	13 24	20 28	9 17	5 10	-	2 2	24 64	1 1	- 8	7 7	12 13	14 12	21 8	19 2	6 2	3 1	4 2	1 1	-	-	-	-	-	-	-
Rheumatic fever with and without heart involvement (400,401)	(a) M 128 F 149	4 4	61 72	27 23	16 19	12 14	6 12	1 2	-	1 1</td																			

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
	Teaching Hospitals										Hospitals under Regional Boards											
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Arteriosclerotic, degenerative and other heart disease - continued																						
Acute and subacute endocarditis (inc. bacterial endocarditis, unqualified) (430)	(a) M 69 (b) F 57	-	4	8	21	16	12	6	2	-	-	22	-	-	4	6	5	1	2	4	-	
Heart disease involving coronary arteries; arteriosclerotic heart disease; angina pectoris (420)	(a) M 1205 (b) F 458	-	-	2	9	76	333	422	267	71	25	301	-	-	3	14	81	102	74	25	2	
Other degenerative heart disease; other diseases of the heart (421; 422; 431-434)	(a) M 790 (b) F 531	7	16	27	32	83	190	225	151	47	12	490	1	1	3	7	25	73	139	125	114	2
Hypertensive disease (440-447)	(a) M 1056 (b) F 1243	2	6	17	52	178	293	287	156	51	14	381	1	-	3	21	59	116	123	54	1	
	(b) M 119 (b) F 66	-	15	29	78	175	369	307	210	50	10	519	1	-	4	11	28	86	120	172	97	-
Hypertensive disease with mention of heart (440-443)	(a) M 422 (b) F 417	-	-	1	2	25	83	147	112	42	10	208	-	-	1	6	25	62	80	34	-	
	(b) M 75 (b) F 34	-	-	1	3	7	28	96	128	120	35	242	-	-	1	2	7	23	50	106	53	-
Hypertensive disease without mention of heart (444-447)	(a) M 634 (b) F 826	2	6	16	50	153	210	140	44	9	4	173	1	-	2	3	15	34	54	43	20	1
	(b) M 44 (b) F 32	-	15	28	71	147	273	179	90	15	8	277	1	-	3	9	21	63	70	66	44	-

Diseases of arteries (450-456)	(a) M 1121 (b) F 610	2	4	6	17	52	143	266	342	220	76	74	243	1	-	1	3	9	24	53	77	75	-
Peripheral vascular disease (453)	(a) M 396 (b) F 273	2	-	3	21	78	110	110	66	4	2	33	1	-	-	1	5	8	14	3	1	-	
	(b) M 1 (b) F 1	-	-	-	-	-	-	-	-	-	-	23	-	-	4	3	3	9	1	3	-	-	
Arteriosclerosis and other diseases of arteries (450-452; 454-456)	(a) M 725 (b) F 337	-	6	14	21	65	156	232	154	72	5	210	-	-	1	2	4	16	39	74	74	-	
	(b) M 64 (b) F 49	-	1	4	23	19	48	53	61	69	55	4	148	-	-	2	2	3	7	19	43	71	1
Diseases of veins and other diseases of circulatory system (460-468)	(a) M 2801 (b) F 2830	114	164	204	462	664	626	388	140	32	7	794	60	111	30	98	171	156	112	38	18	-	
	(b) M 20 (b) F 35	71	141	145	483	719	669	394	159	28	21	734	32	74	47	111	147	148	92	59	22	2	
Varicose veins N.O.S. or of leg, without ulceration or eczema (460 part)	(a) M 953 (b) F 1302	3	2	111	221	282	204	98	26	4	2	190	-	1	10	45	61	41	28	2	2	-	
	(b) M 2 (b) F 2	-	1	73	281	403	333	156	45	2	8	236	1	-	8	53	74	60	31	6	3	-	
Varicose veins N.O.S. or of leg, with ulceration or eczema (460 rdr.)	(a) M 83 (b) F 180	-	1	1	11	25	50	54	30	6	2	68	-	-	3	2	17	22	18	6	6	-	
Haemorrhoids (461)	(a) M 1060 (b) F 610	2	3	19	165	293	323	190	51	10	4	304	1	3	4	40	86	94	52	19	5	-	
	(b) M 1 (b) F 1	-	-	-	-	-	-	-	1	-	-	151	-	1	4	24	44	46	17	13	2	-	
Phlebitis, thrombo-phlebitis and venous embolism (463-466)	(a) M 240 (b) F 313	-	2	17	21	37	57	65	35	5	1	60	-	-	2	4	12	8	22	8	4	-	
	(b) M 17 (b) F 29	-	-	-	1	1	2	2	3	6	1	13	-	-	4	13	16	14	16	20	8	-	
Nonspecific mesenteric lymphadenitis (468.1)	(a) M 135 (b) F 113	27	86	14	4	1	2	1	-	-	-	137	28	95	8	2	1	3	-	-	-	1	
	(b) M 19 (b) F 19	19	68	15	7	4	-	-	-	-	-	107	17	61	19	9	-	-	-	-	-	-	
Lymphadenitis, chronic or unqualified (468.2)	(a) M 233 (b) F 183	77	70	24	25	21	4	6	3	3	-	62	30	10	2	5	3	5	4	2	1	-	
	(b) M 48 (b) F 57	48	57	16	12	17	10	12	6	3	2	51	14	10	5	6	3	6	3	2	1	1	

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																					
	Teaching Hospitals													Hospitals under Regional Boards								
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of veins and other diseases of circulatory system - continued																						
All other diseases of circulatory system (a) (462-467; 468.3)	M 97 F 129	5 2	10 11	18 29	17 23	12 32	19 16	12 5	8 -	5 1	-	18 30	1 -	2 2	4 7	3 -	4 1	8 5	2 3	2 -	1 2	-
(b) F 3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	

VIII. DISEASES OF THE RESPIRATORY SYSTEM

Acute upper respiratory infections and influenza (470-483)	(a) M 1144 F 1129	456 301	374 311	85 281	82 88	39 48	31 29	28 25	21 15	5 6	23 25	519 580	240 168	119 82	38 169	37 55	21 41	17 23	21 22	17 14	6 2	3 4
(b) M 15 F 11	2 1	-	-	-	-	2	1	3	2	2	-	11 11	- -	1 2	1 1	1 2	1 2	1 2	1 2	1 2	-	
Acute nasopharyngitis (common cold) (470)	(a) M 60 F 100	23 14	18 11	4 53	6 11	4 4	1 1	1 2	- 1	1 3	2 3	18 68	7 10	5 3	2 42	2 10	3 3	- -	1 -	- -	- -	- -
(b) M 1 F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Acute sinusitis (471)	(a) M 40 F 43	5 3	3 9	5 8	9 6	12 9	3 2	2 4	1 1	- -	- 2	9 9	- -	6 8	2 -	1 1	- -	- -	- -	- -	- -	
(b) M 1 F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Acute upper respiratory infection, other or unqualified (inc. acute laryngitis and tracheitis) (474; 475)	(a) M 333 F 244	231 161	75 54	6 14	5 5	1 4	3 2	4 1	3 1	- -	5 2	168 112	136 80	22 14	2 8	1 3	2 2	1 1	2 2	3 1	- -	2 1
Influenza (480-483)	(a) M 146 F 222	4 5	4 4	26 91	34 43	12 17	19 16	18 15	14 12	4 5	11 14	115 153	15 5	15 14	9 41	13 19	12 25	12 16	16 17	17 11	5 2	1 3
(b) M 11 F 10	- -	- -	- -	1 -	1 2	1 1	1 3	2 2	2 2	- -	11 11	- -	- -	- -	2 1	1 2	1 1	2 1	1 2	1 2	- -	

Acute tonsillitis and pharyngitis (472; 473)	(a) M 565 F 520	193 118	274 233	44 115	28 23	10 14	5 8	3 3	3 2	- -	5 4	209 238	82 73	71 43	23 78	23 22	5 11	3 6	1 3	2 2	1 1	- -
Pneumonia and bronchitis (490-493; 500-502; 763)	(a) M 2839 F 1817	746 491	256 194	90 92	122 123	222 156	413 168	479 220	337 214	123 131	51 28	1841 1435	401 294	159 117	51 56	98 91	154 103	242 156	315 216	260 237	158 164	3 1
(b) M 272 F 189	47 52	4 2	- -	1 1	10 16	16 28	48 30	30 2	204 23	- 2	- 3	1 2	1 2	1 2	1 3	1 2	1 1	1 1	1 1	1 1	1 1	
Lobar pneumonia (490)	(a) M 536 F 357	117 69	81 45	33 27	39 31	70 47	75 42	61 39	39 33	12 17	9 7	524 340	83 68	74 41	20 19	49 34	76 22	90 46	63 40	55 36	13 14	1 1
(b) M 24 F 17	3 3	- -	- -	- -	2 -	2 -	3 -	6 5	5 6	6 1	1 -	36 16	- 1	- 1	- 1	- 1	- 1	1 1	5 6	5 2	- -	
Other and unspecified pneumonia (inc. pneumonia of newborn) (491-493; 763)	(a) M 1227 F 887	426 297	99 82	39 37	58 56	85 64	134 64	161 97	134 105	69 73	22 12	688 646	201 141	62 50	26 23	36 39	42 45	55 64	118 91	90 103	57 31	1 1
Bronchitis, acute or unqualified (500-501)	(a) M 418 F 364	188 123	52 47	11 23	15 21	16 25	33 29	37 28	44 26	14 7	8 7	342 322	113 84	22 25	4 14	9 17	21 18	32 29	49 49	45 51	47 34	- 1
Chronic bronchitis (502)	(a) M 658 F 209	15 2	24 20	7 5	10 15	51 20	171 33	220 49	120 48	28 15	12 2	287 127	4 1	1 1	1 1	4 2	1 1	65 2	85 12	70 16	41 14	1 1
Diseases of upper respiratory tract and pharynx, other than acute infectious (510-517)	(a) M 10536 F 9893	2097 1583	5238 5256	905 1318	859 647	621 479	449 331	220 151	88 79	24 16	35 33	2532 2449	423 321	1679 1735	140 192	111 63	78 64	49 39	39 18	8 11	5 2	4 4
Chronic tonsillitis (510 part)	(a) M 1223 F 1426	303 208	759 887	60 184	68 76	17 38	10 21	1 4	1 4	2 4	2 4	467 573	76 76	343 438	27 40	16 10	3 4	1 3	1 1	1 1	1 1	1 1
Hypertrophied (diseased) tonsils and adenoids (510 rdr.)	(a) M 6552 F 6633	1715 1314	4035 4021	350 775	259 284	130 158	42 53	5 9	1 3	1 16	15 1598	1600 230	329 1205	1175 101	48 22	25 21	13 10	2 5	5 1	- -	3 3	- -
Peritonsillar abscess (quinsy) (511)	(a) M 42 F 45	3 -	4 -	8 -	1																	

TABLE 4 - continued

(82685)

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																				
	Teaching Hospitals										Hospitals under Regional Boards										
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over
Diseases of upper respiratory tract and pharynx, other than acute infectious - continued																					
Chronic or unspecified sinusitis (513)	(a) M 955 (b) F 811	43	294	135	155	124	113	67	12	3	9	218	8	123	22	27	18	10	9	-	1
Deflected nasal septum (514)	(a) M 973 (b) F 366	2	55	294	276	195	110	29	8	1	3	49	1	4	10	10	15	10	5	3	-
Nasal polyp (515)	(a) M 482 (b) F 381	2	33	37	65	102	119	75	41	5	3	56	1	7	5	9	8	11	9	6	-
All other diseases of upper respiratory tract and pharynx (512; 516; 517)	(a) M 309 (b) F 231	29	58	21	24	43	51	42	26	12	3	115	7	25	20	16	19	12	14	2	-
Diseases of lung and pleural cavity (518-527)	(a) M 1667 (b) F 1214	154	336	136	164	198	301	247	104	18	9	473	89	70	31	37	38	77	89	34	8
Pleurisy (519)	(a) M 92 (b) F 57	2	7	15	13	14	14	16	15	6	2	50	1	8	10	1	13	6	7	4	-
Empyema and abscess of lung (518; 521)	(a) M 195 (b) F 106	15	4	13	23	33	50	43	11	2	1	71	9	3	2	3	4	27	18	4	1
Pneumoconiosis and other pulmonary fibrosis of occupational origin (523; 524)	(a) M 157 (b) F 7	3	1	1	-	3	26	57	53	15	1	6	-	-	-	-	-	2	2	1	-
Other chronic interstitial pneumonia; emphysema without mention of bronchitis (525; 527.1)	(a) M 141 (b) F 39	2	9	2	11	15	38	39	21	3	1	34	-	1	2	1	10	14	6	-	-
Bronchiectasis; atelectasis, 1 year and over (526; 527.0)	(a) M 778 (b) F 881	73	277	68	70	79	99	67	35	8	2	164	15	38	15	22	13	14	32	11	4
All other diseases of lung and pleural cavity (520; 522; 527.2)	(a) M 304 (b) F 128	61	38	38	44	31	41	30	16	2	3	148	64	20	4	9	7	18	16	7	3
IX. DISEASES OF THE DIGESTIVE SYSTEM																					
Diseases of teeth and supporting structures (530-535)	(a) M 1213 (b) F 1721	41	162	288	312	161	134	71	32	5	7	90	12	14	16	20	12	3	2	1	-
Dental sepsis and abscess; other inflammatory diseases of teeth and gums (531, 532)	(a) M 177 (b) F 225	6	43	24	34	24	21	15	6	1	3	38	2	9	8	10	2	5	1	-	-
Dental caries; unerupted teeth; all other diseases of teeth and gums (530; 533-535)	(a) M 1036 (b) F 1496	35	119	264	278	137	113	56	26	4	4	52	10	5	8	10	10	5	2	1	-
Diseases of tongue, buccal cavity, and salivary glands (536-538)	(a) M 279 (b) F 229	40	26	25	38	51	47	21	20	9	2	39	15	6	2	4	-	3	4	2	3
X. DISEASES OF THE GENITOURINARY SYSTEM																					
Urinary tract infections (540-544)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
Urinary calculi (545-547)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
Urinary tract neoplasms (548-552)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
XI. DISEASES OF THE NERVOUS SYSTEM AND MUSCULAR SYSTEM																					
Spina bifida (560-562)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
Spinal cord lesions (563-567)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
Neurofibromatosis (568-570)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
 XII. DISEASES OF THE EYE, EAR, NOSE, AND THROAT																					
Ear, nose, and throat diseases (580-584)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
 XIII. DISEASES OF THE SKIN, HAIR, NAILS, AND MUSCLES																					
Acne and acne-like conditions (590-594)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
Other skin diseases (595-599)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
 XIV. DISEASES OF THE MUSCLES, BONES, AND JOINTS																					
Osteoarthritis (600-604)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
Osteoporosis (605-609)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
Other bone and joint diseases (610-614)	(a) M 100 (b) F 100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	-
 XV. DISEASES OF THE NERVOUS SYSTEM AND MUSCULAR SYSTEM																					
Spina bifida (560-562)	(a) M 100 (b) F 100	100																			

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																						
		Teaching Hospitals											Hospitals under Regional Boards											
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
(82685)	Diseases of oesophagus, stomach, and duodenum (539-545)	(a) M 7366 F 2237	34 16	35 16	298 90	919 218	1655 409	2151 585	1496 479	656 326	117 88	65 10	1813 624	10 6	7 7	73 35	195 55	403 113	517 158	329 108	224 103	48 103	7 2	
(b) M 256 F 54	4 -	- 2	- 3	- 3	- 14	- 16	- 13	- 3	- 29	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ulcer of stomach or duodenum without perforation (540.0; 541.0)	(a) M 5276 F 1418	5 1	9 6	151 43	634 143	1226 284	1629 385	1096 318	434 189	70 44	22 5	1340 459	1 1	7 15	44 39	144 86	297 122	404 88	237 78	165 28	35 4	6 -		
(b) M 154 F 34	- -	- 2	- 3	- 1	- 2	- 12	- 11	- 7	- 1	- 23	-	-	-	-	-	-	-	-	-	-	-	-		
Perforated ulcer of stomach or duodenum (540.1; 541.1)	(a) M 971 F 123	- -	- 6	- 17	- 25	- 27	- 19	- 19	- 7	- 3	- 36	-	-	-	-	-	-	-	-	-	-	-	-	
(b) M 65 F 17	- -	- 2	- 1	- 2	- 1	- 2	- 5	- 5	- 1	- 5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gastritis; indigestion N.O.S. and other disorders of stomach function (543; 544)	(a) M 398 F 269	6 6	6 3	13 26	59 37	96 44	106 61	73 48	33 35	4 8	2 1	57 63	7 4	5 13	6 7	10 8	8 8	9 8	11 7	1 2	1 1	1 1	1 1	1 1
Other diseases of stomach and duodenum; diseases of oesophagus (539; 542; 545)	(a) M 721 F 427	23 9	20 7	13 15	52 21	118 56	196 112	168 94	108 83	18 29	5 1	110 62	2 1	2 7	7 3	25 11	32 18	25 8	12 9	5 4	-	-	-	-
(b) M 37 F 3	4 -	- 1	- 1	- 1	- 1	- -	- -	- -	- -	- 1	1 1	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis (550-553)	(a) M 3478 F 3892	164 106	862 659	781 1305	634 760	471 510	267 270	164 149	73 75	23 25	39 33	1466 1448	73 38	427 302	304 420	270 251	171 158	116 147	60 81	33 30	10 19	2 2	-	-
(b) M 24 F 19	2 2	1 3	1 1	1 1	1 1	1 3	1 3	1 6	1 1	-	22 16	2 2	-	-	-	1 1	1 1	2 3	7 7	-	-	-	-	
Acute appendicitis without mention of peritonitis (550.0)	(a) M 1996 F 1862	71 49	499 333	506 677	385 318	249 220	137 124	71 69	31 36	16 10	31 26	899 803	39 24	292 203	194 236	154 130	106 77	60 67	33 42	16 3	4 1	1 1	1 1	1 1
Acute appendicitis with peritonitis (550.1)	(a) M 469 F 360	61 33	88 65	70 46	61 47	61 45	43 45	45 41	30 25	5 10	5 3	219 171	26 8	60 40	32 27	29 12	21 25	16 21	18 22	12 10	5 4	1 1	-	-
(b) M 16 F 15	2 2	1 2	1 1	- 1	- 1	1 1	1 1	1 6	1 1	-	15 14	2 2	-	-	-	1 1	1 1	2 3	5 5	-	-	-	-	
(82685)	Appendicitis, other and unqualified, and other diseases of appendix (551-553)	(a) M 1013 F 1670	32 24	275 261	205 582	188 395	161 245	67 101	48 39	12 14	25 2	3 4	348 474	8 6	75 59	78 157	87 109	44 56	40 59	3 17	5 6	1 4	1 1	-
Hernia of abdominal cavity (560-561)	(a) M 5566 F 2223	941 332	446 167	348 45	547 157	868 332	1142 452	827 391	313 237	116 100	18 10	1462 547	201 48	70 20	106 17	151 29	245 93	296 81	223 82	116 82	53 2	1 8	1 9	-
(b) M 38 F 57	2 1	- -	- -	- -	- 2	3 2	17 18	13 16	- -	- 22	-	-	-	-	-	-	-	1 3	9 9	1 9	1 9	-	-	
Inguinal hernia without mention of obstruction (560.0)	(a) M 4302 F 579	670 72	373 75	320 32	472 81	744 123	908 97	585 70	182 23	37 4	11 2	1111 125	142 13	62 14	100 8	138 13	210 28	234 22	154 12	58 9	12 6	1 1	-	
(b) M 4 F F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	
Inguinal hernia with obstruction (561.0)	(a) M 257 F 34	41 1	3 1	6 2	11 4	12 8	38 8	52 8	50 2	42 7	2 1	101 21	13 9	1 1	2 1	2 1	6 4	9 4	18 1	29 5	21 4	1 1	5 6	-
(b) M 13 F 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	
Femoral hernia with or without obstruction (560.1; 561.1)	(a) M 259 F 557	2 6	6 6	5 5	13 29	41 100	81 151	81 109	65 90	28 57	17 4	92 200	1 2	2 3	7 6	13 37	23 28	25 31	12 28	15 31	9 56	12 39	9 4	-
(b) M 6 F 24	- -	- -	- -	- -	- -	- 3	4	9	8	- 8	- 12	- -	- -	- -	- -	- -	- -	1 1	6 1	4 4	-	-	-	
Umbilical hernia, with or without obstruction (560.2; 561.2)	(a) M 313 F 454	158 214	35 80	1 2	15 34	29 41	39 40	24 16	5 10	17 1	1 4	59 84	31 33	2 4	1 1	3 12	5 11	8 7	6 4	3 1	1 1	1 1	1 1	-
(b) M 5 F 12	- -	- -	- -	- -	- -	- 7	1	4	1	- 4	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	
Other and unspecified hernia, with or without obstruction (Others in 560; 561)	(a) M 435 F 599	70 39	29 6	16 6	45 30	55 71	86 155	86 164	29 100	15 27	4 1	99 117	14 2	3 2	4 5	11 12	22 13	20 14	14 18	7 2	1 1	1 1	-	
(b) M 10 F 20	1 1	- -	- -	- -	- 2	- 6	8 8	3 3	- 7	- -	- 7	- -	- -	- -	- -	- -	- -	- 2	2 2	3 3	-	-	-	
Other diseases of intestines and peritoneum (570-578; 764)	(a) M 2508 F 2546	568 350	148 92	141 223	268 293	354 386	356 382	320 294	248 119	81 21	24 4	837 820	273 179	54 36	43 82	66 85	97 98	96 9						

TABLE 4 - continued

(82685)

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																						
	Teaching Hospitals										Hospitals under Regional Boards												
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
Other diseases of intestines and peritoneum - continued																							
Anal fissure and fistula; abscess of anal-rectal regions (574; 575)	(a) M	529	23	17	39	117	152	98	57	16	4	6	138	7	7	9	27	35	28	12	10	2	1
	(a) F	324	9	6	32	68	94	51	49	9	3	3	71	-	5	12	16	21	10	3	4	-	-
	(b) M	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gastro-enteritis and colitis, (inc. diarrhoea of newborn) (571; 764)	(a) M	406	273	10	27	18	14	27	13	14	4	6	276	195	24	11	12	7	11	6	6	4	-
	(a) F	374	189	15	68	26	20	28	11	13	2	2	255	148	13	32	16	9	18	8	6	4	1
	(b) M	15	12	-	-	-	-	2	-	-	-	1	14	11	-	1	1	-	-	-	-	1	-
	(b) F	11	8	-	-	-	-	-	1	2	-	-	10	9	-	-	-	-	-	1	-	-	-
Diverticulitis (572.1)	(a) M	181	-	-	-	1	12	40	39	68	21	-	63	-	-	1	-	2	12	18	15	15	-
	(a) F	278	-	-	-	4	13	38	89	100	31	3	93	-	-	1	1	10	14	18	34	16	-
	(b) M	4	-	-	-	-	-	-	2	2	-	-	8	-	-	-	-	-	3	1	2	2	-
	(b) F	11	-	-	-	-	-	1	3	4	3	-	11	-	-	-	-	1	2	-	7	1	-
Ulcerative colitis (572.2)	(a) M	153	2	4	19	28	45	29	17	6	1	2	26	-	-	4	4	8	6	3	1	-	
	(a) F	251	-	3	24	64	70	51	26	10	1	2	45	-	-	3	7	8	10	5	10	1	1
	(b) M	10	1	-	1	1	3	1	1	1	-	1	3	-	-	-	-	1	1	-	1	-	-
	(b) F	21	-	-	3	4	3	1	5	2	1	2	6	-	-	-	-	-	2	-	1	-	-
Constipation (573.0)	(a) M	217	58	55	9	12	8	13	20	22	19	1	53	15	11	3	8	2	4	1	7	2	-
	(a) F	244	36	42	31	16	13	32	20	30	20	4	83	13	9	15	9	7	10	5	7	7	1
	(b) M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of intestines and peritoneum (Others in 570-578)	(a) M	440	38	39	26	51	61	72	89	52	10	2	86	17	4	8	6	12	12	11	12	4	-
	(a) F	569	31	9	36	74	104	109	110	70	25	1	115	5	4	5	22	18	14	20	12	15	-
	(b) M	18	1	-	-	-	-	5	1	7	3	1	6	1	-	-	-	-	1	2	1	1	-
	(b) F	7	-	-	-	1	1	1	3	-	1	-	7	-	-	-	-	1	-	2	1	3	-
Diseases of liver, gallbladder, and pancreas (580-587)	(a) M	921	60	22	12	48	106	217	254	143	43	16	200	8	1	4	10	23	43	45	49	17	-
	(a) F	2217	52	14	34	133	313	599	618	357	86	11	639	8	1	10	29	92	162	168	117	52	-
	(b) M	77	9	1	2	3	8	11	19	14	6	4	30	2	-	-	3	2	5	3	9	6	-
	(b) F	95	6	1	3	1	8	15	23	29	8	1	53	1	-	-	6	2	2	17	14	13	-

(82685)

Cirrhosis of liver (581)	(a) M	208	1	5	3	13	25	64	58	29	4	6	37	1	1	-	4	4	7	7	10	3	-
	(a) F	200	-	2	7	20	63	55	42	2	6	2	26	-	-	-	2	2	7	5	7	4	-
	(b) M	34	-	1	3	5	9	9	5	1	1	1	10	-	-	-	1	1	2	1	2	2	-
	(b) F	32	-	1	2	1	10	9	8	1	1	1	13	-	-	-	1	1	4	6	6	2	-
Cholelithiasis and cholecystitis without mention of calculi (584; 585)	(a) M	484	-	1	5	18	59	115	160	89	29	8	123	-	-	3	5	12	26	31	34	12	-
	(a) F	1734	-	3	20	102	263	493	497	278	73	5	527	1	-	7	25	75	134	149	99	37	-
	(b) M	22	-	-	-	2	2	7	6	3	3	2	11	-	-	-	1	-	1	5	4	4	-
	(b) F	36	-	-	-	1	4	3	9	14	5	-	21	-	-	-	1	-	1	9	7	4	-
Other diseases of liver and gall-bladder; diseases of pancreas (580; 582; 583; 586; 587)	(a) M	229	59	16	4	17	22	38	36	25	10	2	40	7	-	1	1	7	10	7	5	2	-
	(a) F	283	52	9	7	24	30	43	66	37	11	4	86	7	1	3	4	10	25	14	11	11	-
	(b) M	21	9	-	2	-	1	-	3	3	2	1	9	2	-	-	-	4	1	2	1	2	-
	(b) F	27	6	-	1	-	3	2	5	7	2	1											

TABLE 4 - continued

(82685)

(82685)

TABLE 4 - continued

(82685)

Principal Diagnosis on
Discharge and International
Statistical Classification
Number

		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
		Teaching Hospitals										Hospitals under Regional Boards											
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of ovary, Fallopian tube and parametrium - continued																							
Bleeding specified as (a) F post-menopausal (634 part)	(b) F	674	-	-	-	-	3	21	286	242	103	19	-	75	-	-	-	3	31	30	10	1	-
Dysfunctional bleeding (a) F and other disorders of menstruation (b) F (634 rmdr.)		3950	-	25	312	874	1590	1065	62	12	4	6	733	-	5	57	151	309	198	9	4	-	
Sterility, female (a) F (636)	(b) F	915	-	-	107	621	184	2	1	-	-	-	137	-	-	18	98	20	-	-	1	-	
Cysts of ovary not classifiable to 235 (625 part)	(a) F	91	-	1	32	37	16	4	-	1	-	-	31	-	-	8	15	7	1	-	-	-	
Other diseases of female genital organs (Others in 622-637)	(a) F	2416	4	29	239	490	663	707	181	79	16	8	413	8	4	63	112	109	84	19	10	4	
(b) F		3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	

XII. DISEASES OF THE SKIN AND CELLULAR TISSUE

Infections of skin and subcutaneous tissue (690-698)	(a) M	917	177	160	122	108	117	95	79	34	18	11	305	63	57	34	29	41	24	32	7	8	1
	(b) F	806	147	91	183	84	97	70	69	44	10	11	278	63	54	38	25	24	21	13	1	1	-
	(b) F	3	1	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-

(82685)

Boil, abscess and cellulitis, (inc. acute lymphadenitis) (690-694)	(a) M	784	160	142	100	88	100	83	61	27	16	7	253	54	46	26	21	34	31	26	6	8	1
	(b) F	663	131	74	156	62	75	56	57	34	7	11	229	50	39	33	24	24	19	18	11	8	3
Other local infections of skin, inc. infectious warts and molluscum contagiosum (695-698)	(a) M	133	17	18	22	20	17	12	18	7	2	-	52	9	11	8	7	7	3	6	1	-	-
	(b) F	143	16	17	27	22	22	14	12	10	3	-	49	13	15	5	5	1	5	3	2	-	-
Other diseases of skin and subcutaneous tissue (700-716)	(a) M	1487	161	123	197	208	214	231	193	118	34	8	371	42	36	47	33	46	56	47	36	27	1
	(b) F	1617	109	163	250	210	206	266	218	136	50	9	361	24	28	50	32	44	74	47	42	18	2
	(b) F	11	-	1	1	1	1	1	3	2	1	3	8	-	-	-	-	-	1	3	1	2	-
	(b) F	16	1	1	-	2	2	1	1	4	1	3	3	-	-	-	-	-	-	-	1	1	-
Eczema and dermatitis (700-703)	(a) M	572	124	29	38	67	83	98	81	38	12	2	225	34	14	17	18	32	33	34	27	15	1
	(b) F	377	62	25	40	34	46	67	52	36	13	2	146	18	14	21	6	16	31	21	16	3	-
Psoriasis (706.0)	(a) M	138	1	12	14	28	19	30	20	9	4	1	16	-	4	-	1	2	4	4	1	-	-
	(b) F	161	2	35	34	31	8	20	20	8	3	-	17	-	3	3	-	1	2	1	2	1	-
Pemphigus; erythema multiforme; lupus erythematosus; scleroderma; dermatomyositis (704; 705.1; 705.4; 710.0)	(a) M	75	3	6	6	8	14	9	14	10	5	-	13	1	3	1	2	3	2	3	1	2	-
	(b) F	177	10	13	9	32	22	28	32	17	12	2	25	1	3	2	3	2	1	2	2	1	-
Chronic ulcer of skin (715)	(a) M	120	4	-	12	14	24	30	15	18	2	1	22	1	1	-	4	1	5	2	3	5	-
	(b) F	93	3	3	5	5	16	25	13	15	7	1	37	1	-	-	1	9	6	15	5	-	-
All other diseases of skin and subcutaneous tissue (Others in 700-716)	(a) M	582	29	76	127	91	74	64	63	43	11	4	95	6	14	29	10	9	11	7	4	5	-
	(b) F	809	32	87	162	108	114	126	101	60	15	4	136	4	8	24	20	24	23	17	7	8	1

73

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
	Teaching Hospitals										Hospitals under Regional Boards											
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																						
Diseases of tendon, fascia and muscle (740-744)	(a) M	585	36	71	45	93	93	113	90	33	6	5	105	10	19	8	6	17	27	13	4	1
	(b) F	744	27	68	126	133	119	143	92	28	4	4	100	7	10	19	16	17	10	13	5	2
Myasthenia gravis and inborn defect of muscle (744.0; 744.1)	(a) M	56	12	15	8	1	11	3	4	1	1	-	2	-	1	-	-	-	-	1	-	
	(b) F	105	5	8	17	20	19	20	7	8	-	1	1	-	-	-	-	-	-	-	1	
Synovitis, bursitis and tenosynovitis (741; 742)	(a) M	335	21	48	28	68	58	53	36	18	1	4	74	10	16	4	5	11	17	9	1	1
	(b) F	522	20	52	101	90	81	93	67	13	2	3	84	6	10	17	15	13	9	10	2	1
Other diseases of tendon, fascia and muscle (740; 743; 744.2)	(a) M	194	3	8	9	24	24	57	50	14	4	1	29	-	2	4	1	6	10	3	3	-
	(b) F	117	2	8	8	23	19	30	18	7	2	-	15	1	-	2	1	4	1	3	3	-
Arthritis and rheumatism, except rheumatic fever (720-727)	(a) M	1119	50	109	66	111	203	232	225	99	17	7	307	5	49	20	26	43	56	63	22	23
	(b) F	1489	47	107	77	119	234	360	324	167	42	12	423	4	35	34	27	57	80	87	70	29
Rheumatoid arthritis and allied conditions (722)	(a) M	385	9	13	25	47	95	96	69	26	3	2	112	-	1	7	10	24	30	27	6	7
	(b) F	622	16	27	35	71	119	172	117	53	7	5	221	2	2	12	17	30	54	59	33	12
Osteo-arthritis (arthrosis) and allied conditions (723)	(a) M	367	-	4	7	23	53	81	123	62	12	2	54	-	-	1	3	4	10	19	9	8
	(b) F	519	1	4	-	11	65	136	175	92	33	2	81	-	-	-	-	-	16	17	30	13

Arthritis, other and unspecified (720; 721; 724; 725)																						
Torticollis N.E.C. (726.2)	(a) M	40	8	17	3	5	4	3	-	-	2	1	42	1	9	4	1	1	8	9	3	
	(b) F	46	8	24	6	-	2	2	3	1	1	1	19	1	6	1	1	1	3	2	1	
Acute and subacute rheumatism (727A; 727B)	(a) M	70	3	35	12	6	5	4	2	3	-	-	49	1	26	7	6	2	5	1	1	
	(b) F	56	2	27	13	4	6	2	-	-	2	1	32	-	15	9	1	6	-	1	-	
Lumbago, fibrositis and other muscular rheumatism; rheumatism chronic or unqualified (rmrdr. 726-727)	(a) M	80	2	6	8	9	20	18	11	4	-	2	41	-	8	1	2	12	3	4	4	
	(b) F	103	2	6	8	20	27	22	10	6	1	1	64	-	7	12	8	15	7	9	3	
Diseases of bones and joints; musculoskeletal deformities (730-738; 745-749)	(a) M	3207	352	452	474	603	609	418	211	62	11	15	567	34	80	114	93	101	76	47	16	6
	(b) F	2871	169	404	391	395	539	491	319	133	19	11	426	17	53	67	47	86	85	39	23	8
Osteomyelitis and periostitis (730)	(a) M	502	60	132	68	69	76	50	23	15	2	7	111	11	35	22	10	7	8	9	1	
	(b) F	233	34	71	34	28	28	10	12	9	5	2	55	9	17	14	4	3	3	1	1	
Osteochondrosis and other diseases of bone (731-733)	(a) M	272	34	56	46	35	24	23	35	16	3	-	40	3	11	3	2	2	8	3	5	
	(b) F	242	11	50	31	26	41	27	37	14	5	-	28	-	3	4	3	2	4	6	6	
Internal derangement of knee joint (734)	(a) M	712	-	13	162	263	172	80	19	1	1	1	174	-	3	54	49	45	16	6	1	
	(b) F	128	-	7	39	36	28	13	2	2	-	1	39	-	5	15	7	6	4	2	-	
Loose bodies in knee joint (738 part)	(a) M	77	-	5	21	22	11	13	3	-	2	-	16	-	1	5	4	1	4	1	-	
	(b) F	38	-	3	9	7	3	9	6	-	1	-	7	-	1	1	2	2	1	1	-	
Displacement of intervertebral disc (735)	(a) M	597	-	34	106	220	147	70	15	-	5	74	-	1	3	17	25	22	4	2	-	
	(b) F	437	-	1	43	103	163	93	22	8	-	4	63	-	9	8	24	18	4	-	-	

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
	Teaching Hospitals												Hospitals under Regional Boards									
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of bones and joints; musculoskeletal deformities - continued																						
Hallux valgus and varus (747)	(a) M	86	4	4	6	10	17	29	12	2	2	14	-	1	1	1	2	3	4	2	-	
	(a) F	767	2	29	61	93	161	209	152	56	3	1	120	-	3	6	9	30	39	22	10	1
	(b) M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Clubfoot (748)	(a) M	422	201	144	40	15	13	7	-	2	-	43	10	16	10	1	4	1	1	-	-	
	(a) F	276	80	109	37	14	16	13	4	3	-	22	1	11	5	1	2	1	1	-	-	
	(b) M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) F	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	
Other diseases of joint and musculoskeletal deformities (736-738 rmdr.; 745; 746; 749)	(a) M	539	53	98	97	83	76	69	49	11	1	2	95	10	12	16	8	15	20	14	-	
	(a) F	750	42	134	137	88	99	117	84	41	5	3	92	7	14	13	14	19	16	5	4	-
	(b) M	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	
	(b) F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(IV. CONGENITAL MALFORMATIONS)																						
Congenital Malformations (750-759)	(a) M	3255	1524	1071	247	158	123	71	35	18	1	7	281	138	74	21	10	17	13	3	2	1
	(a) F	2523	1134	612	242	200	147	99	51	30	2	6	207	84	24	29	22	25	13	4	4	2
	(b) M	122	93	7	4	3	5	4	2	2	-	2	24	16	2	-	-	1	2	1	1	1
	(b) F	72	57	5	1	2	3	2	-	1	-	1	16	9	-	-	2	2	2	-	-	-
Congenital malformations of nervous system and sense organs (750-753)	(a) M	286	159	74	15	14	13	6	-	4	-	1	18	10	2	3	1	-	-	1	1	-
	(a) F	279	151	76	15	12	7	11	2	3	-	2	26	16	3	2	-	3	1	-	1	-
	(b) M	20	19	-	-	1	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-
	(b) F	12	12	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-
Congenital malformations of heart (754.0-754.4)	(a) M	396	135	170	50	17	18	4	1	-	-	1	17	10	5	1	-	-	1	-	-	-
	(a) F	484	149	209	48	40	23	11	2	2	-	-	31	8	13	5	4	1	-	-	1	-
	(b) M	44	35	2	3	-	3	-	-	-	-	-	6	5	-	-	-	-	-	-	-	-
	(b) F	28	21	5	1	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-
Cleft palate and harelip (755)																						
	(a) M	556	402	101	27	17	5	2	-	-	-	2	13	5	8	2	1	-	-	-	-	1
	(a) F	394	248	70	39	24	6	3	2	-	-	-	2	13	5	-	-	-	-	-	-	-
	(b) M	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Congenital hypertrophic pyloric stenosis (756.0)	(a) M	273	273	-	-	-	-	-	-	-	-	-	60	59	-	-	-	1	-	-	-	-
	(a) F	50	50	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-
	(b) M	3	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	(b) F	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Undescended testicle (757.0)	(a) M	441	12	340	70	10	7	1	-	1	-	-	55	-	38	11	1	3	2	-	-	-
	(a) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital dislocation of hip (758.0)	(a) M	61	43	14	1	3	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-
	(a) F	339	269	34	10	12	8	5	-	1	-	-	20	19	1	-	-	-	-	-	-	-
	(b) M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of bone and joint (758.1-758.6)	(a) M	185	63	45	8	24	20	21	4	-	-	-	14	7	2	-	3	2	-	-	-	-
	(a) F	242	49	51	32	34	30	32	11	2	-	-	20	3	4	5	2	5	1	-	-	-
	(b) M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations (Others in 750-759)	(a) M	1057	437	327	76	73	60	37	30	13	1	3	99	40	24	5	4	12	10	2	1	1
	(a) F	735	218	172	98	78	73	37	34	22	2	1	92	20	3							

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																				
	Teaching Hospitals										Hospitals under Regional Boards										
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over
Certain diseases of early infancy - continued																					
Nutritional maladjustment (772)	(a) M	196	196	-	-	-	-	-	-	-	-	84	84	-	-	-	-	-	-	-	-
	(a) F	134	129	-	-	-	-	-	-	-	-	5	52	51	-	-	-	-	-	-	1
	(b) M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
Post natal atelectasis and asphyxia; birth injuries (760-762)	(a) M	73	65	8	-	1	1	1	-	-	-	19	19	-	-	-	-	-	-	-	-
	(a) F	51	39	8	1	1	1	-	-	-	-	1	13	10	1	-	1	1	-	-	-
	(b) M	16	16	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-
	(b) F	18	17	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-
78 Immaturity, conditions attributed to maternal toxæmia; ill-defined diseases (769: 773-776)	(a) M	72	71	-	-	-	-	-	-	-	-	1	37	36	-	-	-	-	-	-	1
	(a) F	46	45	-	1	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-
	(b) M	14	14	-	-	-	-	-	-	-	-	9	8	-	-	-	-	-	-	-	1
	(b) F	8	8	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-

XVI. SYMPTOMS SENILITY AND ILL-DEFINED CONDITIONS

Senility without mention of psychosis (794)	(a) M	30	-	-	-	-	-	-	-	1	4	25	-	105	-	-	-	-	1	-	25	79	
	(a) F	28	-	-	-	-	-	-	-	-	3	25	-	187	-	-	-	-	1	3	43	140	
	(b) M	10	-	-	-	-	-	-	-	-	1	9	-	54	-	-	-	-	1	-	12	41	
	(b) F	12	-	-	-	-	-	-	-	-	12	-	125	-	-	-	-	-	1	2	29	93	
Symptoms, and ill-defined conditions (780-792; 795)	(a) M	4552	556	682	334	488	623	689	568	408	150	54	1090	112	144	109	110	144	153	145	104	66	
	(a) F	4656	393	608	577	608	738	739	494	331	123	45	1176	94	117	182	166	149	138	150	111	67	2
	(b) M	76	2	-	2	2	7	10	10	25	17	1	49	2	-	-	-	3	-	6	16	22	
	(b) F	54	2	-	3	5	9	8	18	7	2	38	-	1	-	-	-	1	5	12	19	-	
Convulsions: Jacksonian epilepsy (780.2: 780.3)	(a) M	150	91	26	3	8	7	9	5	-	-	1	19	13	2	-	-	-	3	1	-	-	
	(a) F	124	81	10	9	7	7	5	3	1	-	1	31	24	3	-	1	1	2	-	-	-	
	(b) M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

82685 Acute heart failure, undefined (782.4)	(a) M	45	-	-	-	2	1	6	5	12	8	16	8	1	66	-	-	-	1	2	16	24	22
	(a) F	37	-	-	-	3	1	1	2	4	7	2	1	60	-	-	-	1	3	12	20	-	
	(b) M	18	-	-	-	1	3	2	2	2	6	4	-	33	-	-	-	1	2	12	17	15	
	(b) F	18	-	-	-	1	-	-	-	-	-	25	-	-	-	-	-	-	1	3	8	13	-
Epistaxis (783.0)	(a) M	218	8	18	17	12	24	40	50	38	10	1	45	5	4	3	2	5	11	6	7	2	-
	(a) F	182	5	13	8	6	14	28	42	39	24	3	49	1	3	6	2	3	11	11	6	11	-
	(b) M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haematemesis; Melena (1 year and over) (784.5: 785.8)	(a) M	364	9	7	14	40	56	82	79	52	16	9	79	-	1	2	7	15	13	20	14	7	
	(a) F	175	8	5	6	14	26	32	36	31	12	5	48	1	1	4	5	13	11	8	5	-	
	(b) M	8	-	-	-	1	-	1	2	3	1	-	-	-	-	-	-	-	-	-	2	-	-
	(b) F	4	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Other symptoms referable to upper gastrointestinal tract (784 rmdr.)	(a) M	164	85	9	1	4	8	21	20	8	6	2	33	15	3	1	4	3	5	3	3	1	
	(a) F	165	45	8	6	6	21	26	25	18	7	3	35	9	1	1	4	3	5	6	2	-	
	(b) M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal pain (785.5)	(a) M	1118	130	266	95	123	151	161	106	60	18	8	321	42	72	49	31	35	44	34	9	5	
	(a) F	1503	73	249	264	256	221	200	119	80													

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																						
	Teaching Hospitals												Hospitals under Regional Boards										
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
Symptoms, and ill-defined conditions - continued																							
Uraemia unqualified (792)	(a) M	36	-	-	3	5	4	6	4	8	6	-	12	-	-	-	-	1	-	4	2	5	
	(a) F	23	1	-	1	1	1	3	6	7	2	1	10	-	-	-	-	3	3	4	-		
	(b) M	13	-	-	2	-	2	2	2	3	2	-	8	-	-	-	-	1	-	1	2	4	
	(b) F	12	-	-	-	-	-	2	3	5	1	1	7	-	-	-	-	2	3	2	-		
Other symptoms and ill-defined conditions (780-792 rmdr.; 795)	(a) M	1558	176	281	121	166	222	239	194	106	29	24	254	23	35	22	28	40	50	34	17	3	2
	(a) F	1733	135	242	171	194	307	336	194	116	26	12	300	17	27	56	36	47	36	40	23	18	-
	(b) M	20	2	-	-	1	2	4	1	7	3	-	1	-	-	-	-	-	-	-	-	1	-
	(b) F	17	1	-	-	1	2	5	2	4	1	1	5	-	1	-	-	-	-	-	-	1	3
Observation, without need for further medical care (793)	(a) M	923	87	86	77	144	141	171	124	67	16	10	188	17	22	16	19	24	33	29	18	9	1
	(a) F	1141	51	73	142	201	216	217	143	74	11	13	228	21	12	20	31	39	43	30	23	8	1
	(b) M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	
	(b) F	2	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	
XVII. INJURIES																							
Fractures of skull and injuries to head (802)	(a) M	2847	214	482	535	443	385	291	208	123	70	96	739	71	149	168	85	94	70	47	28	18	9
	(a) F	1073	154	168	161	87	93	117	85	101	74	33	296	38	48	52	22	28	28	29	25	25	1
	(b) M	122	5	8	10	14	16	10	17	15	9	18	48	-	3	3	8	6	5	9	7	7	-
	(b) F	54	2	4	4	4	2	5	6	11	12	4	18	1	2	2	2	2	3	1	2	5	-
Fracture of face bones (802)	(a) M	482	8	40	117	108	103	58	34	9	2	3	73	2	9	23	10	19	5	4	-	-	1
	(a) F	114	5	9	37	16	18	16	5	4	3	1	22	1	2	5	3	4	1	3	2	1	-
	(b) M	2	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other fractures of skull; intracranial injuries (800; 801; 803; 804; 853-855)	(a) M	742	76	119	111	90	86	76	64	34	28	58	192	26	32	37	20	23	14	21	11	5	3
	(a) F	239	41	45	25	15	19	25	17	20	14	18	64	9	9	12	6	2	7	8	7	4	-
	(b) M	107	5	8	10	12	14	9	17	11	5	16	41	-	3	3	8	5	4	8	6	4	-
	(b) F	42	2	4	3	3	2	5	5	7	8	3	16	1	2	2	-	3	1	2	4	-	

(82685)

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
	Teaching Hospitals										Hospitals under Regional Boards											
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Other fractures, dis- locations and sprains (a) (excl. fractures of hand) (b)	M 2510 F 1758	142 70	374 160	369 104	393 99	400 134	326 232	223 305	151 243	87 272	45 39	531 459	32 10	123 48	78 29	62 11	66 40	43 46	47 62	41 62	39 98	- 2
Fractures of thigh (820; 821) (b)	M 452 F 656 M 16 F 65	63 24	57 17	37 10	27 4	45 5	43 37	59 122	61 206	53 214	7 17	123 188	17 5	16 9	6 -	12 1	12 4	12 8	12 14	16 56	26 91	- -
Fractures of leg (823; 824) (b)	M 732 F 370 M 5 F 4	24 12	57 23	123 26	150 24	137 47	96 77	72 76	39 61	15 17	19 7	158 113	7 1	23 11	33 9	32 1	14 18	18 13	11 28	13 21	7 10	- 1
Dislocations and sprains of knee (836; 844) (b)	M 152 F 28 M - F -	1 -	3 3	34 10	42 3	49 5	14 1	2 4	4 2	1 -	2 -	16 5	- -	2 2	7 2	3 -	2 -	1 -	1 -	1 -	- -	
Other fractures, dis- locations and sprains (excl. fractures of hand) (810-814; 818; 822; 825-827; 829-833; 835; 837-843; 845-848)	M 1174 F 704 M 7 F -	54 34	257 117	175 58	174 68	169 77	173 117	90 103	47 74	18 41	17 15	234 153	8 4	82 26	32 18	21 9	38 18	12 25	24 19	11 21	6 12	- 1
Burns, scalds (a) (b)	M 613 F 356 M 11 F 15	171 141	87 66	75 29	86 24	81 20	54 18	36 21	7 13	3 20	13 4	148 106	61 41	39 15	17 5	15 8	5 7	8 12	3 7	3 2	2 2	1 1
Burns confined to eye (940) (b)	M 198 F 20 M - F -	5 6	21 3	34 1	54 2	40 5	28 1	14 -	1 2	- -	1 -	8 2	1 -	2 -	3 -	2 -	- -	- -	- -	- -	- -	
Burns involving face, head or neck with or without other parts (941; 946; 948)	M 152 F 87 M 4 F 7	57 35	18 14	17 4	15 6	20 6	10 5	14 7	2 -	7 -	1 -	54 24	16 13	13 2	8 1	7 1	3 3	2 2	2 1	2 1	1 -	
Other burns (942-945; 947; 949)	M 263 F 249 M 7 F 8	109 100	48 49	24 24	17 16	21 9	16 12	8 14	6 9	3 13	11 3	86 80	44 28	18 13	6 4	6 7	2 4	6 10	1 6	1 3	2 5	- -
Wounds, fractures and other injuries to hand (excl. burns) (815-817; 834; 883; 884; 886; 887; 903; 914; 915; 925; 926; 954; 996.4; 996.5)	M 875 F 269	44 17	100 32	179 78	174 41	156 54	132 32	62 10	17 2	5 1	6 2	156 65	7 8	15 14	34 9	40 6	25 9	20 8	8 7	7 3	1 1	- -
Other injuries and effects of external causes (a) (b)	M 3017 F 1630 M 37 F 31	272 195	542 200	456 186	498 207	432 218	381 235	205 173	113 105	48 64	70 47	658 471	99 63	117 49	83 68	99 42	84 63	72 41	46 47	26 21	24 23	8 1
Injuries to eye (870; 871; 921; 930; 950) (b)	M 682 F 111 M - F -	36 15	165 41	122 8	138 11	104 6	59 9	37 7	10 9	8 3	3 2	34 2	2 1	9 1	4 1	10 1	5 1	2 -	1 -	- -	- -	1 -
Injury to face, mouth and neck (inc. injury to cranial nerve) (872-874; 879; 907; 910; 920; 951; 996.0)	M 493 F 165 M 2 F 1	65 35	122 35	72 19	67 22	62 15	53 12	24 9	5 8	9 8	14 2	145 60	21 9	20 7	26 8	24 3	15 7	16 7	8 5	4 7	9 6	2 1
Wound, contusion, or superficial injury at sites other than hand, eye or face, (inc. nerve injury) (870-929 rmdr. 950-959 rmdr.)	M 766 F 321 M 4 F 1	29 25	152 64	145 59	142 32	136 40	88 30	31 27	20 24	8 14	15 6	196 96	13 10	53 20	32 22	30 9	21 4	19 10	15 6	7 5	5 1	1 -
Foreign body in digestive tract (935) (b)	M 183 F 242 M 1 F 1	38 44	24 23	19 15	26 23	18 26	26 45	12 36	13 16	3 6	4 8	40 54	18 12	10 11	1 5	2 2	6 5	3 2	7 5	4 1	- -	- -

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																						
	Teaching Hospitals										Hospitals under Regional Boards												
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
Other injuries and effects of external causes - continued																							
Effects of poisons (960-979)	(a) M	270	55	13	27	45	26	34	23	16	5	26	104	26	6	9	15	13	14	6	7	4	
	(a) F	302	43	5	35	58	45	37	22	19	17	21	160	17	2	20	19	31	30	18	12	11	
	(b) M	25	1	1	-	3	-	7	8	4	-	1	10	2	1	1	-	1	2	-	2	-	
	(b) F	16	1	-	-	3	1	1	1	2	4	3	7	-	1	-	-	2	1	1	2	-	
Misadventures and complications of medical and surgical procedures (997-999)	(a) M	371	23	28	36	43	56	90	51	30	10	4	71	7	9	5	10	15	10	8	3	4	
	(a) F	310	7	12	35	46	56	74	50	18	6	6	60	3	5	11	7	11	11	7	3	1	1
	(b) M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
	(b) F	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other and unspecified injuries and reactions to external causes (931-934; 936; 980-996 rmdr.)	(a) M	252	26	38	35	37	30	31	27	19	5	4	68	12	10	6	8	9	8	8	5	2	
	(a) F	179	26	20	15	15	30	28	22	11	10	2	39	11	4	2	2	4	5	4	5	2	
	(b) M	3	-	-	1	-	-	-	-	1	1	-	3	-	-	-	-	1	1	1	-	-	
	(b) F	9	-	-	1	1	1	2	-	1	2	1	1	-	-	-	-	-	1	1	-	-	

TABLE 5 - All discharges other than maternity conditions: distribution by in-patient days for diagnostic groups and selected diagnoses - 1951.

All discharges other than those assigned to Section XI of the International Classification:*, classified in broad disease or injury groupings distinguishing the commoner diseases and injuries: distribution by in-patient days (a) for all discharges (b) for those among them stated to have died in hospital.

Teaching hospitals (London and Provincial combined) and Hospitals under Regional Boards shown separately.

NOTE: The diseases shown in this table comprise selection and amalgamation of titles from a larger table which details the same information for each fourth-digit rubric in the International Statistical Classification. Figures for any particular rubric can be supplied on request, or arrangements can be made for the full table to be studied at the General Register Office.

* Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Sixth Revision, 1948.

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Total Discharges	Distribution by in-patient days (a) all discharges including deaths (b) deaths only									
		1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Teaching Hospitals											
All discharges, excluding deliveries, complications of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions	(a) 231,716 (b) 7,777	13,407 1,469	25,798 839	45,644 1,161	33,173 805	23,587 526	34,758 754	18,648 501	22,295 849	9,973 516	4,433 357
Diseases, excluding deliveries and complica- tions of pregnancy, child- birth and the puerperium	(a) 215,707 (b) 7,366	11,138 1,308	22,781 772	42,132 1,107	31,349 777	22,521 504	33,277 730	17,856 491	21,272 833	9,315 500	4,066 344
Injuries and other effects of external causes	(a) 16,009 (b) 411	2,269 161	3,017 67	3,512 54	1,824 28	1,066 22	1,481 24	792 10	1,023 16	658 16	367 13

86

		Hospitals under Regional Boards											
		1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	1	2-
All discharges, excluding deliveries, complications of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions	(a) 56,148 (b) 4,830	2,842 856	7,175 499	8,790 668	8,158 468	5,369 273	8,096 428	4,532 271	5,743 427	2,903 334	2,540 606		
Diseases, excluding deliveries and complica- tions of pregnancy, child- birth and the puerperium	(a) 52,268 (b) 4,643	2,390 791	6,505 471	7,855 648	7,641 451	5,135 264	7,751 418	4,358 264	5,507 416	2,716 322	2,410 598		
Injuries and other effects of external causes	(a) 3,880 (b) 187	452 65	670 28	935 20	517 17	234 9	345 10	174 7	236 11	187 12	130 8		

87

TABLE 5 - continued

(82685)

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																										
	Teaching Hospitals													Hospitals under Regional Boards													
	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over					
I. INFECTIVE AND PARASITIC DISEASES (a) (b)																											
Tuberculosis of respiratory system (a) (b)	1902 73	34 10	82 6	171 11	159 16	99 3	216 10	144 3	329 7	313 2	355 5	1962 136	29 9	51 10	84 14	77 8	72 7	109 10	97 7	255 13	364 11	824 47					
Primary tuberculosis complex; tracheo-bronchial glandular tuberculosis (004-005)	227 4	1 1	6 -	14 -	19 -	3 -	24 1	11 -	46 -	36 -	67 2	77 -	1 -	1 -	1 -	3 -	1 -	5 -	8 -	12 -	9 -	36 -					
Pleurisy specified as tuberculous (a) (b)	112 2	- -	1 -	4 -	5 1	6 -	21 1	5 -	32 -	20 -	18 -	63 1	- -	- -	1 -	2 -	2 -	3 1	5 -	21 -	19 -	10 -					
Pleurisy with effusion without mention of cause (003.0)	220 4	3 -	3 -	20 1	16 1	12 -	30 2	29 -	50 -	38 -	19 -	102 1	- -	1 -	5 -	6 -	6 -	13 -	9 -	25 -	29 -	8 1					
Pulmonary tuberculosis; other tuberculosis of respiratory system (001,002,006-008)	1343 63	30 9	72 6	133 10	119 14	78 3	141 6	99 3	201 7	219 2	251 3	1720 134	28 9	49 10	77 14	66 8	63 7	88 9	75 7	197 13	307 11	770 46					
Tuberculosis, other forms (a) (b)	2558 103	103 4	141 11	385 10	328 8	215 8	323 16	192 1	300 14	247 15	324 16	450 46	16 -	19 2	58 9	40 3	31 1	57 1	35 4	62 7	49 12	83 7					
Tuberculosis of meninges and central nervous system (010)	274 68	35 1	31 9	23 4	18 6	9 3	16 11	6 1	19 8	29 12	88 13	70 27	7 -	7 1	12 7	4 3	1 1	2 -	2 1	6 5	6 5	23 4					
Tuberculosis of bones and joints (inc. late effects) (012,013)	730 7	16 1	30 1	108 -	56 -	47 1	71 -	61 -	90 2	89 1	162 1	119 6	1 -	2 -	9 -	9 -	7 -	8 -	8 1	16 1	21 3	38 1					
Tuberculosis of skin and subcutaneous cellular tissue (014)	154 -	4 -	9 -	26 -	21 -	18 -	23 -	14 -	18 -	16 -	5 -	19 1	1 -	3 -	4 -	1 -	2 -	3 -	1 -	2 -	2 1						
Tuberculosis of lymphatic system (015)	679 -	24 -	34 -	140 -	161 -	89 -	98 -	36 -	52 -	29 -	16 -	92 2	1 -	6 -	20 -	17 -	8 -	17 1	5 -	12 -	5 1						
Tuberculosis of genito-urinary system (016)	444 14	19 1	28 1	66 4	43 1	27 1	77 3	53 -	77 3	45 -	9 -	93 2	4 -	2 -	10 1	5 -	10 1	23 -	11 -	14 -	7 1						
Tuberculosis, other organs (inc. intestines and mesenteric glands) (011; 017,018)	233 4	5 1	8 -	17 1	28 -	24 2	35 -	22 -	41 -	32 -	21 -	44 6	- -	1 -	4 1	1 -	4 1	4 -	5 1	11 1	5 2	9 1					
Disseminated tuberculosis (019)	44 10	- -	1 -	5 1	1 1	1 1	3 2	- -	3 1	7 2	23 2	13 2	2 1	- -	- 1	- 1	- 1	- 1	1 1	1 1	2 3	3 -					
Syphilis and Gonococcal infection (020-029; 030-035)	788 35	35 6	57 2	104 4	120 4	73 3	143 4	76 5	120 4	41 1	19 2	120 19	12 4	5 1	8 1	10 2	11 -	12 3	13 1	25 3	20 2	4 2					
Syphilis and its sequelae (020-029)	745 35	33 6	53 2	95 4	116 4	71 3	134 4	72 5	114 4	38 1	19 2	111 19	11 4	5 1	8 1	9 2	9 1	12 3	11 3	22 3	20 2	4 2					
Gonorrhoea and its sequelae (030-035)	43 -	2 -	4 -	9 -	4 -	2 -	9 -	4 -	6 -	3 -	- -	9 -	1 -	- -	- -	1 -	2 -	2 -	3 -	- -	- -	- -	- -	- -	- -		
Infectious diseases commonly arising in intestinal tract (040-049)	322 2	22 1	40 1	51 -	45 -	36 -	43 -	34 -	44 -	7 -	- -	406 3	12 1	23 1	38 -	17 -	25 -	76 -	52 -	77 1	76 -	10 -					
Dysentery, all forms (045-048)	242 1	12 1	25 -	42 -	39 -	27 -	37 -	26 -	31 -	3 -	- -	256 -	8 -	17 -	20 -	10 -	18 -	63 -	41 -	39 -	37 -	3 -					
Typhoid and para-typhoid fever; other salmonella infections (040-042)	48 1	4 -	11 1	4 -	4 -	4 -	2 -	6 -	10 -	3 -	- -	144 3	2 1	6 1	18 -	5 -	6 -	13 -	10 1	38 1	39 -	7 -					

(82685)

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																						
	Teaching Hospitals												Hospitals under Regional Boards										
	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	
Infectious diseases commonly arising in intestinal tract continued																							
Other infectious diseases arising in intestinal tract (043-044; 049)	(a) 32 (b) -	6	4	5	2	5	4	2	3	1	-	6	2	-	-	2	1	-	1	-	-	-	-
All other infective and parasitic diseases (036-039; 050-138)	(a) 2712 (b) 53	142	173	480	473	278	410	232	288	142	94	2052	34	36	196	346	374	456	199	241	106	64	2
Scarlet fever (050)	(a) 51 (b) -	4	2	5	22	13	3	1	1	-	-	452	3	-	7	27	192	147	40	33	3	-	-
Streptococcal sore throat (051)	(a) 34 (b) -	1	4	15	8	2	2	2	-	-	-	32	-	1	17	10	2	2	-	-	-	-	-
Diphtheria (055)	(a) 7 (b) -	-	1	1	-	-	1	1	1	2	-	30	-	-	3	-	2	2	4	12	7	-	-
Whooping cough (056)	(a) 114 (b) 5	14	9	17	16	16	21	5	14	2	-	247	5	7	11	19	16	37	30	71	40	11	1
Meningococcal infections (057)	(a) 134 (b) 13	19	2	6	18	17	31	17	16	8	-	80	5	1	-	5	11	28	14	12	3	1	-
Acute poliomyelitis (080)	(a) 172 (b) 5	8	23	21	29	6	23	20	19	14	9	84	2	2	3	6	1	20	16	18	9	7	-
Paralytic deformities and other sequelae of poliomyelitis (081)	(a) 448 (b) 1	4	15	47	36	33	79	44	77	46	67	73	-	2	13	4	3	8	8	13	7	15	-
Acute infectious encephalitis (082)	(a) 108 (b) 4	3	5	20	16	12	21	12	14	5	1	98	1	1	-	1	8	16	39	16	12	3	2
Parkinsonism and other post-encephalitic conditions (083)	(a) 45 (b) -	-	4	5	3	7	6	4	8	6	2	15	1	1	-	-	2	1	-	-	1	10	-
Measles (085)	(a) 138 (b) 2	29	9	22	44	12	16	4	2	-	-	351	5	8	38	142	58	54	17	13	8	8	-
Herpes zoster (088)	(a) 136 (b) -	2	7	33	15	21	33	10	13	2	-	42	1	1	2	6	3	9	4	10	3	3	-
Mumps (089)	(a) 53 (b) -	4	3	9	15	13	6	1	1	-	1	38	-	3	4	7	9	8	3	4	-	-	-
Infectious hepatitis (092)	(a) 201 (b) 3	4	11	21	34	18	44	25	28	13	3	81	-	-	4	19	9	12	16	14	5	2	1
Glandular fever (infectious mononucleosis) (093)	(a) 180 (b) -	2	4	38	47	25	41	11	8	4	-	74	-	-	14	15	9	27	5	3	1	-	-
Rickettsial diseases (including typhus and Q fever) (100-108)	(a) 2 (b) -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (110-117)	(a) 41 (b) -	1	1	15	14	4	5	-	1	-	-	8	-	-	3	-	2	2	-	1	-	-	-
Intestinal and other worm infestations (123-130)	(a) 204 (b) 2	7	22	61	44	13	14	23	15	4	1	36	-	1	12	9	2	7	2	2	1	-	-
Fungus infections (131-134)	(a) 163 (b) -	13	15	42	30	18	6	7	21	7	4	32	2	1	11	5	2	5	1	1	3	1	-
Remaining infective and parasitic diseases (others in 050-138)	(a) 481 (b) 18	26	36	102	82	48	57	45	49	29	7	279	9	9	53	64	35	48	23	22	12	4	-

TABLE 5 - continued

(82685)

Principal Diagnosis on Discharge and International Statistical Classification Number	(a) (b)	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																							
		Teaching Hospitals											Hospitals under Regional Boards												
		Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over		
II. NEOPLASMS	(a) (b)																								
Malignant neoplasms (140-205)	(a) (b)	19637 2543	497 157	986 166	2032 338	1927 307	1761 221	3354 317	2540 228	4131 419	1937 251	472 139	2871 845	125 58	182 60	262 96	267 85	227 69	499 105	364 82	539 139	280 85	126 66		
Malignant neoplasm of buccal cavity and pharynx (140-148)	(a) (b)	1300 73	24 2	86 7	159 8	204 11	124 8	177 7	112 3	240 9	144 10	30 8	100 21	2 1	8 1	18 3	18 3	12 1	11 2	10 3	13 1	3 3	5 3		
Malignant neoplasm of stomach (151)	(a) (b)	1250 289	33 13	45 15	104 38	120 46	85 26	271 50	219 34	263 37	86 18	24 12	271 120	15 10	15 11	24 14	23 16	24 12	39 16	43 13	59 19	25 9	4 -		
Malignant neoplasm of large intestine and rectum (153,154)	(a) (b)	2042 359	55 24	59 24	154 47	144 51	102 33	304 53	282 28	572 57	302 24	68 18	439 151	15 6	21 9	34 21	25 11	30 16	48 14	53 15	95 31	78 15	40 13		
Malignant neoplasm of bronchus and lung (inc. trachea) (162,163)	(a) (b)	1918 377	52 27	73 19	186 66	205 44	141 30	318 41	259 38	465 59	185 40	34 13	388 159	32 23	23 9	52 22	38 15	31 11	52 18	40 7	79 30	30 14	11 10		
Malignant neoplasm of breast (170)	(a) (b)	2461 134	46 8	74 15	144 10	210 14	222 5	573 12	425 8	536 29	187 20	44 13	306 50	4 2	11 4	12 2	27 4	31 7	88 6	45 2	47 6	26 5	15 12		
Malignant neoplasm of cervix uteri (171)	(a) (b)	1646 64	10 5	50 4	273 6	123 5	354 5	254 5	194 7	289 14	84 10	15 3	158 24	5 4	8 3	12 2	23 1	4 1	47 3	23 3	25 3	10 4	1 -		
Malignant neoplasm of corpus, and of other or unspecified parts of uterus (172-174)	(a) (b)	633 29	8 1	24 1	82 4	60 2	56 1	164 3	101 4	104 7	26 2	8 4	87 8	1 1	5 1	5 2	4 1	13 -	21 -	16 1	15 -	5 1	2 1		

(82685)

Malignant neoplasm of ovary, Fallopian tube, (a) and broad ligament (b) (175)		505 53	16 1	30 4	44 7	24 3	33 2	151 7	77 9	83 10	38 7	9 3	82 19	11 2	8 3	1 1	2 1	7 -	15 4	12 3	20 2	4 1	2 2
Malignant neoplasm of other and unspecified (a) female genital organs (b) (176)		209 13	1 1	6 2	23 1	19 1	17 1	18 -	15 -	48 3	54 42	8 2	32 9	- -	- -	2 1	2 1	1 -	6 -	2 -	10 3	5 1	4 3
Malignant neoplasm of prostate (177)		326 39	5 1	13 3	40 3	39 6	28 4	58 4	47 3	56 3	32 8	8 4	149 42	3 -	12 5	8 4	13 5	13 5	28 5	18 4	32 6	14 5	8 3
Malignant neoplasm of bladder and other urinary organs (181)		774 91	18 5	88 6	102 11	62 6	50 12	78 10	92 10	167 14	95 11	22 6	165 26	11 -	25 2	17 3	16 1	10 1	22 3	22 5	25 6	11 3	6 2
Malignant neoplasm of skin, bone and connective tissue (190,191; 196,197)		1226 59	27 3	94 5	119 5	170 2	149 7	203 5	107 5	196 11	121 9	40 7	105 13	2 1	2 -	19 2	20 -	12 1	15 -	9 1	14 1	9 6	3 1
Malignant neoplasm of brain and other parts of nervous system (193)		568 144	22 13	27 13	61 24	51 18	32 7	82 20	57 13	114 17	92 11	30 8	29 12	- -	- -	6 3	4 3	- -	6 3	4 1	7 1	1 -	1 1
Hodgkin's disease (201)	(a) (b)	432 66	10 3	18 7	37 5	42 10	29 5	70 1	59 7	107 8	54 15	6 5	54 10	1 -	2 -	6 1	4 1	7 1	9 3	10 3	11 -	2 -	2 2
Leukaemia and aleukaemia (204)	(a) (b)	603 136	31 15	36 6	90 30	61 15	50 14	98 8	63 13	115 20	54 14	5 1	58 25	3 2	7 5	6 4	9 6	4 2	7 2	5 2	8 2	6 1	3 1
Lymphosarcoma and other neoplasms of lymphatic and haematoopoietic tissues (200; 202,203; 205)	(a) (b)	573 95	30 4	20 3	48 6	51 5	34 10	64 8	80 9	150 32	67 9	29 9	43 13	1 1	1 1	2 -	5 2	4 1	7 -	5 2	6 2	6 -	6 4
Malignant neoplasm of all other and unspecified sites (others in 140-205)	(a) (b)	3171 522	109 31	243 32	366 67	342 51	255 83	471 37	351 68	626 89	316 41	92 23	405 143	19 5	34 6	38 12	34 14	24 12	78 26	47 26	73 17	45 17	13 8
Benign and unspecified neoplasms (210-239)	(a) (b)	11579 165	471 15	1383 12	2435 27	1345 27	1250 6	2719 22	922 9	740 23	228 14	86 10	1859 63	71 8	270 4	359 11	197 6	195 5	438 7	156 5	130 6	28 6	15 5

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																				
	Teaching Hospitals												Hospitals under Regional Boards								
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-
Benign and unspecified neoplasms continued																					
Benign neoplasm of respiratory system (212)	(a) 249 (b) 1	10	74	70	22	11	22	15	16	4	5	20	-	4	8	-	1	3	1	3	-
Benign and unspecified neoplasm of breast (213; 232)	(a) 434 (b) -	19	68	158	100	43	34	7	3	2	-	68	3	12	25	12	2	7	2	3	2
Benign and unspecified neoplasm of ovary (216; 234)	(a) 1022 (b) 10	11	25	67	109	179	450	102	70	7	2	228	5	8	5	24	45	95	15	26	4
94 Uterine fibromyoma (214)	(a) 2606 (b) 14	20	55	163	127	347	1251	420	199	23	1	452	4	16	39	15	48	199	82	43	5
Uterine polyp (215 part)	(a) 983 (b) -	9	86	609	127	54	68	14	16	-	-	162	5	28	76	23	11	13	2	4	-
Other benign and unspecified neoplasm of uterus and female genital organs (215 rmdr; 217; 233; 235)	(a) 735 (b) 2	10	33	109	105	130	241	68	35	4	-	101	-	7	12	24	18	24	8	8	-
Benign neoplasm of bladder (219 part)	(a) 915 (b) 3	125	346	239	60	24	40	36	30	12	3	207	20	86	47	8	8	14	10	11	2
Benign and unspecified neoplasm of brain and other parts of nervous system (223; 237)	(a) 914 (b) 88	31	48	119	123	86	128	76	174	89	40	95	5	8	15	9	12	17	6	8	6
Haemangioma and lymphangioma (228)	(a) 555 (b) 6	51	78	135	106	47	78	18	20	13	9	38	2	7	9	7	4	6	1	1	1

Pilonidal cyst (221)	(a) 339 (b) -	11	9	15	29	70	117	39	35	13	1	49	3	-	3	4	3	18	8	8	2
Benign and unspecified neoplasm of skin, bone and connective tissue (220; 222; 225-227; 238)	(a) 1348 (b) 5	89	198	402	243	136	134	55	55	26	10	211	16	33	53	39	29	21	10	8	2
Benign and unspecified neoplasm of all other and unspecified sites (others in 210-239)	(a) 1479 (b) 36	85	363	349	194	123	156	72	87	35	15	228	8	61	67	32	14	21	11	7	5
III, IV. ALLERGIC, ENDOCRINE METABOLIC AND NUTRITIONAL DISEASES; DISEASES OF BLOOD																					
Allergic disorders (240-245)	(a) 1233 (b) 36	60	75	222	217	159	187	120	127	47	19	438	19	31	85	30	61	76	38	32	12
Asthma and Hay fever (240, 241)	(a) 1038 (b) 36	44	51	178	189	145	162	100	112	40	17	394	18	26	73	71	52	73	36	29	12
Angioneurotic oedema, urticaria, allergic eczema and other allergies (242-245)	(a) 195 (b) -	16	24	44	28	14	25	20	15	7	2	44	1	5	12	9	9	3	2	-	
Avitaminoses, and nutritional deficiency states (280-286)	(a) 349 (b) 10	5	7	24	37	19	47	50	69	50	41	57	2	4	4	3	15	4	6	6	
Steatorrhoea and sprue (286.0)	(a) 211 (b) 6	1	4	6	21	11	22	25	48	41	32	29	-	2	-	2	2	8	-	3	
Avitaminosis, and other nutritional deficiency states (including malnutrition) (280-285; 286 rmdr)	(a) 138 (b) 4	4	3	18	16	8	25	25	21	9	9	28	2	2	4	2	1	7	4	3	

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																								
	Teaching Hospitals													Hospitals under Regional Boards											
	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over			
Anaemias (290-293)	(a) 1484 (b) 47	87 5	96 3	178 10	151 4	110 2	279 7	212 1	268 9	81 3	22 3	314 26	15 4	6 4	25 3	14 -	13 4	40 3	48 -	104 2	25 -	24 6			
Pernicious and other hyperchromic anaemias (290)	(a) 461 (b) 11	12 1	7 1	28 3	36 2	34 -	111 -	78 1	110 2	32 -	13 1	117 12	2 2	1 1	6 2	1 -	5 3	15 1	20 -	47 1	12 -	8 2			
Aplastic, non-regenerative and leuko-erythroblastic anaemia (292.3-292.5)	(a) 211 (b) 17	43 1	31 1	37 2	19 1	10 2	18 4	15 -	21 4	13 -	4 2	23 5	5 1	2 1	1 -	1 -	2 1	2 -	1 -	3 -	3 -	3 2			
Other anaemias (inc. anaemia unspecified) (291: 292 rmdr. 293)	(a) 812 (b) 19	32 3	58 1	113 5	96 1	66 -	150 3	119 -	137 3	36 3	5 -	174 9	8 1	3 2	18 1	12 -	6 -	23 2	27 -	54 1	10 -	13 2			
Endocrine and metabolic diseases; other diseases of blood (250-277; 287-289; 294-299)	(a) 7492 (b) 176	503 42	364 17	820 25	1100 11	822 12	1347 21	889 8	1116 18	409 14	122 8	951 79	45 19	43 9	93 7	111 6	70 3	169 7	133 1	165 4	80 11	42 12			
Non-toxic goitre (250, 251)	(a) 1274 (b) 5	24 -	29 -	131 1	381 2	249 -	253 1	119 1	80 -	6 -	2 -	113 2	6 1	2 -	18 1	29 -	13 1	21 -	10 -	14 -	- -	- -			
Thyrotoxicosis (252)	(a) 2327 (b) 16	302 2	104 -	154 2	165 2	196 4	390 2	362 -	478 1	157 2	19 1	165 2	3 -	7 -	9 -	9 -	12 -	32 1	43 -	39 -	11 1	- -			
Myxoedema, cretinism and other diseases of thyroid gland (253, 254)	(a) 318 (b) 4	23 1	27 2	38 1	47 -	32 -	62 -	30 -	40 -	16 -	3 -	43 5	- -	3 1	1 -	4 -	3 1	3 1	9 -	11 -	6 1	3 2			
Diabetes mellitus, unqualified (260 part)	(a) 1164 (b) 35	32 7	46 3	141 5	193 4	113 1	253 5	149 -	161 5	61 4	15 1	313 27	13 6	10 4	33 3	42 3	22 2	64 2	41 -	54 -	20 3	14 4			

(82685)	Diabetes mellitus with mention of complication (260 rmdr.)	757 61	43 21	46 4	89 8	84 -	79 5	126 4	75 4	120 7	59 4	36 4	164 27	16 10	12 4	14 2	13 -	7 -	26 2	17 -	22 1	21 4	16 4	
Haemorrhagic conditions (a) (including haemophilia (b) and purpura) (295, 296)	(a) 370 11	8 3	26 2	76 2	57 -	37 -	54 2	28 -	45 1	26 1	13 -	34 2	- -	1 -	5 -	2 -	3 -	9 1	4 -	- -	5 1	5 -		
Remaining endocrine and metabolic diseases; other diseases of blood (270-277; 287-289; 294; 297-299)	(a) 1282 44	71 8	86 6	191 6	173 3	116 2	209 7	126 3	192 4	84 3	34 2	119 14	7 2	8 -	13 2	12 2	10 1	14 -	9 1	25 3	17 1	4 2		
V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS																								
Psychoses and Psycho-neuroses (300-318)	(a) 4695 (b) 57	151 2	210 7	603 18	691 8	596 7	749 5	307 1	433 2	434 3	521 4	557 12	28 2	45 -	68 1	68 3	47 -	69 1	31 2	109 -	30 1	12 2		
Psychoses (300-309)	(a) 2385 (b) 53	73 2	79 7	270 17	354 7	357 7	384 4	122 1	205 2	226 3	315 3	257 12	9 2	11 -	16 1	22 3	16 -	38 1	56 2	68 -	13 1	8 2		
Psychoneurotic disorders (310-318)	(a) 2310 4	78 -	131 -	333 1	337 1	239 -	365 1	185 -	228 -	208 -	206 1	300 -	19 -	34 -	52 -	46 -	31 -	31 -	25 -	41 -	17 -	4 -		
Disorders of character, behaviour and intelligence (320-326)	(a) 682 6	49 2	57 -	91 1	96 1	80 1	85 1	33 -	62 -	52 -	77 -	65 1	6 -	6 -	8 1	16 -	4 -	11 -	4 -	8 -	2 -			
Mental deficiency (325)	(a) 197 5	8 2	14 -	38 1	38 1	29 1	30 1	8 -	19 -	6 -	7 -	29 1	2 -	6 -	2 1	4 -	2 -	7 1	1 -	4 -	1 -			
Personality and behaviour disorders; other conditions classified to 320-326 (320-324; 326)	(a) 485 1	41 -	43 -	53 1	58 -	51 -	55 -	25 -	43 -	46 -	70 -	36 -	4 -	6 -	12 -	2 -	4 -	3 -	4 -	1 -	1 -			

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																									
	Teaching Hospitals													Hospitals under Regional Boards												
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over				
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS																										
Vascular lesions affecting central nervous system (330-334)	(a) 1543 (b) 535	240	110	217	176	103	185	140	198	105	69	1036 590	135	75	113	90	43	108	59	144	101	163				
Other diseases of central nervous system (340-357)	(a) 3494 (b) 125	109	23	211	578	561	318	620	341	202	120	636 100	30	59	102	57	42	69	50	80	61	86				
Meningitis and encephalitis (except meningococcal and tuberculous meningitis) (340; 343)	(a) 302 (b) 44	18	9	18	10	36	19	56	40	63	29	93	11	4	8	3	12	19	8	20	5	3				
Intracranial abscess and venous thrombosis; (b) late effects of abscess and pyogenic infection (341, 342; 344)	(a) 211 (b) 38	13	10	14	14	30	10	27	22	42	27	12	26	5	1	7	2	1	3	3	1	3				
Cerebral paralysis (including spastic infantile) (351, 352)	(a) 355 (b) 10	3	-	14	59	43	35	63	36	55	20	27	120	1	7	15	10	4	9	8	14	21	31			
Epilepsy (353)	(a) 1008 (b) 11	52	3	95	259	173	86	142	66	84	34	17	158	7	26	44	25	11	14	12	10	4	5			
Multiple sclerosis (345)	(a) 731 (b) 3	9	-	26	98	113	80	165	84	94	43	19	97	-	5	12	5	6	7	13	17	12	20			

Other diseases of central nervous system (350; 354-357)	(a) 887 (b) 19	14	1	44	1	138	2	166	1	88	2	167	1	93	1	96	2	49	3	32	5	142	24	6	2	16	2	16	1	12	1	8	-	17	1	9	-	16	4	16	2	26	11
Diseases of nerves and peripheral ganglia (360-369)	(a) 996 (b) 5	43	1	82	1	205	1	184	-	113	1	155	-	68	1	101	-	29	-	16	-	103	5	5	1	7	-	19	2	14	1	6	-	13	-	15	-	7	1	4	-		
Trigeminal neuralgia (361)	(a) 389 (b) 2	17	-	43	-	81	-	91	-	41	-	66	-	24	22	4	-	12	-	4	3	-	-	1	-	2	-	2	-	1	-	2	-	2	-	-	-						
Sciatica (363)	(a) 111 (b) -	15	-	6	-	17	-	14	-	10	-	15	-	9	15	9	-	1	-	40	3	3	-	5	-	6	-	2	-	2	-	9	-	9	-	1	-	3	-				
Erythroedema polyneuritica (365)	(a) 92 (b) 1	1	1	2	-	16	-	19	-	5	15	11	-	13	6	4	-	13	4	1	1	6	1	1	-	2	1	3	-	1	-	1	-	-	-								
Other diseases of nerves and peripheral ganglia (360; 362; 364; 366-369)	(a) 404 (b) 2	10	-	31	1	91	1	60	-	57	59	24	-	51	10	11	-	38	1	1	2	5	5	3	-	8	1	6	-	6	1	1	-										
Diseases of Eye (370-389)	(a) 11090 (b) 17	210	1	779	2	2171	5	2439	2	1896	2	1773	2	835	2	762	1	132	-	43	1	425	1	10	-	23	-	84	-	119	-	64	-	67	-	33	-	11	-	11	-	3	-
Conjunctivitis (inc. ophthalmia); blepharitis; inflammation of lachrymal glands (370-372; 378)	(a) 619 (b) 2	46	-	155	-	227	-	106	-	26	34	10	-	8	6	1	-	28	3	6	11	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-						
Corneal ulcer, keratitis, iritis and other inflammatory diseases of eye (373-377; 379; 381)	(a) 1707 (b) -	17	-	73	-	314	-	324	-	186	310	188	-	207	63	25	-	45	-	3	14	5	8	4	-	4	-	3	-	3	-	1	-										
Strabismus (384)	(a) 2843 (b) 1	37	-	110	-	840	1	1062	544	181	50	17	2	-	-	-	-	191	-	8	33	96	35	12	4	3	-	3	-	1	-	-	-										
Cataract (385)	(a) 2927 (b) 8	48	-	229	1	289	3	300	788	786	275	171	37	4	92	1	4	19	5	10	30	17	1	4	1	-	-	-	-	-	-												
Detachment of retina (386)	(a) 519 (b) 1	1	-	11	-	39	-	20	17	67	129	184	45	6	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-														

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																									
	Teaching Hospitals													Hospitals under Regional Boards												
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	82 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over				
Diseases of Eye continued																										
Glaucoma (a) (387)	1435 (b)	1	25	45	189	419	238	268	123	109	16	3	35	2	-	2	6	6	12	5	1	1	-	-	-	-
Other diseases and conditions of eye (a) (380; 382,383; 388,389)	1040 (b)	4	36	156	273	208	97	127	60	66	13	4	31	4	2	5	2	4	7	2	1	3	1	1	1	1
Diseases of ear and mastoid process (a) (390-398)	4234 (b)	16	124 8	278 3	740 3	742	667	892	404	273	89	25	606	16 4	23	163	138	54	109	45	43	14	1	-	-	-
Otitis media without mention of mastoiditis (391)	2219 (b)	10	55 6	144 1	490 1	507	325	337	188	121	37	15	348	11 1	13	121	105	33	32	15	13	5	-	-	-	-
Mastoiditis, with or without otitis media (392,393)	907 (b)	5	14 2	34 2	70 1	96	149	278	115	99	42	10	167	1 1	5	20	15	15	54	25	22	9	1	-	-	-
Other diseases of ear and mastoid process; deafness (390; 394-398)	1108 (b)	1	55	100	180	139	193	277	101	53	10	-	91	4 2	5	22	18	6	23	5	8	-	-	-	-	-
VII. DISEASES OF THE CIRCULATORY SYSTEM																										
Rheumatic fever and rheumatic heart disease (a) (400-416)	2435 (b)	182	119 29	112 22	211 24	235 17	162 11	350 18	302 12	479 26	327 17	138 6	548 88	25 17	25	43 16	39 6	31 6	82 7	50 7	112 4	96 3	45 10	-	-	-
Rheumatic fever with and without heart involvement (400,401)	277 (b)	18	4 3	7	12	13	8	38	21	56 4	72 2	46 1	113 11	2	1	6	5	3	6	7	29	37	17	3	-	-

Chorea (402)	(a) (b)	169	1	6	8	13	6	14	9	31	46	35	29	-	1	1	-	2	1	2	6	10	6	-	-
Chronic rheumatic heart disease (410-416)	(a) (b)	1989 164	114 26	99 22	191 21	209 16	148 10	298 16	272 11	392 22	209 15	57 5	406 76	23 17	23	36 13	34 5	26 5	75 7	41 5	77 4	49 3	22 7	-	-
Arteriosclerotic, degenerative and other heart disease (420-434)	(a) (b)	3110 597	191 146	166 87	270 91	283 58	219 44	405 34	358 35	731 55	379 25	108 22	1375 556	121 107	74 59	95 70	83 50	79 28	187 63	157 34	310 48	164 34	105 63	-	-
Acute and subacute endocarditis (inc. bacterial endocarditis, unqualified) (430)	(a) (b)	126 24	4 3	7	5	5	4	11	8	15	47	20	35	2 1	4	2	2	1	4	2	4	12	3	-	-
Heart disease involving coronary arteries; arteriosclerotic heart disease; angina pectoris (420)	(a) (b)	1663 373	119 102	82 51	128 57	136 41	109 34	195 21	185 18	448 27	221 12	40 10	461 184	49 44	28	31 21	26 17	33 18	57 24	44 10	128 16	50 6	15 6	-	-
Other degenerative heart disease; other diseases of the heart (421,422; 431-434)	(a) (b)	1321 200	68 41	77 33	137 33	142 15	106 9	199 10	165 12	268 27	111 9	48 11	879 358	70 61	46 37	60 46	55 32	44 9	126 35	111 24	178 32	102 25	87 57	-	-
Hypertensive disease (440-447)	(a) (b)	2299 185	50 21	74 18	212 41	258 21	222 6	423 16	337 21	503 23	181 11	39 7	900 237	39 35	50 26	94 41	60 17	69 17	121 18	124 19	173 18	94 17	66 29	-	-
Hypertensive disease with mention of heart (440-443)	(a) (b)	839 109	18 15	23 11	68 31	60 11	63 3	146 9	130 9	229 12	82 6	20 2	450 146	26 25	18 16	42 26	23 6	31 9	60 10	74 15	83 10	52 8	41 21	-	-
Hypertensive disease without mention of heart (444-447)	(a) (b)	1460 76	32 6	51 7	144 10	198 10	159 3	277 7	207 12	274 11	99 5	19 5	450 91	13 10	32 10	52 15	37 11	38 8	71 8	50 4	90 8	42 9	25 8	-	-
Diseases of arteries (450-456)	(a) (b)	1731 114	55 17	78 17	193 16	211 10	189 4	310 8	187 10	274 16	166 8	68 8	414 153	18 14	15 8	42 22	36 12	34 11	55 13	46 9	58 19	49 18	61 27	-	-
Peripheral vascular disease (453)	(a) (b)	669 1	15 -	26 -	76 -	109 -	97 -	136 -	77 -	81 1	42 -	10 -	56 1	1 -	2 -	6 -	11 -	10 -	8 -	4 1	9 -	3 -	2 -	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																						
	Teaching Hospitals													Hospitals under Regional Boards									
	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	
Diseases of arteries continued																							
Arteriosclerosis and other diseases of arteries (450-452; 454-456)	(a) 1062 (b) 113	40	52	117	102	92	174	110	193	124	58	358	17	13	36	25	24	47	42	49	46	59	
Arteriosclerosis and other diseases of arteries (450-452; 454-456)	(a) 113 (b) 17	17	17	16	10	4	8	10	15	8	8	152	14	8	22	12	11	13	9	18	18	27	
Diseases of veins and other diseases of circulatory system (460-468)	(a) 5631 (b) 55	223	7	474	1166	1312	939	793	287	297	106	34	1528	48	149	259	374	283	182	69	100	46	18
Varicose veins N.O.S. or of leg, without ulceration or eczema (460 part)	(a) 2255 (b) 2	159	313	727	583	234	143	37	48	10	1	426	24	89	93	135	34	20	8	16	4	3	
Varicose veins N.O.S. or of leg, with ulceration or eczema (460 rdr.)	(a) 263 (b) -	2	5	30	22	19	42	34	66	31	12	91	-	1	7	4	2	16	9	27	18	7	
Haemorrhoids (461)	(a) 1670 (b) 2	32	44	85	418	508	418	103	51	9	2	455	4	11	22	104	193	92	15	11	2	1	
Phlebitis, thrombo-phlebitis and venous embolism (463-466)	(a) 553 (b) 46	8	19	72	65	74	106	81	80	39	9	151	6	6	13	16	5	19	22	40	19	5	
Embolism (463-466)	(a) 6	9	7	4	7	2	5	3	2	1	1	23	5	4	2	4	-	1	2	2	1	2	
Nonspecific mesenteric lymphadenitis (468.1)	(a) 248 (b) -	6	28	73	93	25	13	2	7	1	-	244	7	25	92	79	25	13	2	1	-	-	
Lymphadenitis, chronic or unqualified (468.0; 468.2)	(a) 416 (b) -	10	32	121	95	54	45	21	25	7	6	113	5	8	21	30	18	19	6	4	2	-	

All other diseases of circulatory system (462; 467,468.3)	(a) 226 (b) 5	6	33	58	36	25	26	9	20	9	4	48	2	2	9	11	6	6	3	7	1	1	2
VIII. DISEASES OF THE RESPIRATORY SYSTEM																							
Acute upper respiratory infections and influenza (470-483)	(a) 2273 (b) 26	109	449	954	400	119	115	58	49	17	3	1099	22	48	91	425	236	128	100	29	34	5	3
Acute nasopharyngitis (common cold) (470)	(a) 160 (b) 1	16	42	59	25	8	4	4	1	1	-	86	5	27	34	8	4	5	2	1	-	-	-
Acute sinusitis (471)	(a) 83 (b) 1	1	3	27	22	8	10	5	6	1	-	18	11	-	2	2	1	2	-	-	-	-	-
Acute upper respiratory infection, other or unqualified (inc. acute laryngitis and tracheitis) (474,475)	(a) 577 (b) 2	20	96	204	125	45	39	18	19	8	3	280	1	4	10	114	72	45	21	6	8	-	-
Influenza (480-483)	(a) 368 (b) 21	19	60	122	64	29	34	18	18	4	-	268	12	23	83	42	29	45	9	17	5	3	
Acute tonsillitis and pharyngitis (472,473)	(a) 1085 (b) 1	53	248	542	164	29	28	13	5	3	-	447	16	31	192	112	49	27	12	8	-	-	-
Pneumonia and bronchitis (490-493; 500-502; 763)	(a) 4656 (b) 461	226	218	634	796	517	916	503	561	232	53	3276	153	122	331	501	435	740	399	399	129	67	29
Lobar pneumonia (490)	(a) 893 (b) 41	24	24	101	167	115	223	98	99	37	5	864	52	19	14	73	135	150	230	94	113	34	2
Other and unspecified pneumonias (inc. pneumonia of newborn) (491-493; 763)	(a) 2114 (b) 320	148	96	269	352	241	385	221	258	117	27	1334	100	53	135	200	138	282	175	165	54	32	19
Bronchitis, acute or unqualified (500,501)	(a) 782 (b) 28	27	56	182	156	84	119	55	68	31	4	664	42	18	33	97	118	94	142	68	52	23	19

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
	Teaching Hospitals												Hospitals under Regional Boards									
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	30-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	30-	92 and over
Pneumonia and bronchitis continued																						
Chronic bronchitis (502)	(a) 867 (b) 72	27	42	82	121	77	189	129	136	47	17	414 76	16 13	22 19	26 11	48 9	53 5	86 6	62 3	69 4	18 4	14 2
Diseases of upper respiratory tract and pharynx, other than acute infectious (510-517)	(a) 20429 (b) 6	2983 1	6543 1	7956 -	1833 -	475 -	392 1	109 2	99 -	33 1	6 -	4981 7	216 4	3269 1	1141 -	239 2	42 -	43 -	14 -	15 -	2 -	
Chronic tonsillitis (510 part)	(a) 2649 (b) -	97	937	1270	225	62	40	7	9	2	-	1040	110	677	194	44	4	6	1	3	-	1
Hypertrophied (diseased) tonsils and adenoids (510 rdr.)	(a) 13185 (b) 1	2655 -	4621 1	4728	851	154	117	30	22	6	1	3198 2	16 -	2393 1	648 -	108 1	11	16	4	2	-	-
Peritonsillar abscess (quinsy) (511)	(a) 87 (b) -	3	15	50	14	2	3	-	-	-	-	46	-	4	24	11	2	5	-	-	-	-
Chronic or unspecified sinusitis (513)	(a) 1766 (b) 3	101 1	204	594	410	173	166	54	44	16	4	362	74	125	80	48	17	8	5	5	-	-
Deflected nasal septum (514)	(a) 1339 (b) -	29	222	821	198	43	17	6	2	1	-	61	3 1	2	42	8	2	1	2	1	-	-
Nasal Polyp (515)	(a) 863 (b) -	64	376	305	70	16	17	5	8	2	-	85	7	35	36	2	3	2	-	-	-	-
All other diseases of upper respiratory tract and pharynx (512; 516,517)	(a) 540 (b) 2	34	168	188	65	25	32	7	14	6	1	189 3	6 3	33	117 -	18	3	5	2	4	-	1

(82685)	Diseases of lung and pleural cavity (518-527)	(a) 2881 (b) 77	68 20	228 11	373 13	342 8	251 1	449 7	314 1	497 11	256 4	103 1	776 56	41 14	28 7	86 5	123 7	79 3	134 6	92 1	119 6	55 2	19 5
Pleurisy (519)	(a) 149 (b) -	4	8	26	21	24	25	13	17	10	1	88 1	-	4 1	8 -	20 -	13 -	13 -	14 -	11 -	3 -	2 -	
Empyema and abscess of lung (518; 521)	(a) 301 (b) 11	6 2	15 1	20 3	25 1	12 -	37 2	39 1	88 1	45 -	14 -	112 8	4 3	-	6 1	11 2	3 -	17 1	17 1	30 1	19 -	5 -	
Pneumoconiosis and other pulmonary fibrosis of occupational origin (523,524)	(a) 160 (b) 7	4 2	7 1	11 -	21 1	13 -	20 1	15 -	41 1	22 1	6 -	7	-	-	1	-	-	2	3	1	-	-	
Other chronic interstitial pneumonia; emphysema without mention of bronchitis (525; 527.1)	(a) 180 (b) 10	4 1	8 -	21 3	28 2	19 -	28 1	21 -	31 2	13 1	7	41 7	1 1	-	2 -	4 1	5 1	11 2	7 -	6 1	4 1	1 -	
Bronchiectasis; atelectasis, 1 year and over (526,527.0)	(a) 1659 (b) 30	30 10	160 5	199 4	174 2	144 1	269 2	187 -	273 4	149 1	74 1	307 25	15 4	10 5	27 3	44 3	28 1	58 2	37 1	58 3	22 -	8 3	
All other diseases of lung and pleural cavity (520; 522; 527.2)	(a) 432 (b) 19	20 5	30 4	96 3	73 2	39 -	70 1	39 -	47 3	17 1	1	221 15	21 6	14 1	42 1	44 1	30 1	33 1	14 -	13 1	7 1	3 2	
IX. DISEASES OF THE DIGESTIVE SYSTEM																							
Diseases of teeth and supporting structures (530-535)	(a) 2934 (b) -	228 -	1869 -	662 -	79 -	35 -	36 -	10 -	11 -	3 -	1 -	260 1	34 1	137 -	58 -	13 -	8 -	4 -	3 -	3 -	-	-	
Dental sepsis and abscess; other inflammatory diseases of teeth and gums (531,532)	(a) 402 (b) -	16 -	170 -	159 -	24 -	16 -	8 -	4 -	4 -	1 -	-	125 1	8 1	65 -	36 -	5 -	5 -	2 -	1 -	3 -	-	-	

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																						
		Teaching Hospitals											Hospitals under Regional Boards											
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	
Diseases of teeth and supporting structures continued																								
Dental caries; unerupted teeth; all other diseases of teeth and gums (530; 533-535)	(a) (b)	2532 -	212 -	1699 -	503 -	55 -	19 -	28 -	6 -	7 -	2 -	1 -	135 -	26 -	72 -	22 -	8 -	3 -	2 -	2 -	- -	- -	- -	
Diseases of tongue, buccal cavity, and salivary glands (536-538)	(a) (b)	508 2	22 1	64 -	177 -	107 -	41 -	56 -	15 -	19 1	3 -	4 -	111 7	11 1	13 1	27 -	22 1	16 -	7 -	6 -	4 -	1 1	4 3	
Diseases of oesophagus, stomach, and duodenum (539-545)	(a) (b)	9603 310	404 46	555 40	857 52	999 37	1063 34	2059 37	1445 23	1781 29	399 10	41 2	2437 134	54 20	84 14	141 30	241 22	221 14	549 13	456 7	543 10	130 1	18 3	
Ulcer of stomach or duodenum without perforation (540.0; 541.0)	(a) (b)	6694 188	264 26	236 13	449 24	497 26	645 26	1563 28	1181 14	1508 20	320 10	31 1	1799 87	32 12	42 9	86 16	140 14	105 9	390 10	391 5	484 8	116 1	13 3	
Perforated ulcer of stomach or duodenum (540.1; 541.1)	(a) (b)	1094 82	19 16	29 21	58 19	262 9	279 4	234 5	103 4	85 4	21 -	4 -	346 42	8 7	6 5	18 13	62 7	93 5	100 3	24 -	26 2	6 -	3 -	
Gastritis; indigestion (a) N.O.S. and other disorders of stomach function (543, 544)	(a) (b)	667 -	40 -	92 -	161 -	138 -	61 -	83 -	42 -	42 -	8 -	- -	120 1	8 1	14 1	22 -	18 -	10 -	28 -	8 -	9 -	2 -	1 -	
Other diseases of stomach and duodenum; diseases of oesophagus (539; 542; 545)	(a) (b)	1148 40	81 4	198 6	189 9	102 2	78 4	179 4	119 5	146 5	50 -	6 1	172 4	6 -	22 -	15 1	21 1	13 -	31 -	33 2	24 -	6 -	1 -	

Appendicitis (550-553)	(a) (b)	7370 43	69 13	123 4	1351 8	2969 8	1193 4	995 3	342 2	274 1	49 -	5 -	2914 38	15 4	51 2	372 11	1316 7	436 6	423 3	145 1	121 3	28 1	7 -
Acute appendicitis without mention of peritonitis (550.0)	(a) (b)	3858 9	19 1	64 1	912 2	1689 2	502 3	418 -	140 -	98 -	16 -	- -	1702 7	4 -	17 -	266 2	855 1	244 1	198 2	70 -	44 1	3 -	1 -
Acute appendicitis with peritonitis (550.1)	(a) (b)	829 31	14 10	7 3	60 6	171 5	140 1	201 3	96 2	113 1	22 -	5 -	390 29	4 4	3 2	27 9	56 5	65 4	103 1	49 1	60 2	20 1	3 -
Appendicitis other and unqualified, and other diseases of appendix (551-553)	(a) (b)	2683 3	36 2	52 -	379 -	1109 1	551 -	376 -	106 -	63 -	11 -	- -	822 2	7 -	31 -	79 -	405 1	127 1	122 -	26 -	17 -	5 -	3 -
Hernia of abdominal cavity (560-561)	(a) (b)	7789 95	169 27	345 12	978 27	2127 9	1671 2	1439 8	642 4	330 5	71 1	17 -	2009 43	61 13	76 5	137 11	667 4	522 4	366 1	93 1	65 3	18 1	4 -
Inguinal hernia without mention of obstruction (560.0)	(a) (b)	4881 4	76 -	154 -	574 2	1524 -	1178 -	882 -	340 1	133 1	14 -	6 -	1236 1	27 -	35 1	67 -	479 -	362 -	212 -	41 -	11 -	2 -	- -
Inguinal hernia with obstruction (561.0)	(a) (b)	291 14	22 4	16 2	36 6	75 1	53 -	44 -	26 1	13 -	2 -	4 -	122 11	9 3	8 2	8 2	26 2	26 -	25 -	7 1	9 1	4 -	- -
Femoral hernia with or without obstruction (560.1; 561.1)	(a) (b)	816 30	15 9	14 5	69 10	234 3	199 -	179 2	64 -	35 1	7 -	- -	292 15	7 5	5 1	13 6	91 -	83 3	61 -	18 -	8 -	5 -	1 -
Umbilical hernia, with or without obstruction (560.2; 561.2)	(a) (b)	767 17	26 6	117 2	203 5	156 2	89 -	89 2	53 -	28 -	4 -	2 -	143 4	9 1	21 -	27 1	28 1	22 1	25 -	3 -	7 -	1 -	- -
Other and unspecified hernia, with or without obstruction (Others in 560, 561)	(a) (b)	1034 30	30 8	44 3	96 4	138 3	152 2	245 4	159 2	121 3	44 1	5 -	216 12	9 4	7 1	22 2	43 1	29 -	43 1	24 -	30 2	6 1	3 -

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																								
	Teaching Hospitals													Hospitals under Regional Boards											
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over			
Other diseases of intestines and peritoneum (570-578; 764)	(a) 5054 (b) 205	264 60	468 25	819 32	816 23	573 7	829 18	447 5	511 17	234 9	93 9	1657 116	99 36	145 18	285 17	295 13	180 7	262 6	135 3	160 5	66 7	30 4			
Intussusception (570.0)	(a) 248 (b) 7	9 1	49 2	56 2	64 1	24 -	24 -	7 -	11 -	4 1	- -	52 4	4 4	4 -	5 -	27 -	5 -	4 -	2 -	1 -	- -	- -			
Other intestinal obstruction; peritonitis; peritoneal adhesions (570 remdr.; 576.577)	(a) 840 (b) 99	58 32	55 15	101 15	113 11	124 5	171 5	83 2	90 13	29 1	16 -	301 46	25 18	18 7	45 8	52 6	44 2	52 3	23 -	27 -	8 1	7 1			
Anal fissure and fistula; abscess of anal-rectal regions (574, 575)	(a) 853 (b) 1	18 -	41 -	115 1	138 -	134 -	194 -	106 -	74 -	26 -	7 -	209 1	5 -	12 1	29 -	41 -	25 -	46 -	23 -	23 -	5 -	- -			
Gastro-enteritis and colitis (inc. diarrhoea of newborn) (571; 764)	(a) 780 (b) 26	45 13	107 3	153 7	141 2	73 -	100 -	52 -	70 -	31 1	8 -	531 24	19 9	44 3	95 2	113 3	64 2	88 -	36 1	52 1	15 2	5 1			
Diverticulitis (572.1)	(a) 459 (b) 15	24 4	18 2	87 3	80 -	59 -	81 1	39 1	52 1	15 1	4 2	156 19	16 3	15 4	16 2	21 2	12 2	21 2	24 2	20 1	6 -	5 1			
Ulcerative colitis (572.2)	(a) 404 (b) 31	10 3	10 -	32 2	31 4	19 -	59 11	38 1	85 2	73 2	47 6	71 9	- -	4 -	9 2	9 1	5 1	3 -	5 -	6 -	21 4	9 1			
Constipation (573.0)	(a) 461 (b) 1	44 -	95 -	111 -	82 -	30 -	52 -	25 -	16 -	6 1	- -	136 -	15 -	27 -	56 -	12 -	5 -	12 -	3 -	5 -	- -	1 -			
Other diseases of intestines and peritoneum (Others in 570-578)	(a) 1009 (b) 25	56 7	83 3	164 2	167 5	110 2	148 1	97 1	113 1	50 2	11 1	201 13	15 2	21 3	30 3	20 1	20 -	36 1	19 -	26 3	11 -	3 -			

Diseases of liver, gallbladder, and pancreas (580-587)	(a) 3138 (b) 172	105 24	147 20	240 22	269 16	425 21	762 21	462 7	544 21	154 13	30 7	839 83	30 11	21 7	66 13	96 8	105 6	192 7	115 10	153 9	43 5	18 7	
Cirrhosis of liver (581)	(a) 408 (b) 66	58 8	65 8	40 9	36 6	29 9	54 4	23 2	58 7	34 7	11 6	63 23	5 1	3 3	7 1	5 4	3 1	13 3	12 3	8 3	2 1	5 3	
Cholelithiasis and cholecystitis without mention of calculi (584, 585)	(a) 2218 (b) 58	35 6	52 4	138 9	174 5	341 6	631 13	380 3	397 9	67 3	2 -	650 32	15 2	14 2	50 7	81 4	93 4	158 4	87 2	116 2	27 2	9 3	
Other diseases of liver and gallbladder; diseases of pancreas (580; 582, 583; 586, 587)	(a) 512 (b) 48	12 10	29 8	62 4	59 5	55 6	77 4	59 2	89 5	53 3	17 1	126 28	10 8	4 2	9 5	10 -	9 1	21 -	16 5	29 4	14 2	4 1	
X. DISEASES OF THE GENITO-URINARY SYSTEM																							
Nephritis and nephrosis (590-594)	(a) 777 (b) 105	32 14	28 11	74 18	72 9	57 6	115 10	98 5	152 18	96 12	53 2	229 60	10 8	7 3	15 9	22 7	14 5	35 9	16 4	56 8	36 5	18 2	
Acute nephritis (590)	(a) 222 (b) 9	5 3	5 -	17 -	18 1	17 1	35 1	31 -	49 1	35 2	10 -	82 8	2 1	4 2	2 -	4 1	1 -	12 1	8 -	26 2	19 1	4 -	
Chronic and other nephritis; renal sclerosis (591-594)	(a) 555 (b) 96	27 11	23 11	57 18	54 8	40 5	80 9	67 5	103 17	61 10	43 2	147 52	8 7	3 1	13 9	18 6	13 5	23 8	8 4	30 6	17 4	14 2	
Other diseases of urinary system (600-609)	(a) 3685 (b) 75	209 6	349 7	749 14	554 7	346 12	611 10	358 8	368 4	117 7	24 -	963 57	43 4	98 7	174 7	154 10	108 1	145 5	84 3	102 8	37 5	18 7	
Pyelitis; infections of kidney and cystitis (600; 605)	(a) 971 (b) 36	24 2	75 5	194 6	211 3	117 7	163 4	76 4	85 2	19 3	7 -	395 42	15 2	24 3	66 6	82 9	57 1	61 3	38 3	30 4	13 4	9 7	
Urinary infection, unqualified (609 part)	(a) 229 (b) 1	4 1	12 -	61 -	27 -	51 -	20 -	18 -	8 -	1 -	43 -	- -	2 -	6 -	9 -	6 -	9 -	3 -	5 -	2 -	1 -		
Calculi of urinary system (602; 604)	(a) 735 (b) 12	28 1	51 1	104 4	79 1	71 2	162 1	108 1	106 -	22 1	4 -	195 8	6 2	17 2	29 1	28 1	22 -	32 -	22 -	27 2	12 -	- -	

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																						
	Teaching Hospitals												Hospitals under Regional Boards										
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	
Other diseases of urinary system - continued																							
Stricture of urethra (a) (608)	284	47	51	56	41	19	30	17	16	6	1	73	7	15	21	6	3	5	4	9	1	2	
(b)	4	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	
Caruncle of urethra (a) (609 part)	261	4	23	144	45	25	13	5	2	-	-	45	-	13	19	5	3	2	3	-	-	-	
(b)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other diseases of urinary system (a) (601; 603; 606,607; 609 rdr.)	1205	102	137	190	151	87	192	132	141	62	11	212	15	27	33	24	17	36	14	31	9	6	
(b)	21	1	1	3	2	2	5	3	1	3	-	6	-	2	-	-	1	1	2	1	1	-	
110 Diseases of male genital organs (610-617)	3025	161	286	473	476	306	507	291	342	142	41	1001	43	72	146	141	87	158	111	140	76	27	
(b)	103	12	9	11	17	7	14	10	12	4	7	107	8	6	24	12	9	14	8	10	5	11	
Hyperplasia of prostate (a) (610)	1514	33	66	82	97	142	369	248	305	133	39	608	12	24	41	41	37	126	101	125	75	26	
(b)	99	12	9	11	16	7	12	10	11	4	7	105	8	6	23	12	9	13	8	10	5	11	
Hydrocele (a) (613)	424	7	15	75	163	80	63	13	7	1	-	125	4	2	23	55	25	9	4	3	-	-	
(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Redundant prepuce and phimosis (a) (615)	616	95	161	212	89	32	17	7	2	1	-	136	25	39	50	11	5	3	-	3	-	-	
(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of male genital organs (a) (611,612; 614; 616,617)	471	26	44	104	127	52	58	23	28	7	2	132	2	7	32	34	20	20	6	9	1	1	
(b)	4	-	-	-	1	-	2	-	1	-	-	2	-	-	1	-	1	-	-	-	-	-	
Diseases of breast (a) (620,621)	975	51	122	281	242	125	92	26	28	8	-	180	18	23	63	35	16	19	1	4	-	1	
(b)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic cystic and other diseases of breast (a) (620,621.1,621.2)	701	41	91	202	181	87	57	16	18	8	-	83	13	13	35	11	3	6	-	2	-	-	
(b)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
111 Acute mastitis not associated with lactation (a) (621.0)	274	10	31	79	61	38	35	10	10	-	-	97	5	10	28	24	13	13	1	2	-	1	
(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of ovary, Fallopian tube and parametrium (a) (622-637)	15901	299	1480	5691	1594	1270	3535	1277	680	66	9	2877	137	377	857	332	216	615	231	97	10	5	
(b)	27	-	2	8	5	1	7	-	2	2	-	6	-	1	1	1	2	2	-	-	1		
Salpingitis and oophoritis; diseases of parametrium and pelvic peritoneum (a) (622-624; 626)	652	12	22	107	132	87	170	52	60	5	5	200	4	8	31	44	30	49	18	13	3	-	
(b)	6	-	-	2	1	-	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
Cervicitis (a) (630.0)	1601	28	139	868	184	193	146	30	10	3	-	369	57	54	145	67	19	18	6	3	-	-	
(b)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vaginitis and vulvitis (a) (inc. trichomonal vaginitis) (b) (630.2 part)	349	11	46	122	92	28	33	8	7	2	-	41	2	10	8	4	2	9	1	2	2	1	
Uterovaginal prolapse (a) (631)	3981	40	64	98	129	284	2108	831	395	31	1	657	17	13	15	12	33	355	158	50	3	1	
(b)	14	-	1	3	2	1	3	-	2	2	-	2	-	-	-	-	1	1	-	-	-	-	
Malposition of uterus (a) (632)	520	15	44	132	34	113	151	21	8	1	1	103	5	19	22	3	29	23	1	1	-	-	
(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dysmenorrhoea (a) (634 part)	752	24	150	446	48	30	37	9	7	1	-	118	9	36	53	9	3	7	1	-	-	-	
(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bleeding specified as post-menopausal (a) (634 part)	674	5	105	403	66	27	44	14	9	1	-	75	2	19	33	8	6	5	2	-	-	-	
(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dysfunctional bleeding (a) and other disorders of menstruation (b) (634 rmdr.)	3950	53	449	2047	460	259	436	171	69	6	-	733	15	108	340	100	40	82	25	21	1	1	
(b)	3	-	-	1	1	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	
Sterility, female (a) (636)	915	60	198	532	67	22	23	9	4	-	-	137	14	47	60	9	4	1	1	-	-	1	
(b)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Cysts of ovary not classifiable to 235 (a) (625 part)	91	-	7	9	24	16	25	7	3	-	-	31	1	1	2	6	11	8	2	-	-</		

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																										
	Teaching Hospitals													Hospitals under Regional Boards													
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over					
Diseases of ovary, Fallopian tube and parametrium continued																											
Other diseases of female genital organs (a) (others in 622-637)	2416	51	-	256	1	927	1	358	1	211	-	362	-	125	-	108	-	16	-	413	-	11	-	62	-	148	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE																											
Infections of skin and subcutaneous tissue (a) (b) (690-698)	1723	85	-	228	1	516	1	345	1	160	-	186	-	85	-	76	1	30	-	12	-	583	3	24	-	52	-
Boil, abscess and cellulitis, (inc. acute lymphadenitis) (690-694)	1447	60	-	189	1	458	1	296	1	139	-	153	-	69	-	58	-	20	-	5	-	482	3	11	-	38	-
Other local infections of skin, inc. infectious warts and molluscum contagiosum (695-698)	276	25	-	39	-	58	-	49	-	21	-	33	-	16	-	18	-	10	-	7	-	101	-	13	-	14	-
Other diseases of skin and subcutaneous tissue (a) (b) (700-716)	3104	81	1	166	2	512	8	408	1	329	-	490	2	319	3	498	1	229	6	72	3	732	11	15	-	42	-
Eczema and dermatitis (a) (b) (700-703)	949	7	-	31	1	114	1	136	-	113	-	166	-	97	-	187	-	76	1	22	-	371	3	2	-	3	-
Psoriasis (a) (b) (706.0)	299	1	-	5	-	22	-	36	-	31	-	66	-	52	-	58	-	24	4	4	-	33	1	1	-	1	-
Pemphigus: erythema multiforme; lupus erythematosus; scleroderma; dermatomyositis (704-705.1-705.4-710.0)	252	3	-	5	1	28	7	30	1	20	-	28	-	32	3	51	1	39	3	16	-	38	4	1	-	2	-
Chronic ulcer of skin (a) (b) (715)	213	3	-	7	-	20	-	17	-	15	-	26	1	22	-	66	-	27	-	10	-	59	1	-	-	1	-
All other diseases of skin and subcutaneous tissue (others in 700-716)	1391	67	1	118	1	328	-	189	-	150	1	204	1	116	-	136	-	63	1	20	2	231	2	12	-	35	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																											
Diseases of tendon, fascia and muscle (a) (b) (740-744)	1329	150	7	228	1	363	2	155	1	138	1	144	3	49	-	65	2	26	1	11	-	205	2	17	-	31	-
Myasthenia gravis and inborn defect of muscle (744.0-744.1)	161	8	5	7	1	15	2	24	1	12	1	30	3	18	-	25	2	16	1	6	-	3	-	-	-	-	-
Synovitis, bursitis and tenosynovitis (741.742)	857	127	-	195	-	244	-	91	-	95	-	71	-	14	-	14	-	4	-	2	-	158	-	17	-	26	-
Other diseases of tendon, fascia and muscle (740-744.2)	311	15	2	26	-	104	-	40	-	31	-	43	-	17	-	26	-	6	-	3	-	44	2	-	-	5	-
Arthritis and rheumatism, (a) except rheumatic fever (b) (720-727)	2602	78	1	94	2	255	1	238	4	181	-	340	1	221	2	455	2	481	3	265	9	730	19	15	2	14	-
Rheumatoid arthritis and allied conditions (a) (b) (722)	1007	13	-	14	-	59	-	68	1	45	-	142	-	104	2	250	2	179	1	133	5	333	13	2	-	3	-
Osteo-arthritis (arthrosis) and allied conditions (723)	886	43	1	37	2	101	-	78	1	73	-	98	-	57	-	109	-	206	1	84	4	135	2	3	-	2	-
Arthritis, other and unspecified (a) (b) (720,721; 724,725)	320	10	-	13	-	37	-	29	1	23	-	47	-	33	-	51	-	48	-	29	-	61	4	7	-	4	-

(82685)	Chronic ulcer of skin (a) (b) (715)	213	1	3	-	7	-	20	-	17	-	15	-	26	1	22	-	66	-	27	-	10	-	59	1	-	-	1	-
All other diseases of skin and subcutaneous tissue (others in 700-716)	1391	6	1	67	1	118	1	328	-	189	-	150	1	204	1	116	-	136	-	63	1	20	2	231	2	12	-	35	-

(82685)	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																										
Diseases of tendon, fascia and muscle (a) (b) (740-744)	1329	150	7	228	1	363	2	155	1	138	1	144	3	49	-	65	2	26	1	11	-	205	2	17	-	31	-
Myasthenia gravis and inborn defect of muscle (744.0-744.1)	161	8	5	7	1	15	2	24	1	12	1	30	3	18	-	25	2	16	1	6	-	3	-	-	-	-	-
Synovitis, bursitis and tenosynovitis (741.742)	857	127	-	195	-	244	-	91	-	95	-	71	-	14	-	14	-	4	-	2	-	158	-	17	-	26	-
Other diseases of tendon, fascia and muscle (740-744.2)	311	15	2	26	-	104	-	40	-	31	-	43	-	17	-	26	-	6	-	3	-	44	2	-	-	5	-
Arthritis and rheumatism, (a) except rheumatic fever (b) (720-727)	2602	78	1	94	2	255	1	238	4	181	-	340	1	221	2	455	2	481	3	265	9	730	19	15	2	14	-
Rheumatoid arthritis and allied conditions (a) (b) (722)	1007	13	-	14	-	59	-	68	1	45	-	142	-	104	2	250	2	179	1	133	5	333	13	2	-	3	-
Osteo-arthritis (arthrosis) and allied conditions (723)	886	43	1	37	2	101</																					

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																								
	Teaching Hospitals													Hospitals under Regional Boards											
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over			
Arthritis and rheumatism, except rheumatic fever continued																									
Torticollis N.E.C. (726.2)	(a) 86 (b) -	2	9	19	19	8	10	8	7	3	1	15	1	2	3	4	1	2	-	1	-	-	1	-	-
Acute and subacute rheumatism (727A, 727B)	(a) 126 (b) 3	-	1	5	16	9	11	10	21	36	17	81	-	-	4	7	3	14	12	15	18	8	-	-	
Lumbago, fibrositis and other muscular rheumatism; rheumatism chronic or unqualified (remdr. 726-727)	(a) 183 (b) -	10	20	34	28	23	32	9	17	9	1	105	2	5	18	24	6	17	13	7	8	5	-	-	
Diseases of bones and joints; musculoskeletal deformities (730-738; 745-749)	(a) 6078 (b) 18	279	444	952	553	1086	1089	591	601	314	169	993	35	37	113	117	173	200	98	123	53	44	1	1	
Osteomyelitis and periostitis (730)	(a) 735 (b) 6	12	41	105	71	59	115	100	126	78	28	166	4	4	16	18	10	21	25	28	25	15	-	-	
Osteochondrosis and other diseases of bone (731-733)	(a) 514 (b) 4	14	63	78	57	64	72	37	48	43	38	68	1	3	8	5	5	6	10	9	5	16	-	-	
Internal derangement of knee joint (734)	(a) 840 (b) 1	30	16	55	46	367	213	69	38	6	-	213	2	5	17	15	84	73	11	6	-	-	-	-	
Loose bodies in knee joint (738 part)	(a) 115 (b) -	-	9	23	9	33	25	7	9	-	-	23	2	3	2	3	4	5	4	-	-	-	-	-	

Displacement of intervertebral disc (735)	(a) 1034 (b) 5	62	67	97	112	73	191	151	186	70	25	137	2	10	14	14	11	17	13	41	10	5	-	-
Hallux valgus and varus (747)	(a) 853 (b) -	10	18	177	64	282	189	74	34	4	1	134	7	1	8	26	28	43	11	10	-	-	-	-
Clubfoot (748)	(a) 698 (b) -	28	91	139	65	48	110	59	71	66	21	65	3	3	14	7	4	7	9	13	3	2	1	-
Other diseases of joint and musculoskeletal deformities (736-738 remdr; 745, 746; 749)	(a) 1289 (b) 2	123	139	278	129	160	174	94	89	47	56	187	14	8	34	29	27	28	15	16	10	6	-	-
XIV. CONGENITAL MALFORMATIONS																								
Congenital Malformations (750-759)	(a) 5778 (b) 194	181	425	1031	944	749	900	495	559	329	165	488	31	44	77	102	54	63	38	39	17	23	3	3
Congenital malformations of nervous system and sense organs (750-753)	(a) 565 (b) 32	35	74	130	72	51	65	35	52	39	12	44	2	4	10	6	1	5	5	2	6	1	4	-
Congenital malformations of heart (754.0-754.4)	(a) 880 (b) 72	36	51	115	115	70	156	112	143	68	14	48	3	3	9	9	2	9	6	2	2	4	1	1
Cleft palate and harelip (755)	(a) 950 (b) 2	8	33	149	205	222	201	73	42	13	4	18	-	1	2	10	1	4	-	-	-	-	-	-
Congenital hypertrophic pyloric stenosis (756.0)	(a) 323 (b) 4	1	38	102	72	40	36	10	18	6	-	73	1	3	9	19	11	12	7	9	1	1	1	-
Undescended testicle (757.0)	(a) 441 (b) -	9	23	46	130	122	78	25	6	1	1	55	2	3	2	17	18	11	1	1	-	-	-	-
Congenital dislocation of hip (758.0)	(a) 400 (b) 2	11	47	110	37	9	28	14	45	42	57	25	1	5	6	1	1	1	1	3	3	3	-	-

TABLE 5 - continued

(82685)

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
	Teaching Hospitals											Hospitals under Regional Boards										
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Congenital Malformations continued																						
Other congenital malformations of bone and joint (758.1-758.6)	(a) 427 (b) 1	11	26	76	52	51	58	41	44	42	26	34	2	3	7	6	-	2	1	5	1	7
Other congenital malformations (others in 750-759)	(a) 1792 (b) 81	70	133	303	261	184	278	185	209	118	51	191	20	22	32	34	20	19	17	13	7	7
XV. CERTAIN DISEASES OF EARLY INFANCY																						
Certain diseases of early infancy (760-762; 765-776)	(a) 763 (b) 81	93	80	148	121	67	91	48	65	40	10	281	32	32	36	27	23	20	37	17	-	5
Pemphigus neonatorum, umbilical sepsis and other sepsis of newborn (765-768)	(a) 49 (b) 4	5	11	14	6	3	2	3	2	1	2	19	1	1	5	4	1	3	1	2	1	-
Haemolytic and haemorrhagic disease of newborn (770-771)	(a) 142 (b) 19	41	25	33	13	6	7	5	10	1	1	26	7	4	4	4	5	1	-	-	1	-
Nutritional maladjustment (772)	(a) 330 (b) 2	6	24	72	75	34	58	24	25	10	2	136	4	13	34	24	10	16	14	19	1	1
Postnatal atelectasis and asphyxia; birth injuries (760-762)	(a) 124 (b) 34	26	15	19	13	17	11	4	11	7	1	32	12	8	3	-	4	1	-	3	-	1

(82685)

Imaturity, conditions attributed to maternal toxæmia; ill-defined diseases (769; 773-776)		118 22	15 12	5 3	10 2	14 -	7 2	13 1	12 -	17 2	21 -	4 -	68 12	8 7	6 4	6 1	4 -	7 -	2 -	5 -	13 -	14 -	3 -
XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS																							
Senility without mention of psychosis (794)	(a) (b)	58 22	2 -	5 2	2 -	2 -	4 -	3 1	2 -	5 2	7 1	26 16	292 179	9 6	16 11	23 18	21 10	8 3	19 12	11 6	21 10	20 10	144 93
Symptoms, and ill-defined conditions (780-792; 795)	(a) (b)	9208 130	640 29	1426 20	2095 14	1574 14	903 11	1166 16	573 7	574 8	217 7	40 4	2266 87	177 18	346 18	542 10	352 9	199 4	271 6	148 2	172 2	35 4	24 14
Convulsions: Jacksonian epilepsy (780.2,780.3)	(a) (b)	274 1	11 1	36 -	79 -	40 -	25 -	34 -	14 -	23 -	10 -	2 -	50 1	2 -	6 1	18 -	10 -	5 -	4 -	1 -	3 -	1 -	
Acute heart failure, undefined (782.4)	(a) (b)	82 36	13 12	7 5	3 1	7 4	4 2	8 3	14 2	14 1	9 3	3 3	126 58	10 10	12 10	9 6	10 6	7 2	21 4	16 2	15 2	8 4	18 12
Epistaxis (783.0)	(a) (b)	400 1	44 -	109 -	127 -	66 -	22 -	23 1	7 -	2 -	- -	- -	94 -	10 -	25 -	42 -	8 -	3 -	3 -	2 -	1 -	- -	
Haematemesis: Melena (1 year and over) (784.5; 785.8)	(a) (b)	539 12	15 3	24 2	48 3	49 2	64 1	93 -	101 -	131 1	14 -	- -	127 2	- -	2 2	8 -	9 -	11 -	16 -	43 -	35 -	3 -	
Other symptoms referable to upper gastro-intestinal tract (784 remdr.)	(a) (b)	329 -	23 -	59 -	98 -	51 -	22 -	33 -	20 -	15 -	8 -	- -	68 1	7 1	7 1	13 -	11 -	7 -	13 -	4 -	5 -	1 -	
Abdominal pain (785.5)	(a) (b)	2621 2	244 1	560 -	651 -	516 -	230 -	247 -	97 1	60 -	12 -	4 -	789 1	70 -	176 1	244 -	138 -	57 -	56 -	16 -	30 -	2 -	
Pain referable to urinary system (786.0)	(a) (b)	370 -	28 -	83 -	100 -	78 -	34 -	26 -	8 -	11 -	2 -	- -	140 -	11 -	26 -	33 -	27 -	23 -	15 -	3 -	2 -	- -	
Haematuria (789.4)	(a) (b)	274 1	15 -	52 -	65 -	51 -	23 -	33 -	19 -	11 1	4 -	1 -	77 -	5 -	8 -	26 -	5 -	6 -	12 -	6 -	8 -	1 -	
Retention of urine (786.1)	(a) (b)	233 14	20 1	37 1	40 1	23 2	18 1	42 5	20 1	23 1	9 1	1 -	58 3	6 -	8 -	8 1	5 1	6 1	7 -	5 1	10 -	1 -	2 1

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																				
	Teaching Hospitals												Hospitals under Regional Boards								
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-
Symptoms, and ill-defined conditions continued																					
Pain in back (787.5)	(a) 308 (b) 1	35	29	54	49	42	51	18	22	6	2	35	6	1	6	8	5	5	2	2	-
Pyrexia of unknown origin (788.8)	(a) 428 (b) -	8	35	107	88	48	68	23	27	20	4	126	6	11	27	23	15	16	6	14	7
Uraemia unqualified (792)	(a) 59 (b) 25	8	11	9	8	1	7	8	4	2	1	22	5	4	2	4	1	2	2	-	
Other symptoms and ill-defined conditions (780-792 remdr; 795)	(a) 3291 (b) 37	176	384	714	548	370	501	224	231	121	22	554	39	60	106	94	53	101	42	45	12
Observation, without need for further medical care (793)	(a) 2064 (b) 2	627	376	430	244	111	152	66	49	8	1	416	161	56	76	39	27	23	21	6	4
XVII. INJURIES																					
Fractures of skull and injuries to head	(a) 3920 (b) 176	766	1096	950	412	182	238	124	103	40	9	1035	152	234	322	136	64	65	23	31	5
Fracture of face bones (802)	(a) 596 (b) 2	102	144	168	67	33	35	20	16	11	-	95	24	26	22	13	5	3	1	-	
Other fractures of skull; intracranial injuries (800,801; 803,804; 853-855)	(a) 981 (b) 149	127	139	199	157	87	114	71	59	19	9	256	45	19	47	46	31	35	11	17	4
Wounds of head; head injury unqualified (850,851; 856; 904,905)	(a) 866 (b) 17	166	245	253	91	29	47	15	15	5	-	198	28	57	66	22	8	7	2	6	1

Concussion, unqualified (852)	(a) 1477 (b) 8	371	568	330	97	33	42	18	13	5	-	486	55	132	187	55	20	20	9	7	-	1
Fractures of trunk; fractures of two or more limbs; internal injuries	(a) 1061 (b) 44	84	105	192	141	88	123	78	132	69	49	251	16	21	46	39	29	26	14	22	21	17
Fracture of trunk; dislocation of spinal column; injury to spinal cord (805,806; 958)	(a) 261 (b) 4	24	28	57	25	16	26	25	32	12	16	57	3	3	9	11	7	9	2	6	5	2
Fracture of ribs and sternum; injury to intrathoracic organs (807; 860-862)	(a) 266 (b) 11	30	36	58	52	29	26	14	17	4	-	81	4	11	22	16	11	5	3	6	1	2
Fracture of pelvis; injury to pelvic organs (808; 867)	(a) 154 (b) 4	9	11	25	13	11	18	11	32	19	5	38	4	1	4	3	3	3	6	4	7	3
Multiple fractures of trunk or two or more limbs, multiple or unspecified internal injury (809; 819; 828; 868,869)	(a) 282 (b) 19	16	22	38	32	17	34	21	42	33	27	56	5	6	9	6	5	5	3	8	1	9
Injury to intra-abdominal organs (863-866)	(a) 98 (b) 6	5	8	14	19	15	19	7	9	1	1	19	-	-	2	3	3	4	3	-	-	1
Other fractures, dislocations and sprains (exc. fractures of hand)	(a) 4268 (b) 97	341	533	799	445	346	506	279	412	360	247	990	64	103	161	109	53	105	59	117	124	95
Fractures of thigh (820,821)	(a) 1108 (b) 81	26	56	88	50	43	111	89	196	240	209	311	9	11	24	15	7	23	18	49	75	80
Fractures of leg (823,824)	(a) 1102 (b) 9	82	132	201	131	82	163	95	126	70	20	271	14	23	45	29	20	38	21	37	34	10

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
	Teaching Hospitals												Hospitals under Regional Boards									
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Other fractures, dislocations and sprains (exc. fractures of hand) continued																						
Dislocations and sprains of knee (836; 844)	(a) 180	11	12	14	16	76	33	5	12	1	-	21	3	1	1	3	4	4	2	2	1	-
Other fractures, dislocations and sprains (exc. fractures of hand) (810-814; 818; 822; 825-827; 829-833; 835; 837-843; 845-848)	(a) 1878	222	333	496	248	145	199	90	78	49	18	387	38	68	91	62	22	40	18	29	14	5
7	2	1	1	1	1	-	1	1	-	-	2	1	1	-	1	1	1	1	1	1	1	
Burns, scalds	(a) 969	69	95	166	137	67	137	66	123	79	30	254	15	24	37	40	23	38	20	27	23	7
(b) 26	8	5	5	3	3	2	-	2	2	-	1	15	6	2	1	2	1	1	1	1	1	
Burns confined to eye (940)	(a) 218	5	35	69	48	15	20	6	11	9	-	10	-	1	4	4	-	1	-	-	-	4
(b) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Burns involving face, head or neck with or without other parts (941; 946; 948)	(a) 239	22	24	35	29	16	34	20	32	17	10	78	6	10	10	10	5	18	5	5	8	1
(b) 11	5	2	1	2	2	-	-	-	1	-	4	2	2	-	-	-	-	-	-	1	-	
Other burns	(a) 512	42	36	62	60	36	83	40	80	53	20	166	9	13	23	26	18	19	15	22	15	6
(b) 15	3	3	4	1	2	2	-	-	1	-	1	11	4	2	1	2	1	1	-	-	-	
Wounds, fractures and other injuries to hand (exc. burns)	(a) 1144	283	325	307	93	30	51	19	28	5	3	221	51	52	56	30	11	8	8	4	1	-
(b) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82685)	815-817; 834.883.884; 886.887; 903; 914.915. 925.926; 954; 996.4. 996.5)																					

Other injuries and effects of external causes	(a) 4647	726	863	1098	596	353	426	226	225	105	29	1129	154	236	313	163	54	103	50	35	13	8
(b) 68	21	13	14	4	4	4	5	2	-	3	2	27	10	7	4	3	1	1	1	1	1	
Injuries to eye (870.871; 921; 930; 950)	(a) 793	29	77	190	147	87	128	67	53	14	1	36	1	5	10	5	1	11	1	1	1	
(b) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Injury to face, mouth and neck (inc. injury to cranial nerve) (872-874; 879; 907; 910; 920; 951; 996.0)	(a) 658	101	157	186	76	44	45	20	17	8	4	205	39	43	78	25	4	9	2	4	-	1
(b) 3	-	1	1	1	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	
Wound, contusion, or superficial injury at sites other than hand, eye or face, (inc. nerve injury) (870-929 remdr. 950-959 remdr.)	(a) 1087	145	210	290	153	71	86	38	59	28	7	292	26	51	61	56	23	34	21	11	6	3
(b) 5	-	-	1	1	1	-	1	-	1	1	1	5	1	2	2	-	-	1	-	-	1	
Foreign body in digestive tract (935)	(a) 425	169	134	77	25	6	4	5	4	1	-	94	15	41	25	7	-	4	1	1	-	-
(b) 2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Effects of poisons (960-979)	(a) 572	169	136	122	57	23	25	21	11	5	3	264	45	57	78	34	11	18	11	7	2	1
(b) 41	16	8	9	2	3	1	1	1	-	1	-	17	10	3	1	2	1	-	-	-	-	
Misadventures and complications of medical and surgical procedures (997-999)	(a) 681	44	95	136	95	81	99	48	54	25	4	131	11	18	38	23	9	17	8	5	1	1
(b) 5	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other and unspecified injuries and reactions to external causes (931-934; 936; 980-996 remdr.)	(a) 431	69	54	97	43	41	39	27	27	24	10	107	17	21	23	13	6	10	6	7	3	1
(b) 12	4	2	1	-	-	1	2	1	-	1	-	4	-	2	1	1	-	-	-	-	-	

TABLE 6 - Single livebirths in hospital; distribution by sequel and length of stay according to birth weight - 1951.

(a) Single livebirths: distribution by sequel and days of in-patient care within detailed birth weight categories. All participating hospitals combined.

(b) Single livebirths: distribution by sequel and days of in-patient care within summary birth weight categories. Participating hospitals in the Greater London Area.

(c) Single livebirths; distribution by sequel and days of in-patient care within summary birth weight categories. Participating hospitals in the North of England (Newcastle, Manchester, Liverpool, Leeds and Sheffield hospital regions).

TABLE 6
(2685)

(a) All Hospitals combined

Birth weight and discharge category	Total	Per cent of Total	Distribution in days of length of stay in the hospital												
			1-	2-	4-	6-	8-	10-	12-	15-	22-	29-	50-	92 and over	
All birth weights	Total	32,915		453	695	677	1,810	7,917	10,551	6,980	2,773	542	402	105	10
	Transferred	251		38	48	41	20	19	25	22	15	5	15	3	-
	Home	32,074		116	509	597	1,759	7,868	10,506	6,940	2,751	535	382	101	10
	Died	590	1.8	299	138	39	31	30	20	18	7	2	5	1	-
5½ lb. and under	Total	2,144		212	87	38	65	236	363	359	337	161	208	74	4
	Transferred	43		13	2	2	3	4	4	6	1	1	6	1	-
	Home	1,760		5	14	13	44	219	351	346	334	159	199	72	4
	Died	341	15.9	194	71	23	18	13	8	7	2	1	3	1	-
Over 5½ lb.	Total	28,909		191	552	596	1,635	7,148	9,611	6,360	2,265	344	173	28	6
	Transferred	173		20	39	30	12	14	18	13	13	4	8	2	-
	Home	28,558		99	466	554	1,615	7,120	9,587	6,336	2,247	339	163	26	6
	Died	178	0.6	72	47	12	8	14	6	11	5	1	2	-	-
2½ lb. and under	Total	124		65	15	6	7	4	3	4	3	1	5	9	2
	Transferred	6		3	1	-	-	-	-	-	-	-	2	-	-
	Home	19		-	-	-	-	1	2	3	2	-	1	8	2
	Died	99	79.8	62	14	6	7	3	1	1	1	1	2	1	-
3 lb. and under, but over 2½ lb.	Total	84		34	7	-	3	2	4	1	2	1	12	17	1
	Transferred	2		2	-	-	-	-	-	-	-	-	-	-	-
	Home	36		-	-	-	-	1	2	1	2	1	11	17	1
	Died	46	54.8	32	7	-	3	1	2	-	-	-	1	-	-
3½ lb. and under, but over 3 lb.	Total	133		33	12	6	3	6	3	6	6	6	30	22	-
	Transferred	5		3	1	-	-	-	-	-	-	-	1	-	-
	Home	75		-	-	-	-	4	2	6	6	6	29	22	-
	Died	53	39.8	30	11	-	-	2	1	-	-	-	-	-	-
but over 3½ lb.				--	-	2	2	7	7	10	17	9	60	11	-
	Transferred	5		1	-	-	-	1	1	-	-	-	1	1	-
	Home	114		-	-	-	-	3	6	10	17	9	59	10	-
	Died	42	26.1	24	6	7	2	3	-	-	-	-	-	-	-
4½ lb. and under, but over 4 lb.	Total	268		17	9	2	1	10	18	32	56	60	57	6	-
	Transferred	7		2	-	-	-	-	1	2	1	-	1	-	-
	Home	230		-	-	-	-	8	17	28	55	60	56	6	-
	Died	31	11.6	15	9	2	1	2	-	2	-	-	-	-	-
5 lb. and under, but over 4½ lb.	Total	477		20	14	6	10	41	86	110	104	49	32	5	-
	Transferred	9		1	-	1	1	-	1	4	-	1	-	-	-
	Home	429		1	2	4	8	40	81	104	104	48	32	5	-
	Died	39	8.2	18	12	1	1	1	4	2	-	-	-	-	-
5½ lb. and under, but over 5 lb.	Total	897		18	24	11	39	166	242	196	149	35	12	4	1
	Transferred	9		1	-	1	2	3	1	-	-	-	1	-	-
	Home	857		4	12	9	36	162	241	194	148	35	11	4	1
	Died	31	3.5	13	12	1	1	1	-	2	1	-	-	-	-
6 lb. and under, but over 5½ lb.	Total	1,895		18	29	26	97	449	570	462	206	24	10	4	-
	Transferred	15		3	4	1	-	1	1	3	1	-	1	-	-
	Home	1,857		5	22	24	96	445	566	458	204	24	9	4	-
	Died	23	1.2	10	3	1	1	3	3	1	1	-	-	-	-
7½ lb. and under, but over 6 lb.	Total	14,349		91	260	299	813	3,685	4,850	3,085	1,008	162	78	15	3
	Transferred	77		9	17	11	9	7	10	5	5	2	1	1	-
	Home	14,181		46	215	282	799	3,670	4,838	3,077	1,001	159	77	14	3
	Died	91	0.6	36	28	6	5	8	2	3	2	1	-	-	-
8 lb. and under, but over 7½ lb.	Total	5,058		29	109	95	299	1,242	1,722	1,106	371	58	20	6	1
	Transferred	26		2	11	3	1	2	2	-	3	1	1	-	-
	Home	5,007		19	89	91	297	1,240	1,720	1,102	366	57	19	6	1
	Died	25	0.5	8	9	1	1	-	-	4	2	-	-	-	-

TABLE 6 - continued

(a) All Hospitals combined - continued

Birth weight and discharge category	Total	Per cent of Total	Distribution in days of length of stay in the hospital												
			1-	2-	4-	6-	8-	10-	12-	15-	22-	29-	50- 82 and over		
9 lb. and under, but over 8 lb.	Total	5,805		35	108	136	323	1,410	1,939	1,254	477	72	47	2	2
	Transferred	37		4	4	12	1	3	2	2	4	-	4	1	-
	Home	5,743		21	98	120	321	1,405	1,937	1,251	473	72	42	1	2
	Died	25	0.4	10	6	4	1	2	-	1	-	-	1	-	-
10 lb. and under, but over 9 lb.	Total	1,498		12	35	35	86	308	451	372	162	22	15	-	-
	Transferred	14		2	3	3	-	-	2	2	-	1	1	-	-
	Home	1,478		8	31	32	86	308	448	369	162	21	13	-	-
	Died	6	0.4	2	1	-	-	-	1	1	-	-	1	-	-
Over 10 lb.	Total	304		6	11	5	17	54	79	81	41	6	3	1	-
	Transferred	4		-	-	-	1	1	1	1	-	-	-	-	-
	Home	292		-	11	5	16	52	78	79	41	6	3	1	-
	Died	8	2.6	6	-	-	-	1	-	1	-	-	-	-	-
Birth weight not stated	Total	1,862		50	56	43	110	533	577	261	171	37	21	3	-
	Transferred	35		5	7	9	5	1	3	3	1	-	1	-	-
	Home	1,756		12	29	30	100	529	568	258	170	37	20	3	-
	Died	71	3.8	33	20	4	5	3	6	-	-	-	-	-	-

(b) Hospitals in the Greater London Area

All birth weights	Total	11,753		114	97	69	350	2,218	3,964	3,164	1,394	221	134	25	3
	Transferred	45		6	5	5	3	4	5	7	4	-	5	1	-
	Home	11,561		39	67	54	338	2,201	3,949	3,147	1,389	221	129	24	3
	Died	147	1.3	69	25	10	9	13	10	10	1	-	-	-	-

5½ lb. and under	5½ lb. and under	Total	650		44	17	12	16	48	103	136	148	43	66	16	1	
	Transferred	15		1	1	1	1	1	1	3	1	-	4	1	-	-	
	Home	555		1	1	5	11	41	98	130	147	43	62	15	1	-	
	Died	80	12.3	42	15	6	4	6	4	3	-	-	-	-	-	-	
	Over 5½ lb.	Total	10,708		58	72	53	309	2,110	3,748	2,918	1,195	170	64	9	2	
	Transferred	25		4	3	3	-	3	4	4	3	-	1	-	-	-	
	Home	10,635		35	62	46	307	2,101	3,742	2,907	1,191	170	63	9	2	-	
	Died	48	0.4	19	7	4	2	6	2	7	1	-	-	-	-	-	
	3½ lb. and under	Total	98		31	10	5	3	5	5	7	5	3	14	9	1	
	Transferred	5		1	1	-	-	-	-	-	-	-	3	-	-	-	
Over 5½ lb.	Home	42		-	-	-	-	3	4	6	5	3	11	9	1	-	
	Died	51	52.0	30	9	5	3	2	1	1	-	-	-	-	-	-	
	Over 3½ lb. but not over 5½ lb.	Total	552		13	7	7	13	43	98	129	143	40	52	7	-	
	Transferred	10		-	-	1	1	1	1	3	1	-	1	1	-	-	
	Home	513		1	1	5	11	38	94	124	142	40	51	6	-	-	
	Died	29	5.3	12	6	1	1	4	3	2	-	-	-	-	-	-	
	Over 5½ lb. but not over 7½ lb.	Total	5,939		35	40	34	166	1,206	2,090	1,587	652	88	34	6	1	
	Transferred	12		3	3	1	-	-	2	2	1	-	-	-	-	-	
	Home	5,899		21	32	31	165	1,201	2,086	1,584	650	88	34	6	1	-	
	Died	28	0.5	11	5	2	1	5	2	1	1	-	-	-	-	-	
Over 5½ lb.	Over 7½ lb.	Total	4,769		23	32	19	143	904	1,658	1,331	543	82	30	3	1	-
	Transferred	13		1	-	2	-	3	2	2	2	-	1	-	-	-	
	Home	4,736		14	30	15	142	900	1,656	1,323	541	82	29	3	1	-	
	Died	20	0.4	8	2	2	1	1	-	6	-	-	-	-	-	-	
	Birth weight not stated	Total	395		12	8	4	25	60	113	110	51	8	4	-	-	-
	Transferred	5		1	1	1	2	-	-	-	-	-	-	-	-	-	
	Home	371		3	4	3	20	59	109	110	51	8	4	-	-	-	
	Died	19	4.8	8	3	-	3	1	4	-	-	-	-	-	-	-	

TABLE 6 - continued

(c) Hospitals in the North of England

Birth weight and discharge category	Total	Per cent of Total	Distribution in days of length of stay in the hospital												
			1-	2-	4-	6-	8-	10-	12-	15-	22-	29-	50-	92 and over	
All birth weights	Total	16,222		243	307	475	1,376	4,289	4,940	3,092	997	227	210	61	5
	Transferred	142		24	25	23	11	11	13	12	9	4	8	2	-
	Home	15,752		46	204	430	1,347	4,265	4,922	3,072	983	222	198	58	5
	Died	328	2.0	173	78	28	18	13	5	8	5	1	4	1	-
5½ lb. and under	Total	1,193		132	47	19	46	153	211	188	157	79	112	46	3
	Transferred	25		12	-	1	1	3	3	3	-	1	1	-	-
	Home	966		2	6	5	32	144	206	181	155	78	109	45	3
	Died	202	16.9	118	41	13	13	6	2	4	2	-	2	1	-
Over 5½ lb.	Total	14,567		93	245	435	1,258	3,993	4,630	2,852	816	138	91	14	2
	Transferred	108		11	22	22	10	8	10	7	8	3	6	2	-
	Home	14,357		43	190	406	1,244	3,979	4,618	2,841	805	134	83	12	2
	Died	101	0.7	39	33	7	4	6	2	4	3	1	2	-	-
5½ lb. and under	3½ lb. and under	Total	201	83	17	7	10	6	3	4	6	3	28	32	2
		Transferred	7	7	-	-	-	-	-	-	-	-	-	-	-
		Home	76	-	-	-	-	3	2	4	5	3	26	31	2
		Died	118	58.7	76	17	7	10	3	1	-	1	-	2	1
	Over 3½ lb. but not over 5½ lb.	Total	992	49	30	12	36	147	208	184	151	76	84	14	1
		Transferred	18	5	-	1	1	3	3	3	-	1	1	-	-
		Home	890	2	6	5	32	141	204	177	150	75	83	14	1
		Died	84	8.5	42	24	6	3	1	4	1	-	-	-	-

Over 5½ lb.	Over 5½ lb. but not over 7½ lb.	Total	8,355		55	135	237	709	2,350	2,640	1,658	433	83	46	9	-
		Transferred	57		6	9	8	8	5	7	5	4	2	2	1	-
		Home	8,230		22	103	225	698	2,341	2,632	1,650	427	80	44	8	-
	Over 7½ lb.	Died	68	0.8	27	23	4	3	4	1	3	2	1	-	-	-
		Total	6,212		38	110	198	549	1,643	1,990	1,194	383	55	45	5	2
		Transferred	52		5	13	14	2	3	3	2	4	1	4	1	-
		Home	6,127		21	87	181	546	1,638	1,986	1,191	378	54	39	4	2
		Died	33	0.5	12	10	3	1	2	1	1	1	-	2	-	-
Birth weight not stated	Total	462		18	15	21	72	143	99	52	24	10	7	1	-	-
	Transferred	8		1	3	-	-	-	-	2	1	-	1	-	-	-
	Home	429		1	8	19	71	142	98	50	23	10	6	1	-	-
	Died	25	5.4	16	4	2	1	1	1	-	-	-	-	-	-	-

APPENDIX A: List of hospitals participating in
the Enquiry during the period 1949-1951, indica-
ting by an asterisk those included in the tables
for each year, and showing the age distribution
of discharges from individual hospitals included
in the tables for 1949.

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Sex	Age distribution of discharges in 1949 (excluding livebirths)							
					Total with stated age	0-	15-	45-	65-	75 and over	N.S.	
LONDON TEACHING GROUPS												
The Royal Hospital of St. Bartholomew	*	*	*	M F	3,518 3,614	494 356	1,277 1,846	1,294 1,040	349 273	104 99	7 5	
The Royal Hospital of St. Bartholomew	*	*	*	M F	3,518 3,614	494 356	1,277 1,846	1,294 1,040	349 273	104 99	7 5	
The London Hospital	*	*	*									
The London Hospital	*	*	*									
The Royal Free Hospital	*	*	*									
The Royal Free Hospital	*	*	*									
University College Hospital	*	*	*									
University College Hospital	*	*	*									
The Hospital for Tropical Diseases	*	*	*									
St. Pancras Hospital, N.W.1.	*	*	*									
The Middlesex Hospital	*	*	*	M F	3,489 4,634	467 418	1,337 2,181	1,264 1,504	310 398	111 133	9 12	
The Middlesex Hospital and Cancer Wing	*	*	*	M F	3,489 4,634	467 418	1,337 2,181	1,264 1,504	310 398	111 133	9 12	
St. Luke's Hospital for Functional Nervous Disorders	*	*	*	M F	109 77	- -	60 50	44 23	5 4	- -	- -	
The Hospital for Women, Soho Square	*	*	*	F	1,395	1	943	400	46	5	4	

Westminster Hospital	*	*	*	M F	2,517 3,352	383 355	981 1,892	850 813	215 215	88 77	12 26
St. Mary's Hospital, Paddington	*	*	*	M F	2,890 4,376	629 490	1,075 2,527	849 971	249 278	88 110	7 15
St. Mary's Hospital, W.2.	*	*	*	M F	2,890 4,376	629 490	1,075 2,527	849 971	249 278	88 110	7 15
Paddington Green Children's Hospital, W.2.	*	*	*	M F	522 382	521 374	- 3	1 4	- -	- 1	9 3
The Princess Louise Kensington Hospital for Children	*	*	*	M F	498 407	496 406	1 1	1 -	- -	- -	- -
The Samaritan Free Hospital for Women	*	*	*	F	1,491	-	917	498	58	18	6
The Western Ophthalmic Hospital	*	*	*	M F	369 444	87 97	94 55	99 104	68 109	21 79	- 1
St. Luke's Hospital for Advanced Cases	*	*	*	M F	86 144	- <td>9</td> <td>33 75</td> <td>31 33</td> <td>13 16</td> <td>4 3</td>	9	33 75	31 33	13 16	4 3
St. Thomas's Hospital	*	*	*	M F	4,640 5,553	1,086 759	1,818 2,864	1,235 1,413	409 411	92 106	38 94
The General Lying-in Hospital	*	*	*	M F	1 1,000	- 1	1 997	- 2	- -	- -	- 8
The Hospital for Sick Children	*	*	*	M F	3,151 2,363	3,146 2,353	4 8	1 2	- -	- -	29 19
The Bethlem and Maudsley Hospitals	*	*	*	M F	365 556	30 18	236 353	86 164	12 18	1 3	- -
The Bethlem Royal Hospital for Nervous and Mental Disorders	}	}	}	M F	365 556	30 18	236 353	86 164	12 18	1 3	- -
The Maudsley Hospital											

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Sex	Age distribution of discharges in 1949 (excluding livebirths)							N.S.	
					Total with stated age	0-	15-	45-	65-	75 and over			
The Hospital for Diseases of the Chest	*	*	*	M F	311 198	65 70	85 84	143 39	15 5	3 -	1 1		
The Hospital for Consumption and Diseases of the Chest	*	*	*	M F	513 931	28 21	328 516	136 350	18 38	3 6	6 7		
The London Chest Hospital													
The Royal National Orthopaedic Hospital	*	*	*	M F	848 794	450 430	315 234	71 98	9 29	3 3	8 4		
Country Branch Stanmore	*	*	*	M F	652 590	15 10	94 130	314 271	162 125	67 54	6 20		
The National Heart Hospital	*	*	*	M F	162 135	12 17	36 48	91 56	23 12	2 -	- -		
The National Hospital for Diseases of the Heart	*	*	*	M F	2,618	3	2,606	9	-	-	8		
The Royal Marsden Hospital	*	*	*	M F	11,353 9,724	1,887 1,206	4,441 4,253	3,683 3,117	1,010 892	332 256	28 10		
PROVINCIAL TEACHING GROUPS													
United Newcastle-upon-Tyne Hospitals	*	*	*	M F	2,114	1 2	2,099	- 13	-	-	-		
The Royal Victoria Infirmary	*	*	*	M F	9,561 7,927	2,341 1,787	3,245 2,633	2,858 2,392	825 827	292 288	35 39		

The Princess Mary Maternity Hospital	*	*	*	M F	10 2,704	10 10	- 2,683	- 11	-	-	-	
United Leeds Hospitals	*	*	*	M F	1 2,750	- 10	1 1,517	- 1,019	-	-	-	
The General Infirmary at Leeds	*	*	*	M F	4,783 3,521	836 745	2,021 1,378	1,418 934	379 341	129 123	13 9	
The Maternity Hospital at Leeds	*	*	*	M F	4,527 3,157	395 273	1,952 1,313	1,575 1,067	468 374	137 130	46 37	
The Hospital for Women at Leeds	*	*	*	M F	29 3,308	25 31	2 2,614	2 565	- 83	- 15	- 2	
United Sheffield Hospitals	*	*	*	M F	29 3,308	25 31	2 2,614	2 565	- 83	- 15	- 2	
The Royal Sheffield Infirmary and Hospital	*	*	*	M F	29 3,308	25 31	2 2,614	2 565	- 83	- 15	- 2	
The Sheffield Royal Hospital	*	*	*	M F	29 3,308	25 31	2 2,614	2 565	- 83	- 15	- 2	
The Sheffield Royal Infirmary	*	*	*	M F	29 3,308	25 31	2 2,614	2 565	- 83	- 15	- 2	
The Jessop Hospital for Women	*	*	*	M F	29 3,308	25 31	2 2,614	2 565	- 83	- 15	- 2	
The Children's Hospital	*	*	*	M F	29 3,308	25 31	2 2,614	2 565	- 83	- 15	- 2	
United Cambridge Hospitals	*	*	*	M F	29 3,308	25 31	2 2,614	2 565	- 83	- 15	- 2	
Addenbrooke's Hospital	*	*	*	M F	1,412 1,571	360 283	514 648	345 447	137 139	56 54	35 29	
Maternity (and County) Hospital	*	*	*	M F	43 1,826	29 17	6 1,765	5 27	3 6	- 11	1 4	
Brookfields Hospital (for Infectious Diseases)	*	*	*	M F	202 164	145 110	47 49	7 4	2 1	1 -	4 -	
Chesterton Hospital	*	*	*	M F	206 200	24 22	56 69	43 38	38 31	45 40	3 6	

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Sex	Age distribution of discharges in 1949 (excluding livebirths)							N.S.
					Total with stated age	0-	15-	45-	65-	75 and over		
United Oxford Hospitals												
The Radcliffe Infirmary	*	*	*	M F	4,386 6,655	1,101 795	1,706 3,983	1,040 1,299	374 397	165 181	9 14	
The Churchill Hospital	*	*	*	M F	807 1,728	169 125	322 1,210	228 312	73 61	15 20	1 5	
The Oxford Eye Hospital	*	*	*									
United Cardiff Hospitals												
The Cardiff Royal Infirmary	*	*	*	M F	3,432 2,817	843 527	1,134 1,108	1,057 905	291 224	107 53	1 2	
The Llandough Hospital	*	*	*	M F	2,910 3,570	1,004 799	890 1,758	770 784	188 184	58 45	2 5	
The Lord Pontypridd Hospital	*	*	*	M F	22 35	22 34	1	-	-	-	-	
United Birmingham Hospitals												
The Birmingham United Hospital	*	*	*	M F								
The General Hospital	*	*	*	M F	2,909 2,744	424 321	1,170 1,163	943 918	262 260	110 82	17 8	
The Queen Elizabeth Hospital	*	*	*	M F	3,939 4,097	349 333	1,558 2,051	1,488 1,302	436 335	108 76	4 4	
The Children's Hospital	*	*	*	M F	3,201 2,557	3,200 2,522	1 35	-	-	-	2 1	

The Midland Nerve Hospital	*	*	*	M F	169 243	12 6	68 133	77 87	11 13	1 4	-	
The Birmingham and Midland Hospitals for Women	*	*	*	M F								
The Hospital for Women	*	*	*	F	2,362	12	1,445	789	101	15	5	
The Maternity Hospital	*	*	*	M F	9 2,385	6 5	1 2,348	2 30	2 2	-	1 2	
United Manchester Hospitals												
The Manchester Royal Infirmary	*	*	*	M F	4,789 4,213	400 269	1,918 1,925	1,903 1,525	452 395	116 99	14 17	
St. Mary's Hospitals for Women and Children	*	*	*	M F	15 7,408	12 21	1 6,217	1 1,005	1 149	- 16	- -	
The Manchester Royal Eye Hospital	*	*	*	M F	1,556 1,438	366 332	454 268	432 424	218 288	86 126	5 6	
United Liverpool Hospitals												
The Royal Liverpool United Hospitals	*	*	*	M F								
The Liverpool Royal Infirmary	*	*	*	M F	1,300 1,006	40 14	549 533	520 365	144 73	47 21	16 10	
The David Lewis Northern Hospital	*	*	*	M F	1,740 1,415	123 58	791 731	652 483	139 114	35 29	4 5	
The Royal Southern Hospital	*	*	*	M F	1,492 1,362	193 134	592 664	486 401	176 130	45 33	1 2	
The Liverpool Stanley Hospital	*	*	*	M F	666 917	151 87	271 558	175 213	58 49	11 10	- -	
The Women's Hospital	*	*	*	F	2,185	3	1,401	672	91	18	-	
The Hospital for Women	*	*	*									
The Samaritan Hospital for Women	*	*	*									

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Sex	Total with stated age	Age distribution of discharges in 1949 (excluding livebirths)						N.S.
						0-	15-	45-	65-	75 and over		
United Liverpool Hospitals (Contd.)												
The Liverpool Maternity Hospital	*	*	*	M F	4 2,912	4 1	2,895	-	16	-	-	-
The Royal Liverpool Children's Hospital	*	*	*	M F	1,777 1,388	1,768 1,384	8 3	-	1	-	1	3 1
The Liverpool Eye, Ear and Throat Infirmary	*	*	*	M F	1,000 919	331 304	371 288	192 176	71 103	35 48	15 17	
St. Paul's Eye Hospital	*	*	*	M F	701 643	173 127	228 145	173 161	79 137	48 73	2 2	
REGIONAL HOSPITAL BOARDS												
N.W. METROPOLITAN												
Hendon Hospital Management Committee												
Edgware General Hospital	*	*	*	M F	2,865 5,492	751 573	907 3,521	836 934	244 335	127 129	3 8	
N.E. METROPOLITAN												
Enfield Hospital Management Committee												
Chase Farm Hospital	*	*	*	M F	2,493 3,829	494 371	786 2,306	707 692	327 281	179 179	7 16	
WELSH												
Newport and East Monmouthshire Hospital Management Committee												
St. Woolos Hospital	*	*	*	M F	974 2,322	259 199	292 1,755	255 248	112 83	56 37	2 4	

SHEFFIELD												
Leicester No.1 Hospital Management Committee												
Leicester Royal Infirmary	*	*	*	M F	5,944 5,535	1,610 1,104	1,971 2,421	1,465 1,320	598 466	300 224	109 79	
Leicester General Hospital	*	*	*	M F	1,974 3,968	427 337	590 2,601	641 690	225 263	91 77	4 9	
Loughborough General Hospital	*	*	*	M F	661 942	164 123	258 557	152 183	63 49	24 30	- 2	
Leicester No.2 Hospital Management Committee												
Ashby-de-la-Zouch and District Hospital	*	*	*	M F	164 393	58 47	50 263	32 64	13 15	11 4	- -	
Blaby Hospital	*	*	*	M F	101 100	93 93	7 5	1 1	1 1	- -	- 1	
Bosworth Park Infirmary	*	*	*	M F	247 724	201 210	5 470	13 7	10 16	18 21	1 1	
Burley-on-the-Hill Auxiliary Hospital	*	*	*	M F	354 282	27 3	153 125	125 128	45 24	4 2	- 1	
Hinckley and District Hospital	*	*	*	M F	406 493	170 125	132 219	79 109	20 30	5 10	- -	
Hinckley Isolation Hospital	*	*	*	M F	106 108	87 88	15 16	3 2	- 2	1 -	- -	
Leicester Isolation Hospital and Chest Unit	*	*	*	M F	659 625	305 309	220 281	119 27	14 7	1 1	1 1	
Markfield Sanatorium and Isolation Hospital	*	*	*	M F	211 138	70 46	108 82	32 10	- -	1 -	2 1	

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Sex	Age distribution of discharges in 1949 (excluding livebirths)							N.S.
					Total with stated age	0-	15-	45-	65-	75 and over		
Leicester No.2 Hospital Management Committee (Contd.)				M F	379 424	119 95	120 185	89 94	33 32	18 18	- 1	
Melton and District War Memorial Hospital	*	*	*	M F								
Melton Isolation Hospital	*	*	*	M F								
Melton Mowbray Infirmary	*	*	*	M F	106 484	15 14	17 430	14 8	23 9	37 23	1 -	
Oakham Infirmary	*	*	*	M F	48 30	- -	- -	8 4	18 10	22 16	1 -	
Rutland Memorial Hospital	*	*	*	M F	176 221	59 39	57 98	34 60	20 20	6 4	1 2	

MANCHESTER**North Manchester Hospital Management Committee**

Crumpsall Hospital	*	*	*	M F	3,081 6,127	19 21	1,063 4,234	1,186 1,098	565 518	248 256	70 132
--------------------	---	---	---	--------	----------------	----------	----------------	----------------	------------	------------	-----------

South Manchester Hospital Management Committee

Withington Hospital	*	*	*	M F	3,194 6,436	45 25	1,140 4,298	1,182 1,245	523 563	304 305	4 6
---------------------	---	---	---	--------	----------------	----------	----------------	----------------	------------	------------	--------

Baguley Sanatorium and Emergency Hospital

Christie Hospital and Holt Radium Institute	*	*	*	M F	166 214	- -	121 199	42 15	3 -	- -	- -
---------------------------------------------	---	---	---	--------	------------	--------	------------	----------	--------	--------	--------

Manchester Babies' and Children's Hospital Management Committee

Booth Hall Hospital for Children	*	*	*	M F	2,606 2,163	2,537 2,071	67 92	1 -	1 -	- -	1 2
----------------------------------	---	---	---	--------	----------------	----------------	----------	--------	--------	--------	--------

Monsall Isolation Hospital

Monsall Isolation Hospital	*	*	*	M F	926 1,145	785 660	108 442	25 32	8 11	- -	- -
----------------------------	---	---	---	--------	--------------	------------	------------	----------	---------	--------	--------

APPENDIX B: Numbers of patients by sex and age in different types of N.H.S. Hospitals, in England and Wales and in Hospital Regions, on Census night, 8th April, 1951, and rates per 100,000 population.

Information about the total number of patients, and their age distribution, in hospital in England and Wales is not normally available. Such information can, however, be derived from a national census and has in the past been published in Census reports (see, for example, Tables 16 and 28 of the General Tables on the 1931 Census). Similar information will be published in the General Tables on the 1951 Census.

In view, however, of the significance of this information in relation to the organisation and cost of the National Health Service, a special tabulation has been undertaken from the 1951 Census records, in advance of the normal tabulation for the Census Report; and, in view of the relevance of this information to the consideration of hospital statistics generally, a summary of the information is given in the table below.

For Census purposes, a classification of institutions was used which is slightly different from that adopted for statistics of hospital beds in the Ministry of Health's "Hospital and Specialist Services Statistics, 1951"; but, so far as practicable, the figures in the table below have been brought into line with the classification used by the Ministry of Health. In doing this, each relevant Census schedule was re-classified according to the Ministry's classification; but some differences could not be adjusted, notably where an institution was used partly as a hospital and partly as a home for the aged. As a result the figures for patients in chronic and mainly chronic hospitals in the table below are about 13 per cent and 9 per cent respectively below the Ministry's figures of average bed occupation; this deficiency would be particularly marked in older age groups.

A further important difference between the figures in the table below and those of hospital beds arises from the inclusion in the Census figures of healthy new-born babies, whose cots are not included in the figures of hospital beds. As an approximation, since no sub-division of babies under four weeks is available, this difference can be allowed for by excluding babies under four weeks of age from the Census figures: to enable this to be done the numbers are shown separately and rates have been calculated excluding these numbers.

Numbers of patients, by Sex and Age, in N.H.S. Hospitals on Census night.
8th April, 1951, with rates per 100,000 Population

ENGLAND AND WALES

Type of Hospital	Number of Patients							Rate per 100,000 Population							
	Under 4 wks.	4 wks. - 14 yrs.	15 - 44	45-64	65-74	75 and over	All Ages	4 wks. - 14 yrs.	15-	45-	65-	75 and over	All Ages and over		
Teaching	{M F	602 609	1,870 1,554	2,788 5,293	2,923 3,216	1,014 1,168	525 746	5,722 12,586	9,120 11,977	38 33	30 56	60 57	74 62	87 77	43 53
Non-Teaching*	{M F	6,063 5,729	14,794 12,246	25,445 41,643	20,612 20,768	11,617 13,611	11,771 19,283	90,302 113,280	84,239 107,551	299 258	276 439	421 367	848 721	1,960 1,992	401 471
General	{M F	1,881 1,692	4,543 3,413	8,392 13,345	8,718 8,706	3,999 4,357	2,261 3,126	29,794 34,639	27,913 32,947	92 71	91 141	178 154	292 231	377 323	134 144
Mainly General	{M F	1,724 1,676	2,348 1,902	4,903 10,086	5,908 5,937	3,524 4,119	3,468 5,798	21,875 29,518	20,151 27,842	47 40	53 106	121 105	257 218	578 599	97 122
Mainly Chronic	{M F	253 240	211 213	652 1,445	1,297 1,644	1,423 1,667	2,139 3,494	5,975 8,703	5,722 8,463	4 4	7 15	26 29	104 88	356 361	27 37
Chronic	{M F	43 32	203 148	446 679	1,281 1,742	1,819 2,418	3,235 5,738	7,027 10,757	6,984 10,725	4 3	5 7	26 31	133 128	539 593	33 47
Convalescent	{M F	1 -	339 240	225 363	327 478	97 198	42 135	1,031 1,414	1,030 1,414	7 5	2 4	7 8	7 11	7 14	5 6
Isolation	{M F	5 3	790 715	151 168	48 29	13 16	13 19	1,020 950	1,015 947	16 15	2 2	1 1	1 1	2 2	5 4
Maternity	{M F	2,045 1,978	63 79	- 4,640	- 11	- -	- -	2,108 6,708	63 4,730	1 2	- 49	- 0	- -	- -	0 21
Orthopaedic	{M F	- -	994 856	742 549	249 227	34 74	18 51	2,037 1,757	2,037 1,757	20 18	8 6	5 4	2 4	3 5	10 8
Tuberculosis (Chest)	{M F	- -	968 955	7,260 7,000	1,209 379	66 28	7 29	9,510 8,391	9,510 8,391	20 20	79 74	25 7	5 1	1 3	45 37
T.B. (Chest) and Isolation	{M F	27 32	1,031 973	1,252 1,433	517 245	112 52	48 24	2,987 2,759	2,360 2,727	21 21	14 15	11 4	8 3	8 2	14 12
Ear, Nose and Throat	{M F	- -	61 59	18 35	7 6	2 5	1 1	89 106	89 106	1 1	0 0	0 0	0 0	0 0	0 0
Children's (General)	{M F	24 19	2,184 1,760	11 33	- 5	- -	- -	2,219 1,817	2,195 1,798	44 37	0 0	- 0	- -	- -	10 8
Eye	{M F	- 1	76 54	54 56	71 58	37 42	32 26	270 237	270 236	2 1	1 1	1 1	3 2	5 3	1 1
Other Special Hospitals	{M F	60 56	891 803	1,326 1,788	980 1,300	491 635	507 842	4,255 5,424	4,195 5,368	18 17	14 19	20 23	36 34	84 87	20 24
Other Establishments	{M F	- -	92 76	13 23	- 1	- -	- -	105 100	105 100	2 2	0 0	- 0	- -	- -	0 0
Mental	{M F	- 2	307 172	21,325 18,935	25,591 34,599	9,222 16,613	4,015 10,281	60,460 80,602	60,460 80,600	6 4	233 200	521 611	670 882	671 1,064	288 354
Mental Deficiency	{M F	6 8	3,650 2,263	17,788 14,719	4,448 5,638	405 694	125 414	26,422 23,736	26,416 23,728	74 48	194 155	91 100	30 37	21 43	126 104
All N.H.S. Hospitals	{M F	6,671 6,348	20,621 16,235	67,346 80,590	53,574 64,221	22,258 32,086	16,436 30,724	186,906 230,204	180,235 223,856	417 342	733 850	1,093 1,135	1,622 1,702	2,739 3,176	858 982

* Including healthy babies born in hospital.

* Excluding hospitals for mental illness and mental deficiency.

HOSPITAL BOARD REGIONS

Type of Hospital	Number of Patients								Rate per 100,000 Population							
	Under 4 wks. 4 - 14 yrs.	4 wks. 14 yrs.	15-44	45-64	65-74	75 and over	All Ages	All Ages 4 wks. and over	4 wks. 14 yrs.	4 - 14 yrs.	15-	45-	65-	75 and over	All Ages 4 wks. and over	
Region 1 Newcastle																
Teaching	{M F	24 17	60 47	175 225	136 178	43 43	18 12	456 522	432 505	17 14	28 35	43 51	48 40	49 25	30 34	
Non-Teaching*	{M F	346 345	919 798	1,831 2,892	1,237 1,181	585 630	562 650	5,480 6,496	5,134 6,151	258 233	290 456	389 337	659 582	1,535 1,354	358 416	
Mental	{M F	- -	35 11	1,425 1,044	1,548 1,650	537 638	198 331	3,743 3,674	3,743 3,674	10 3	225 165	487 472	604 590	541 689	262 248	
Mental Deficiency	{M F	- -	116 70	749 646	145 208	4 11	- 5	1,014 940	1,014 940	33 21	118 102	46 59	4 10	- 10	71 63	
All Hospitals	{M F	370 362	1,130 926	4,180 4,807	3,066 3,217	1,169 1,322	778 998	10,693 11,632	10,323 11,270	318 271	661 758	965 919	1,315 1,222	2,125 2,078	721 761	
Region 2 Leeds																
Teaching	{M F	28 34	56 48	116 230	135 157	50 58	17 10	402 537	374 503	16 15	19 35	39 38	51 42	42 15	26 31	
Non-Teaching*	{M F	433 418	1,079 859	1,580 2,860	1,364 1,531	852 1,095	880 1,504	6,188 8,267	5,755 7,849	316 261	253 437	389 368	875 791	2,153 2,276	397 490	
Mental	{M F	- -	11 8	1,681 1,509	2,105 2,713	726 1,270	286 608	4,809 6,108	4,809 6,108	3 2	271 231	602 652	745 917	699 920	331 381	
Mental Deficiency	{M F	6 7	255 165	1,180 867	303 364	18 43	1 7	1,763 1,453	1,757 1,446	75 50	190 133	87 87	18 31	2 11	121 90	
All Hospitals	{M F	467 459	1,401 1,080	4,557 5,466	3,907 4,765	1,646 2,466	1,184 2,129	13,162 16,365	12,695 15,906	410 328	733 836	1,117 1,145	1,689 1,781	2,896 3,222	875 992	
Region 3 Sheffield																
Teaching	{M F	31 30	123 127	146 237	173 169	59 54	14 22	546 639	515 609	25 27	16 26	37 34	46 34	26 29	25 29	
Non-Teaching*	{M F	516 488	1,256 952	2,252 3,380	1,665 1,602	1,007 1,025	1,085 1,519	7,781 8,966	7,265 8,478	255 201	251 378	359 319	786 645	2,004 2,023	358 403	
Mental	{M F	- -	34 15	1,693 1,483	1,886 2,420	686 1,121	291 629	4,590 5,668	4,590 5,668	7 3	189 165	407 481	536 705	537 838	225 269	
Mental Deficiency	{M F	- -	239 132	1,482 1,497	252 424	19 27	7 10	1,999 2,090	1,999 2,090	48 28	165 167	54 84	15 17	13 13	98 99	
All Hospitals	{M F	547 518	1,652 1,226	5,573 6,597	3,976 4,615	1,771 2,227	1,397 2,180	14,916 17,363	14,369 16,845	335 259	621 736	857 836	1,383 1,145	2,580 1,781	706 800	
Region 4 East Anglia																
Teaching	{M F	19 25	33 29	57 140	71 79	30 54	61 72	271 399	252 374	20 19	18 48	45 45	58 83	233 190	35 51	
Non-Teaching*	{M F	150 127	400 257	654 1,049	522 567	378 420	535 700	2,639 3,120	2,489 2,993	247 166	208 356	328 319	726 647	2,044 1,848	349 411	
Mental	{M F	- -	10 4	542 587	834 1,210	329 577	131 308	1,846 2,686	1,846 2,686	6 3	172 200	525 683	632 888	500 813	259 369	
Mental Deficiency	{M F	- -	70 68	370 450	87 168	10 18	1 1	538 705	538 705	43 44	118 153	55 95	19 28	4 3	75 97	
All Hospitals	{M F	169 152	513 358	1,623 2,226	1,514 2,024	747 1,069	728 1,081	5,294 6,910	5,125 6,758	316 232	516 757	953 1,142	1,435 1,646	2,781 2,854	718 928	
Region 5 N.W. Metropolitan																
Teaching	{M F	152 160	509 381	629 1,340	663 780	224 269	111 157	2,288 3,087	2,136 2,927	133 104	80 156	156 156	214 174	251 190	123 149	
Non-Teaching*	{M F	552 475	1,026 852	2,120 3,559	1,701 1,699	809 1,041	750 1,445	6,958 9,071	6,406 8,596	268 232	271 416	400 342	775 671	1,694 1,746	368 439	
Mental	{M F	- -	- 3	1,733 1,506	1,894 2,538	594 1,221	313 764	4,534 6,032	4,534 6,032	- 1	221 176	445 508	569 788	707 923	260 308	
Mental Deficiency	{M F	- -	345 123	1,441 1,100	663 771	108 172	29 114	2,586 2,280	2,586 2,280	90 33	184 128	156 154	103 111	66 138	149 116	
All Hospitals	{M F	704 635	1,880 1,359	5,923 7,505	4,921 5,788	1,735 2,703	1,203 2,480	16,366 20,470	15,662 19,835	491 370	756 876	1,157 1,160	1,661 1,744	2,718 2,997	900 1,012	

*/ see notes on p. 145.

HOSPITAL BOARD REGIONS - continued

(82685)

Type of Hospital	Number of Patients								Rate per 100,000 Population							
	Under 4 wks. - 14 yrs.	4 wks. - 14 yrs.	15-44	45-64	65-74	75 and over	All Ages	All Ages 4 wks. and over	4 wks. - 14 yrs.	15-	45-	65-	75 and over	All Ages 4 wks. and over		
Region 6 N.E. Metropolitan																
Teaching	{M 25	84	244	302	88	25	768	743	25	38	90	97	64	52		
	{F 32	69	385	259	87	37	869	837	21	57	68	70	58	54		
Non-Teaching*	{M 424	1,059	1,799	1,706	995	1,036	7,019	6,595	309	284	511	1,101	2,637	458		
	{F 438	894	3,081	1,613	1,186	1,667	8,879	8,441	275	460	423	959	2,610	539		
Mental	{M -	-	1,246	1,472	568	210	3,496	3,496	-	197	440	629	535	243		
	{F -	2	1,017	2,148	1,022	587	4,776	4,776	1	152	563	827	919	305		
Mental Deficiency	{M -	198	1,000	242	20	1	1,461	1,461	58	158	72	22	3	101		
	{F -	104	969	401	34	4	1,512	1,512	32	145	105	28	6	97		
All Hospitals	{M 449	1,341	4,289	3,722	1,671	1,272	12,744	12,295	392	677	1,113	1,849	3,239	854		
	{F 470	1,069	5,452	4,421	2,329	2,295	16,036	15,566	329	814	1,159	1,884	3,593	995		
Region 7 S.E. Metropolitan																
Teaching	{M 33	117	176	181	88	29	624	591	33	28	52	82	58	40		
	{F 33	82	351	174	56	30	726	693	24	52	41	36	34	41		
Non-Teaching*	{M 471	1,174	2,101	1,626	960	900	7,232	6,761	332	333	462	894	1,796	453		
	{F 406	1,006	3,374	1,804	1,087	1,546	9,223	8,817	298	497	426	691	1,735	523		
Mental	{M -	70	1,279	1,630	613	277	3,869	3,869	20	203	465	572	553	259		
	{F 1	28	1,339	2,384	1,221	745	5,718	5,717	8	197	563	777	837	339		
Mental Deficiency	{M -	116	1,262	434	22	2	1,836	1,836	33	200	124	21	4	123		
	{F -	93	938	401	29	13	1,474	1,474	28	138	95	18	15	87		
All Hospitals	{M 504	1,477	4,818	3,871	1,683	1,208	13,561	13,057	418	764	1,103	1,569	2,411	875		
	{F 440	1,209	6,002	4,763	2,393	2,334	17,141	16,701	358	884	1,125	1,522	2,621	990		
Region 8 S.W. Metropolitan																
Teaching	{M 116	217	448	429	147	97	1,454	1,338	44	46	83	96	138	61		
	{F 110	182	861	436	165	174	1,928	1,818	39	85	69	72	134	74		
Non-Teaching*	{M 693	1,824	2,860	2,275	1,264	1,276	10,192	9,499	372	297	442	824	1,813	432		
	{F 681	1,431	4,620	2,324	1,575	2,372	13,003	12,322	304	456	368	692	1,830	499		
Mental	{M -	79	3,419	4,174	1,816	948	10,436	10,436	16	354	810	1,184	1,348	476		
	{F 1	45	3,253	6,347	3,545	2,995	16,186	16,185	10	322	1,004	1,555	2,310	655		
Mental Deficiency	{M -	853	2,631	613	57	12	4,166	4,166	174	273	119	37	17	190		
	{F -	591	2,190	718	114	100	3,713	3,713	126	217	114	50	77	150		
All Hospitals	{M 809	2,973	9,358	7,491	3,284	2,333	26,248	25,439	606	970	1,454	2,141	3,316	1,159		
	{F 792	2,249	10,924	9,825	5,399	5,641	34,830	34,038	479	1,080	1,555	2,369	4,351	1,378		
Region 9 Oxford																
Teaching	{M 37	67	128	115	49	69	465	428	43	42	73	107	306	62		
	{F 25	81	261	118	78	138	701	676	54	89	68	131	400	95		
Non-Teaching*	{M 151	373	603	505	312	457	2,401	2,250	236	195	321	681	2,026	325		
	{F 150	319	1,120	544	331	659	3,123	2,973	213	383	312	555	1,909	418		
Mental	{M -	15	588	757	311	133	1,804	1,804	10	191	480	679	590	261		
	{F -	11	558	1,119	534	331	2,553	2,553	7	191	642	895	959	359		
Mental Deficiency	{M -	97	368	60	8	10	543	543	62	120	38	17	44	79		
	{F -	61	529	189	10	15	804	804	41	181	108	17	43	113		
All Hospitals	{M 188	552	1,687	1,437	680	669	5,213	5,025	351	548	912	1,484	2,966	727		
	{F 175	472	2,468	1,970	953	1,143	7,181	7,006	315	844	1,130	1,598	3,311	985		
Region 10 South Western																
Teaching	{M 23	119	83	93	35	14	367	344	40	15	30	37	31	26		
	{F 16	95	157	133	38	19	458	442	33	28	36	29	24	31		
Non-Teaching*	{M 410	782	1,678	1,401	820	851	5,942	5,532	262	299	452	867	1,861	422		
	{F 382	735	2,700	1,430	1,048	1,767	8,062	7,680	257	480	390	792	2,263	538		
Mental	{M -	3	1,209	1,763	693	290	3,958	3,958	1	215	569	733	635	302		
	{F -	2	1,304	2,697	1,366	790	6,159	6,159	1	231	735	1,032	1,011	432		
Mental Deficiency	{M -	326	2,289	505	48	20	3,188	3,188	109	407	163	51	44	243		
	{F -	241	1,794	571	80	51	2,737	2,737	84	318	156	60	65	192		
All Hospitals	{M 433	1,230	5,259	3												

HOSPITAL BOARD REGIONS - continued

Type of Hospital	Number of Patients								Rate per 100,000 Population							
	Under 4 wks. 4 wks. - 14 yrs.	4 wks. - 14 yrs.	15-44	45-64	65-74	75 and over	All Ages	All Ages 4 wks. and over	4 wks. - 14 yrs.	15-	45-	65-	75 and over	All Ages 4 wks. and over		
Region 11 Wales																
Teaching	{M 1 F -	61 46	99 126	111 120	32 31	14 12	318 335	317 335	20 16	18 23	37 36	37 30	37 23	25 25		
Non-Teaching*	{M 417 F 377	970 831	1,805 2,837	1,158 1,033	615 525	543 643	5,508 6,246	5,091 5,869	323 287	334 514	383 312	709 500	1,420 1,249	401 442		
Mental	{M - F -	13 3	1,522 1,046	1,728 1,774	568 726	235 381	4,066 3,930	4,066 3,930	4 1	281 190	572 536	655 691	614 740	320 296		
Mental Deficiency	{M - F 1	102 69	489 537	134 244	36 58	31 80	792 989	792 988	34 24	90 97	44 74	41 55	81 155	62 74		
All Hospitals	{M 418 F 378	1,146 949	3,915 4,546	3,131 3,171	1,251 1,340	823 1,116	10,684 11,500	10,266 11,122	381 328	723 824	1,036 958	1,442 1,276	2,152 2,167	808 837		
Region 12 Birmingham																
Teaching	{M 33 F 44	153 140	145 385	179 225	68 64	18 26	596 884	563 840	29 27	15 40	37 43	55 39	34 32	26 37		
Non-Teaching*	{M 520 F 496	1,352 1,243	2,503 3,635	1,873 1,763	1,119 1,222	1,219 2,051	8,586 10,410	8,066 9,914	253 244	256 373	392 334	902 744	2,313 2,511	372 439		
Mental	{M - F -	33 40	1,914 1,673	2,244 2,912	801 1,513	353 939	5,345 7,077	5,345 7,077	6 8	196 172	469 552	645 921	670 1,150	247 314		
Mental Deficiency	{M - F -	477 331	1,741 1,343	350 519	15 39	6 6	2,589 2,238	2,589 2,238	90 65	178 138	73 98	12 24	11 7	120 99		
All Hospitals	{M 553 F 540	2,015 1,754	6,303 7,036	4,646 5,419	2,003 2,838	1,596 3,022	17,116 20,609	16,563 20,069	378 344	645 723	971 1,027	1,614 1,728	3,028 3,700	765 889		
Region 13 Manchester																
Teaching	{M 41 F 34	35 18	142 260	157 209	45 82	21 17	441 620	400 586	7 4	16 28	30 34	32 40	37 19	19 25		
Non-Teaching*	{M 631 F 617	1,276 1,070	2,104 3,997	2,288 2,556	1,357 1,704	1,212 1,938	8,868 11,882	8,237 11,265	268 232	238 423	442 412	959 826	2,165 2,139	397 485		
Mental	{M - F -	1 -	1,786 1,544	2,160 2,940	628 1,198	241 590	4,816 6,272	4,816 6,272	0 -	202 164	416 473	444 581	430 652	232 270		
Mental Deficiency	{M - F -	456 214	2,473 1,513	599 537	29 45	4 7	3,561 2,316	3,561 2,316	95 47	280 160	115 86	20 22	7 8	171 100		
All Hospitals	{M 672 F 651	1,768 1,302	6,505 7,314	5,204 6,242	2,059 3,029	1,478 2,552	17,686 21,090	17,014 20,439	370 283	736 775	1,003 1,005	1,455 1,469	2,639 2,818	819 880		
Region 14 Liverpool																
Teaching	{M 39 F 49	236 209	200 335	178 179	56 89	17 20	726 881	687 832	91 84	45 72	81 70	98 107	74 52	69 76		
Non-Teaching*	{M 349 F 329	1,304 999	1,555 2,539	1,291 1,121	544 722	465 822	5,508 6,532	5,159 6,203	501 400	354 545	588 434	952 864	2,014 2,125	515 566		
Mental	{M - F -	3 -	1,288 1,072	1,396 1,747	352 661	109 283	3,148 3,763	3,148 3,763	1 -	293 230	635 679	616 792	472 732	315 344		
Mental Deficiency	{M - F -	- 1	313 346	61 123	11 14	1 1	386 485	386 485	- 0	71 74	28 48	19 17	4 3	39 44		
All Hospitals	{M 388 F 378	1,543 1,209	3,356 4,292	2,926 3,170	963 1,486	592 1,126	9,768 11,661	9,380 11,283	593 484	763 921	1,332 1,231	1,685 1,780	2,564 2,912	938 1,030		

* see notes on p. 145.

Census 1951

COUNTY REPORTS

These reports contain the definitive 1951 Census populations for Local Authority areas, wards, civil parishes, parliamentary constituencies and petty sessional divisions. Local populations are analysed by sex, age, marital condition, birth-place and nationality, numbers in full-time education, and social class.

The analysis of local housing conditions includes the number of dwellings, their size in rooms and size of households in occupation, and the household arrangements (viz. piped water, cooking stove, kitchen sink, watercloset, fixed bath) possessed by each household.

Anglesey and Caernarvonshire	20s. (20s 4d.)	Kent	25s. (25s. 5d.)
Bedfordshire	15s. (15s. 3d.)	Lancashire	42s. (42s. 8d.)
Berkshire	17s. 6d. (17s. 10d.)	Leicestershire	17s. 6d. (17s. 10d.)
Brecknockshire and Carmarthenshire	20s. (20s. 4d.)	Lincolnshire and Rutland	27s. 6d. (27s. 10d.)
Buckinghamshire	17s. 6d. (17s. 10d.)	London	22s. 6d. (22s. 11d.)
Cambridgeshire and Huntingdonshire	21s. (21s. 4d.)	Merionethshire, Montgomeryshire and Radnorshire	21s. (21s. 4d.)
Cardiganshire and Pembrokeshire	20s. (20s. 4d.)	Middlesex	20s. (20s. 4d.)
Cheshire	25s. (25s. 5d.)	Monmouthshire	20s. (20s. 4d.)
Cornwall	20s. (20s. 4d.)	Norfolk	21s. (21s. 4d.)
Cumberland and Westmorland	20s. (20s. 4d.)	Northamptonshire	20s. (20s. 4d.)
Denbighshire and Flintshire	20s. (20s. 4d.)	Northumberland	20s. (20s. 4d.)
Derbyshire	21s. (21s. 4d.)	Nottinghamshire	17s. 6d. (17s. 10d.)
Devon	25s. (25s. 5d.)	Oxfordshire	17s. 6d. (17s. 9d.)
Dorset	17s. 6d. (17s. 9d.)	Somerset	21s. (21s. 4d.)
Durham	22s. 6d. (22s. 11d.)	Staffordshire	25s. (25s. 5d.)
Essex	25s. (25s. 5d.)	Suffolk	22s. 6d. (22s. 10d.)
Glamorganshire	20s. (20s. 4d.)	Surrey	21s. (21s. 4d.)
Gloucestershire	21s. (21s. 4d.)	Sussex	25s. (25s. 5d.)
Hampshire	25s. (25s. 5d.)	Warwickshire	20s. (20s. 4d.)
Herefordshire and Shropshire	22s. 6d. (22s. 10d.)	Wiltshire	20s. (20s. 4d.)
Hertfordshire	21s. (21s. 4d.)	Worcestershire	20s. (20s. 4d.)
	(Prices in brackets include postage)	Yorkshire, East and North Ridings	27s. 6d. (28s.)
		Yorkshire, West Riding	37s. 6d. (38s. 2d.)

Obtainable from

HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on page four of the cover
or through any bookseller.

297

THE REGISTRAR GENERAL'S DECENTNIAL SUPPLEMENT
ENGLAND AND WALES, 1951

Occupational Mortality

PART I

DEATHS IN 1950 IN CERTAIN BROAD GROUPS OF OCCUPATIONS RELATED TO POPULATION FIGURES DERIVED FROM THE 1951 CENSUS ONE PER CENT SAMPLE TABLES

To minimise sampling errors, figures are restricted in the main to the five broad groups of occupations described as "social classes." For some tables however these groups are sub-divided to show, for example, Mineworkers, Clerical workers, Transport workers, and others. Tables include infant mortality rates, stillbirth rates and the mortality of occupied and retired men, and married women.

The volume gives the first official death statistics by occupations since those for the years 1930-32. The figures link men's occupations with the rates at which they, their wives or their children die at various ages and from various causes.

Price 7s. 6d.

By Post 7s. 9d.

Obtainable from

HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on page four of the cover
or through any bookseller

2133/1/Rule

Crown Copyright Reserved

PRINTED AND PUBLISHED BY HER MAJESTY'S STATIONERY OFFICE

To be purchased from

York House, Kingsway, LONDON, W.C.2 423 Oxford Street, LONDON, W.1
P.O. Box 569, LONDON, S.E.1

13a Castle Street, EDINBURGH, 2 109 St. Mary Street, CARDIFF
39 King Street, MANCHESTER, 2 Tower Lane, BRISTOL, 1.
2 Edmund Street, BIRMINGHAM, 3 80 Chichester Street, BELFAST

or from any Bookseller

1955

Price 7s. 6d. net

PRINTED IN GREAT BRITAIN

S.O. Code No. 70-141-4-51

28 SEP 1956

REF

S
B
17