ONLY

STATISTICS
BACK-UP

BRITISH LIBRARY
OF POLITICAL AND
ECONOMIC SCIENCE

LONDON SCHOOL OF
ECONOMICS AND
POLITICAL SCIENCE
10, PORTUGAL STREET,
LONDON WC2A 2HD
Tel. 01-405 7686

STATISTICS
BACK-UP

STATIS
BACK

42(R7)

SECOND

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

BRITISH LIBRARY OF POLITICAL AND ECONOMIC SCIENCE

LONDON:
PRINTED BY W. CLOWES AND SONS, 14, CHARING CROSS,
FOR HER MAJESTY'S STATIONERY OFFICE.

1840.

TABLE OF CONTENTS.

	Page
REPORT	5
ABSTRACTS:—	
MARRIAGES	20
BIRTHS Registered in the four quarters of the year, and in each county	24
DEATHS Registered in the four quarters, and in each county	28
distinguishing the ages, in the Metropolis	32
Manchester, Salford, and suburbs	33
Liverpool and suburbs	34
Leeds and suburbs	35
Birmingham	36
Middlesex (part), Hertfordshire, Bedfordshire, Buckinghamshire	37
Berkshire, Hampshire, Sussex, Surrey (part), Kent	38
Dorsetshire and Wiltshire	39
Devonshire	40
Cornwall	41
Somersetshire	42
Essex	43
Norfolk and Suffolk	44
Cambridgeshire, Huntingdonshire, and Lincolnshire (southern part)	45
Derbyshire, Leicestershire, Northamptonshire, Nottinghamshire, Rutlandshire, and Lincolnshire (northern part)	46
Gloucestershire, Oxfordshire, and parts of Warwickshire, and Worcestershire	47
Mining parts of Staffordshire and Shropshire	48
Other parts of Staffordshire and Shropshire, with Cheshire	49
Lancashire, south of Morecambe Bay	50
West Riding of Yorkshire	51
City, Ainsty, and East Riding of the County of York	52
North Riding of Yorkshire and Durham (except Mining parts)	53
Mining parts of Northumberland and Durham	54
Cumberland, Westmorland, and parts of Northumberland and Lancashire	55
Wales, with Monmouthshire and Herefordshire	56
England and Wales	57
Table shewing the proportion out of 1000 Registered Deaths which have occurred at various ages in the whole of England and Wales, and in each of 25 Divisions	58
Table of Births and of Deaths under 1 and under 5 years of age	63
Comparative Statement of the Ages of Persons in the several counties of England and also in Wales, collectively, on the 28th day of May, 1821, deduced from the Returns made under the Population Act, shewing what would be the number of persons of the several specified ages, supposing (for the sake of comparison) the number of Males and of Females, whose ages are returned from each county, to have been 10,000 respectively	64
APPENDIX:—	
Letter to the Registrar-General	69
Mortality and Diseases of the Year 1838	70
Diseases of Males and Females	70
Table (A). Causes of Death in England and Wales	100
Table (B). Annual Rate of Mortality by 94 Causes	154
Table (C). Classification of Diseases according to their Pathological Character	156

	Page
Diseases of Towns and of the Open Country	79
Table (D). Causes of Death in the Metropolis and in the South Western Counties	158
Table (E). Causes of Death in 24 Towns and in 7 Counties	161
Table (F). Causes of Death classified according to their Pathological Characters in Town and Rural Districts	164
Tables (G) and (*d*). The relative Mortality and Diseases of the Metropolitan Districts	83, 166
Table (H). Relative Fatality of Diseases in Leeds, Birmingham, London, Liverpool, and Manchester	168
Influence of Climate	86
Tables (I), (K), (L), (M), (N), (F). The Area, Population, Diseases, and Mortality of England and Wales, in 11 Divisions	169—173
Table (O). Shewing in 100,000 Deaths, the number of Deaths from each of 12 Classes of Causes in 25 Divisions, and in all England and Wales	174
Table (Q). Fatal Diseases of the several Districts and counties of England and Wales	201—223
Influence of the Seasons	88
Table (R). Deaths from 94 Causes in the four Quarters of the Year 1838 in the Metropolis	224
In Devonshire and Cornwall	226
In 21 Mining Districts	228
Progress of Epidemics. Epidemic of Small-Pox	91
Table (P). The registered Deaths from Small-Pox in each of the 10 Quarters. (July 1st, 1837—December 21st, 1839.) and in the several Districts and Counties of England and Wales	180
Tables (1), (2), (3), (4), (5). Deaths from Measles, Typhus, Hooping-Cough, Small-Pox, and Scarlatina, in the Districts of the Metropolis, distinguishing the Deaths in each Quarter of 1837-8	196—200
Statistical Nosology	230
Table of Mortality for the Metropolis, 1840 (reprinted from the weekly Tables published at the General Register Office	235
Average Weekly Deaths in the Metropolis, 1838	246

REPORT.

TO THE MARQUESS OF NORMANBY,

HER MAJESTY'S PRINCIPAL SECRETARY OF STATE FOR THE HOME DEPARTMENT.

General Register Office, June 1840.

My Lord,

In submitting to your Lordship a General Abstract of the Number of Births, Deaths, and Marriages registered during the Year ending June 30, 1839, in order that the same may be laid before Parliament, I will offer a few observations upon the results so exhibited, and the progress and state of registration during the period above mentioned.

I will first state the general results, and compare them with those of the preceding year.

The numbers registered in the year ending June 30, 1839, were—

Births	480,540
Deaths	331,007
Marriages	121,083

which, compared with the numbers for the preceding year, shew, for Births an increase of 80,828; for Deaths, a decrease of 4949; for Marriages, an increase of 9602.

The increase of the number of registered Births results from the continuance of that success which began to be exhibited in the third and fourth quarters of the first year of Registration, and was adverted to in my First Report; a success which, as before, I attribute mainly to the diffusion of a true knowledge of the beneficial tendencies of the measure, and to the diligence and intelligence of the local officers by whom it is carried into execution.

A Registration of Births has thus been effected for the second year of Registration, approaching much nearer to a complete record of the whole number born, than was afforded by the Registers of Baptisms for the 10 years ending 1830, the latest period at which we possess authentic returns with respect to such Registers. The mean annual number of registered Baptisms during that period was 375,349; and if it be assumed that the number of such registered Baptisms has increased in the same ratio in which the population increased from 1820 to 1830, it will appear that the probable number registered in the Parochial Registers for the year ending June 30, 1839, will not have exceeded 460,000, a number less than that of the number of registered Births for the same period by more than 20,000.

I have the satisfaction of being able to ascribe the decrease of registered Deaths, compared with those of the preceding year, not to imperfect registration, but to a diminished mortality. I have found no reason to believe that the Registration of Deaths has been conducted with less care and efficiency than before; but in comparing recent returns of the causes of death with those of the first year of Registration, I have found reason to believe that the mortality of that year was above the average, owing to the inclemency of the winter in the beginning of the year 1838, and to some epidemics, the prevalence and severity of which appear to have subsequently declined.

It is impossible, at present, to do more than approximate to a solution of the important question—What is the proportion of the mortality to the population of England and Wales? The only data for arriving at an estimate of the population for the year ending June 1839 are the returns of 1821 and 1831. Taking the enumerations then given,—adding the Scilly Isles, which were omitted in 1821,—adding for the army, navy, and other unenumerated population, according to the statements prefixed to those returns, such proportions as may be assumed to have belonged at these periods respectively to England and Wales, the numbers will be as follows:—

1821	12,162,056
1831	14,055,562

These numbers include all who may be assumed to have incurred the risk of death within England and Wales at those periods, and whose deaths might have been registered, if an Act similar to the present had then been in operation, all of whom were not included in adverting to those returns in my Report of last year.

With these corrections, and on the assumption that the rate of increase since 1831 has been the same as from 1821 to 1831, the population of whom the Deaths might have been registered may be estimated to have been nearly as follows, at the middle of each of the two first years of Registration under the present Law:—

	Males.	Females.	Total.
January 1, 1838 . .	7,612,967	7,828,768	15,441,735
January 1, 1839 . .	7,723,924	7,942,876	15,666,800

The Deaths registered in the years of which the above-mentioned periods are the middle terms, were—

	Males.	Females.	Total.
Year ending June 30, 1838 . . .	170,965	164,991	335,956
Year ending June 30, 1839 . . .	169,112	161,895	331,007

Without correction for omissions, this would shew the mortality to have been as follows:—

	Males.	Females.	Mean.
1837–38 . . .	1 in 44·5	1 in 47·5	1 in 46·
1838–39 . . .	1 in 45·7	1 in 49·	1 in 47·3
Mean of the 2 years,	1 in 45·1	1 in 48·2	1 in 46·6

Assuming that the population may be estimated as above, and that it is unnecessary to allow a greater correction than 2 per cent. for omissions in the Registration of Deaths, the mean mortality of the two sexes for those two years will have been about 1 in 46.

In explanation of the great increase in the number of registered Marriages over those of the preceding year, I beg leave to refer to my First Report, wherein I stated that the number there recorded was probably deficient; that it was less by 4627 than the number estimated by Mr. Finlaison in his letter of February 2, 1839; and that the deficiency was attributable to the great additional number of Marriages which, as I had been credibly informed, were, under a misapprehension of the object and effect of the recent Act for Marriages, solemnized immediately before that Act came into operation. The increase now exhibited confirms the opinion then expressed—that the number returned in the first year could not be regarded as a proper average.

In considering in what manner the records deposited in this office may be rendered useful in illustrating the condition of the people, I have found the Registers of Marriages calculated to throw much light upon the state of education with respect to writing, among the adult population of England and Wales.

Almost every Marriage is duly registered, and every Register of Marriage is signed by the parties married; those who are able writing their names, and those who are unable, or who write very imperfectly, making their marks. Therefore, an enumeration of the instances in which the mark has been made will shew the proportion among those married, who either cannot write at all, or write very imperfectly.

It may be said in recommendation of this criterion that it is free from the disadvantage of selection, including alike every class and condition, and every age, except children and very old persons. It must at the same time be remembered, that, although a fair average is thus afforded, the portion of the whole population exhibited in the yearly returns of Marriages is small. It appears that there are usually about 7 or 8 Marriages to every 1000 of the population. If, therefore, it be assumed that persons between the ages of 18 and 65 constitute half the population (which the enumeration of ages in 1821 shews to be very nearly the case), it will follow that of those who may be considered the marriageable portion of the community, about 30 in every 1000 (or 3 per cent.) are married yearly. The portion, therefore, whose signatures appear on the Marriage Registers of a single year is sufficiently small to be easily affected by accidental circumstances; and it cannot safely be asserted that the 30 in 1000, from whose signatures we would draw an inference respecting the other 970, may not happen to consist of more than the proportionate number of uneducated persons. It must not therefore be hastily assumed upon the evidence afforded by the returns of a single year, that the inhabitants of any particular county or district are less edu-

cated than their neighbours. The experiment must be repeated often, and be attended with similar results, before this inference can be drawn with safety; and it is only when returns of the same description, given for several successive years, shall have exhibited similar facts, that it will be perfectly justifiable to arrive at any unfavourable conclusion with respect to any particular district.

It is obvious that this criterion gives no insight into the amount and nature of the education *now* afforded. It can be applicable only to the past, and particularly to such as existed between 10 and 20 years ago. It is confined to the signatures of persons married, and is not extended to those of witnesses in the Marriage Registers, or of informants in the Registers of Births or of Deaths; and for this reason, that the signatures of persons married are entirely free from the objection of being selected instances, and that it is almost impossible that the same person should have signed twice in the same year; whereas the informants are in some degree selected persons, and the signature of the same informant is liable to occur many times.

Inability to write is, without doubt, indicative of considerable deficiency in other kinds of elementary education. Opinions will differ as to the extent to which such deficiency may from thence be inferred; and this is a question the solution of which I will not now attempt.

The following Table, exhibiting the proportion per cent. in the Metropolis, in each English county, and in North and South Wales, of persons married in the Year ending June 30, 1839, who have signed with marks, is the result of the examination to which I have adverted:—

	Proportion per Cent. who Signed with Marks.		
	Men.	Women	Mean.
I. Metropolis	12	24	18
II. South-Eastern Counties.			
Surrey (part of)	33	36	34
Kent (except Greenwich)	29	40	34
Sussex	31	43	37
Hampshire	32	36	34
Berkshire	44	45	44
Total.	32	40	36
III. South Midland Counties.			
Middlesex (part of)	34	39	36
Hertfordshire	52	57	55
Buckinghamshire	42	55	48
Oxfordshire	35	43	39
Northamptonshire	37	51	44
Huntingdonshire	46	56	51
Bedfordshire	55	66	60
Cambridgeshire	45	54	49
Total.	43	53	48
IV. Eastern Counties.			
Essex	46	54	50
Suffolk	46	53	49
Norfolk	44	49	46
Total.	45	52	48
V. South-Western Counties.			
Wiltshire	44	56	50
Dorsetshire	20	40	30
Devonshire	25	41	33
Cornwall	33	54	43
Somersetshire	36	47	42
Total.	31	47	39
VI. Western Counties.			
Gloucestershire	32	44	38
Herefordshire	37	44	40
Shropshire	43	55	49
Worcestershire	48	61	55
Staffordshire	45	61	53
Warwickshire	33	49	41
Total.	40	54	47
VII. North Midland Counties.			
Leicestershire	34	52	43
Rutlandshire	31	35	33
Lincolnshire	28	47	38
Nottinghamshire	35	54	44
Derbyshire	31	50	41
Total.	32	50	41
VIII. North-Western Counties.			
Cheshire	35	61	48
Lancashire	43	65	54
Total.	39	63	51
IX. Yorkshire.			
West Riding	38	52	45
East Riding and York	16	41	28
North Riding	22	42	32
Total.	34	49	41
X. Northern Counties.			
Durham	24	49	37
Northumberland	19	39	29
Cumberland	14	34	24
Westmorland	19	35	27
Total.	21	42	31
XI. Monmouthshire and Wales.			
Monmouthshire	54	67	61
South Wales	46	70	58
North Wales	47	70	59
Total.	48	70	59
England and Wales	33	49	41

It appears from the foregoing Table, that in 15 English counties and in North and South Wales, more than 40 per cent. of the men were unable to write their names; and in 19 English counties, in the West Riding of Yorkshire and in Wales, more than half the women were similarly deficient; and it will appear from the subjoined Abstract of Marriages that in the whole of England and Wales, out of 121,083 couples married, there were 40,587 men and 58,959 women who could not write.

It is to be observed that the education of the men, in this respect, appears to be superior to that of the women, the proportions per cent. of those who were deficient being respectively 33 and 49 for the whole kingdom, and a superiority being maintained by the men throughout every county.

It will be observed that this return indicates a decided superiority with regard to education in the Metropolis, as compared with the rest of England and Wales, and next to the Metropolis, in the north of England; and that the principal deficiency is in Lancashire, Bedfordshire, Monmouthshire, and Wales. But, as I have before observed, the comparative superiority or inferiority of particular portions of the kingdom must not be hastily inferred from the returns of a single year.

I have included in the Abstract of Marriages the numbers married under 21 years of age, which are 5628 men, and 16,414 women; being in proportion to the whole number of each sex married in the same year, 4·64 per cent. and 13·55 per cent., respectively.

The counties in which early marriages have appeared to prevail are those of Hertford, Bedford, Cambridge, Huntingdon, Northampton, Leicester, and Essex. They have occurred least in the Metropolis, in the northern counties, and in Wales.

The average age at which persons are married in England and Wales has never yet been ascertained, nor do the returns deposited in this office enable me to do so with certainty; for the column headed "Age" in the Register of Marriage is required to be filled up not by the actual ages of the parties married, but only by a statement whether each is of full age or a minor. There was, however, considerable misapprehension on this subject, notwithstanding my endeavours to circulate information, when the recent Registration and Marriage Acts first came into operation; and it appeared, on the reception of the quarterly returns of certified copies, that in many districts the precise ages of the parties married had been uniformly inserted. This being the case, and as the information is of a novel kind, I subjoin the result of an examination of the recorded ages, in 4858 Marriages, which, as they are not selected instances, but belonged to districts varying greatly in situation and character, and included every Marriage in such districts, thus comprising persons of every class, may be presumed to be a fair example of the ages at which Marriages occur throughout the whole kingdom. The result of calculations founded on this abstract shews that the average age of Marriage was, for men, about 27 years, for women, 25 years and a few months.

Ages.	Men.	Women.
15 and under 20	159	688
20 ,, 25	2,536	2,527
25 ,, 30	1,150	861
30 ,, 35	398	320
35 ,, 40	219	187
40 ,, 45	156	134
45 ,, 50	103	76
50 ,, 55	70	38
55 ,, 60	39	17
60 ,, 65	19	6
65 ,, 70	4	4
70 ,, 75	4	..
75 ,, 80	1	..
	4,858	4,858

The Registration of Places of Public Religious Worship, not belonging to the Church of England, has continued to be effected to a considerable extent, as will appear from the following Table, shewing the number registered in each county before the year 1839, amounting to 1332, and the number registered during each quarter subsequently during that year, amounting to 246, forming together a total of 1578.

TABLE shewing the Total Number of Buildings in each County of England and Wales Registered for the Solemnization of Marriages, pursuant to the Act of 6 & 7 Wm. IV. c. 85, as well previous to, as during, the Year 1839.

ENGLAND.	Before January 1839.	In the Quarter ending March 1839.	June 1839.	Sept. 1839.	Dec. 1839.	Total in each County.
Bedford	19	1	1	..	2	23
Berks	11	..	..	..	1	12
Bucks	16	2	..	..	1	19
Cambridge	17	..	3	..	2	22
Chester	29	..	1	..	1	31
Cornwall	7	2	1	1	..	11
Cumberland	8	..	2	..	..	10
Derby	18	1	..	1	..	20
Devon	50	4	5	..	3	62
Dorset	19	2	3	1	3	28
Durham	27	..	2	2	1	32
Essex	29	4	3	3	1	40
Gloucester	25	1	1	1	2	30
Hereford	5	..	..	1	..	6
Hertford	14	..	1	1	1	17
Huntingdon	8	..	..	2	1	11
Kent	42	2	3	1	2	50
Lancaster	153	3	1	3	4	164
Leicester	27	1	1	..	1	30
Lincoln	23	1	3	1	..	28
Middlesex	89	3	4	..	2	98
Monmouth	35	2	5	1	1	44
Norfolk	26	2	..	..	2	30
Northampton	29	4	..	..	2	35
Northumberland	38	1	1	1	3	44
Nottingham	16	..	1	2	2	21
Oxford	12	2	2	..	..	16
Rutland	1	..	..	..	..	1
Salop	17	2	1	..	1	21
Somerset	66	5	2	..	2	75
Southampton	37	..	3	..	3	43
Stafford	36	2	1	1	1	41
Suffolk	31	2	..	2	1	36
Surrey	32	2	1	..	1	36
Sussex	27	2	..	..	..	29
Warwick	26	..	2	2	1	31
Westmorland	2	..	..	..	..	2
Wilts	28	..	1	1	2	32
Worcester	13	1	1	2	..	17
York	123	11	2	4	5	145
WALES.						
Anglesey	..	1	..	..	..	1
Brecon	8	..	..	..	..	8
Cardigan	4	1	1	..	..	6
Caermarthen	28	2	..	..	3	33
Caernarvon	1	..	1	..	1	3
Denbigh	6	..	1	1	1	9
Flint	4	..	..	1	..	5
Glamorgan	27	..	4	2	1	34
Merioneth	2	1	1	..	2	6
Montgomery	5	..	2	1	2	10
Pembroke	16	..	2	1	1	20
Radnor	..	..	..	..	..	..
Total in England and Wales	1,332	70	70	40	66	1,578

I will now mention in what respect, and for what reasons, the Abstracts for the second year of Registration have been framed differently from those for the first year.

In framing the Abstracts of Births for the first year of Registration, I did not attempt to specify the localities, feeling that in the imperfection under which the Registration of Births then laboured, no advantage was derivable from such specification. But the great improvement in this branch, as shewn by the increase to which I have adverted, has tended to remove that objection; and I have therefore given the number of Births for each of the 25 divisions for which I have, as in the previous year, given Abstracts of Deaths at different ages.

I have given Abstracts of the number of Marriages for each of the same divisions; and have also given the numbers of Births and of Marriages for the Metropolis, for each English county, and for Wales.

In exhibiting Abstracts of the number of Deaths at different ages, for the year ending June 1839, I have adopted an arrangement different from that which was employed for the first year of Registration ending June 30, 1838. Instead of exhibiting enumerations of Deaths at every successive year of age, I have divided the periods at which Death occurs in a manner more conducive to the attainment of those purposes for which such enumerations are made. I have divided the Deaths in the first year into six periods; during the following 4 years, I have shewn them for each separate year; and, after that age, for quinquennial periods: I will briefly state the reasons for this change.

With respect to the subdivision of the first year, it must be observed that more than a fifth of the whole number of Deaths registered in the year ending June 30, 1838, namely, 71,888, out of 335,956, are under 1 year of age; that the distinction of months at that early period will exhibit circumstances more important with respect to the expectation of life, than that of years at later periods; and that the expectation of life on the day of birth differs greatly from that at six, three, or even one month old. It appeared to me, therefore, that such distinctions ought not to be overlooked; and that the Abstract should be framed rather with reference to the ascertained ratios of mortality than to an equal division of the periods of age. After the first year, the ratio of mortality rapidly declines; and this decrease is shewn by the enumeration of deaths for each of the four following years. It may, perhaps, be thought that this subdivision ought to have been rendered more minute, and that I have passed too abruptly from the six-fold division of the first year to the exhibition of whole years immediately afterwards. But I must state in reply to any such objections that the Registers do not enable me to divide the years after the expiration of the first. In cases of Death under 1 year of age, the number of months, and often of days, is stated with precision; but where the age

of the child has exceeded 12 months, "One year" is often the only entry in the column headed "Age," leaving it doubtful to what period between the end of the twelfth and of the twenty-fourth month the Death is to be referred. The same observation is still more extensively applicable to Deaths after the second year.

After the fifth year, I have combined the ages in quinquennial periods, a system which, after much consideration, I deemed preferable to that adopted in the Abstracts for the first year of Registration, namely, of stating the number of Deaths at each successive year of age.

To the statement of Deaths at each successive year, it might be objected that it was delusive, and assumed an appearance of minute accuracy which was not founded on truth. This objection is not applicable to the reported ages of children. Their recent births are fresh in the recollection of their parents or guardians, and their age is stated with sufficient accuracy. But it is not so with respect to the ages of persons far advanced in life; many of whom, especially among the poorer classes, are ignorant of their exact age, and when they die, leave no record which enables their surviving relatives to state their ages with precision. An evidence of the vagueness attending statements of age is "the tendency to speak in round numbers" noticed in the Preface to the Abstract of the Population for 1831, a tendency causing a great apparent excess of mortality in the decennary periods at 30 and upwards, and of which the following remarkable instances may be found in the Abstract of Ages published in the preface to the Population Abstract for 1831, extracted from Burial Registers in England and Wales for 18 years:—

Ages.		Ages.		Ages.		Ages.		Ages.	
29	26,630	39	23,778	49	23,689	59	25,782	69	33,038
30	31,027	40	33,513	50	33,527	60	43,273	70	53,953
31	22,301	41	20,989	51	20,911	61	26,084	71	32,162

Experience has shewn that this incorrectness also exists in the statements of ages in the Registration of Deaths, as will appear upon reference to the Abstracts for the year ending June 30, 1838.

An Abstract of Deaths at every successive year of age is, therefore, confessedly incorrect; and, in stating this, I am stating a strong reason against its continuance; for by exhibiting such an Abstract, I should commit a fault which I deem it most important to avoid,—that of assuming the delusive appearance of more minute accuracy than actually exists. By combining the deaths at different ages, after the fifth year, in quinquennial divisions, not only are errors and irregularities materially diminished, but the Abstracts are rendered in a form more useful, more conducive to the fulfilment of those practical objects for which such Abstracts are principally compiled. The most important use of Abstracts of Deaths is their application to the construction of tables of mortality; which, it must be remembered, are con-

structed, not from enumerations of Deaths alone, but from two series of facts,—the numbers living at different ages, and the numbers dying at the same ages, and the observed relation between those facts. This relation of the living to the dying is varying daily. But it is obvious that however complete might be the record of facts, complete beyond all conceivable possibility of attainment, these variations in the minuter portions of time would be too irregular for the safe deduction of any general laws; and that it is only by including large numbers of facts, and long portions of time, that we surmount the difficulties which such casual irregularities create, and arrive at the ascertainment of any well-founded laws of mortality.

In the assignment of these periods, the quinquennial division is found to be recommended, both by its correspondence with the enumeration we already possess of the ages of the living, and by the authority of those who have already adopted it. The ages of the living in 1821 were enumerated for quinquennial periods up to the age of 20, and for decennial periods after that age. The numbers of the living at different ages were not enumerated in 1831. It is earnestly to be wished that such enumeration may be made in future, and for quinquennial periods beyond the age of 20; but it is needless to expect that an enumeration more minute than for quinquennial periods, for all above childhood, can be effected with success. If, therefore, the utmost to be expected with respect to the future enumeration of the living is, that it be given for quinquennial periods, it becomes advisable that the age at which persons have died should be given in a corresponding manner. I may further observe, that no authentic table of mortality in practical use has ever been calculated from an enumeration of Deaths at every separate year of age; and that no actuary has yet shewn that tables can be deduced more accurately from Deaths so enumerated than from quinquennial or decennary periods. The well-known Carlisle Table of Mortality was calculated, by Mr. Milne, from Dr. Heysham's Tables of the Living and Dying, in which the ages of the latter are arranged in the same manner as in the present Abstracts, except that the divisions were less minute, containing only decennary divisions after the twentieth year.

The Swedish Table was calculated by Dr. Price from Abstracts of the numbers of the living and dying in Sweden, during 21 years, arranged in quinquennial periods after the fifth year. The Northampton Table, the Montpellier Table, and Deparcieux's Table of Annuitants, though calculated upon data less complete than those which were the bases of the Carlisle and Swedish Tables, were formed by regulating the decrements, or by taking the mean mortality of quinquennial or decennary periods: and in addition to the eminent writers on the law of mortality above-mentioned, I may quote, in support of such arrangement, Mr. Morgan and Mr. Edmonds.

I have appended to the Abstracts of Deaths a Table similar to that appended to the Abstracts of the preceding year, wherein each is reduced to a common denomination; and the proportion of Deaths, at different ages, out of 1000 registered Deaths, is shewn for each division, and for the whole kingdom. It is thus rendered easy to compare both different portions of the kingdom and the results of different years.

I will first notice the most remarkable diversities exhibited by the Abstracts of the second year of Registration, with respect to different portions of the kingdom.

The most marked and serious difference is that which is observable between the mortality of rural districts and of large towns, as exemplified in the proportion of the Deaths of children and of persons dying at advanced ages. The mortality of children appears to have been greatest in towns; and among those towns respecting which I can exhibit separate returns, the greatest at Manchester, where it appears that, out of every 1000 Deaths of males, 496 were of children under 3 years of age. The mean Deaths of children under 3 years, in Manchester and Salford and suburbs, were 475 out of 1000 Deaths. In Leeds and its suburbs, the proportion was 447; in Birmingham, 440; in Liverpool and West Derby, 437; while in Dorsetshire and Wiltshire it was 281; in Devonshire, 296; in the North Riding of Yorkshire, with Durham (except the mining parts), and the northern part of the West Riding, 282; and in the northern part of Lancashire, Westmorland, Cumberland, and Northumberland (except the mining portion of the latter), not more than 253. In the whole of England and Wales, the mean mortality under 3 years was 343 out of 1000 Deaths at all ages; and it is to be remarked that notwithstanding the comparative unhealthiness of towns, the proportion in the Metropolis is still less,—namely, 338.

Equally remarkable are the contrasts exhibited by the towns and rural districts, with respect to the proportion of persons who appear to have died in old age. The proportion out of every 1000 Deaths, which have been at the age of 70 and upwards, has been, in Manchester, only 53; in Liverpool, 60; in Leeds, 68; in Birmingham, 78; in the Metropolis, 99; while in the North Riding of Yorkshire and the agricultural parts of Durham, it is 202; in Devonshire, 208; and in the north of Lancashire, Westmorland, Cumberland, and Northumberland, not less than 210. In the whole of England and Wales, the proportion, out of 1000 Deaths occurring at 70 and upwards, was 140.

Great also are the differences exhibited by the mining districts and the agricultural districts which surround them, with respect to mortality both in childhood and in advanced age.

In the mining parts of Staffordshire and Shropshire, the mean Deaths in 1000 at all ages under 3 years were 462; at 70 and upwards, only 90. In the rest of Staffordshire, Shropshire, and Cheshire, the proportion under 3 years was 332; at 70 and

upwards, 141. In the mining parts of Northumberland and Durham, the proportion of Deaths under 3 years of age was 349; of Deaths at 70 and upwards, 150; while in the surrounding agricultural districts, comprised in Divisions 22 and 24, the proportions of Deaths under 3 were only 282 and 252; and of Deaths at 70 and upwards, 202 and 210.

It is necessary, however, that I should repeat the caution which I gave in my First Report, that the Comparative Table cannot be used without risk of error, unless regard is paid to the facts exhibited in the enumeration of ages of persons living in 1821, made under the authority of the Population Act; an enumeration, some of the most important features of which I pointed out in my First Report, and which, on account of its value as a means of correcting erroneous inferences, I have again caused to be printed, and inserted after the Comparative Table of Deaths.

It must also be borne in mind that the proportions of the Deaths of children, though shewing a high mortality in some places as compared with that of others, must not be regarded as true criterions of the comparative mortality, unless the proportions of living children to living adults were in those different places the same. Neither must it be supposed that the proportion of children dying out of 1000 Deaths at all ages, whether given for the whole or for any part of England and Wales, will afford the means of expressing correctly the proportion of such Deaths to the living population. This would not be the case unless the population were stationary, the Deaths being equal to the Births; but in England and Wales the number of Births greatly exceeds that of the Deaths, as will appear from the following Abstracts. Even though the Registration of Births is still deficient (and there is reason to believe that the number registered in every one of the 25 divisions falls short of the actual number), yet, even with this admitted probable deficiency, the number of Births, if applied as an element of calculation, as in the subjoined Table, will shew a mortality much less than it appears in the Comparative Table of Deaths. Neither of these, however, can be accepted as correct; and even the proportion of Deaths under 1 year to 1000 registered Births, as exhibited in the first column, is a little higher than the truth.

TABLE of the Proportion of Deaths, under 1 and under 5 Years of Age, to 1000 Births and 1000 Deaths, in the Metropolis, in 10 Groups of Counties, and in England and Wales.

MEAN OF THE MALES AND FEMALES.	Died under 1 Year.		Died under 5 Years.	
	To 1000 Registered Births.	To 1000 Registered Deaths.	To 1000 Registered Births.	To 1000 Registered Deaths.
1. Metropolis	174	191	366	402
2. Surrey, part of; Kent, part of; Sussex; Hampshire; Berkshire	120	183	213	325
3. Middlesex, part of; Hertfordshire; Buckinghamshire; Oxfordshire; Northamptonshire; Huntingdonshire; Bedfordshire; Cambridgeshire	145	229	229	361
4. Essex; Suffolk; Norfolk	149	206	248	344
5. Wiltshire; Dorsetshire; Devonshire; Cornwall; Somersetshire	119	191	221	356
6. Gloucestershire; Herefordshire; Shropshire; Worcestershire; Staffordshire; Warwickshire	151	229	254	387
7. Leicestershire; Rutlandshire; Lincolnshire; Nottinghamshire; Derbyshire	149	245	233	383
8. Cheshire; Lancashire	187	257	354	485
9. Yorkshire	158	240	287	436
10. Durham; Northumberland; Cumberland; Westmorland	130	207	222	354
11. Monmouthshire and Wales	125	188	248	372
England and Wales	146	215	262	382

A comparison of the Abstracts of the first and second years of Registration exhibits very little difference either in the Metropolis or in the whole of England and Wales; and shews that when the returns embrace very great numbers, there is a tendency to uniformity in the result, from whence the calculator is at length enabled to arrive at the determination of positive laws.

The diversities, as might be expected, are most apparent where the return includes comparatively small numbers, as for example in the great towns, Manchester, Liverpool, Leeds, and Birmingham. In Manchester and Birmingham, the year ending June 1839 shews an increased mortality among children as compared with the preceding year; but in Manchester there appears to be a diminished mortality between the ages of 20 and 40, and between 55 and 75; in Liverpool, a diminished mortality between 30 and 50; and in Leeds, a diminished mortality between 25 and 50. Other differences appear at every step, in comparing the tables for the two years, but they are not sufficiently marked to require particular comment.

Although I am not required by the Act for Registering Births, Deaths, and Marriages, to present Abstracts of the registered *Causes* of Death, yet, as such Abstracts are of great and acknowledged value,—as, without them, a vast mass of records of facts deeply important to medical science, and therefore to the health of the community at large, would be comparatively useless, and as the experiment of forming such Abstracts for the first half-year of Registration was attended with considerable success, I have again caused similar Abstracts to be formed, embracing a still

larger period, compiled, like those of the preceding half-year, under the direction of Mr. Farr. They will be found in the Appendix to this Report, accompanied by a statement from Mr. Farr, to which I particularly invite attention.

Since the commencement of the present year, I have obtained from the Registrars of the Metropolitan Districts weekly returns of the registered Causes of Death, and have directed Abstracts of the same to be compiled and printed for publication; and I have caused the result of such returns for the first 20 weeks of the present year to be exhibited in the Appendix to this Report. I need not enlarge upon the obvious importance of giving early and accurate records of the causes affecting the mortality of a population amounting in 1831 to 1,594,890, the largest, of which there is any account on which reliance can be placed, that is anywhere congregated in so small a space; and in which, as is shewn in Mr. Farr's letter in the Appendix to my First Report, the mortality is comparatively much greater than where the population is less dense. As it is impossible to define accurately the limits of the Metropolis, and as that term obviously ought to be extended beyond the boundaries of the Bills of Mortality, and even of the city of London, Westminster, Southwark, and the new Metropolitan Boroughs, I have preferred to apply it in the most extensive sense of which it is susceptible, including every Superintendent Registrar's district into which the suburbs extend continuously, and which, with the exception of inconsiderable portions, assumes throughout the character of town.

I have the honour to be,

My Lord,

Your Lordship's obedient servant,

T. H. LISTER.

SECOND

ANNUAL ABSTRACTS.

MARRIAGES.

ABSTRACT of MARRIAGES Registered in England and Wales pursuant to the Act of 6 and 7 Will. IV., cap. 86, in the Year ending June 30th, 1839.

COUNTIES.	MARRIAGES. According to the Rites of the Established Church.						MARRIAGES. Not according to the Rites of the Established Church.					TOTAL MARRIAGES.	Not of Full Age.		Signed with Marks.	
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated by which of the foregoing Forms.	TOTAL.	In Registered Places of Worship.	In Superintendent Registrar's Office.	Between Quakers.	Between Jews.	TOTAL.		Men.	Women.	Men.	Women.
1 Metropolis	6	2,375	13,493	92	698	16,664	482	149	7	126	764	17,428	304	1,330	2,027	4,161
2 South-Eastern Counties	..	915	5,622	57	2,945	9,539	233	105	4	6	348	9,887	337	1,482	3,197	3,931
3 South Midland Counties	..	811	4,272	19	2,552	7,654	256	61	7	2	326	7,980	562	1,614	3,408	4,208
4 Eastern Counties	2	659	3,404	13	2,444	6,522	228	69	13	4	314	6,836	399	1,250	3,085	3,537
5 South-Western Counties	..	1,266	6,859	59	2,881	11,065	445	292	9	5	751	11,816	476	1,350	3,724	5,549
6 Western Counties	1	1,558	9,886	90	2,876	14,411	429	155	7	6	597	15,008	844	2,149	5,988	8,059
7 North Midland Counties	..	1,167	4,879	38	1,626	7,710	300	177	4	..	481	8,191	428	1,253	2,608	4,101
8 North-Western Counties	..	2,106	11,049	375	2,658	16,188	1,263	239	7	9	1,518	17,706	1,126	2,609	7,383	11,371
9 Yorkshire	1	1,727	8,565	97	1,720	12,110	416	104	6	..	526	12,636	784	2,165	4,248	6,191
10 Northern Counties	..	1,045	3,879	69	626	5,619	176	104	8	2	290	5,909	187	627	1,216	2,498
11 Monmouthshire and Wales	..	1,040	4,420	59	1,631	7,150	426	109	1	..	536	7,686	181	585	3,703	5,353
England and Wales	10	14,669	76,328	968	22,657	114,632	4,654	1,564	73	160	6,451	121,083	5,628	16,414	40,587	58,959

MARRIAGES—*continued.*

COUNTIES.	MARRIAGES. According to the Rites of the Established Church.						MARRIAGES. Not according to the Rites of the Established Church.					TOTAL MARRIAGES.	Not of Full Age.		Signed with Marks.	
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated by which of the foregoing Forms.	TOTAL.	In Registered Places of Worship.	In Superintendent Registrar's Office.	Between Quakers.	Between Jews.	TOTAL.		Men.	Women.	Men.	Women.
1. METROPOLIS	6	2375	13,493	92	698	16,664	482	149	7	126	764	17,428	304	1330	2027	4161
2. SOUTH-EASTERN COUNTIES.																
Surrey (part of)	..	109	677	16	304	1106	18	..	1	..	19	1125	43	152	368	400
Kent (except Greenwich)	..	291	2046	12	843	3192	59	35	..	2	96	3288	69	480	945	1313
Sussex	..	144	918	5	838	1905	38	6	1	2	47	1952	93	379	612	840
Hampshire	..	271	1404	23	511	2209	89	58	2	1	150	2359	73	267	764	850
Berkshire	..	100	577	1	449	1127	29	6	..	1	36	1163	59	204	508	528
Total	..	915	5622	57	2945	9539	233	105	4	6	348	9887	337	1482	3197	3931
3. SOUTH MIDLAND COUNTIES.																
Middlesex (part of)	..	83	420	4	184	691	11	1	1	..	13	704	22	90	238	274
Hertfordshire	..	73	614	4	344	1035	46	7	1	..	54	1089	77	207	566	623
Buckinghamshire	..	80	545	2	349	976	33	4	..	..	37	1013	56	180	424	555
Oxfordshire	..	123	486	..	413	1022	16	19	..	..	35	1057	46	165	367	459
Northamptonshire	..	190	727	3	518	1438	66	18	4	..	88	1526	123	325	560	778
Huntingdonshire	..	46	181	1	145	373	10	1	..	..	11	384	30	107	176	215
Bedfordshire	..	63	487	3	329	882	33	3	..	2	38	920	91	221	502	610
Cambridgeshire	..	153	812	2	270	1237	41	8	1	..	50	1287	117	319	575	694
Total	..	811	4272	19	2552	7654	256	61	7	2	326	7980	562	1614	3408	4208

MARRIAGES—*continued.*

COUNTIES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated by which of the foregoing Forms.	TOTAL.	Not according to the Rites of the Established Church. In Registered Places of Worship.	In Superintendent Registrar's Office.	Between Quakers.	Between Jews.	TOTAL.	TOTAL MARRIAGES.	Not of Full Age. Men.	Women.	Signed with Marks. Men.	Women.
4. Eastern Counties.																
Essex	..	148	997	9	703	1857	76	18	7	..	101	1958	132	434	906	1058
Suffolk	1	224	981	4	849	2059	108	34	5	..	147	2206	120	399	1007	1166
Norfolk	1	287	1426	..	892	2606	44	17	1	4	66	2672	147	417	1172	1313
Total	2	659	3404	13	2444	6522	228	69	13	4	314	6836	399	1250	3085	3537
5. South-Western Counties.																
Wiltshire	..	138	725	3	545	1411	65	10	..	1	76	1487	106	243	659	836
Dorsetshire	..	146	624	..	206	976	48	2	..	..	50	1026	47	135	209	416
Devonshire	..	471	2394	14	851	3730	115	97	1	3	216	3946	100	329	1002	1601
Cornwall	..	198	1566	12	559	2335	18	130	..	..	148	2483	83	315	809	1341
Somersetshire	..	313	1550	30	720	2613	199	53	8	1	261	2874	140	328	1045	1355
Total	..	1266	6859	59	2881	11,065	445	292	9	5	751	11,816	476	1350	3724	5549
6. Western Counties.																
Gloucestershire	..	371	1732	3	752	2858	158	75	1	1	235	3093	136	307	977	1352
Herefordshire	..	97	284	4	189	574	6	4	1	..	11	585	8	47	214	258
Shropshire	1	259	969	11	392	1632	32	16	1	..	49	1681	42	132	724	923
Worcestershire	..	186	2211	51	434	2882	28	10	2	..	40	2922	194	475	1413	1788
Staffordshire	..	299	2420	5	829	3553	104	11	1	..	116	3669	278	747	1645	2241
Warwickshire	..	346	2270	16	280	2912	101	39	1	5	146	3058	186	441	1015	1497
Total	1	1558	9886	90	2876	14,411	429	155	7	6	597	15,008	844	2149	5988	8059
7. North Midland Counties.																
Leicestershire	..	207	979	7	409	1602	81	42	1	..	124	1726	127	330	593	901
Rutlandshire	..	15	63	..	87	165	6	5	..	..	11	176	6	21	54	61
Lincolnshire	..	386	1451	1	542	2380	77	18	1	..	96	2476	83	355	706	1158
Nottinghamshire	..	283	1025	20	446	1774	93	71	2	..	166	1940	141	324	674	1041
Derbyshire	..	276	1361	10	142	1789	43	41	..	..	84	1873	71	223	581	940
Total	..	1167	4879	38	1626	7710	300	177	4	..	481	8191	428	1253	2608	4101
8. North-Western Counties.																
Cheshire	..	356	1235	9	728	2328	93	5	1	..	99	2427	153	367	861	1482
Lancashire	..	1750	9814	366	1930	13,860	1170	234	6	9	1419	15,279	973	2242	6522	9889
Total	..	2106	11,049	375	2658	16,188	1263	239	7	9	1518	17,706	1126	2609	7383	11,371
9. Yorkshire.																
West Riding	1	964	6664	92	1032	8753	340	77	4	..	421	9174	689	1814	3514	4783
East Riding, with York	..	437	1272	1	338	2048	57	24	1	..	82	2130	57	206	440	864
North Riding	..	326	629	4	350	1309	19	3	1	..	23	1332	38	145	294	544
Total	1	1727	8565	97	1720	12,110	416	104	6	..	526	12,636	784	2165	4248	6191
10. Northern Counties.																
Durham	..	344	1899	15	241	2499	52	33	5	1	91	2590	74	289	635	1265
Northumberland	..	238	1443	2	191	1874	88	23	..	1	112	1986	76	202	378	771
Cumberland	..	341	371	44	138	894	31	45	2	..	78	972	29	103	135	335
Westmorland	..	122	166	8	56	352	5	3	1	..	9	361	8	33	68	127
Total	..	1045	3879	69	626	5619	176	104	8	2	290	5909	187	627	1216	2498
11. Monmouthshire and Wales.																
Monmouthshire	..	102	909	2	193	1206	109	36	..	..	145	1351	47	182	734	912
South Wales	..	409	2121	21	915	3466	250	48	1	..	299	3765	67	257	1752	2630
North Wales	..	529	1390	36	523	2478	67	25	..	..	92	2570	67	146	1217	1811
Total	..	1040	4420	59	1631	7150	426	109	1	..	536	7686	181	585	3703	5353

BIRTHS.

ABSTRACT of BIRTHS Registered in England and Wales, pursuant to the Act of 6 and 7 William IV., cap. 86, in the Four Quarters ending September 30th, December 31st, 1838; and March 31st, June 30th, 1839, respectively.

COUNTIES.	MALES.					FEMALES.					MALES & FEMALES.				
	Septr.	Decr.	March.	June.	Total.	Total.	Septr.	Decr.	March.	June.	Septr.	Decr.	March.	June.	Total.
1 Metropolis	6218	6310	6599	7059	26,186	25,046	6071	6098	6362	6515	12,289	12,408	12,961	13,574	51,232
2 South-Eastern Counties	5224	5149	5529	5717	21,619	20,653	4904	4846	5402	5501	10,128	9995	10,931	11,218	42,272
3 South Midland Counties	4339	4165	4591	4927	18,022	17,250	4041	3998	4424	4787	8380	8163	9015	9714	35,272
4 Eastern Counties . .	3612	3422	3852	4105	14,991	14,504	3483	3372	3669	3980	7095	6794	7521	8085	29,495
5 South-Western Counties	6191	6025	6789	6854	25,859	24,717	5862	5909	6389	6557	12,053	11,934	13,178	13,411	50,576
6 Western Counties . .	6967	6675	7822	8064	29,528	28,117	6818	6660	7225	7414	13,785	13,335	15,047	15,478	57,645
7 North Midland Counties	4252	4227	4533	4599	17,611	17,185	4207	4136	4368	4474	8459	8363	8901	9073	34,796
8 North-Western Counties	8953	8850	9581	9981	37,365	35,545	8548	8242	9157	9598	17,501	17,092	18,738	19,579	72,910
9 Yorkshire	6233	6104	6541	7049	25,927	24,902	5841	6043	6279	6739	12,074	12,147	12,820	13,788	50,829
10 Northern Counties. .	3106	3295	3295	3441	13,137	12,418	2996	2938	3221	3263	6102	6233	6516	6704	25,555
11 Monmouthshire & Wales	3514	3563	3931	4212	15,220	14,738	3354	3430	3984	3970	6868	6993	7915	8182	29,958
England and Wales	58,609	57,785	63,063	66,008	245,465	235,075	56,125	55,672	60,480	62,798	114,734	113,457	123,543	128,806	480,540

BIRTHS—*continued.*

COUNTIES.	MALES.					FEMALES.					MALES & FEMALES.				
	Septr.	Decr.	March.	June.	Total.	Total.	Septr.	Decr.	March.	June.	Septr.	Decr.	March.	June.	Total.
1. METROPOLIS.															
Middlesex (part of) . . .	4679	4697	4973	5427	19,776	18,905	4605	4580	4820	4900	9284	9277	9793	10,327	38,681
Surrey (part of)	1334	1390	1405	1382	5511	5310	1272	1316	1323	1399	2606	2706	2728	2781	10,821
Kent (Greenwich). . . .	205	223	221	250	899	831	194	202	219	216	399	425	440	466	1730
Total . . .	6218	6310	6599	7059	26,186	25,046	6071	6098	6362	6515	12,289	12,408	12,961	13,574	51,232
2. SOUTH-EASTERN COUNTIES.															
Surrey (part of)	634	645	731	779	2789	2692	592	618	748	734	1226	1263	1479	1513	5481
Kent (except Greenwich) . .	1646	1703	1817	1766	6932	6717	1594	1631	1766	1726	3240	3334	3583	3492	13,649
Sussex	1098	1033	1171	1212	4514	4048	981	990	1050	1027	2079	2023	2221	2239	8562
Hampshire	1123	1146	1177	1188	4634	4537	1069	1023	1163	1282	2192	2169	2340	2470	9171
Berkshire	723	622	633	772	2750	2659	668	584	675	732	1391	1206	1308	1504	5409
Total . . .	5224	5149	5529	5717	21,619	20,653	4904	4846	5402	5501	10,128	9995	10,931	11,218	42,272
3. SOUTH MIDLAND COUNTIES.															
Middlesex (part of) . . .	460	423	516	476	1875	1812	434	434	490	454	894	857	1006	930	3687
Hertfordshire	549	527	598	692	2366	2361	534	519	622	686	1083	1046	1220	1378	4727
Buckinghamshire	560	476	539	618	2193	2103	520	469	483	631	1080	945	1022	1249	4296
Oxfordshire.	583	560	600	703	2446	2389	549	569	617	654	1132	1129	1217	1357	4835
Northamptonshire	852	780	844	886	3362	3134	743	725	813	853	1595	1505	1657	1739	6496
Huntingdonshire	240	247	226	257	970	900	209	212	230	249	449	459	456	506	1870
Bedfordshire	411	455	519	507	1892	1895	453	419	495	528	864	874	1014	1035	3787
Cambridgeshire	684	697	749	788	2918	2656	599	651	674	732	1283	1348	1423	1520	5574
Total . . .	4339	4165	4591	4927	18,022	17,250	4041	3998	4424	4787	8380	8163	9015	9714	35,272

BIRTHS—*continued.*

COUNTIES.	MALES.					FEMALES.					MALES & FEMALES.				
	Septr.	Decr.	March.	June.	Total.	Total.	Septr.	Decr.	March.	June.	Septr.	Decr.	March.	June.	Total.
4. Eastern Counties.															
Essex	1129	1063	1095	1214	4501	4433	1033	1056	1145	1199	2162	2119	2240	2413	8934
Suffolk	1108	1007	1226	1316	4657	4570	1104	1019	1146	1301	2212	2026	2372	2617	9227
Norfolk	1375	1352	1531	1575	5833	5501	1346	1297	1378	1480	2721	2649	2909	3055	11,334
Total	3612	3422	3852	4105	14,991	14,504	3483	3372	3669	3980	7095	6794	7521	8085	29,495
5. South-Western Counties.															
Wiltshire	871	804	897	987	3559	3368	798	813	806	951	1669	1617	1703	1938	6927
Dorsetshire	632	622	665	691	2610	2428	572	579	645	632	1204	1201	1310	1323	5038
Devonshire	1821	1884	1961	1947	7613	7310	1741	1803	1888	1878	3562	3687	3849	3825	14,923
Cornwall	1211	1165	1532	1474	5382	5177	1153	1213	1433	1378	2364	2378	2965	2852	10,559
Somersetshire	1656	1550	1734	1755	6695	6434	1598	1510	1617	1718	3254	3051	3351	3473	13,129
Total	6191	6025	6789	6854	25,859	24,717	5862	5909	6389	6557	12,053	11,934	13,178	13,411	50,576
6. Western Counties.															
Gloucestershire	1374	1281	1497	1573	5725	5448	1342	1356	1387	1363	2716	2637	2884	2936	11,173
Herefordshire	349	337	299	306	1291	1288	384	316	278	310	733	653	577	616	2579
Shropshire	806	747	845	834	3232	2982	750	732	760	740	1556	1479	1605	1574	6214
Worcestershire	1424	1333	1541	1505	5803	5412	1289	1284	1405	1434	2713	2617	2946	2939	11,215
Staffordshire	1598	1555	1996	2062	7211	6974	1626	1527	1892	1929	3224	3082	3888	3991	14,185
Warwickshire	1416	1422	1644	1784	6266	6013	1427	1445	1503	1638	2843	2867	3147	3422	12,279
Total	6967	6675	7822	8064	29,528	28,117	6818	6660	7225	7414	13,785	13,335	15,047	15,478	57,645
7. North Midland Counties.															
Leicestershire	807	849	931	963	3550	3534	837	853	906	938	1644	1702	1837	1901	7084
Rutlandshire	97	85	97	98	377	339	87	82	89	81	184	167	186	179	716
Lincolnshire	1377	1433	1417	1346	5573	5469	1336	1390	1380	1363	2713	2823	2797	2709	11,042
Nottinghamshire	1099	1068	1129	1185	4481	4307	1070	1009	1093	1135	2169	2077	2222	2320	8788
Derbyshire	872	792	959	1007	3630	3536	877	802	900	957	1749	1594	1859	1964	7166
Total	4252	4227	4533	4599	17,611	17,185	4207	4136	4368	4474	8459	8363	8901	9073	34,796
8. North-Western Counties.															
Cheshire	1387	1329	1556	1561	5833	5554	1324	1274	1469	1487	2711	2603	3025	3048	11,387
Lancashire	7566	7521	8025	8420	31,532	29,991	7224	6968	7688	8111	14,790	14,489	15,713	16,531	61,523
Total	8953	8850	9581	9981	37,365	35,545	8548	8242	9157	9598	17,501	17,092	18,738	19,579	72,910
9. Yorkshire.															
West Riding	4894	4584	5048	5531	20,057	19,128	4489	4601	4819	5219	9383	9185	9867	10,750	39,185
East Riding, with York	735	795	804	777	3111	3141	746	788	791	816	1481	1583	1595	1593	6252
North Riding	604	725	689	741	2759	2633	606	654	669	704	1210	1379	1358	1445	5392
Total	6233	6104	6541	7049	25,927	24,902	5841	6043	6279	6739	12,074	12,147	12,820	13,788	50,829
10. Northern Counties.															
Durham	1306	1382	1386	1443	5517	5197	1274	1247	1346	1330	2580	2629	2732	2773	10,714
Northumberland	1076	1030	1007	1130	4243	3952	989	883	1008	1072	2065	1913	2015	2202	8195
Cumberland	541	699	673	676	2589	2464	542	610	652	660	1083	1309	1325	1336	5053
Westmorland	183	184	229	192	788	805	191	198	215	201	374	382	444	393	1593
Total	3106	3295	3295	3441	13,137	12,418	2996	2938	3221	3263	6102	6233	6516	6704	25,555
11. Monmouthshire & Wales.															
Monmouthshire	473	543	615	626	2257	2140	471	478	564	627	944	1021	1179	1253	4397
South Wales	1795	1825	2010	2127	7757	7574	1699	1813	2069	1993	3494	3638	4079	4120	15,331
North Wales	1246	1195	1306	1459	5206	5024	1184	1139	1351	1350	2430	2334	2657	2809	10,230
Total	3514	3563	3931	4212	15,220	14,738	3354	3430	3984	3970	6868	6993	7915	8182	29,958

DEATHS.

ABSTRACT of DEATHS Registered in England and Wales, in the Four Quarters ending 30th September, 31st December, 1838; and 31st March, 30th June, 1839, respectively.

COUNTIES.	MALES.					FEMALES.					MALES & FEMALES.				
	Septr.	Decr.	March.	June.	Total.	Total.	Septr.	Decr.	March.	June.	Septr.	Decr.	March.	June.	Total.
1 Metropolis.	5846	6408	5909	5788	23,951	22,817	5550	6172	5859	5236	11,396	12,580	11,768	11,024	46,768
2 South-Eastern Counties .	3188	3440	3762	3919	14,309	13,424	3056	3212	3611	3545	6,244	6,652	7,373	7,464	27,733
3 South Midland Counties .	2559	2594	3019	2987	11,159	11,252	2617	2710	2999	2926	5,176	5,304	6,018	5,913	22,411
4 Eastern Counties . . .	2325	2417	2888	2919	10,549	10,394	2347	2396	2720	2931	4,672	4,813	5,608	5,850	20,943
5 South-Western Counties .	3512	3867	4412	4059	15,850	15,594	3513	3790	4261	4030	7,025	7,657	8,673	8,089	31,444
6 Western Counties . .	4283	4649	5427	5149	19,508	18,386	4023	4420	5124	4819	8,306	9,069	10,551	9,968	37,894
7 North-Midland Counties	2322	2609	2982	2864	10,777	10,405	2212	2520	2887	2786	4,534	5,129	5,869	5,650	21,182
8 North-Western Counties.	5386	6548	7613	7734	27,281	25,904	4955	6266	7308	7375	10,341	12,814	14,921	15,109	53,185
9 Yorkshire	3658	4253	4434	4777	17,122	16,347	3586	3938	4420	4403	7,244	8,191	8,854	9,180	33,469
10 Northern Counties . .	1856	2009	2212	2260	8,337	7,689	1698	1868	2014	2109	3,554	3,877	4,226	4,369	16,026
11 Monmouthshire and Wales	2151	2402	2944	2772	10,269	9,683	2111	2310	2680	2582	4,262	4,712	5,624	5,354	19,952
England and Wales . .	37,086	41,196	45,602	45,228	169,112	161,895	35,668	39,602	43,883	42,742	72,754	80,798	89,485	87,970	331,007

DEATHS—*continued.*

COUNTIES.	MALES.					FEMALES.					MALES & FEMALES.				
	Septr.	Decr.	March.	June.	Total.	Total.	Septr.	Deer.	March.	June.	Septr.	Decr.	March.	June.	Total.
1. METROPOLIS.															
Middlesex (part of) . . .	4378	4765	4387	4357	17,887	17,555	4315	4698	4452	4090	8693	9463	8839	8447	35,442
Surrey (part of)	1145	1325	1194	1120	4,784	4,441	1032	1242	1191	976	2177	2567	2385	2096	9,225
Kent (Greenwich)	323	318	328	311	1,280	821	203	232	216	170	526	550	544	481	2,101
Total	5846	6408	5909	5788	23,951	22,817	5550	6172	5859	5236	11,396	12,580	11,768	11,024	46,768
2. SOUTH-EASTERN COUNTIES.															
Surrey (part of)	522	525	512	547	2,106	1,990	472	510	500	508	994	1035	1012	1055	4,096
Kent (except Greenwich) . .	963	1069	1196	1250	4,478	3,964	905	937	1087	1035	1868	2006	2283	2285	8,442
Sussex	574	619	702	736	2,631	2,597	562	607	702	726	1136	1226	1404	1462	5,228
Hampshire	716	843	846	904	3,309	3,057	671	729	840	817	1387	1572	1686	1721	6,366
Berkshire	413	384	506	482	1,785	1,816	446	429	482	459	859	813	988	941	3,601
Total	3188	3440	3762	3919	14,309	13,424	3056	3212	3611	3545	6244	6652	7373	7464	27,733
3. SOUTH MIDLAND COUNTIES.															
Middlesex (part of) . . .	366	320	360	358	1,404	1,418	371	321	364	362	737	641	724	720	2,822
Hertfordshire	322	366	420	368	1,476	1,537	355	412	426	344	677	778	846	712	3,013
Buckinghamshire	353	296	343	368	1,360	1,386	304	354	349	379	657	650	692	747	2,746
Oxfordshire.	341	373	435	431	1,580	1,572	367	363	425	417	708	736	860	848	3,152
Northamptonshire	449	480	486	549	1,964	2,007	470	451	537	549	919	931	1023	1098	3,971
Huntingdonshire	116	102	139	152	509	530	126	129	134	141	242	231	273	293	1,039
Bedfordshire	225	232	320	290	1,067	1,076	239	264	300	273	464	496	620	563	2,143
Cambridgeshire	387	425	516	471	1,799	1,726	385	416	464	461	772	841	980	932	3,525
Total	2559	2594	3019	2987	11,159	11,252	2617	2710	2999	2926	5176	5304	6018	5913	22,411

DEATHS—*continued.*

COUNTIES.	MALES.					FEMALES.					MALES & FEMALES.				
	Septr.	Decr.	March.	June.	Total.	Total.	Septr.	Decr.	March.	June.	Septr.	Decr.	March.	June.	Total.
4. Eastern Counties.															
Essex	772	846	909	922	3,449	3,157	754	799	816	788	1526	1645	1725	1710	6,606
Suffolk	676	718	845	815	3,054	3,147	693	743	800	911	1369	1461	1645	1726	6,201
Norfolk	877	853	1134	1182	4,046	4,090	900	854	1104	1232	1777	1707	2238	2414	8,136
Total	2325	2417	2888	2919	10,549	10,394	2347	2396	2720	2931	4672	4813	5608	5850	20,943
5. South-Western Counties.															
Wiltshire	539	514	629	554	2,236	2,160	530	509	590	531	1069	1023	1219	1085	4,396
Dorsetshire	333	342	444	383	1,502	1,482	343	330	408	401	676	672	852	784	2,984
Devonshire	1006	1196	1237	1203	4,642	4,602	999	1175	1253	1175	2005	2371	2490	2378	9,244
Cornwall	674	827	905	774	3,180	3,025	681	787	813	744	1355	1614	1718	1518	6,205
Somersetshire	960	988	1197	1145	4,290	4,325	960	989	1197	1179	1920	1977	2394	2324	8,615
Total	3512	3867	4412	4059	15,850	15,594	3513	3790	4261	4030	7025	7657	8673	8089	31,444
6. Western Counties.															
Gloucestershire	876	962	1005	971	3,814	3,750	857	944	1003	946	1733	1906	2008	1917	7,564
Herefordshire	245	237	286	238	1,006	917	195	235	285	202	440	472	571	440	1,923
Shropshire	572	573	644	611	2,400	2,270	504	605	600	561	1076	1178	1244	1172	4,670
Worcestershire	710	814	973	851	3,348	3,056	676	725	888	767	1386	1539	1861	1618	6,404
Staffordshire	989	1077	1373	1313	4,752	4,397	927	1013	1215	1242	1916	2090	2588	2555	9,149
Warwickshire	891	986	1146	1165	4,188	3,996	864	898	1133	1101	1755	1884	2279	2266	8,184
Total	4283	4649	5427	5149	19,508	18,386	4023	4420	5124	4819	8306	9069	10,551	9968	37,894
7. North Midland Counties.															
Leicestershire	498	578	600	572	2,248	2,145	458	560	582	545	956	1138	1182	1117	4,393
Rutlandshire	48	43	52	54	197	183	45	37	52	49	93	80	104	103	380
Lincolnshire	665	714	901	883	3,163	3,040	635	737	831	837	1300	1451	1732	1720	6,203
Nottinghamshire	605	616	718	666	2,605	2,523	573	568	722	660	1178	1184	1440	1326	5,128
Derbyshire	506	658	711	689	2,564	2,514	501	618	700	695	1007	1276	1411	1384	5,078
Total	2322	2609	2982	2864	10,777	10,405	2212	2520	2887	2786	4534	5129	5869	5650	21,182
8. North-Western Counties.															
Cheshire	826	931	1231	1237	4,225	4,130	785	940	1165	1240	1611	1871	2396	2477	8,355
Lancashire	4560	5617	6382	6497	23,056	21,774	4170	5326	6143	6135	8730	10,943	12,525	12,632	44,830
Total	5386	6548	7613	7734	27,281	25,904	4955	6266	7308	7375	10,341	12,814	14,921	15,109	53,185
9. Yorkshire.															
West Riding	2754	3180	3351	3658	12,943	12,224	2688	2959	3282	3295	5442	6139	6633	6953	25,167
East Riding, with York	565	676	630	656	2,527	2,399	527	606	630	636	1092	1282	1260	1292	4,926
North Riding	339	397	453	463	1,652	1,724	371	373	508	472	710	770	961	935	3,376
Total	3658	4253	4434	4777	17,122	16,347	3586	3938	4420	4403	7244	8191	8854	9180	33,469
10. Northern Counties.															
Durham	785	826	870	947	3,428	3,132	730	736	795	871	1515	1562	1665	1818	6,560
Northumberland	588	611	697	721	2,617	2,496	553	583	661	699	1141	1194	1358	1420	5,113
Cumberland	355	428	476	454	1,713	1,485	274	415	402	394	629	843	878	848	3,198
Westmorland	128	144	169	138	579	576	141	134	156	145	269	278	325	283	1,155
Total	1856	2009	2212	2260	8,337	7,689	1698	1868	2014	2109	3554	3877	4226	4369	16,026
11. Monmouthshire & Wales.															
Monmouthshire	304	355	540	474	1,673	1,427	294	305	440	388	598	660	980	862	3,100
South Wales	1147	1267	1485	1332	5,231	5,009	1127	1252	1341	1289	2274	2519	2826	2621	10,240
North Wales	700	780	919	966	3,365	3,247	690	753	899	905	1390	1533	1818	1871	6,612
Total	2151	2402	2944	2772	10,269	9,683	2111	2310	2680	2582	4262	4712	5624	5354	19,952

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.

Abstract of Births, Deaths, and Marriages, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

METROPOLIS.

Division 1.—Parts of the Counties of Middlesex, Surrey, and Kent.

Comprising the Superintendent Registrars' Districts of *Bermondsey—Bethnal Green—Camberwell—Clerkenwell—George, St., in the East—George, St., Hanover Square—George, St., Southwark—Giles, St., and George, St., Bloomsbury—Greenwich—Hackney—Holborn—Islington—James, St.—Kensington—Lambeth—London, City of—London, East—London, West—Luke, St.—Martin, St., in the Fields—Mary-le-bone, St.—Newington, St. Mary—Olave, St.—Pancras, St.—Poplar—Rotherhithe—Saviour, St.—Shoreditch, St. Leonard—Stepney—Strand—Westminster—Whitechapel.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
44,810	1,594,890	4487	205,090	163,632	373,209

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	1049	835	1884	
	1 and under 2	545	425	970	17,428
Males.	2 —— 3	406	346	752	
26,186	3 —— 6	1099	930	2029	
	6 —— 9	948	778	1726	
	9 —— 12	859	731	1590	
	Total under 1 Year	4906	4045	8951	
Females.	1 Year and under 2	2181	2063	4244	
25,046	2 —— 3	1298	1288	2586	
	3 —— 4	907	888	1795	
	4 —— 5	608	629	1237	
	Total under 5 Years	9900	8913	18,813	
Total.	5 and under 10	1260	1180	2440	
51,232	10 —— 15	456	403	859	
	15 —— 20	549	559	1108	
	20 —— 25	790	767	1557	
	25 —— 30	858	922	1780	
	30 —— 35	924	914	1838	
	35 —— 40	1074	971	2045	
	40 —— 45	1098	936	2034	
	45 —— 50	1048	917	1965	
	50 —— 55	1044	849	1893	
	55 —— 60	940	827	1767	
	60 —— 65	1016	1022	2038	
	65 —— 70	957	941	1898	
	70 —— 75	781	968	1749	
	75 —— 80	611	809	1420	
	80 —— 85	342	488	830	
	85 —— 90	184	281	465	
	90 —— 95	38	75	113	
	95 —— 100	7	31	38	
	100 ——	2	3	5	
	Unknown . .	72	41	113	
	Total . .	23,951	22,817	46,768	

Abstract of Births, Deaths, and Marriages, registered from July 1st, 1838, to June 30th 1839, both inclusive.

MANCHESTER AND SALFORD.

Division 2.—Part of the County of Lancaster.

Comprising Manchester and Salford, and the adjacent

Townships of *Barton—Berwick—Bradford—Broughton—Clifton—Grumpsall—Failsworth—Harpurhey—Heaton, Great—Heaton, Little—Hoxton—Pendlebury—Pendleton—Prestwick—Urmston*—and *Worsley.*

Hamlets of *Cardishead* and *Irlam.*

Chapelries of *Blackley—Cheetham* and *Newton.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
37,797	236,935	1381	37,522	10,489	49,392

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	271	196	467	
	1 and under 2	139	109	248	4213
Males.	2 —— 3	120	85	205	
5468	3 —— 6	286	200	486	
	6 —— 9	238	205	443	
	9 —— 12	255	280	535	
	Total under 1 Year	1309	1075	2384	
Females.	1 Year and under 2	699	597	1296	
5232	2 —— 3	350	383	733	
	3 —— 4	203	243	446	
	4 —— 5	130	156	286	
	Total under 5 Years	2691	2454	5145	
Total.	5 and under 10	211	226	437	
10,700	10 —— 15	63	101	164	
	15 —— 20	102	125	227	
	20 —— 25	163	170	333	
	25 —— 30	143	139	282	
	30 —— 35	166	158	324	
	35 —— 40	149	158	307	
	40 —— 45	163	132	295	
	45 —— 50	147	144	291	
	50 —— 55	141	132	273	
	55 —— 60	116	105	221	
	60 —— 65	143	123	266	
	65 —— 70	112	93	205	
	70 —— 75	109	95	204	
	75 —— 80	76	81	157	
	80 —— 85	35	40	75	
	85 —— 90	12	23	35	
	90 —— 95	6	5	11	
	95 —— 100	3	5	8	
	100 ——	1	1	2	
	Unknown . .	5	9	14	
	Total . .	4757	4519	9276	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

LIVERPOOL.

Division 3.—Part of the County of LANCASTER.

Comprising LIVERPOOL and WEST DERBY, and the adjacent

Townships of *Aintree—Allerton—Bootle-cum-Linacre—Childwell—Fazakerly—Ince Blundell—Kirkdale—Litherland—Little Crosby—Lunt—Netherton—Orell and Ford—Shepton—Thornton*—and *Walton-on-the-Hill.*

Chapelries of *Everton—Garston—Great Crossby—Kirkby*—and *Waventree.*

Extra-Parochial places—*Croxteth Park*—and *Toxteth Park.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
38,060	218,233	1446	20,456	21,124	43,026

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
Males. 4899	Under 1 Month.	253	202	455	3452
	1 and under 2	114	85	199	
	2 —— 3	85	68	153	
	3 —— 6	210	225	435	
	6 —— 9	209	180	389	
	9 —— 12	217	197	414	
Females. 4784	Total under 1 Year	1088	957	2045	
	1 Year and under 2	526	515	1041	
	2 —— 3	309	273	582	
	3 —— 4	194	186	380	
	4 —— 5	110	101	211	
Total. 9683	Total under 5 Years	2227	2032	4259	
	5 and under 10	204	196	400	
	10 —— 15	93	81	174	
	15 —— 20	91	107	198	
	20 —— 25	147	168	315	
	25 —— 30	167	179	346	
	30 —— 35	154	139	293	
	35 —— 40	169	162	331	
	40 —— 45	174	125	299	
	45 —— 50	149	132	281	
	50 —— 55	148	126	274	
	55 —— 60	116	115	231	
	60 —— 65	130	118	248	
	65 —— 70	103	128	231	
	70 —— 75	92	110	202	
	75 —— 80	83	68	151	
	80 —— 85	35	53	88	
	85 —— 90	15	34	49	
	90 —— 95	6	6	12	
	95 —— 100	1	1	2	
	100 ——	..	1	1	
	Unknown . .	51	31	82	
	Total . .	4355	4112	8467	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

LEEDS.

Division 4.—Part of the County of YORK.

Comprising LEEDS, and the adjacent

Parish of *Swillington.*

Townships of *Austhorpe—Churwell—Middleton—Potter Newton—Rothwell—Roundhay—Seacroft—Shadwell—Temple Newsome*—and *Thorpe Stapleton.*

Chapelries of *Armley—Beeston—Bramley—Chapel Allerton—Farnley—Gildersome—Headingly with Burnley—Holbeck—Horseforth—Hunslet*—and *Wortley.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
41,520	135,581	1327	18,810	8542	28,679

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
Males. 3169	Under 1 Month	209	140	349	1655
	1 and under 2	72	48	120	
	2 —— 3	36	35	71	
	3 —— 6	93	70	163	
	6 —— 9	104	97	201	
	9 —— 12	117	103	220	
Females. 3006	Total under 1 Year	631	493	1124	
	1 Year and under 2	334	290	624	
	2 —— 3	163	189	352	
	3 —— 4	105	122	227	
	4 —— 5	83	65	148	
Total. 6175	Total under 5 Years	1316	1159	2475	
	5 and under 10	134	125	259	
	10 —— 15	72	72	144	
	15 —— 20	79	88	167	
	20 —— 25	77	66	143	
	25 —— 30	61	75	136	
	30 —— 35	79	77	156	
	35 —— 40	69	77	146	
	40 —— 45	69	67	136	
	45 —— 50	71	44	115	
	50 —— 55	70	45	115	
	55 —— 60	68	63	131	
	60 —— 65	63	47	110	
	65 —— 70	58	70	128	
	70 —— 75	69	62	131	
	75 —— 80	42	49	91	
	80 —— 85	31	31	62	
	85 —— 90	15	14	29	
	90 —— 95	1	6	7	
	95 —— 100	..	1	1	
	100 ——	..	..	..	
	Unknown . .	5	3	8	
	Total . .	2449	2241	4690	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

BIRMINGHAM.

Division 5.—Part of the County of WARWICK.

Comprising the Town of BIRMINGHAM.

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
2660	110,914	301	20,763	2870	23,934

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
Males. 2271	Under 1 Month	111	85	196	1136
	1 and under 2	44	35	79	
	2 —— 3	35	29	64	
	3 —— 6	108	79	187	
	6 —— 9	80	74	154	
	9 —— 12	87	81	168	
Females. 2158	Total under 1 Year	465	383	848	
	1 Year and under 2	201	191	392	
	2 —— 3	99	115	214	
	3 —— 4	54	66	120	
	4 —— 5	41	43	84	
Total. 4429	Total under 5 Years	860	798	1658	
	5 and under 10	82	91	173	
	10 —— 15	32	37	69	
	15 —— 20	53	48	101	
	20 —— 25	47	45	92	
	25 —— 30	68	51	119	
	30 —— 35	72	46	118	
	35 —— 40	63	51	114	
	40 —— 45	54	43	97	
	45 —— 50	75	47	122	
	50 —— 55	59	44	103	
	55 —— 60	43	46	89	
	60 —— 65	51	42	93	
	65 —— 70	45	52	97	
	70 —— 75	60	38	98	
	75 —— 80	40	39	79	
	80 —— 85	26	18	44	
	85 —— 90	5	19	24	
	90 —— 95	5	7	12	
	95 —— 100	..	1	1	
	100 ——	..	..	..	
	Unknown . .	2	..	2	
	Total . .	1742	1563	3305	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 6.—Counties of MIDDLESEX (except the Metropolis), HERTFORD, BEDFORD, and BUCKINGHAM.

Comprising the Superintendent Registrars' Districts of *Albans, St.—Amersham—Ampthill—Aylesbury—Barnet—Bedford—Berkhampstead—Biggleswade—Bishops' Stortford—Brentford—Buckingham—Edmonton—Eton—Hatfield and Welwyn—Hemel Hempstead—Hendon—Hertford—Hitchen—Leighton Buzzard—Luton—Newport Pagnell—Royston and Buntingford—Staines—Uxbridge—Ware—Watford—Winslow—Woburn*—and *Wycombe.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,323,888	515,893	48,368	29,960	26,675	105,003

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
Males. 8326	Under 1 Month.	469	333	802	3726
	1 and under 2	142	121	263	
	2 —— 3	92	96	188	
	3 —— 6	255	229	484	
	6 —— 9	194	141	335	
	9 —— 12	133	155	288	
Females. 8171	Total under 1 Year	1285	1075	2360	
	1 Year and under 2	298	310	608	
	2 —— 3	155	186	341	
	3 —— 4	130	113	243	
	4 —— 5	85	89	174	
Total. 16,497	Total under 5 Years	1953	1773	3726	
	5 and under 10	230	234	464	
	10 —— 15	132	179	311	
	15 —— 20	146	241	387	
	20 —— 25	218	249	467	
	25 —— 30	191	192	383	
	30 —— 35	181	203	384	
	35 —— 40	176	205	381	
	40 —— 45	156	208	364	
	45 —— 50	187	160	347	
	50 —— 55	173	171	344	
	55 —— 60	152	153	305	
	60 —— 65	243	227	470	
	65 —— 70	252	269	521	
	70 —— 75	259	291	550	
	75 —— 80	278	252	530	
	80 —— 85	209	192	401	
	85 —— 90	95	118	213	
	90 —— 95	17	36	53	
	95 —— 100	8	12	20	
	100 ——	2	2	4	
	Unknown . .	49	50	99	
	Total . .	5307	5417	10,724	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 7.—Counties of BERKS, HANTS, and SUSSEX, and such parts of the Counties of KENT and SURREY as are not included in Division 1.

Comprising the Superintendent Registrars' Districts of *Abingdon—Alresford—Alton—Alverstoke—Andover—Ashford, East—Ashford, West—Basingstoke—Battle—Blean—Bradfield—Bridge—Brighton—Bromley—Canterbury—Catherington—Chertsey—Chichester—Christchurch—Cookham—Cranbrook—Croydon—Cuckfield—Dartford—Dorking—Dover—Droxford—Eastbourne—East Grinstead—Easthampstead—Eastry—Elham—Epsom—Fareham—Faringdon—Farnham—Faversham—Fordingbridge—Godstone—Gravesend and Milton—Guildford—Hailsham—Hambledon—Hartley Wintney—Hastings—Havant—Hollingbourne—Hoo—Horsham—Hungerford—Kingsclere—Kingston-on-Thames—Lewes, Chailey, and West Firle—Lewisham—Lymington—Maidstone—Malling—Medway—Medhurst—Milton—Newbury—New Forest—Newhaven—North Aylesford—Petersfield—Petworth—Portsea Island—Reading—Reigate—Richmond—Ringwood—Romney Marsh—Romsey—Rye—Sevenoaks—Sheppey—Southampton—South Stoneham—Steyning—Stockbridge—Tenterden—Thakeham—Thanet, Isle of—Ticehurst—Tonbridge—Uckfield—Wallingford—Wandsworth and Clapham—Wantage—Westbourne—Westhampnett—Whitchurch—Wight, Isle of—Winchester and Hursley—Windsor—Wokingham—Worthing.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
3,861,100	1,351,236	107,028	88,519	79,222	274,769

BIRTHS.	DEATHS.				MARRIAGES.
	Age.		Males.	Females.	Total.	
	Under 1 Month		930	652	1582	
	1 and under	2	337	211	548	9887
Males.	2 ——	3	213	179	392	
21,619	3 ——	6	566	469	1035	
	6 ——	9	486	370	856	
	9 ——	12	377	308	685	
	Total under 1 Year		2909	2189	5098	
Females.	1 Year and under	2	784	722	1506	
20,653	2 ——	3	487	526	1013	
	3 ——	4	405	371	776	
	4 ——	5	343	303	646	
	Total under 5 Years		4928	4111	9039	
Total.	5 and under	10	714	767	1481	
42,272	10 ——	15	384	434	818	
	15 ——	20	473	599	1072	
	20 ——	25	634	654	1288	
	25 ——	30	566	567	1133	
	30 ——	35	477	487	964	
	35 ——	40	484	479	963	
	40 ——	45	433	465	898	
	45 ——	50	450	407	857	
	50 ——	55	458	457	915	
	55 ——	60	487	447	934	
	60 ——	65	663	633	1296	
	65 ——	70	717	595	1312	
	70 ——	75	704	719	1423	
	75 ——	80	739	680	1419	
	80 ——	85	556	471	1027	
	85 ——	90	303	307	610	
	90 ——	95	75	98	173	
	95 ——	100	18	22	40	
	100 ——	105	5	4	9	
	Unknown . .		41	21	62	
	Total . .		14,309	13,424	27,733	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 8.—Counties of DORSET and WILTS.

Comprising the Superintendent Registrars' Districts of *Alderbury—Amesbury—Beaminster—Blandford—Bradford—Bridport—Calne—Chippenham—Cricklade and Wootton Bassett—Devizes—Dorchester and Cerne—Highworth and Swindon—Malmesbury—Marlborough—Melksham—Mere—Pewsey—Poole—Salisbury—Shaftesbury—Sherborne—Sturminster—Tisbury—Wareham and Purbeck—Warminster—Westbury and Whorwelsdown—Weymouth—Wilton—Wimborne and Cranborne.*

Area in Ares.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,407,913	373,797	37,243	24,005	18,949	80,197

BIRTHS.	DEATHS.				MARRIAGES.
	Age.		Males.	Females.	Total.	
	Under 1 Month		215	170	385	
	1 and under	2	93	69	162	2513
Males.	2 ——	3	61	34	95	
6169	3 ——	6	151	101	252	
	6 ——	9	115	76	191	
	9 ——	12	117	87	204	
	Total under 1 Year		752	537	1289	
Females.	1 Year and under	2	284	254	538	
5796	2 ——	3	115	130	245	
	3 ——	4	94	82	176	
	4 ——	5	57	64	121	
	Total under 5 Years		1302	1067	2369	
Total.	5 and under	10	153	139	292	
11,965	10 ——	15	104	113	217	
	15 ——	20	136	175	311	
	20 ——	25	151	184	335	
	25 ——	30	134	135	269	
	30 ——	35	133	112	245	
	35 ——	40	134	134	268	
	40 ——	45	121	115	236	
	45 ——	50	104	105	209	
	50 ——	55	120	127	247	
	55 ——	60	127	142	269	
	60 ——	65	165	177	342	
	65 ——	70	167	183	350	
	70 ——	75	189	199	388	
	75 ——	80	198	220	418	
	80 ——	85	153	171	324	
	85 ——	90	93	104	197	
	90 ——	95	31	30	61	
	95 ——	100	3	6	9	
	100 ——		..	1	1	
	Unknown . .		20	3	23	
	Total . .		3738	3642	7380	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 9.—County of DEVON.

Comprising the Superintendent Registrars' Districts of *Axminster—Barnstaple—Bideford—Crediton—East Stonehouse—Exeter—Holsworthy—Honiton—Kingsbridge—Newton Abbot—Okehampton—Plymouth—Plympton St. Mary—South Moulton—Stoke Damerel—Tavistock—Thomas, St.—Tiverton and Dulverton—Torrington*—and *Totness.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,691,575	503,118	36,150	33,880	33,247	103,277

BIRTHS.	DEATHS.				MARRIAGES.
	Age.		Males.	Females.	Total.	
Males. 7613	Under 1 Month		259	214	473	3946
	1 and under	2	98	90	188	
	2 ——	3	84	72	156	
	3 ——	6	173	136	309	
	6 ——	9	158	147	305	
	9 ——	12	139	126	265	
Females. 7310	Total under 1 Year		911	785	1696	
	1 Year and under	2	344	312	656	
	2 ——	3	174	201	375	
	3 ——	4	133	128	261	
	4 ——	5	92	73	165	
Total. 14,923	Total under 5 Years		1654	1499	3153	
	5 and under	10	200	186	386	
	10 ——	15	100	108	208	
	15 ——	20	118	145	263	
	20 ——	25	179	191	370	
	25 ——	30	167	172	339	
	30 ——	35	147	142	289	
	35 ——	40	125	121	246	
	40 ——	45	130	153	283	
	45 ——	50	149	120	269	
	50 ——	55	173	138	311	
	55 ——	60	169	141	310	
	60 ——	65	223	167	390	
	65 ——	70	209	248	457	
	70 ——	75	242	282	524	
	75 ——	80	276	318	594	
	80 ——	85	179	215	394	
	85 ——	90	111	160	271	
	90 ——	95	39	61	100	
	95 ——	100	7	18	25	
	100 ——		..	1	1	
	Unknown . .		45	16	61	
	Total . .		4642	4602	9244	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 10.—County of CORNWALL.

Comprising the Superintendent Registrars' Districts of *Austel, St.—Bodmin—Camelford—Columb St. Major—Falmouth—Germans, St.—Helston—Launceston—Liskeard—Penzance—Redruth—Scilly Islands—Stratton*—and *Truro.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
866,474	304,785	18,546	13,532	28,374	60,452

BIRTHS.	DEATHS.				MARRIAGES.
	Age.		Males.	Females.	Total.	
Males. 5382	Under 1 Month		189	126	315	2483
	1 and under	2	79	65	144	
	2 ——	3	70	46	116	
	3 ——	6	156	112	268	
	6 ——	9	123	111	234	
	9 ——	12	97	114	211	
Females. 5177	Total under 1 Year		714	574	1288	
	1 Year and under	2	232	251	483	
	2 ——	3	170	173	341	
	3 ——	4	113	121	234	
	4 ——	5	97	77	174	
Total. 10,559	Total under 5 Years		1326	1196	2522	
	5 and under	10	146	168	314	
	10 ——	15	78	70	148	
	15 ——	20	105	81	186	
	20 ——	25	123	128	251	
	25 ——	30	117	95	212	
	30 ——	35	91	79	170	
	35 ——	40	86	75	161	
	40 ——	45	69	76	145	
	45 ——	50	110	63	173	
	50 ——	55	81	73	154	
	55 ——	60	118	99	217	
	60 ——	65	134	115	249	
	65 ——	70	147	120	267	
	70 ——	75	116	156	272	
	75 ——	80	156	166	322	
	80 ——	85	89	136	225	
	85 ——	90	59	94	153	
	90 ——	95	20	23	43	
	95 ——	100	2	8	10	
	100 ——		..	4	4	
	Unknown . .		7	..	7	
	Total . .		3180	3025	6205	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 11.—County of SOMERSET.

Comprising the Superintendent Registrars' Districts of *Axbridge—Bath—Bedminster—Bridgewater—Chard—Clutton—Frome—Keynsham—Langport—Shepton Mallett—Taunton—Wellington—Wells—Williton—Wincanton*—and *Yeovil.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
987,087	415,252	30,253	28,931	27,461	86,645

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	266	215	481	
	1 and under 2	107	94	201	2874
Males.	2 —— 3	90	66	156	
6695	3 —— 6	183	163	346	
	6 —— 9	152	147	299	
	9 —— 12	142	121	263	
	Total under 1 Year	940	806	1746	
Females.	1 Year and under 2	311	261	572	
6434	2 —— 3	180	192	372	
	3 —— 4	123	123	246	
	4 —— 5	96	110	206	
	Total under 5 Years	1650	1492	3142	
Total.	5 and under 10	207	208	415	
13,129	10 —— 15	114	143	257	
	15 —— 20	130	161	291	
	20 —— 25	178	181	359	
	25 —— 30	160	158	318	
	30 —— 35	116	158	274	
	35 —— 40	132	120	252	
	40 —— 45	128	123	251	
	45 —— 50	131	107	238	
	50 —— 55	136	137	273	
	55 —— 60	128	131	259	
	60 —— 65	182	185	367	
	65 —— 70	181	205	386	
	70 —— 75	201	219	420	
	75 —— 80	215	220	435	
	80 —— 85	165	189	354	
	85 —— 90	95	126	221	
	90 —— 95	26	44	70	
	95 —— 100	8	6	14	
	100 ——	..	5	5	
	Unknown . .	7	7	14	
	Total . .	4290	4325	8615	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 12.—County of ESSEX.

Comprising the Superintendent Registrars' Districts of *Billericay—Braintree—Chelmsford—Colchester—Dunmow—Epping—Halstead—Lexden and Winstree—Maldon—Ongar—Orsett—Rochford—Saffron Walden—Tendring—West Ham*—and *Witham.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
928,589	304,315	32,828	17,632	11,943	62,403

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	208	152	360	
	1 and under 2	88	63	151	1958
Males.	2 —— 3	80	48	128	
4501	3 —— 6	142	133	275	
	6 —— 9	110	95	205	
	9 —— 12	89	83	172	
	Total under 1 Year	717	574	1291	
Females.	1 Year and under 2	217	167	384	
4433	2 —— 3	112	114	226	
	3 —— 4	93	95	188	
	4 —— 5	82	81	163	
	Total under 5 Years	1221	1031	2252	
Total.	5 and under 10	219	205	424	
8934	10 —— 15	103	127	230	
	15 —— 20	124	140	264	
	20 —— 25	129	144	273	
	25 —— 30	130	146	276	
	30 —— 35	98	109	207	
	35 —— 40	101	105	206	
	40 —— 45	99	79	178	
	45 —— 50	127	102	229	
	50 —— 55	102	89	191	
	55 —— 60	101	76	177	
	60 —— 65	153	136	289	
	65 —— 70	177	123	300	
	70 —— 75	180	151	331	
	75 —— 80	150	164	314	
	80 —— 85	125	126	251	
	85 —— 90	68	1	139	
	90 —— 95	17	18	35	
	95 —— 100	6	10	16	
	100 ——	..	1	1	
	Unknown . .	19	4	23	
	Total . .	3449	3157	6606	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 13.—Counties of NORFOLK and SUFFOLK.

Comprising the Superintendent Registrars' Districts of *Aylsham—Blofield—Blything—Bosmere and Claydon—Bury St. Edmund's—Cosford—Depwade—Docking—Downham—Erpingham—Faith, St.—Fleggs, East and West—Forehoe—Freebridge Lynn—Guiltcross—Hartismere—Henstead—Hoxne—Ipswich—King's Lynn—Loddon and Clavering—Mildenhall—Mitford and Launditch—Mutford and Lothingland—Norwich—Plomesgate—Risbridge—Samford—Stow—Sudbury—Swaffham—Thetford—Thingo—Tunstead and Happing—Walsingham—Wangford—Wayland—Woodbridge*—and *Yarmouth, Great.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
2,188,867	682,788	68,502	46,735	29,377	144,614

BIRTHS.	DEATHS.				MARRIAGES.
	Age.		Males.	Females.	Total.	
Males. 10,490	Under 1 Month		609	446	1055	4878
	1 and under	2	165	117	282	
	2 ——	3	146	124	270	
	3 ——	6	350	283	633	
	6 ——	9	224	209	433	
	9 ——	12	216	157	373	
Females. 10,071	Total under 1 Year		1710	1336	3046	
	1 Year and under	2	369	366	735	
	2 ——	3	258	244	502	
	3 ——	4	183	195	378	
	4 ——	5	146	150	296	
Total. 20,561	Total under 5 Years		2666	2291	4957	
	5 and under	10	363	376	739	
	10 ——	15	193	241	434	
	15 ——	20	226	336	562	
	20 ——	25	289	371	660	
	25 ——	30	234	281	515	
	30 ——	35	182	266	448	
	35 ——	40	177	237	414	
	40 ——	45	181	210	391	
	45 ——	50	187	215	402	
	50 ——	55	182	212	394	
	55 ——	60	182	219	401	
	60 ——	65	305	273	578	
	65 ——	70	377	331	708	
	70 ——	75	381	366	747	
	75 ——	80	379	395	774	
	80 ——	85	312	317	629	
	85 ——	90	190	200	390	
	90 ——	95	61	72	133	
	95 ——	100	20	18	38	
	100 ——		1	2	3	
	Unknown . .		12	8	20	
	Total . .		7100	7237	14,337	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 14.—Counties of CAMBRIDGE and HUNTINGDON, and *part* of the County of LINCOLN.

Comprising the Superintendent Registrars' Districts of *Boston—Bourne—Cambridge—Caxton and Arrington—Chesterton—Ely—Holbeach—Huntingdon—Ives, St.—Linton—Neots, St.—Newmarket—Northwitchford—Peterborough—Spalding—Spilsby—Whittlesea*—and *Wisbeach.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,295,379	311,714	35,105	18,813	13,433	67,351

BIRTHS.	DEATHS.				MARRIAGES.
	Age.		Males.	Females.	Total.	
Males. 6178	Under 1 Month		329	299	628	2697
	1 and under	2	119	73	192	
	2 ——	3	92	78	170	
	3 ——	6	236	169	405	
	6 ——	9	180	128	308	
	9 ——	12	124	100	224	
Females. 5836	Total under 1 Year		1080	847	1927	
	1 Year and under	2	203	210	413	
	2 ——	3	137	128	265	
	3 ——	4	69	94	163	
	4 ——	5	62	69	131	
Total. 12,014	Total under 5 Years		1551	1348	2899	
	5 ——	10	158	163	321	
	10 ——	15	106	120	226	
	15 ——	20	131	165	296	
	20 ——	25	153	191	344	
	25 ——	30	132	153	285	
	30 ——	35	102	138	240	
	35 ——	40	97	113	210	
	40 ——	45	89	106	195	
	45 ——	50	114	85	199	
	50 ——	55	105	84	189	
	55 ——	60	92	104	196	
	60 ——	65	146	137	283	
	65 ——	70	141	151	292	
	70 ——	75	160	173	333	
	75 ——	80	134	155	289	
	80 ——	85	106	115	221	
	85 ——	90	75	61	136	
	90 ——	95	20	24	44	
	95 ——	100	1	10	11	
	——	105	1	1	2	
	Unknown . .		18	8	26	
	Total . .		3632	3605	7237	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th 1839, both inclusive.

Division 15.—Counties of DERBY, LEICESTER, NORTHAMPTON, NOTTINGHAM, and RUTLAND' and such *part* of the County of LINCOLN as is not included in Division 14.

Comprising the Superintendent Registrars' Districts of *Ashborne—Ashby-de-la-Zouch—Bakewell—Barrow-on-Soar—Basford—Belper—Billesdon—Bingham—Blaby—Brackley—Brixworth—Caistor—Chapel-en-le-Frith—Chesterfield—Daventry—Derby—East Retford—Gainsborough—Glandford Brigg—Grantham—Hardingstone—Hayfield and Glossop—Hinckley—Horncastle—Kettering—Leicester—Lincoln—Loughborough—Louth—Lutterworth—Mansfield—Market Bosworth—Market Harborough—Melton Mowbray—Newark—Northampton—Nottingham—Oakham—Oundle—Potterspury—Radford—Shardlow—Sleaford—Southwell—Stamford—Thrapstone—Towcester—Uppingham—Wellingborough*—and *Workshop.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
3,936,980	1,045,133	81,123	94,509	46,142	221,774

BIRTHS.	DEATHS.				MARRIAGES.
	Age.		Males.	Females.	Total.	
	Under 1 Month		1109	784	1893	
	1 and under	2	342	242	584	8691
Males.	2 ——	3	255	212	467	
18,683	3 ——	6	574	445	1019	
	6 ——	9	443	349	792	
	9 ——	12	338	281	619	
	Total under 1 Year		3061	2313	5374	
Females.	1 Year and under	2	717	685	1402	
18,039	2 ——	3	390	412	802	
	3 ——	4	284	258	542	
	4 ——	5	212	214	426	
	Total under 5 Years		4664	3882	8546	
Total.	5 and under	10	495	489	984	
36,722	10 ——	15	263	378	641	
	15 ——	20	411	519	930	
	20 ——	25	457	577	1034	
	25 ——	30	388	502	890	
	30 ——	35	355	396	751	
	35 ——	40	317	420	737	
	40 ——	45	264	313	577	
	45 ——	50	316	326	642	
	50 ——	55	290	294	584	
	55 ——	60	375	353	728	
	60 ——	65	497	431	928	
	65 ——	70	503	480	983	
	70 ——	75	556	490	1046	
	75 ——	80	545	494	1039	
	80 ——	85	413	415	828	
	85 ——	90	221	217	438	
	90 ——	95	56	59	115	
	95 ——	100	15	18	33	
	100 ——		2	..	2	
	Unknown . .		14	10	24	
	Total . .		11,417	11,063	22,480	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 16.—Counties of GLOUCESTER and OXFORD, and *parts* of the Counties of WARWICK and WORCESTER.

Comprising the Superintendent Registrars' Districts of *Alcester—Aston—Atherstone—Banbury—Bicester—Bristol—Bromsgrove—Cheltenham—Chipping Norton—Chipping Sodbury—Cirencester—Clifton—Coventry—Droitwich—Dursley—Evesham—Foleshill—Gloucester—Headington—Henley—Kidderminster—King's Norton—Martley—Meriden—Newent—Northleach—Nuneaton—Oxford—Pershore—Rugby—Shipston-on-Stour—Solihull—Southam—Stourbridge—Stow-on-the-Wold—Stratford-on-Avon—Stroud—Tenbury—Tetbury—Tewkesbury—Thame—Thornbury—Upton-on-Severn—Warwick—Westbury-on-Severn—Wheatenhurst—Winchcombe—Witney—Woodstock—Worcester.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
2,355,462	977,108	68,385	84,320	56,722	209,427

BIRTHS.	DEATHS.				MARRIAGES.
	Age.		Males.	Females.	Total.	
	Under 1 Month		750	595	1345	
	1 and under	2	292	232	524	8147
Males.	2 ——	3	206	170	376	
16,014	3 ——	6	525	390	915	
	6 ——	9	354	289	643	
	9 ——	12	318	259	577	
	Total under 1 Year		2445	1935	4380	
Females.	1 Year and under	2	658	701	1359	
15,262	2 ——	3	361	380	741	
	3 ——	4	247	212	459	
	4 ——	5	189	170	359	
	Total under 5 Years		3900	3398	7298	
Total.	5 ——	10	433	415	848	
31,276	10 ——	15	248	281	529	
	15 ——	20	329	416	745	
	20 ——	25	406	491	897	
	25 ——	30	370	418	788	
	30 ——	35	347	349	696	
	35 ——	40	315	368	683	
	40 ——	45	343	299	642	
	45 ——	50	347	317	664	
	50 ——	55	316	332	648	
	55 ——	60	369	320	689	
	60 ——	65	466	448	914	
	65 ——	70	459	469	928	
	70 ——	75	489	503	992	
	75 ——	80	496	480	976	
	80 ——	85	346	398	744	
	85 ——	90	175	222	397	
	90 ——	95	57	78	135	
	95 ——	100	17	31	48	
	100 ——		..	2	2	
	105 ——		..	2	2	
	Unknown . .		26	18	44	
	Total . .		10,254	10,055	20,309	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 17.—Mining Parts of the Counties of SALOP and STAFFORD, and such *parts* of the County of WORCESTER as are not included in Division 16.

Comprising the Superintendent Registrars' Districts of *Dudley—Madely—Walsall—Wellington (Salop)—West Bromwich—Wolverhampton.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
140,798	223,457	3168	25,898	13,669	42,735

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
Males. 5843	Under 1 Month	333	231	564	2840
	1 and under 2	118	85	203	
	2 —— 3	85	68	153	
	3 —— 6	180	132	312	
	6 —— 9	146	103	249	
	9 —— 12	132	112	244	
Females. 5501	Total under 1 Year	994	731	1725	
	1 Year and under 2	376	347	723	
	2 —— 3	143	163	306	
	3 —— 4	94	82	176	
	4 —— 5	60	50	110	
Total. 11,344	Total under 5 Years	1667	1373	3040	
	5 and under 10	129	115	244	
	10 —— 15	91	71	162	
	15 —— 20	100	94	194	
	20 —— 25	103	101	204	
	25 —— 30	125	89	214	
	30 —— 35	85	95	180	
	35 —— 40	95	81	176	
	40 —— 45	99	58	157	
	45 —— 50	106	68	174	
	50 —— 55	77	65	142	
	55 —— 60	110	70	180	
	60 —— 65	103	71	174	
	65 —— 70	104	80	184	
	70 —— 75	78	95	173	
	75 —— 80	76	72	148	
	80 —— 85	48	64	112	
	85 —— 90	35	37	72	
	90 —— 95	4	11	15	
	95 —— 100	2	3	5	
	105 —— 110	2	1	3	
	Unknown . .	4	2	6	
	Total . .	3243	2716	5959	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 18.—County of CHESTER, and such *parts* of the County of SALOP and STAFFORD as are not included in Division 17.

Comprising the Superintendent Registrars' Districts of *Altrincham—Atcham—Boughton, Great—Bridgenorth—Burton-upon-Trent—Cheadle—Church Stretton—Cleobury Mortimer—Clun—Congleton—Drayton—Ellesmere—Leek—Lichfield—Ludlow—Macclesfield—Nantwich—Newcastle-under-Lyne—Newport (Salop)—Northwich—Oswestry—Penkridge—Runcorn—Seisdon—Shiffnal—Shrewsbury—Stafford—Stockport—Stoke-upon-Trent—Stone—Tamworth—Uttoxeter—Wem and Whitchurch—Wirrall—Wolstanton and Burslem.*

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
2,216,515	721,555	48,671	65,416	33,833	147,920

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
Males. 12,388	Under 1 Month	716	546	1262	5784
	1 and under 2	243	214	457	
	2 —— 3	201	163	364	
	3 —— 6	444	359	803	
	6 —— 9	381	315	696	
	9 —— 12	275	292	567	
Females. 11,851	Total under 1 Year	2260	1889	4149	
	1 Year and under 2	609	538	1147	
	2 —— 3	323	308	631	
	3 —— 4	162	214	376	
	4 —— 5	147	175	322	
Total. 24,239	Total under 5 Years	3501	3124	6625	
	5 and under 10	402	392	794	
	10 —— 15	292	324	616	
	15 —— 20	374	456	830	
	20 —— 25	390	451	841	
	25 —— 30	372	389	761	
	30 —— 35	279	339	618	
	35 —— 40	300	301	601	
	40 —— 45	286	282	568	
	45 —— 50	274	249	523	
	50 —— 55	287	271	558	
	55 —— 60	305	278	583	
	60 —— 65	360	347	707	
	65 —— 70	364	331	695	
	70 —— 75	406	376	782	
	75 —— 80	353	366	719	
	80 —— 85	290	309	599	
	85 —— 90	143	172	315	
	90 —— 95	39	48	87	
	95 —— 100	5	19	24	
	100 ——	..	3	3	
	Unknown . .	46	10	56	
	Total . .	9068	8837	17,905	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 19.—County of LANCASTER (except Liverpool and Manchester), south of Morecambe Bay.

Comprising the Superintendent Registrars' Districts of *Ashton-under-Lyne and Oldham—Blackburn—Bolton—Burnley—Bury—Chorley—Chorlton—Clitheroe—Fylde—Garstang—Haslingden—Lancaster—Leigh—Ormskirk—Prescott—Preston—Rochdale—Todmorden—Warrington*—and *Wigan*.

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,131,270	905,501	21,498	119,690	30,375	171,563

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	1253	822	2075	
	1 and under 2	377	313	690	7455
Males.	2 —— 3	318	237	555	
20,745	3 —— 6	717	597	1314	
	6 —— 9	755	523	1278	
	9 —— 12	658	585	1243	
	Total under 1 Year	4078	3077	7155	
Females.	1 Year and under 2	1540	1459	2999	
19,592	2 —— 3	667	698	1365	
	3 —— 4	399	411	810	
	4 —— 5	275	267	542	
	Total under 5 Years	6959	5912	12,871	
Total.	5 and under 10	609	556	1165	
40,337	10 —— 15	385	376	761	
	15 —— 20	539	589	1128	
	20 —— 25	576	598	1174	
	25 —— 30	404	538	942	
	30 —— 35	350	521	871	
	35 —— 40	364	474	838	
	40 —— 45	337	442	779	
	45 —— 50	368	366	734	
	50 —— 55	343	335	678	
	55 —— 60	396	347	743	
	60 —— 65	436	385	821	
	65 —— 70	412	364	776	
	70 —— 75	409	381	790	
	75 —— 80	369	316	685	
	80 —— 85	252	234	486	
	85 —— 90	131	117	248	
	90 —— 95	29	39	68	
	95 —— 100	12	7	19	
	100 ——	1	3	4	
	Unknown . .	11	14	25	
	Total . . .	13,692	12,914	26,606	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838 to June 30th, 1839, both inclusive.

Division 20.—*West Riding* of the County of YORK, except the Northern part thereof, and Leeds.

Comprising the Superintendent Registrars' Districts of *Bradford—Dewsbury—Doncaster—Ecclesfield—Ecclesall Bierlow—Goole—Halifax—Huddersfield—Keighley—Knaresborough—Otley—Pateley Bridge—Pontefract—Ripon—Rotherham—Saddleworth—Selby—Sheffield—Thorne—Wakefield*—and *Wortley*.

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,238,920	763,881	25,469	91,798	37,254	154,521

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	1020	795	1815	
	1 and under 2	280	211	491	7204
Males.	2 —— 3	221	146	367	
16,059	3 —— 6	451	344	795	
	6 —— 9	450	320	770	
	9 —— 12	418	366	784	
	Total under 1 Year	2840	2182	5022	
Females.	1 Year and under 2	1052	992	2044	
15,399	2 —— 3	418	527	945	
	3 —— 4	251	267	518	
	4 —— 5	204	199	403	
	Total under 5 Years	4765	4167	8932	
Total.	5 and under 10	468	424	892	
31,458	10 —— 15	279	311	590	
	15 —— 20	342	406	748	
	20 —— 25	355	429	784	
	25 —— 30	303	390	693	
	30 —— 35	285	347	632	
	35 —— 40	281	296	577	
	40 —— 45	268	273	541	
	45 —— 50	296	230	526	
	50 —— 55	270	250	520	
	55 —— 60	300	242	542	
	60 —— 65	344	314	658	
	65 —— 70	394	325	719	
	70 —— 75	364	365	729	
	75 —— 80	324	341	665	
	80 —— 85	218	211	429	
	85 —— 90	100	148	248	
	90 —— 95	30	44	74	
	95 —— 100	6	7	13	
	100 ——	..	1	1	
	Unknown . .	25	7	32	
	Total . .	10,017	9528	19,545	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 21.—*City* and *Ainsty* of the City, and the *East Riding* of the County of YORK.

Comprising the Superintendent Registrars' Districts of *Beverley—Bridlington—Driffield—Howden—Kingston-on-Hull—Patrington—Pocklington—Sculcoates—Skirlaugh*—and *York*.

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
803,965	216,574	15,345	15,481	16,494	47,320

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	202	154	356	
	1 and under 2	92	59	151	2130
Males.	2 —— 3	68	48	116	
3111	3 —— 6	123	104	227	
	6 —— 9	82	84	166	
	9 —— 12	63	76	139	
	Total under 1 Year	630	525	1155	
Females.	1 Year and under 2	177	180	357	
3141	2 —— 3	98	103	201	
	3 —— 4	63	60	123	
	4 —— 5	47	59	106	
	Total under 5 Years	1015	927	1942	
Total.	5 and under 10	123	85	208	
6252	10 —— 15	44	69	113	
	15 —— 20	76	88	164	
	20 —— 25	81	98	179	
	25 —— 30	109	97	206	
	30 —— 35	90	105	195	
	35 —— 40	70	61	131	
	40 —— 45	58	84	142	
	45 —— 50	73	56	129	
	50 —— 55	76	74	150	
	55 —— 60	94	66	160	
	60 —— 65	115	108	223	
	65 —— 70	115	108	223	
	70 —— 75	116	111	227	
	75 —— 80	120	117	237	
	80 —— 85	88	82	170	
	85 —— 90	46	41	87	
	90 —— 95	11	21	32	
	95 —— 100	1	1	2	
	100 ——	1	..	1	
	Unknown . .	5	..	5	
	Total . .	2527	2399	4926	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 22.—*North Riding* of the County of YORK, with such *part* of the *West Riding* as is not included in Division 20; and the County of DURHAM (except the Mining part).

Comprising the Superintendent Registrars' Districts of *Askrigg — Bishop Auckland—Darlington—Durham and Lanchester—Easington — Easingwold — Guisboro' — Helmsley — Leyburn—Malton — Northallerton — Pickering — Richmond—Scarbro'—Sedburgh—Settle—Skipton—Stockton and Sedgefield—Stokesley—Thirsk*—and *Whitby*.

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
2,043,326	311,356	24,545	21,207	19,027	64,779

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	296	214	510	
	1 and under 2	87	66	153	2576
Males.	2 —— 3	54	47	101	
5738	3 —— 6	102	81	183	
	6 —— 9	95	79	174	
	9 —— 12	84	68	152	
	Total under 1 Year	718	555	1273	
Females.	1 Year and under 2	177	188	365	
5358	2 —— 3	112	108	220	
	3 —— 4	64	73	137	
	4 —— 5	60	67	127	
	Total under 5 Years	1131	991	2122	
Total.	5 and under 10	159	157	316	
11,096	10 —— 15	106	94	200	
	15 —— 20	120	133	253	
	20 —— 25	145	161	306	
	25 —— 30	96	137	233	
	30 —— 35	100	137	237	
	35 —— 40	94	119	213	
	40 —— 45	99	89	188	
	45 —— 50	89	94	183	
	50 —— 55	109	107	216	
	55 —— 60	116	93	209	
	60 —— 65	147	124	271	
	65 —— 70	166	148	314	
	70 —— 75	163	191	354	
	75 —— 80	190	167	357	
	80 —— 85	156	166	322	
	85 —— 90	98	97	195	
	90 —— 95	27	42	69	
	95 —— 100	9	19	28	
	100 —— 105	2	3	5	
	105 ——	1	..	1	
	Unknown . .	13	3	16	
	Total . .	3336	3272	6608	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 23.—The *Mining Parts* of the Counties of NORTHUMBERLAND and DURHAM;

Comprising the Superintendent Registrars' Districts of *Castle Ward—Chester-le-Street—Gateshead — Hexham — Houghton-le-Spring — Newcastle-upon-Tyne — South Shields — Sunderland—Teesdale—Tynemouth*—and *Weardale*.

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
688,708	318,941	7298	22,937	39,297	69,532

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	389	287	676	
	1 and under 2	114	83	197	3356
Males.	2 —— 3	77	66	143	
6207	3 —— 6	178	133	311	
	6 —— 9	142	107	249	
	9 —— 12	147	118	265	
	Total under 1 Year	1047	794	1841	
Females.	1 Year and under 2	316	323	639	
5826	2 —— 3	160	139	299	
	3 —— 4	94	103	197	
	4 —— 5	74	74	148	
	Total under 5 Years	1691	1433	3124	
Total.	5 and under 10	177	169	346	
12,033	10 —— 15	121	76	197	
	15 —— 20	167	115	282	
	20 —— 25	155	145	300	
	25 —— 30	133	172	305	
	30 —— 35	125	146	271	
	35 —— 40	133	134	267	
	40 —— 45	126	117	243	
	45 —— 50	141	124	265	
	50 —— 55	152	127	279	
	55 —— 60	139	119	258	
	60 —— 65	160	136	296	
	65 —— 70	164	148	312	
	70 —— 75	161	176	337	
	75 —— 80	164	178	342	
	80 —— 85	119	144	263	
	85 —— 90	72	91	163	
	90 —— 95	17	38	55	
	95 —— 100	5	13	18	
	100 ——	..	7	7	
	Unknown . .	13	3	16	
	Total . .	4135	3811	7946	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 24.—Counties of CUMBERLAND and WESTMORELAND, and such *parts* of the Counties of LANCASTER and NORTHUMBERLAND as are not included respectively in Divisions 19 and 23.

Comprising the Superintendent Registrars' Districts of *Alnwick—Alston with Garrigill—Belford—Bellingham—Berwick—Bootle—Brampton—Carlisle — Cockermouth — East Ward — Glendale—Haltwhistle—Kendal — Longtown — Morpeth — Penrith — Rothbury — Ulverstone — West Ward—Whitehaven*—and *Wigtown*.

Area in Acres.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,590,448	338,273	24,597	22,257	22,724	69,578

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	225	158	383	
	1 and under 2	67	45	112	1783
Males.	2 —— 3	41	44	85	
5200	3 —— 6	104	79	183	
	6 —— 9	90	58	148	
	9 —— 12	74	64	138	
	Total under 1 Year	601	448	1049	
Females.	1 Year and under 2	165	157	322	
4973	2 —— 3	109	101	210	
	3 —— 4	78	66	144	
	4 —— 5	53	60	113	
	Total under 5 Years	1006	832	1838	
Total.	5 and under 10	149	146	295	
10,173	10 —— 15	139	79	218	
	15 —— 20	144	139	283	
	20 —— 25	146	117	263	
	25 —— 30	120	113	233	
	30 —— 35	89	82	171	
	35 —— 40	93	102	195	
	40 —— 45	112	85	197	
	45 —— 50	109	95	204	
	50 —— 55	98	87	185	
	55 —— 60	123	133	256	
	60 —— 65	142	140	282	
	65 —— 70	159	158	317	
	70 —— 75	170	186	356	
	75 —— 80	183	199	382	
	80 —— 85	126	163	289	
	85 —— 90	87	100	187	
	90 —— 95	33	40	73	
	95 —— 100	5	14	19	
	100 —— 105	4	1	5	
	105 ——	1	..	1	
	Unknown . .	9	3	12	
	Total . .	3247	3014	6261	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th, 1839, both inclusive.

Division 25.—WALES, with the Counties of MONMOUTH and HEREFORD.

Comprising the Superintendent Registrars' Districts of *Aberayron—Abergavenny—Aberystwith—Anglesea—Asaph, St.—Bala—Bangor and Beaumaris—Brecknock—Bridgend and Cowbridge—Bromyard—Builth—Cardiff—Cardigan—Caermarthen—Caernarvon—Chepstow—Conway—Corwen—Crickhowell—Dolgelly—Festiniog—Haverfordwest—Hay—Hereford and Dore—Holywell—Kington—Knighton—Lampeter—Ledbury—Leominster—Llandilo Fawr—Llandovery—Llanelly—Llanfyllin—Llanrwst—Machynlleth—Merthyr Tydfil—Monmouth—Montgomery—Narberth—Neath—Newcastle-in-Emlyn—Newport (Monm.)—Newtown and Llanidloes—Pembroke—Pontypool—Presteigne—Pwllheli—Rhayader—Ross—Ruthin—Swansea—Tregaron—Weobley*—and *Wrexham*.

Area in Square Miles.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
7425	1,016,219	91,567	59,325	58,853	209,745

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	649	517	1166	
	1 and under 2	265	236	501	8271
Males.	2 —— 3	175	150	325	
16,511	3 —— 6	432	327	759	
	6 —— 9	394	306	700	
	9 —— 12	333	304	637	
	Total under 1 Year	2248	1840	4088	
Females.	1 Year and under 2	793	800	1593	
16,026	2 —— 3	548	512	1060	
	3 —— 4	341	364	705	
	4 —— 5	272	230	502	
	Total under 5 Years	4202	3746	7948	
Total.	5 and under 10	571	508	1079	
32,537	10 —— 15	364	344	708	
	15 —— 20	359	348	707	
	20 —— 25	548	420	968	
	25 —— 30	489	405	894	
	30 —— 35	369	352	721	
	35 —— 40	299	295	594	
	40 —— 45	275	324	599	
	45 —— 50	303	273	576	
	50 —— 55	352	278	630	
	55 —— 60	380	296	676	
	60 —— 65	447	380	827	
	65 —— 70	434	456	890	
	70 —— 75	490	472	962	
	75 —— 80	479	497	976	
	80 —— 85	431	520	951	
	85 —— 90	305	397	702	
	90 —— 95	100	191	291	
	95 —— 100	22	58	80	
	100 —— 105	4	20	24	
	105 —— 110	2	2	4	
	Unknown . .	50	18	68	
	Total . .	11,275	10,600	21,875	

ABSTRACT of BIRTHS, DEATHS, and MARRIAGES, registered from July 1st, 1838, to June 30th 1839, both inclusive.

Divisions 1 to 25, inclusive.

Comprising the whole of ENGLAND and WALES.

Area in Square Miles.	Population according to Census of 1831.	Families in 1831.			
		Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
57,814*	13,897,187	834,543	1,227,614	849,717	2,911,874

BIRTHS.	DEATHS.				MARRIAGES.
	Age.	Males.	Females.	Total.	
	Under 1 Month	12,309	9168	21,477	
	1 and under 2	4419	3391	7810	121,083
Males.	2 —— 3	3311	2657	5968	
245,465	3 —— 6	7838	6290	14,128	
	6 —— 9	6653	5291	11,944	
	9 —— 12	5809	5168	10,977	
	Total under 1 Year	40,339	31,965	72,304	
Females.	1 Year and under 2	13,563	12,879	26,442	
235,075	2 —— 3	7336	7593	14,929	
	3 —— 4	4883	4937	9820	
	4 —— 5	3625	3575	7200	
	Total under 5 Years	69,746	60,949	130,695	
Total.	5 and under 10	7996	7720	15,716	
480,540	10 —— 15	4362	4632	8994	
	15 —— 20	5424	6273	11,697	
	20 —— 25	6640	7097	13,737	
	25 —— 30	6037	6515	12,552	
	30 —— 35	5396	5897	11,293	
	35 —— 40	5397	5659	11,056	
	40 —— 45	5231	5204	10,435	
	45 —— 50	5471	4846	10,317	
	50 —— 55	5362	4904	10,266	
	55 —— 60	5546	4985	10,531	
	60 —— 65	6834	6286	13,120	
	65 —— 70	6917	6576	12,493	
	70 —— 75	6945	7175	14,120	
	75 —— 80	6676	6843	13,519	
	80 —— 85	4850	5268	10,118	
	85 —— 90	2733	3251	5984	
	90 —— 95	765	1116	1881	
	95 —— 100	183	339	522	
	100 —— 105	24	64	88	
	105 —— 110	7	7	14	
	110 —— 115	1	..	1	
	Unknown . .	569	289	858	
	Total . .	169,112	161,895	331,007	

* The sum of the number of acres, and of the population in the 25 Divisions, does not exactly agree with this line, but the difference is inconsiderable.

TABLE shewing the Proportion, out of 1000 registered Deaths, which have occurred at various Ages in the whole of England and Wales, and in each of 25 Divisions.

AGES.	Division 1. Metropolis.			Division 2. Manchester, Salford, and Suburbs.			Division 3. Liverpool, West Derby, and Suburbs.			Division 4. Leeds and Suburbs.			Division 5. Birmingham.		
	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.
Under 1 Year .	205·4	177·6	191·5	275·5	238·3	256·9	252·8	234·5	243·6	258·2	220·3	239·2	267·2	245·0	256·1
1 and under 3	145·7	147·1	146·4	220·7	217·3	219·0	194·0	193·1	193·6	203·4	214·0	208·7	172·4	195·8	184·1
3 ,, 5	63·4	66·6	65·0	70·1	88·5	79·3	70·6	70·3	70·4	76·9	83·5	80·2	54·6	69·7	62·1
5 ,, 10	52·8	51·8	52·3	44·4	50·1	47·2	47·4	48·0	47·7	54·8	55·8	55·3	47·1	58·2	52·7
10 ,, 15	19·1	17·7	18·4	13·3	22·4	17·9	21·6	19·8	20·7	29·5	32·2	30 9	18·4	23·7	21·0
15 ,, 20	23·0	24·6	23·8	21·5	27·7	24·6	21·1	26·2	23·7	32·3	39·3	35·8	30·5	30·7	30·6
20 ,, 25	33·1	33·7	33·4	34·3	37·7	36·0	34·2	41·2	37·7	31·5	29·5	30·5	27·0	28·8	27·9
25 ,, 30	35·9	40·5	38·2	30·1	30·8	30·4	38·8	43·9	41·3	25·0	33·5	29·2	39·1	32·6	35·9
30 ,, 35	38·7	40·1	39·4	34·9	35·0	35·0	35·8	34·1	35·0	32·3	34·4	33·4	41·4	29·4	35·4
35 ,, 40	45·0	42·6	43·8	31·3	35·0	33·1	39·3	39·7	39·5	28·2	34·4	31·3	36·2	32·6	34·4
40 ,, 45	46·0	41·1	43·5	34·3	29·3	31·8	40·4	30·6	35·5	28·2	30·0	29·1	31·0	27·5	29·2
45 ,, 50	43·9	40·3	42·1	30·9	31·9	31·4	34·6	32·3	33·4	29·1	19·7	24·4	43·1	30·1	36·6
50 ,, 55	43·7	37·3	40·5	29·7	29·3	29·5	34·4	30·9	32·7	28·7	20·1	24·4	33·9	28·2	31·1
55 ,, 60	39·4	36·3	37·9	24·4	23·3	23·9	27·0	28·2	27·6	27·8	28·1	27·9	24·7	29·4	27·0
60 ,, 65	42·5	44·9	43·7	30·1	27·3	28·7	30·2	28·9	29·5	25·8	21·0	23·4	29·3	26·9	28·1
65 ,, 70	40·1	41·3	40·7	23·6	20·6	22·1	23·9	31·4	27·7	23·7	31·3	27·5	25·9	33·3	29·6
70 ,, 75	32·7	42·5	37·6	22·9	21·1	22·0	21·4	27·0	24·2	28·2	27·7	28·0	34·5	24·3	29·4
75 ,, 80	25·6	35·5	30·5	16·0	18·0	17·0	19·3	16·7	18·0	17·2	21·9	19·5	23·0	25·0	24·0
80 ,, 85	14·3	21·4	17·9	7·4	8·9	8·1	8·1	13·0	10·5	12·7	13·8	13·3	14·9	11·5	13·2
85 ,, 90	7·7	12·3	10·0	2·5	5·1	3·8	3·5	8·3	5·9	6·1	6·3	6·2	2·9	12·2	7·6
90 and upwards	2·0	4·8	3·4	2·1	2·4	2·3	1·6	1·9	1·8	·4	3·2	1·8	2·9	5·1	4·0

TABLE shewing the Proportion out of 1000 registered Deaths, &c.—*continued.*

AGES.	Division 6. Middlesex (except the Metropolis), Herts, Beds, and Bucks.			Division 7. Kent, Surrey (except the Metropolis), Sussex, Berks, and Hants.			Division 8. Dorsetshire and Wiltshire.			Division 9. Devonshire.			Division 10. Cornwall.		
	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.
Under 1 Year .	244·4	200·3	222·3	203·9	163·3	183·6	202·3	147·6	174·9	198·2	171·2	184·7	225·0	189·7	207·3
1 and under 3	86·0	92·4	89·2	89·1	93·1	91·1	107·3	105·5	106·4	112·7	111·8	112·2	126·7	140·2	133·5
3 ,, 5	40·9	37·6	39·3	52·4	50·3	51·3	40·6	40·1	40·4	48·9	43·8	46·4	66·2	65·5	65·8
5 ,, 10	43·7	43·6	43·6	50·0	57·2	53·6	41·2	38·2	39·7	43·5	40·6	42·0	46·0	55·0	50·5
10 ,, 15	25·1	33·4	29·3	26·9	32·4	29·7	28·0	31·0	29·5	21·8	23·6	22·7	24·6	23·2	23·9
15 ,, 20	27·8	44·9	36·3	33·2	44·7	38·9	36·6	48·1	42·3	25·7	31·6	28·7	33·1	26·8	30·0
20 ,, 25	41·5	46·4	44·0	44·4	48·8	46·6	40·6	50·7	45·7	38·9	41·6	40·2	38·8	42·3	40·5
25 ,, 30	36·3	35·8	36·0	39·7	42·3	41·0	36·1	37·1	36·6	36·3	37·5	36·9	36·9	31·4	34·2
30 ,, 35	34·4	37·8	36·1	33·4	36·3	34·9	35·8	30·8	33·3	32·0	31·0	31·5	28·7	26·2	27·4
35 ,, 40	33·5	38·2	35·9	33·9	35·7	34·8	36·1	36·9	36·5	27·2	26·4	26·8	27·1	24·8	26·0
40 ,, 45	29·7	38·8	34·2	30·3	34·7	32·5	32·5	31·6	32·0	28·3	33·4	30·9	21·7	25·2	23·4
45 ,, 50	35·6	29·8	32·7	31·5	30·4	30·9	28·0	28·8	28·4	32·4	26·2	29·3	34·7	20·8	27·8
50 ,, 55	32·9	31·9	32·4	32·1	34·1	33·1	32·3	34·9	33·6	37·6	30·1	33·8	25·5	24·2	24·8
55 ,, 60	28·9	28·5	28·7	34·1	33·4	33·8	34·0	39·0	36·5	36·8	30·7	33·8	37·2	32·7	35·0
60 ,, 65	46·2	42·3	44·3	46·5	47·2	46·8	44·4	48·6	46·5	48·5	36·4	42·4	42·2	38·0	40·1
65 ,, 70	47·9	50·1	49·0	50·3	44·4	47·4	44·9	50·3	47·6	45·5	54·1	49·8	46·3	39·7	43·0
70 ,, 75	49·3	54·2	51·7	49·4	53·6	51·5	50·8	54·7	52·8	52·6	61·5	57·1	36·6	51·6	44·1
75 ,, 80	52·9	46·9	49·9	51·8	50·7	51·2	53·3	60·4	56·8	60·0	69·3	64·6	49·2	54·9	52·0
80 ,, 85	39·8	35·8	37·8	39·0	35·2	37·1	41·1	47·0	44·1	38·9	46·9	42·9	28·0	45·1	36·6
85 ,, 90	18·1	22·0	20·1	21·2	22·9	22·1	25·0	28·6	26·8	24·2	34·9	29·6	18·6	31·1	24·8
90 and upwards	5·1	9·3	7·2	6·9	9·3	8·1	9·1	10·1	9·6	10·0	17·4	13·7	6·9	11·6	9·3

TABLE shewing the Proportion out of 1000 registered Deaths, &c.—*continued.*

AGES.	Division 11. Somersetshire.			Division 12. Essex.			Division 13. Norfolk and Suffolk.			Division 14. Lincolnshire (southern parts of), Huntingdonshire, and Cambridgeshire.			Division 15. Lincolnshire (northern parts of), Rutland, Derby, Notts, Leicestershire, and Northamptonshire.		
	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.
Under 1 Year .	219·5	186·7	203·1	209·0	182·0	195·5	241·2	184·8	213·0	298·8	235·4	267·1	268·4	209·3	238·8
1 and under 3	114·6	104·9	109·7	95·9	89·1	92·5	88·5	84·4	86·4	94·1	94·0	94·0	97·1	99·3	98·2
3 ,, 5	51·1	54·0	52·6	51·0	55·8	53·4	46·4	47·8	47·1	36·3	45·3	40·8	43·6	42·7	43·2
5 ,, 10	48·3	48·2	48·2	63·8	65·0	64·4	51·2	52·0	51·6	43·7	45·3	44·5	43·4	44·3	43·8
10 ,, 15	26·6	33·1	29·9	30·0	40·3	35·1	27·2	33·4	30·3	29·3	33·4	31·4	23·2	34·2	28·7
15 ,, 20	30·3	37·3	33·8	36·2	44·4	40·3	31·9	46·5	39·2	36·3	45·9	41·1	36·0	47·0	41·5
20 ,, 25	41·6	41·9	41·7	37·6	45·7	41·7	40·8	51·3	46·1	42·3	53·1	47·7	40·1	52·2	46·2
25 ,, 30	37·4	36·6	37·0	37·9	46·3	42·1	33·0	38·9	35·9	36·5	42·5	39·5	34·0	45·4	39·7
30 ,, 35	27·1	36·6	31·9	28·6	34·6	31·6	25·7	36·9	31·3	28·2	38·4	33·3	31·1	35·8	33·4
35 ,, 40	30·8	27·8	29·3	29·5	33·3	31·4	25·0	32·8	28·9	26·8	31·4	29·1	27·3	38·0	32·7
40 ,, 45	29·9	28·5	29·2	28·9	25·1	27·0	25·5	29·1	27·3	24·6	29·5	27·0	23·2	28·3	25·7
45 ,, 50	30·6	24·8	27·7	37·0	32·4	34·7	26·4	29·7	28·1	31·5	23·6	27·6	27·2	29·5	28·4
50 ,, 55	31·7	31·7	31·7	29·7	28·2	28·9	25·7	29·3	27·5	29·1	23·3	26·2	25·4	26·6	26·0
55 ,, 60	29·9	30·3	30·1	29·5	24·1	26·8	25·7	30·3	28·0	25·5	28·9	27·2	32·9	31·9	32·4
60 ,, 65	42·5	42·8	42·6	44·6	43·1	43·9	43·0	37·6	40·3	40·4	38·1	39·2	43·6	39·0	41·3
65 ,, 70	42·3	47·5	44·9	51·6	39·0	45·3	53·2	45·8	49·5	39·0	42·0	40·5	44·1	43·4	43·7
70 ,, 75	46·9	50·7	48·8	52·5	47·9	50·2	53·7	50·6	52·1	44·3	48·1	46·2	48·8	44·3	46·6
75 ,, 80	50·2	50·9	50·6	43·7	52·0	47·8	53·5	54·6	54·1	37·1	43·1	40·1	47·9	44·7	46·3
80 ,, 85	38·5	43·8	41·1	36·4	40·0	38·2	44·0	43·8	43·9	29·3	32·0	30·7	36·1	37·5	36·8
85 ,, 90	22·2	29·2	25·7	19·8	22·5	21·2	26·8	27·7	27·2	20·8	17·0	18·9	20·2	19·6	19·9
90 and upwards	8·0	12·7	10·4	6·8	9·2	8·0	11·6	12·7	12·2	6·1	9·7	7·9	6·4	7·0	6·7

TABLE shewing the Proportion out of 1000 registered Deaths, &c.—*continued.*

AGES.	Division 16. Oxfordshire, Gloucestershire, Worcestershire, and Warwickshire (except Birmingham).			Division 17. Mining parts of Staffordshire and Shropshire.			Division 18. Rest of Staffordshire and Shropshire, and Cheshire.			Division 19. Lancashire, (south of Morecambe Bay,) except Liverpool and Manchester.			Division 20. West Riding of Yorkshire (except the northern part thereof, and Leeds).		
	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.
Under 1 Year .	39·1	192·8	215·9	306·9	269·3	288·1	251·5	214·0	232·7	298·1	238·5	268·3	284·3	229·1	256·7
1 and under 3	99·6	107·7	103·7	160·2	187·9	174·0	103·3	95·8	99·6	161·3	167·2	164·2	147·1	159·5	153·3
3 ,, 5	42·6	38·1	40·3	47·5	48·6	48·1	34·2	44·1	39·1	49·3	52·6	51·0	45·6	48·9	47·2
5 ,, 10	42·3	41·4	41·9	39·8	42·4	41·1	44·6	44·4	44·5	44·5	43·1	43·8	46·9	44·5	45·7
10 ,, 15	24·3	28·0	26·1	28·1	26·2	27·1	32·4	36·7	34·6	28·1	29·1	28·6	27·9	32·7	30·3
15 ,, 20	32·2	41·4	36·8	30·9	34·6	32·8	41·4	51·7	46·5	39·4	45·7	42·5	34·2	42·6	38·4
20 ,, 25	39·7	48·9	44·3	31·8	37·2	34·5	43·2	51·1	47·2	42·1	46·4	44·3	35·5	45·1	40·3
25 ,, 30	36·2	41·6	38·9	38·6	32·8	35·7	41·2	44·1	42·6	29·5	41·7	35·6	30·3	41·0	35·7
30 ,, 35	33·9	34·8	34·4	26·2	35·0	30·6	30·9	38·4	34·7	25·6	40·4	33·0	28·5	36·4	32·4
35 ,, 40	30·8	36·7	33·7	29·3	29·8	29·5	32·2	34·1	33·1	26·6	36·7	31·6	28·1	31·1	29·6
40 ,, 45	33·5	29·8	31·7	30·6	21·4	26·0	31·7	32·0	31·9	24·6	34·3	29·5	26·8	28·7	27·8
45 ,, 50	33·9	31·6	32·7	32·7	25·1	28·9	30·4	28·2	29·3	26·9	28·4	27·6	29·6	24·2	26·9
50 ,, 55	30·9	33·1	32·0	23·8	24·0	23·9	31·8	30·7	31·2	25·1	26·0	25·6	27·0	26·3	26·6
55 ,, 60	36·1	31·9	34·0	34·0	25·8	29·9	33·8	31·5	32·7	28·9	26·9	27·9	30·2	25·4	27·8
60 ,, 65	45·6	44·6	45·1	31·8	26·2	29·0	39·9	39·3	39·6	31·9	29·8	30·8	34·4	33·0	33·7
65 ,, 70	44·9	46·7	45·8	32·1	29·5	30·8	40·4	37·4	38·9	30·1	28·2	29·2	39·4	34·1	36·8
70 ,, 75	47·8	50·1	49·0	24·1	35·0	29·6	45·0	42·6	43·8	29·9	29·5	29·7	36·4	38·4	37·4
75 ,, 80	48·5	47·8	48·1	23·5	26·5	25·0	39·1	41·5	40·3	27·0	24·5	25·7	32·4	35·8	34·1
80 ,, 85	33·8	39·7	36·8	14·8	23·6	19·2	32·2	35·0	33·6	18·4	18·1	18·3	21·8	22·2	22·0
85 ,, 90	17·1	22·1	19·6	10·8	13·6	12·2	15·9	19·5	17·7	9·6	9·1	9·3	10·0	15·6	12·8
90 and upwards	7·2	11·2	9·2	2·5	5·5	4·0	4·9	7·9	6·4	3·1	3·8	3·5	3·6	5·4	4·5

TABLE shewing the Proportion out of 1000 registered Deaths, &c.—*continued.*

AGES.	Division 21. City, Ainsty, and East Riding of York.			Division 22. North Riding of Yorkshire, and Durham, (except the mining parts,) and the northern parts of the West Riding of Yorkshire.			Division 23. Mining parts of Durham and Northumberland.			Division 24. Lancashire, (north of Morecambe Bay,) Westmoreland, Cumberland, and rest of Northumberland.			Division 25. Wales, with Monmouthshire and Herefordshire.		
	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.	Males.	Fem.	Mean.
Under 1 Year .	249·8	218·8	234·3	216·0	170·3	193·1	254·0	208·5	231·2	185·6	148·8	167·7	200·3	173·9	187·1
1 and under 3	109·0	118·0	113·5	87·0	90·8	88·9	115·5	121·3	118·4	84·6	85·7	85·1	117·3	123·9	120·6
3 ,, 5	43·6	49·6	46·6	37·3	43·0	40·2	40·7	46·5	43·6	40·4	41·8	41·1	56·0	56·1	56·0
5 ,, 10	48·8	35·4	42·1	48·2	48·2	48·2	42·9	44·4	43·7	46·0	48·5	47·3	49·5	48·0	48·8
10 ,, 15	17·5	28·8	23·1	31·9	28·8	30·3	29·4	20·0	24·7	42·9	26·2	34·5	32·4	32·5	32·4
15 ,, 20	30·1	36·7	33·4	36·1	40·8	38·5	40·5	30·2	35·3	44·5	46·2	45·4	32·6	32·9	32·8
20 ,, 25	32·1	40·9	36·5	43·6	46·3	44·9	37·6	38·1	37·9	45·1	38·9	42·0	47·9	39·7	43·8
25 ,, 30	43·2	40·4	41·8	28·9	42·1	35·5	32·3	45·2	38·7	37·1	37·5	37·3	42·7	38·3	40·5
30 ,, 35	35·7	43·8	39·8	30·1	42·1	36·1	30·3	38·3	34·3	27·5	27·2	27·3	34·0	33·3	33·6
35 ,, 40	27·8	25·4	26·6	28·2	36·6	32·4	32·3	35·2	33·8	28·7	33·9	31·3	26·8	27·9	27·4
40 ,, 45	23·0	35·0	29·0	29·8	27·3	28·6	30·6	30·7	30·6	34·6	28·2	31·4	25·0	30·6	27·8
45 ,, 50	28·9	23·3	26·1	26·8	28·8	27·8	34·2	32·6	33·4	33·6	31·5	32·6	26·5	25·8	26·1
50 ,, 55	30·1	30·8	30·4	32·8	32·8	32·8	36·9	33·3	35·1	30·3	28·9	29·6	31·5	26·3	28·9
55 ,, 60	37·3	27·5	32·4	34·9	28·5	31·7	33·7	31·2	32·5	38·0	44·2	41·1	33·5	28·0	30·8
60 ,, 65	45·6	45·0	45·3	44·2	38·1	41·1	38·8	35·7	37·2	43·8	46·5	45·1	39·8	35·9	37·8
65 ,, 70	45·6	45·0	45·3	49·9	45·4	47·7	39·8	38·9	39·4	49·0	52·5	50·3	38·1	43·1	40·6
70 ,, 75	46·0	46·3	46·2	49·0	58·6	53·8	39·0	46·2	42·6	52·5	61·8	57·1	42·3	44·6	43·5
75 ,, 80	47·6	48·8	48·2	57·2	51·2	54·2	39·8	46·7	43·2	56·5	66·1	61·3	40·8	47·0	43·9
80 ,, 85	34·9	34·2	34·5	46·9	50·9	48·9	28·9	37·8	33·4	39·0	54·1	46·6	40·7	49·1	44·9
85 ,, 90	18·2	17·1	17·7	29·5	29·8	29·6	17·5	24·0	20·7	27·0	33·2	30·1	29·4	37·5	33·4
90 and upwards	5·2	9·2	7·2	11·7	19·6	15·7	5·3	15·2	10·3	13·3	18·3	15·8	12·9	25·6	19·3

Table shewing the Proportion out of 1000 Registered Deaths, &c.—*continued.*

AGES.	England and Wales.			AGES.	England and Wales.		
	Males.	Females.	Mean.		Males.	Females.	Mean.
Under 1 Year .	239·3	197·8	218·5	45 and under 50	32·5	30·0	31·3
1 and under 3	123·9	126·7	125·3	50 ,, 55	31·8	30·4	31·1
3 ,, 5	50·5	52·7	51·6	55 ,, 60	32·9	30·8	31·8
5 ,, 10	47·4	47·8	47·6	60 ,, 65	40·5	38·9	39·7
10 ,, 15	25·9	28·7	27·3	65 ,, 70	41·0	40·7	40·9
15 ,, 20	32·1	38·8	35·5	70 ,, 75	41·2	44·4	42·8
20 ,, 25	39·5	43·9	41·7	75 ,, 80	39·6	42·3	40·9
25 ,, 30	35·8	40·3	38·0	80 ,, 85	28·8	32·6	30·7
30 ,, 35	32·1	36·5	34·3	85 ,, 90	16·2	20·1	18·2
35 ,, 40	32·1	35·0	33·6	90 and upwards	5·8	9·4	7·6
40 ,, 45	31·1	32·2	31·6				

Table shewing the Total Births and Deaths—the Deaths under 1 and under 5 Years of Age—and the Proportion that Died under 1 and 5 to 1000 Registered Births and Deaths.

COUNTIES.	MALES.							
	Total Births.	Deaths.			Died under 1 Year.		Died under 5 Years.	
		Total.	Under 1 Year.	Under 5 Years.	To 1000 Registered Births.	To 1000 Registered Deaths.	To 1000 Registered Births.	To 1000 Registered Deaths.
1 Metropolis	26,186	23,951	4,906	9,900	187·3	204·8	378·0	413·4
2 South-Eastern Counties .	21,619	14,309	2,909	4,928	134·5	203·3	227·9	344·4
3 South Midland Counties .	18,022	11,159	2,799	4,260	155·0	250·8	235·9	381·7
4 Eastern Counties . . .	14,991	10,549	2,427	3,887	161·9	230·0	259·3	368·4
5 South-Western Counties .	25,859	15,850	3,317	5,932	128·3	209·3	229·4	374·3
6 Western Counties . . .	29,528	19,508	4,905	7,895	166·1	251·4	267·4	404·7
7 North-Midland Counties .	17,611	10,777	2,971	4,449	168·7	275·7	252·6	412·8
8 North-Western Counties .	37,365	27,281	7,626	13,748	204·1	279·5	367·9	503·9
9 Yorkshire	25,927	17,122	4,523	7,757	174·4	264·1	299·2	452·9
10 Northern Counties . . .	13,137	8,337	1,898	3,088	144·5	227·6	235·1	370·4
11 Monmouth and Wales . .	15,220	10,269	2,058	3,902	135·2	200·4	256·4	380·0
England and Wales	245,465	169,112	40,339	69,746	164·3	238·5	284·1	412·4

COUNTIES.	FEMALES.							
	Total Births.	Deaths.			Died under 1 Year.		Died under 5 Years.	
		Total.	Under 1 Year.	Under 5 Years.	To 1000 Registered Births.	To 1000 Registered Deaths.	To 1000 Registered Births.	To 1000 Registered Deaths.
1 Metropolis	25,046	22,817	4,045	8,913	161·5	177·3	355·8	390·6
2 South-Eastern Counties .	20,653	13,424	2,189	4,111	106·0	163·1	199·0	306·2
3 South Midland Counties .	17,250	11,252	2,325	3,821	134·8	206·6	221·5	339·6
4 Eastern Counties . . .	14,054	10,394	1,910	3,322	135·9	183·8	236·4	319·6
5 South-Western Counties .	24,717	15,594	2,702	5,254	109·3	173·2	212·6	336·9
6 Western Counties . . .	28,117	18,386	3,813	6,789	135·6	207·4	241·4	369 3
7 North Midland Counties .	17,185	10,405	2,224	3,681	129·4	213·7	214·2	353·8
8 North-Western Counties .	35,545	25,904	6,083	12,087	171·1	234·8	340·1	466·6
9 Yorkshire	24,902	16,347	3,543	6,847	142·3	216·7	275·0	418·9
10 Northern Counties . . .	12,418	7,689	1,428	2,599	115·0	185·7	209·3	338·0
11 Monmouth and Wales . .	14,738	9,683	1,703	3,525	115·6	175·9	239·2	364·0
England and Wales	234,625	161,895	31,965	60,949	136·2	197·4	259·8	376·5

COMPARATIVE STATEMENT of the Ages of Persons in the several Counties of England, on the 28th day of May 1821, as deduced from the Returns made under the Population Act, shewing what would be the Number of Persons of the several Ages were returned from each County to have been 10,000, and the Number of Females to have been 10,000 respectively.

(*From the Population Abstract*, 1821.)

COUNTIES.	MALES.									
	Under 5 Years.	5 to 10	10 to 15	15 to 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	70 to 80	80 to 90	90 to 100	100 & upwards.
ENGLAND.													
Bedford	1596	1336	1207	1054	1490	1008	902·2	657·5	468·8	226·6	51·51	3·71	..
Berks	1440	1385	1183	979	1429	1098	928·0	709·1	489·9	277·9	75·66	4·85	·16
Bucks	1505	1339	1229	1017	1393	1052	915·6	702·3	502·7	269·3	70·11	4·71	..
Cambridge	1568	1313	1137	1051	1550	1106	909·9	648·3	459·4	202·6	52·31	2·56	..
Chester	1638	1405	1224	1022	1465	1109	895·2	595·2	394·7	193·4	53·24	4·43	·08
Cornwall	1597	1352	1202	1047	1496	1073	856·4	651·6	437·3	229·7	54·69	3·73	·08
Cumberland	1535	1341	1197	991	1511	1150	905·3	607·3	446·5	240·6	66·37	7·74	·26
Derby	1540	1389	1223	1025	1446	1078	891·3	660·0	455·0	227·8	59·69	4·67	·10
Devon	1563	1362	1156	987	1403	1145	899·4	676·0	495·5	248·8	60·61	4·45	·10
Dorset	1503	1362	1221	969	1374	1041	930·5	705·2	536·6	280·5	68·96	8·81	..
Durham	1544	1368	1193	974	1332	1250	860·8	649·3	484·2	251·9	83·74	9·06	·77
Essex	1535	1402	1163	954	1464	1135	950·1	661.7	464·5	216·5	50·22	3·28	·15
Gloucester	1488	1323	1172	1004	1480	1102	960·7	686·8	473·2	241·1	63·52	4·04	..
Hereford	1317	1268	1191	1003	1420	1117	961·9	776·1	568·7	289·4	81·99	4·29	·39
Hertford	1520	1431	1225	991	1436	1108	915·2	645·2	442·4	226·0	57·11	2·74	..
Huntingdon	1523	1417	1185	1016	1439	1043	897·1	687·1	498·1	234·5	56·63	3·57	..
Kent	1587	1394	1195	912	1360	1146	955·1	703·2	458·9	231·1	52·84	3·35	·06
Lancaster	1711	1436	1262	1018	1437	1143	887·9	564·3	343·8	154·1	38·92	3·01	·14
Leicester	1475	1307	1128	1004	1538	1126	942·9	690·2	482·9	240·1	62·31	2·68	·12
Lincoln	1504	1315	1129	1022	1524	1109	936·0	697·7	456·2	236·0	65·90	4·96	..
Middlesex	1395	1112	962	874	1721	1524	1164·9	719·3	362·1	137·7	25·63	2·05	·21
Monmouth	1320	1247	1113	1008	1630	1247	990·7	673·1	469·3	221·9	72·63	7·29	..
Norfolk	1524	1332	1124	1003	1474	1078	923·4	684·4	498·5	282·0	70·11	5·86	·25
Northampton	1496	1311	1135	1014	1427	1065	937·0	715·2	547·6	290·5	56·68	3·01	..
Northumberland	1477	1356	1211	1013	1449	1088	882·2	669·7	484·5	276·8	82·00	10·74	·16
Nottingham	1499	1345	1183	1064	1461	1071	925·7	680·1	468·5	235·0	63·16	4·33	..
Oxford	1416	1287	1142	1110	1516	1100	920·2	676·9	494·0	263·0	69·65	4·57	..
Rutland	1432	1288	1151	1079	1401	1042	926·7	732·2	597·5	274·8	71·70	3·26	..
Salop	1404	1329	1238	1022	1426	1087	970·8	675·7	508·8	262·2	71·70	4·90	..
Somerset	1550	1322	1163	983	1494	1122	911·5	672·9	484·3	232·6	61·73	3·41	..
Southampton	1578	1430	1179	936	1325	1162	934·5	679·2	473·7	232·4	64·76	4·62	·07
Stafford	1592	1426	1234	1002	1435	1130	895·8	614·7	405·9	207·8	52·23	4·24	..
Suffolk	1555	1377	1185	1010	1414	1061	879·3	671·3	504·2	270·0	67·93	4·58	..
Surrey	1431	1284	1122	901	1493	1315	1105·2	718·4	409·7	178·6	38·25	3·08	·07
Sussex	1602	1431	1236	953	1416	1067	886·0	651·3	450·1	245·2	57·88	2·76	·19
Warwick	1485	1277	1133	1003	1481	1123	936·6	710·5	514·2	263·9	67·10	4·07	·36
Westmorland	1503	1306	1121	1012	1488	1093	933·9	670·7	504·2	289·1	76·39	2·74	..
Wilts	1518	1321	1188	1006	1445	1070	919·8	691·5	506·7	257·3	71·71	4·71	·10
Worcester	1464	1319	1147	974	1473	1148	987·4	679·1	484·0	249·9	68·28	4·32	·37
York (East Riding)	1498	1339	1167	971	1405	1121	1032·9	709·8	451·9	235·0	64·76	3·88	·32
,, (North Riding)	1416	1359	1195	1003	1384	1079	890·8	715·4	541·9	311·0	94·47	9·67	·28
,, (West Riding)	1673	1403	1214	1033	1442	1124	855·3	612·1	403·8	190·7	45·12	3·50	·03
England (collectively)	1538	1343	1169	988	1470	1155	941·0	665·6	447·6	221·9	56·25	4·15	·12
WALES.													
Wales (collectively)	1514	1407	1210	1009	1433	1109	871·4	646·3	474·8	243·6	74·09	7·54	·09

N.B. The Decimal Parts having been omitted, for the sake of brevity, in the Number of Persons under 40 Years of Age, the Totals become liable to apparent error, not exceeding 1 in the 10,000.

Comparative Statement of the Ages of Persons in the several Counties of England, on the 28th day of May 1821, &c.—(*continued*).
(*From the Population Abstract*, 1821.)

COUNTIES.	FEMALES.								
	Under 5 Years.	5 to 10	10 to 15	15 to 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70
ENGLAND.									
Bedford	1480	1254	1051	1053	1740	1136	904·3	648·3	462·9
Berks	1366	1292	1097	941	1580	1180	964·7	701·7	505·0
Bucks	1400	1286	1050	985	1645	1158	965·6	692·3	476·5
Cambridge	1551	1313	1035	1032	1682	1100	926·4	644·8	442·7
Chester	1549	1336	1115	1043	1681	1161	875·1	568·6	395·6
Cornwall	1448	1255	1055	1007	1636	1134	895·4	702·8	509·9
Cumberland	1301	1260	1069	987	1674	1201	915·1	691·4	529·6
Derby	1484	1340	1178	1051	1607	1147	859·9	618·1	433·0
Devon	1376	1223	1001	968	1653	1230	926·0	714·1	539·4
Dorset	1355	1222	1055	965	1646	1188	970·6	711·5	534·2
Durham	1408	1261	1065	1013	1609	1143	910·9	689·0	510·8
Essex	1497	1351	1084	956	1642	1157	921·0	645·4	466·8
Gloucester	1395	1247	1065	999	1633	1166	960·5	680·8	495·8
Hereford	1326	1238	1073	972	1560	1151	963·8	727·6	572·7
Hertford	1445	1297	1132	1013	1646	1181	924·3	623·4	444·8
Huntingdon	1512	1361	1123	983	1582	1112	873·0	661·4	502·1
Kent	1508	1349	1097	953	1662	1205	909·9	625·9	420·3
Lancaster	1582	1334	1157	1073	1678	1217	868·5	527·0	351·0
Leicester	1441	1289	1053	1005	1677	1188	921·1	645·3	479·7
Lincoln	1441	1308	1051	1026	1655	1136	929·8	667·9	470·6
Middlesex	1311	1002	830	947	2046	1529	1061·2	679·3	391·0
Monmouth	1404	1274	1048	995	1576	1195	944·6	648·2	544·2
Norfolk	1430	1271	1003	952	1644	1147	965·2	703·1	508·0
Northampton	1423	1265	1030	961	1618	1156	960·1	719·8	542·5
Northumberland	1330	1241	1075	1063	1676	1136	900·2	673·6	511·0
Nottingham	1430	1276	1092	1023	1710	1165	914·3	643·5	451·1
Oxford	1412	1285	1071	991	1564	1154	972·3	711·5	505·5
Rutland	1351	1235	1015	997	1573	1056	984·4	771·3	606·9
Salop	1366	1332	1142	1006	1534	1139	908·7	677·4	526·3
Somerset	1385	1204	1000	987	1684	1223	965·1	694·0	519·7
Southampton	1452	1324	1060	966	1655	1231	912·3	667·8	441·6
Stafford	1515	1406	1116	982	1653	1137	889·3	599·0	424·3
Suffolk	1467	1310	1064	963	1618	1129	917·8	671·3	500·1
Surrey	1353	1207	988	945	1760	1357	1027·2	682·3	427·6
Sussex	1601	1443	1163	954	1568	1111	842·4	603·6	431·1
Warwick	1426	1234	1013	979	1701	1166	962·7	686·8	498·0
Westmorland	1399	1262	1079	929	1557	1143	925·8	739·3	547·0
Wilts	1401	1221	1036	970	1632	1171	981·8	725·9	525·5
Worcester	1367	1275	1058	987	1691	1173	950·1	672·8	478·1
York (East Riding)	1372	1234	1093	1006	1674	1185	974·5	683·4	462·1
,, (North Riding)	1359	1284	1036	996	1530	1129	952·9	704·8	561·8
,, (West Riding)	1608	1365	1156	1050	1586	1143	846·9	592·4	411·5
England (collectively)	1444	1268	1056	995	1684	1210	932·6	653·3	458·0
WALES.									
Wales (collectively)	1382	1281	1093	1003	1560	1163	911·6	672·6	535·5

COUNTIES.	FEMALES.			
	70 to 80	80 to 90	90 to 100	100 & upwards.
ENGLAND.				
Bedford	213·3	53·56	3·00	·23
Berks	276·0	89·01	6·61	·32
Bucks	267·8	70·15	4·70	..
Cambridge	217·6	51·72	2·15	..
Chester	208·4	61·66	5·10	·07
Cornwall	267·8	81·98	6·36	·24
Cumberland	271·3	88·86	10·68	·75
Derby	217·5	59·66	4·81	..
Devon	276·8	83·62	7·65	·09
Dorset	264·7	77·29	9·91	..
Durham	276·6	99·09	12·73	1·11
Essex	213·9	60·34	44·8	·07
Gloucester	272·1	79·24	6·51	.25
Hereford	294·2	109·42	11·66	·39
Hertford	223·3	67·22	3·20	·32
Huntingdon	223·2	62·11	4·78	..
Kent	207·8	55·58	4·41	·28
Lancaster	167·6	40·70	3·71	·17
Leicester	234·8	60·40	4·55	·23
Lincoln	237·2	71·13	6·15	·36
Middlesex	160·5	37·51	3·99	·33
Monmouth	269·0	91·23	10·17	·87
Norfolk	282·7	85·05	8·35	·23
Northampton	256·5	62·82	3·95	·13
Northumberland	284·3	93·22	13·96	·93
Nottingham	228·6	61·08	4·37	..
Oxford	249·3	76·54	6·09	·16
Rutland	323·4	76·81	9·74	..
Salop	264·1	94·88	7·79	·32
Somerset	256·8	75·29	6·23	·06
Southampton	223·9	60·07	5·20	·14
Stafford	212·9	59·43	6·06	·37
Suffolk	267·2	84·26	6·87	·15
Surrey	197·3	48·52	6·32	·28
Sussex	224·1	54·85	4·11	..
Warwick	261·3	66·51	5·00	·12
Westmorland	309·5	100·98	7·35	·39
Wilts	260·6	68·79	5·26	..
Worcester	262·1	79·18	5·81	·24
York (East Riding)	239·4	70·94	4·72	·10
,, (North Riding)	318·6	114·13	10·81	·55
,, (West Riding)	187·2	49·10	3·93	·06
England (collectively)	228·2	64·85	5·75	·22
WALES.				
Wales (collectively)	281·4	104·76	10·95	·50

APPENDIX.

CAUSES OF DEATH IN ENGLAND AND WALES.

Letter to the Registrar-General from William Farr, Esq.

SIR, *London, June*, 1840.

The abstract which I have the honour to submit to you comprises 342,529 deaths registered in the year 1838. The causes were assigned in 330,559 instances. Your First Report contained abstracts of the causes of 141,607 deaths, with which the present facts will afford the materials for an interesting comparison. The fatality of different diseases in the year 1838, and their effects in the half-year preceding, will be shewn; and the combined observations, presenting a more extensive series than has ever before been published in this or in any other country, will serve as the basis of well-grounded deductions. A careful analysis of the results will shew the common causes of death in England.

In arranging the facts which the returns contain, the fatal diseases have been referred to as many distinct heads as could be advantageously distinguished in the present state of medical science, and in this early stage of registration. The diseases have been grouped according to their mode of prevalence, and according to the systems of organs principally involved; the relative extent to which the sexes have suffered from each cause and class of causes is exhibited; the causes of deaths in the several districts, counties, and large divisions of the country, are displayed in an extensive series of tables; and the observations have been thrown into various combinations, calculated to demonstrate the influence of the principal springs either of health or of mortality. The nature of the classification was explained in your First Report: it was shewn there that several classifications of diseases had been proposed; that medical writers were divided in opinion as to the absolute merits of existing classifications; that the superiority of a classification could only be established by the number of facts which it generalized, or the practical results to which it led; that more arrangements of the facts than one may be useful, but that the main object in view should regulate its principle; and finally, that a *statistical nosology*, to throw the clearest light upon the health of a nation, should be founded upon the mode in which diseases affect the population.

The classification which was proposed last year has been put to the test; and, as I hope to be able to shew that the principal anticipations held out have been realized, no sufficient reason can be alleged for changing the frame-work of the arrangement, whatever improvements may be made in its details. At the same time it is freely admitted, that the facts themselves constitute the lasting, staple value of the abstracts; and that, within certain limits, the more extensive the list of

causes the better, as it will always be easy to combine, and may be difficult to separate, distinct diseases referred in the Report to one head. The list of causes has, on these grounds, been slightly extended.

The facts in the Appendix are published in sufficient detail to be available in the study of special causes; and physicians all over the country will find at their disposal the materials for investigating the various forms of fatal diseases in their own neighbourhood, and the means of comparing them with the diseases of other localities. The intelligence and sagacity of all the members of the medical profession will thus be brought to bear upon the facts in the Report; and it may be confidently anticipated that, in the lapse of time, innumerable results will be elicited of the highest interest to medical science and to humanity.

Mortality and Diseases of the Year 1838.

The rate of mortality in 1838 was higher than in the latter half of the year 1837. Small-pox and typhus prevailed epidemically. The epidemics began in 1837, close upon the decline of influenza, and attained their acme early in the year 1838. The class of pulmonary diseases was much more fatal, so were the convulsions of young children, and the equally obscure maladies of old age. The rigorous weather, which set in early in January, exercised a decided influence upon several of these diseases; and was, with the epidemics, apparently the cause of the increased mortality. I proceed to shew the exact share of each disease in the general mortality.

The number of deaths registered in the year 1838 was—

Males.	Females.	Males and Females.
175,044	167,485	342,529

The population in the middle of the year was, according to the calculation in your Report,

Males.	Females.	Males and Females.
7,668,245	7,885,615	15,553,860

The annual rate of mortality was, consequently,—

Males.	Females.	Mean of the Two Sexes.
2·28	2·12	2·20 per cent.
or 1 in 44	1 in 47	1 in 45.

The causes of death were not specified in the cases of 6465 males and 5505 females. It was assumed that the causes of death were the same as in the cases where the cause was specified; and the registered deaths of males and females from each disease were raised 3·83 and 3·40 per cent. respectively; or, for the purposes of calculation, the divisors were reduced to the same extent, as this produced the same effect on the numbers in Table (B); which exhibits the annual mortality by 94 causes out of 1,000,000 living of each sex. Rejecting altogether the 11,970 cases in which the cause of death was not registered, the divisors of the columns headed "Males," "Females," in Table (A), became 7,385,028 Males, 7,626,425 Females.

Diseases of Males and Females.

The mortality of males was 7 per cent. higher than the mortality of females; and it is well established that the mean duration of life in

females is longer than in males. The Tables exhibit the principal diseases which lead to this result; and shew that while the two sexes are concurrently exposed to the ravages of nearly all the causes of death, their degree of liability to death from particular maladies is very various. The discrepancies may be ascribed to two sets of causes; a difference of organization, and a dissimilarity of habits and occupations, involving different degrees of exposure to the accidents, hardships, and dangers of life. Deaths from childbirth and deaths from violence are examples: 2811 women died in childbirth, while 8359 males and only 3368 females died violent deaths. The higher mortality, and the smaller number of males living, have been ascribed exclusively to intemperance, wars, excessive fatigue, and other external causes; but this ground is too narrow; for the differential mortality is greater in early childhood and before birth than in the more advanced ages, and one of its causes must be sought in the intimate structure and properties of the body. The blood, the brain, and all the organs and functions present modifications in the two sexes; but I am not aware that any anatomical or physiological reason has been advanced to explain the singular facts that 620 males and 1828 females died of cancer; 4036 males and 5071 females of hooping-cough; 27,935 males and 31,090 females of consumption; 4242 males and 3430 females of hydrocephalus; or 152 males and 55 females of diabetes. I shall point out in the course of this commentary the principal differences in the diseases of the sexes; and without attempting to account for them all, leave the problems in the hands of the scientific reader, for investigation and solution.

Epidemic Diseases.

34,321 males and 33,556 females died of the *epidemic class* of diseases; small-pox, measles, croup, thrush, diarrhœa, dysentery, cholera, and influenza, proved most fatal to males; hooping-cough to females. Typhus, scarlatina, and erysipelas, were scarcely more fatal to males than to females.

The annual mortality from the first class of diseases was 4·5 in 1000 living; and half the amount, or 2·3 in 1000, was occasioned by *small-pox* (1·0), and *typhus* (1·3); the former disease, as well as hooping-cough, having been more fatal than in 1837, and the latter nearly the same; while measles, thrush, diarrhœa, dysentery, cholera, and ague had declined. The observations of 1837 included the autumnal half of the year. The mortality from this class of diseases decreased slightly in 1838, namely, from 4·7 to 4·5 in 1000; and the 67,877 deaths will be found to compose 21 per cent. of the total specified deaths, while the proportion was 23 per cent. of the specified causes in 1837.

The seven first diseases of the class down to diarrhœa chiefly affect children; the nine last, adults.

The Nervous System.

Diseases of the *nervous system* destroyed 49,704 persons; 26,047 by *convulsions*, 7672 by *hydrocephalus* (water in the head), and 2178 by *cephalitis* (inflammation of the brain), three common diseases of children. The term *convulsions* is vague; and is applied too indiscriminately to the affections of infants under six months of age. It is often merely a symptom—a shadow of the disease, which escapes observation. As the child advances in age, convulsion occurs in regular paroxysms; it is then called eclampsia, and has some analogy with epilepsy, from which, under the popular designation of "Fits," in the registers, it can rarely be distinguished. "Fit" is an old, expressive term, but as it is

popularly applied to apoplexy, epilepsy, and irregular convulsions, it should be discarded. "*Teething*," under which 4404 cases were registered, is used like convulsion; it is applied to children at the age of the first teething. Convulsion includes a few cases registered as "spasms of the heart, the stomach," &c. in adults. The discoveries of Sir Charles Bell and Dr. Marshall Hall have thrown light upon this intricate class of diseases, but the connexion of many of their phenomena is still obscure. Under *cephalitis* is classed inflammation of the membranes of the brain (meningitis), as well as a few cases of inflammation of the spinal marrow. When the meningitis occurs in children, it is apparently registered as "inflammation of the brain," if death has taken place in the onset; and as "water in the head," when the stage of effusion and stupor has supervened. The disease in such cases is essentially the same; and Gherard, Rufz, Dr. Green and others, have shewn that it is accompanied by tuberculous deposits, generally under the serous membrane, and sometimes in the substance of the brain. Like consumption and mesenteric disease, hydrocephalus is in reality a modification of scrofula. Convulsions and hydrocephalus are exceedingly fatal in ill-ventilated, dirty neighbourhoods, where the inhabitants are poor, and the mothers are ill-fed.

The diseases of the nervous system are 23 per cent. more fatal to males than females, the chief difference arising from the diseases which affect children. The mortality from *apoplexy* was—males 4·0, females 3·5, in 10,000; from *paralysis*—males 3·1, females 3·5, in 10,000; the proportion of deaths from these maladies having been reversed in the sexes. To *chorea* (St. Vitus's dance) the deaths of 4 males and 20 females were ascribed; to *delirium tremens*, the deaths of 167 males and 15 females; *tetanus* (lock-jaw), 100 males and 29 females. The proportion in tetanus is 34 males to 10 females; but it is rarely an idiopathic disease, and men are exposed in almost a similar proportion to the injuries in which it originates. It will be observed that, to 10 females, 24 males died violent deaths.

In 1838, the annual rate of mortality from diseases of the nervous system was 3·3 in 1000 living; in 1837 it was 3·1 in 1000; but, exclusive of convulsions, the mortality was the same, or in both periods 1·6.

The Respiratory Organs.

Diseases of the *respiratory organs* produced 90,823 deaths, that is, a mortality of 6·0 in 1000; while the annual mortality of the group in 1837 was 5·5 in 1000, or 11 per cent. less. The mortality of *consumption* fell from 3·96 to 3·93 in 1000; pneumonia, bronchitis, and pleurisy, rose from 0·93 to 1·38 (69 per cent.); asthma, from 2·5 to 3·8 (52 per cent.): 3·8 in 1000 males, and 4·1 in 1000 females, died of *consumption;* 11,691 males, and 9488 females died of inflammatory affections of the throat, larynx, air-tubes, lungs, and pleura. Consumption is 8 per cent. more fatal to females than to males. A great number of the cases (1218) referred to hæmorrhage, and registered "rupture of a blood-vessel," belong to consumption; and, as several of the cases under "pneumonia" and "diseases of the respiratory organs" were registered "inflammation of the chest" and "disease of the chest," the first head includes some inflammations of the membranes of the heart and the air-tubes, and the latter a certain number of diseases of the heart, either simple or complicated. With these qualifications, 27½ per cent. of the total deaths were due to diseases of the respiratory organs, and 18 per cent. to consumption; namely, 16·0 per cent. of the deaths of males, and 19·2 of the deaths of females.

The higher mortality of English women by consumption may be ascribed partly to the in-door life which they lead, and partly to the compression, preventing the expansion of the chest, by costume. In both ways they are deprived of free draughts of vital air, and the altered blood deposits tuberculous matter with a fatal, unnatural facility. *Thirty-one thousand and ninety* English women died in one year of the incurable malady! Will not this impressive fact induce persons of rank and influence to set their countrywomen right in the article of dress, and lead them to abandon a practice which disfigures the body, strangles the chest, produces nervous or other disorders, and has an unquestionable tendency to implant an incurable hectic malady in the frame? Girls have no more need of artificial bones and bandages than boys.

The Organs of Circulation.

2032 males, and 1530 females, are registered as having died of diseases of the heart and blood-vessels; but this is below the true number. The diagnosis of heart diseases has latterly been carried to considerable perfection, but, like other discoveries, the art of auscultation is not generally diffused. Heart-disease is a frequent complication, or cause of asthma in the popular sense of difficulty of breathing, hydrothorax, dropsy, apoplexy, and the "visitation of God," of inquests. Aneurism destroyed three times as many males (88) as females (31), the proportion observed in 1837.

Digestive Organs.

Diseases of the *digestive organs* (unlike diseases of the chest) were less fatal than in the latter half of 1837; the mortality having declined from 1·4 to 1·3 in 1000, or, including thrush, diarrhœa, dysentery, and cholera, from 2·07 to 1·59 in 1000. The deaths attributed to *teething* increased; in this, as in other respects, the heterogeneous cases under the head having a stricter affinity to diseases of the nervous system. *Stricture* of the intestinal tube is often caused by cancerous deposits, and hence affects more females than males. 51 males and 117 females died of peritonitis, probably, in some instances, puerperal peritonitis; 318 males and 189 females of hernia. "Inflammation of the bowels" was classed under enteritis. The cases of "*worms*," called, in the acute form worm-fever, are occasionally unaccompanied by parasitic worms of any kind; but the name appears preferable to "remittent fever," by which the disease is frequently designated and registered. Infantile remittent fever—the worm-fever of Dr. Musgrave—certainly bears very little affinity to the remittent fever of the tropics; remission is a mere accident. Exclusive of teething, 10,992 persons died of diseases of the stomach and bowels; 3 of diseases of the pancreas; 3880 of diseases of the liver (including jaundice, 841); and 27 of diseases of the spleen. The 1385 cases classed under "disease of the intestinal canal," comprised cases of chronic enteritis, gastritis, and dyspepsia, as well as some malignant diseases.

Urinary Organs.

1338 males, and 313 females died of diseases of the urinary organs. The mortality of the former from stone and gravel was 4 in 100,000; of the latter, 0·5. The difference in the 7 heads is exaggerated by, but it cannot be exclusively attributed to, mechanical causes.

Organs of Generation.

2811 mothers died in childbirth and miscarriage, or about 5 in 1000 cases, while the proportion in 1837 was 4 in 1000.

Organs of Locomotion.

The mortality from rheumatism, and diseases of the bones, joints, cartilages, tendons, and muscles, remained 1·4 in 10,000.

Integumentary System.

The deaths from affections of the integumentary system were comparatively few. 82 males and 18 females died of fistula, the proportion

having been the same as in diseases of the urinary organs. Add to the class the acute diseases from the epidemics, with specific inflammations of the skin, and the mortality will be 2·01 in 1000; while with typhus, and the epidemic diseases which affect the mucous membrane, the diseases of the intestinal canal were 2·58 in 1000. The mortality from the two groups was 4·6 in 1000; lower than in 1837, 30 per cent. less than the mortality (6·0) from diseases of the respiratory organs.

Diseases of Uncertain Seat.

Diseases of uncertain seat proved fatal to 21,871 males, and 22,361 females. They include diseases in which the part was faultily left unspecified in the register, such as "inflammation," or diseases which, like cancer, pervade several organs, and in which the distinction of parts is quite subordinate to the distinction in the essential nature of the morbid products. *Dropsy* was observed in 5170 males, 7172 females; *hæmorrhage* in 730 males, 488 females; *mortification* in 802 males, and 541 females; *malformation* in 93 males, 73 females. *Purpura* was first referred to diseases of the skin, and distinguished in the notes; but it has now been made a separate head, and classed under diseases of uncertain seat. It is characterized externally by purple blood-spots, the result of spontaneous hæmorrhage; has some analogy with scurvy; and appears to consist in an alteration of the blood: 27 females and 31 males died of purpura; the males were to the females as 115 to 100; in hæmorrhage, the proportion was 150 to 100. Dropsy is an exudation of the serous part of the blood, and is more frequent and fatal than the effusion of the globules of the blood. It is the result of a mechanical obstruction to the circulation, of some change in the constitution of the blood, or of a local inflammation: and hence generally accompanies heart-disease, of which it is the last, most oppressive, and most fatal symptom. Renal dropsy, so well described by Dr. Bright, is believed to originate in a peculiar disease of the kidneys. Ascites, caused by an obstruction in the liver (cirrhosis), or chronic inflammation of the peritoneum, has probably been confounded by the informants with general dropsy. Under hydrocephalus, hydrothorax, ascites, ovarian dropsy, and dropsy, 22,428 deaths were registered; 10,734 males and 11,694 females. Dr. Walshe, who has investigated the statistics of *cancer* with great sagacity, abstracted by your permission the ages of 1200 persons from the registers (*a*).

(*a*) Ages of 1200 Persons who died of Cancer.

Years.	Under 5	5 to 10	10 to 15	15 to 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	70 to 80	80 to 90	90	All Ages.
Males. .	3	3	1	3	5	21	42	69	89	65	17	3	321
Females .	9	2	4	5	15	66	175	250	198	118	36	1	879
Males and females .	12	5	5	8	20	87	217	319	287	183	53	4	1,200
Mean Annual Mortality in 100,000 living at each Age.*													
	1·2	·6	·6	1·3	1·7	10·5	56·1	67·8	91·9	117·8	108·9	17·4	..

* The mode in which the mortality was calculated is stated by Dr. Walshe, in his excellent article, CANCER, *Cyclopædia of Surgery*.

Sudden deaths were cases in which inquests were held, but in which the causes of death were either not ascertained, or not intelligibly expressed. 3012 were registered; 1840 males and 1172 females. Sudden death is most frequently the result of internal hæmorrhage; but the subject is not and cannot be well understood, until *post mortem* examinations are more generally instituted in this country. Out of 10,000 males 6·5 died of sudden death or apoplexy, and 5·1 out of 10,000 females. With violent deaths, which are also generally sudden, the annual mortality of males was 18·1 in 10,000,—of females 9·6 in 10,000. Women have less chance of dying suddenly than men—in the proportion of 10 to 18. Convulsion includes the sudden deaths of infants.

Sudden Deaths.

12 per cent. of the deaths of females, and 10 per cent. of the deaths of males, were ascribed to *old age* and to natural decay.

Old Age.

The preceding causes of death are changes in the organization and functions, or diseases, which terminate in the extinction of existence. In the group to which I have now to advert, life was also destroyed by diseases, the destruction of parts, or the suspension of some of the vital functions; but the attention of the observer was less attracted to this class of facts, and overlooking the proximate, passed directly on to the more impressive external causes. The point of view and the principle of classification are therefore changed. The distinction is recognized, and is convenient in practice; though a line of demarcation cannot be laid down on any strict scientific principle. It will be proved by a rigid deduction from the registered observations that a vast number of the deaths in the preceding classes are referable to cold, and to effluvial poisons,—in fact, to external causes; and it is scarcely necessary to state that many of the diseases had their origin in intemperance, and in the want of proper food.

Violent Deaths.

The deaths of 125 males and 36 females were referred to *intemperance*. The difference in the proportion of the sexes is still greater in *delirium tremens*, sometimes designated drunkards' delirium; of which 167 males and 15 females died. 161 males and 46 females died of *gout*. The consumption of intoxicating liquors has increased faster than the population in the last 20 years; and the sale of spirits at a much more rapid rate than that of ale or wine, which can only be injurious when taken to excess. The average annual number of bushels of malt on which duty was paid in England was 25,834,345 in the 5 years 1820-4; 35,048,368 in 1834-8; in 1820-4 the quantity of wine returned annually for home consumption was 4,751,104 imperial gallons; in 1833-7 it was 6,461,886 gallons; in 1820-4, consumption duties were annually paid in England on 7,572,702 imperial gallons of proof spirits, which in 1834-8 had risen to 12,012,484 gallons; and the opium entered for home consumption rose in the same periods from 19,276 lbs. annually to 33,482 lbs. The decennial rates of increase were for malt, 24; wine, 27; spirits, 39; opium, 53 per cent. For malt, the annual rate of increase was only 1·2 per cent. from 1810-14 to 1826-30; but the consumption rose rapidly under the Act to permit the sale of beer, and the annual rate of increase from 1827 to 1836 was 3·3 per cent. The consumption of wines rose from 4,681,357 gallons (1820-3) to 6,617,363 annually in 1824-8, when the duty was reduced from 9*s.* 1¼*d.* to 4*s.* 9¾*d.* a gallon. It then remained nearly stationary. Spirit drinking almost always ends in impairing the health; it takes away the appetite, wastes the limited means of the artisan, deprives his

Intemperance.

family of food, firing, clothing, and clean, ventilated lodgings; leads to dissoluteness of every kind; and must therefore be considered one of the indirect but certain causes of epidemics, of fevers, and of other diseases.

Starvation.

The 63 cases ascribed to *starvation* in 1837 have been since carefully investigated. 24 were infants that died for want of maternal nourishment; 12 died of inanition; 12 died from exposure to cold; 15 from the want of proper food, or from the want of the necessaries of life. The coroners were not the informants in the majority of instances. In 1838 the deaths of 126 males and 41 females, making 167 in all, were classed under starvation.

A detailed abstract was made of the deaths ascribed solely or partially to starvation by hunger or cold in 1838. The table comprised 123 cases, exclusive of infants under 1 year of age; and inquests had been held on the bodies in 77 cases. The following are examples of the various singular complications of cold and the want of food; in some instances the effect of accident, but more frequently of destitution.

The cause of death as registered; the sex, age, profession, place and time of death, and the informant when an inquest was not held, are stated.

1. *Died in consequence of the inclement state of the weather and from want of the common necessaries of life;* female; *age*, about 50; profession not stated; inquest; *died* at 9, Lincoln-court, Drury-lane; February 15.

4. *Admitted in a destitute and dying condition;* male; 65; pauper; *informant*, master of St. George's Workhouse; died in St. George's Workhouse; February 15th.

7. *Natural death, accelerated by destitution;* male; 17; mendicant; inquest; *died in the* Holborn Union; February 20th.

8. *The effects of starvation and cold;* female; 60; pauper; *informant*, master of workhouse; died in St. Luke's Workhouse; January 28th.

10. *From exhaustion, induced by the extreme severity of the weather, acting on a body thinly clad, fatigued, and in want of nutritious food;* female; 61; inquest; died at Clapham; February 15th.

11. *Want of proper and sufficient food;* female; 29; single; inquest; died in St. Mary's, Nottingham; February 11th.

12. *From destitution, caused by the inclemency of the weather;* male; 76; baker; *informant*, master of workhouse; *died at* Westbury; February 5th.

14. *From the want of the common necessaries of life and the inclemency of the weather while in a boat off Trinity Sound:* male; 13; sailor; inquest; Caistor Union; January 25th.

15. *Starvation;* female; 43; pauper; *informant*, master of workhouse; Lincoln Workhouse; January 30th.

16. *Starvation;* male; 44; shoemaker; *informant*, Lucy Hale; Stourbridge; January 22nd.

19. *Cold, fatigue, and hunger;* male; 47; grocer; inquest; Haslingden; March 9th.

25. *From want of the common necessaries of life;* male; 50; profession unknown; inquest; Charing Cross Hospital; June 15th.

26. *Destitution;* male; 42; labourer; *informant*, William Wix; St. Bartholomew's Hospital; April 1st.

29. *Ague, accelerated by destitution and want;* male; 45; vagrant; inquest; Hawkhurst; April 1st.

30. *Destitution;* female; 1¾; daughter of W. and H. Cleaver; *informant*, Ann Young; Oving; May 7th.

31. *Inanition;* male; 70; profession unknown; *informant*, master of workhouse; St. Giles's Workhouse; July 31st.

40. *Starvation,—viz., the want of sufficient nourishment during illness;* male; 55; labourer; *informant*, C. Patriot; Baptist-street, Carnarvon; November 26th.

43. *Hunger and cold;* male; 34; inquest; Thame; December 10th.

48. *Starvation, but no evidence appears to the jury of any application having been made to the Board of Guardians or the relieving officer for the last 2 months;* male; 18; vagrant; inquest; Ripley; November 17th.

50. *Died from starvation;* male; 58; gentleman; inquest; Headington; April 7th.

53. *Starvation;* male; 43; tailor; inquest; Kentmere; October 29th.

54. *Starvation* (father of No. 55); male; 50; labourer; inquest; Kentmere; October 29th.

55. *Starvation* (son of No. 54); male; 14; inquest; Kentmere; October 29th.

61. *Died from cold and exposure to the weather,—verdict of inquest;* male; 25; vagrant; *informant*, W. Seaman, constable; died at Cheam; January 14.

63. *Perished in the snow from the severity of the weather;* male; 18; labourer; *informant*, master of the workhouse; died at Chatham; January 18th.

67. *Frozen to death;* male; 60; vagrant; *informant*, G. Burl, undertaker; died at Leominster; January 20th.

70. *Fatigue and intense cold*; male; 54; land surveyor; inquest; died at Holt; January 20th.

86. *Starved to death by cold;* male; 60; pauper; *informant*, J. Jacob, House of Industry; died at Shrewsbury; January 19th.

99. *Died in a state of starvation from cold*; male; 18; mariner; *informant*, E. Rodriguez; died at Liverpool; May 1st.

123. *Starvation from neglect of mother;* male; 21 months; son of a spinster; *informant*, Martha Brook; died at Huddersfield; September 3rd.

Violent Deaths.

11,727 persons died *violent deaths;* of whom 8359 were males, 3368 females. They may be divided into voluntary and involuntary deaths. The number of registered suicides amounted to 1058 (males 751, females 307); and in many cases of individuals "found dead," the agent was not ascertained. The tendency to commit suicide increases up to the age of 60; the rate of increase is nearly 50 per cent. every 10 years.—*See* Table (*b*), page 78.

The violent deaths are exceedingly numerous, and will perhaps lead to a general inquiry into their causes,—drowning, fires, accidents with machinery, the bursting of steam-boilers, explosions in mines, and poisons, which can be procured of the most destructive and subtle nature, with extraordinary facility. In a political point of view, violent deaths are of great importance, as they bear more upon the efficient part of the population.

This concludes the catalogue of the causes of death in the classification. It may be stated, as a general summary of the diseases, grouped according to their pathological characters, that 36,799 died from inflammations; 85,506 from specific inflammations; 19,122 from the terminations of inflammation; 15,125 from hæmorrhages; 2821 from carcinomatous diseases; 60,868 from tuberculous diseases; 2256 from disordered secretions; 2512 from depraved nutrition; 44,773 from disorders of the nervous system; 35,564 from old age; 11,727 from violent deaths. Table (C.)

It will be observed that, in general, the results of the registration in 1838 coincide very remarkably with the results announced in the First Report; and that the differences are such as confirm the general accuracy of the facts, while they illustrate the influence of the seasons and the laws of fluctuating epidemics. The information as to the cause of death was obtained from the medical practitioners of the country, directly or indirectly; and the analysis of their observations, which is here presented, will shew that they are not surpassed in intelligence or zeal for the promotion of science by the medical practitioners of any other country in Europe. May I venture to express a hope that they will contribute to render the registration of the causes of death still more accurate by giving, in every case which they attend, a written

certificate, drawn up as nearly as may be upon the principles suggested in your First Report.*

(*b*) Suicide.—The Ages of 1440 Suicides.

	10 to 15	15 to 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	70 to 80	80 to 90	90
Males and females . .	8	73	151	172	217	212	141	54	14	2
Suicides to 100,000 living at each age .	0·4	4·7	6·2	9·3	14·9	20·6	19·8	15·2	14·3	..
Series increasing 49·6 per cent. .	..	..	6·2	9·2	13·8	20·7	..	..	..	..

The Tendency to Suicide is greatest in the Metropolis, and is least in Wales.

	Metropolis.	S. E. Counties.	S. Midland Counties.	E. Counties.	S. W. Counties.	W. Counties.	N. Midland Counties.	N. W. Counties.	Yorkshire.	N. Counties.	Wales and Monmouth.	England and Wales.
	1	2	3	4	5	6	7	8	9	10	11	
Males. . .	178	95	45	53	71	51	49	90	67	37	15	751
Females . .	59	41	20	17	25	33	27	35	21	19	10	307
Males and Females .	237	136	65	70	96	84	76	125	88	56	25	1,058
Suicides to 100,000 inhabitants .	12·6	9·3	5·8	6·5	5·5	4·5	6·9	6·3	5·7	7·2	2·5	6·8

The smallest Number of Suicides occurs in the Cold Season of the Year.

	M.	F.	M. and F.
January, February, March .	163	66	229
April, May, June	210	94	304
July, August, September . .	214	73	287
October, November, December	164	74	238

* *Dr. Marc d'Espine* has recently published an article in the *Annales d'Hygiène* (tome 23) on the mortality and diseases of Geneva. The facts, though not numerous (1405 deaths), are discussed with great sagacity, and accurately exhibit the sanatory state of the canton. Two books are kept in Geneva; the *cause of death* is inscribed in one called *livre de l'hôpital*, by the physician who visits the dead—the *searcher;* in the other by the medical attendant of the deceased. This is called *livre de la faculté*,, and contains a column for medical observations.

In discussing the causes of death, Dr. d'Espine divides them into four classes: (1) *morts produites par des accidens extérieurs;* (2) *morts accidentelles produites par des causes morbides;* (3) *morts par maladies aiguës;* (4) *et morts par maladies chroniques.* The first division is the same as the class of violent deaths; the second comprises *sudden deaths, apoplexy, convulsions, delirium tremens, hematemesis, uterine hæmorrhage, strangulated hernia, intussusception.* Under acute diseases are comprised all the simple and specific inflammations. The list of chronic diseases includes *chronic cerebral disease, paralysis of the insane, chronic diseases of the spinal marrow, phthisis, cancer* of different parts, *heart disease, dropsy,* &c., &c. Willan and Bateman adopted nearly a similar arrangement in their Reports. The classification, though it brings together "things all unlike each other," affords, as Dr. d'Espine has shewn, many interesting *rapprochemens.*

Diseases of Towns and of the Open Country.

In the first half-year of registration the difference between the diseases in a dense and scattered population was remarkable. The higher rate of mortality in town districts was a result in strict accordance with

Dr. d'Espine contends that his classification—founded upon the *duration* of diseases, or the division into chronic and acute diseases—is better than the division into epidemic and sporadic diseases. The results of the classifications can alone decide the question of superiority; but I shall briefly notice Dr. d'Espine's objections to the classification of the Report:

"Le caractère," he observes, "de l'acuité et de la chronicité est de première importance, il est de plus permanent. Il y aura toujours des bronchites, des pleuresies, des pneumonies, des gastrites, etc., etc., *aiguës ou chroniques.* Le caractère épidémique est, au contraire, éphémère pour un grand nombre de maladies. La pneumonie est quelquefois épidémique, et cependant M. Farr l'a placée dans les cas sporadiques."

The epidemic class in the Report is intended to include all the diseases which prevail, or have prevailed, according to certain laws—investigated in the latter part of this letter. The fact that they destroy thousands at one time—and very few at another—or are communicated by contagion—appears to me more important in its bearings on the national health than the mere pathological characters of chronicity and acuteness. Besides, there are, as Dr. d'Espine observes, always *acute* and *chronic* cases of bronchitis, pneumonia, gastritis, &c. On the principle, therefore, of his arrangement, the cases of acute and chronic bronchitis, and of all other pure inflammations, should be separated and placed under the *two* distinct heads—"*maladies aiguës,*" and "*maladies chroniques.*" This would be absurd; the informant could not decide in a great number of instances when a bronchitis ceased to be acute, or began to become chronic. The informants very rarely state whether inflammatory diseases are acute or chronic; so if it were desirable the two forms could not be distinguished in the abstracts. The compiler would be driven to do as Dr. d'Espine himself has done, namely, to place the *acute* and *chronic* cases of bronchitis, pneumonia, and gastritis under one head—*maladies aiguës.* Dr. d'Espine states some objections to the classification of sporadic diseases according to the organs affected. He will perceive in the present Report that the distinction of parts is important. The cold of 1838 had a very different effect on the diseases of the respiratory and digestive organs. Some of his objections are founded upon misconception. *All* the specified cases of cancer are referred to one head in the Abstracts, as their omission in the diseases of the organs scarcely altered the proportions. In Table (C.) the diseases of England and Wales are classified according to their pathological nature, and the arrangement presents many points of interest.

Dr. d'Espine objects to an *à priori* classification; and appears to imagine that the informants have to classify the diseases. But with this they have nothing whatever to do; the informants have to state simple facts. The nosological Table shews how the facts have been classified; and, all that was recommended was the use of a uniform, precise *nomenclature*, in every part of the kingdom. To this Dr. d'Espine cannot object, as he complains of the evil arising from its neglect in the narrow limits of Geneva; and no one will contend that the same disease should be designated by four or five different names; that ambiguous terms should be employed denoting no distinct malady, or applying popularly to several maladies, much less that the informant should not be requested to state the primary and secondary disease where complications existed. A writer in the "British and Foreign Medical Review," (No. 18), has thrown out some valuable suggestions on this subject.

M. d'Espine has dwelt upon the importance of the English Report, "L'Angleterre si en arrière de la France jusqu'à ces derniers temps, sous le rapport des soins apportés a constater les naissances, les marriages, et les décès, vient de faire un pas

other observations;* but the diseases of towns and of the open country had never before been contrasted on an extended scale, and it was impossible to say whether the discrepancies then discovered were transitory and accidental, or permanent. The year 1838 afforded unusual facilities for putting this to the test; for, besides comprising more than double the number of observations, it presented a great range in the temperature and the epidemic constitution. The chief differences remained; it may, therefore, be inferred that they were then traced to the true causes.

The metropolis and the districts which were compared last year, have been used for the present comparison. The population was calculated in the same way: taken directly from the population returns of 1821 and 1831 for the cities: assumed to be the same in the country districts as the counties, with which, however, the districts were not always conterminous, and multiplied by the observed annual rates of increase, 1821-31 raised to the 7th power. This gave the probable population in June, 1838. For the proportion not enumerated 4 per cent. was added to the population of the metropolis; 2·3 per cent. to the 24 city districts; and 0·4 per cent. to the population of the counties. When the sexes were distinguished, the whole of the addition was put to the males.

In 1831 the city population enumerated was 3,079,292, the country population 3,255,479; with the corrections which have been suggested, as the population increases faster in cities than in the country, the population in 1838 would be about 3,726,221 in the city districts, and about 3,539,908 in the counties (*c*). The city was probably to the

(*c*) Deaths by Twelve Classes of Fatal Diseases, in City and in Rural Districts.

		City Districts.	Rural Districts.
Estimated population, June 30, 1838		3,726,221	3,539,908
1. Epidemic, Endemic, and Contagious Diseases		23,655	13,685
2. Sporadic Diseases.	Of the Nervous System	15,651	8,177
3.	Of the Respiratory Organs	28,973	18,508
4.	Of the Organs of Circulation	1,301	712
5.	Of the Digestive Organs	6,505	3,361
6.	Of the Urinary Organs	417	373
7.	Of the Organs of Generation	984	547
8.	Of the Organs of Locomotion	653	354
9.	Of the Integumentary System	144	66
10.	Of Uncertain Seat	10,447	10,529
11. Age		7,374	8,874
12. Violent Deaths		3,104	2,516
Causes not Specified		1,811	2,708
Total Deaths		101,019	70,410

immense et qui lui fait le plus grand honneur. * * * * M. Lister revêtu de l'importante charge de chef de l'état civil, a mis la plus grande activité et la plus remarkable intelligence, à s'acquitter de sa tâche."—(pp. 111-12).

The admission of the importance of this publication in a leading French Journal, will, it may be sanguinely hoped, induce the French Government to publish a similar Report of the Causes of Death in France. If Dr. d'Espine should be employed in the task (and there are few better qualified) he would, I think, discover the utility of a uniform nomenclature; and of a classification distinguishing epidemic diseases, in abstracting the fatal diseases of a great nation.

* See the classical works of Süssmilch, Dr. Price, and Mr. Milne; several valuable papers by Mr. Edmonds in the *Lancet;* and by M. Quetelet and M. Villermé in the *Annales d'Hygiène.*

rural population as 1·053 to 1·000; and to this extent (5 per cent.) the deaths in the counties should be augmented, to render the mortality strictly comparable.

Besides the 70,410 persons who died equally in the dense and in the more scattered populations, there was an excess in the cities of 30,609 deaths; 9970 from diseases of the epidemic class, 7474 from diseases of the nervous system, 10,465 from diseases of the respiratory organs, and 3144 from diseases of the digestive organs. The annual rate of mortality in the cities was 2·7, in the counties 2·0 per cent.; and the mortality in the cities 1·36 to 1·00 in the counties. The mean duration of life in the two sets of circumstances would differ nearly in the ratio of 37 years and 50 years.

In examining the special causes of death, three classes may be distinguished; one class which was exaggerated in cities to the highest pitch, a third class in which the mortality was nearly the same or in excess in the counties, and an intermediate class. To 1·00 death in the counties the deaths out of the *same amount of population* in the cities were by asthma, 3·80;* erysipelas, 2·71; convulsions and teething, 2·57; cephalitis and hydrocephalus, 2·41; hydrophobia, 2·37; pneumonia, bronchitis, and pleurisy, 1·99; delirium tremens, 1·98: typhus, 1·88; small-pox, 1·73; heart disease, 1·73; childbirth, 1·63; syphilis, 1·59; rheumatism, 1·58; gout, 1·55; hernia, 1·48; purpura, 1·46; sudden deaths, 1·45; liver disease, 1·45; hepatitis, 1·35; tetanus, 1·32. The excess of mortality in cities was less in the following cases: by consumption 1·24; croup, 1·23; violent deaths, 1·17; stone, 1·11; mortification, 1·10; malformations, 1·07; apoplexy, 1·07; hæmorrhage, 1·02. The mortality by the third class of causes was greater in the counties than in the cities: for the mortality to 1·00 in the counties was in the cities, by paralysis, ·99; dropsy, ·99; jaundice, ·99; diabetes, ·97; cancer, ·92; hydrothorax, ·88; hematemesis, ·79; debility (frequently premature birth), ·75; atrophy, ·75: scrofula, ·46. It will be useful to compare all the other diseases in Table (F); but, in doing so, it must be borne in mind that the diseases in the epidemic class fluctuate from year to year; that when the number of cases is considerable the relative mortality is most correctly expressed, and that slight differences deserve little attention.

The fatality of scrofula, purpura, cancer, stone, jaundice, diabetes,—chronic diseases—in which there are new deposits, new formations, or new secretions, is as great in the country as in cities; dropsy comes under the same head. Their exciting causes are common to the two classes of population.

It has been proved that the same injuries and diseases are more deadly in cities than in the country; which may account for the higher mortality from violent death, hernia, and some other causes. Parturition is as frequent in the country as in town; where it is nevertheless so often followed by puerperal fever as to be 63 per cent. more fatal.

If the mortality in the counties has been taken for unity, and all above it has been termed excess, it must not be understood to imply that less than 70,410 deaths may not be expected to occur out of a population of 3,539,908. The population of the counties, which have

* 2629 (the deaths in the cities from asthma) were to 658 as 4·00 to 1·00; but the population in the two cases was as 1·053 to 1·000; divide, therefore, 4·00 by 1·053, to obtain the true relative mortality. It was as is stated in the text 3·80 to 1·00.

been held to represent the country, included the inhabitants of several cities. The mines of Cornwall caused many deaths; and any one who has visited the ill-ventilated dwellings of the poor, and is acquainted with their limited command of clothing, firing, and substantial food in agricultural districts, cannot come to that conclusion. The minimum degree of sickness which a well-educated, affluent people would experience, and the years which they would number in the circumstances most favourable to health, are unknown; for the majority of the rich and middle classes whose lives have been observed, live principally in ill-constructed cities, and are exposed to the epidemics generated among their unhappier neighbours. It will be prudent, therefore, not to speculate upon a state of things of which the registers afford no examples, as it may sound paradoxical to fix more than fifty-five years for the average duration of human life; and it would not be practicable to suggest any means for improving by immediate measures the health of agricultural districts more effectual than the improvement of the cities in their centres, from which so many diseases radiate.

Is the excessive mortality of cities inevitable? It has not long been established to the public satisfaction that the mortality in dense populations is excessive. The simple process of comparing the deaths in a given time out of a given number living is a modern discovery; and as some individuals died at all ages in the healthiest, or attained the highest ages in the unhealthiest classes, and epidemics desolated the country as well as towns, though to less extent, the unaided reason was baffled in its attempts to unravel the intricate facts, and to draw conclusions which could justify, or stimulate public interference. If the law of nature had been, that all the inhabitants of an unhealthy place attained the age of forty years, and of a healthy place the age of fifty years, and then invariably died, the difference would have been perceived in two or three generations: but the law of nature was different; in both cases infants died at the breast, men perished in the prime of life, and old men grew gray with age; the proportions only varied, and the difference was in the average duration of life, which varied from twenty to fifty years, and yet remained undetermined. It was probably not generally known before the publication of your First Report, that the mean duration of life was from 25 to 30 years in the east districts, and from 40 to 50 years in the north and west districts of the metropolis; it is not therefore surprising, that the relative mortality of remote districts remained so long undiscovered.

The first writers who established satisfactorily the high mortality of cities took a gloomy and perhaps fanatical view of the question. Cities were declared vortices of vice, misery, disease, and death; they were proclaimed "the graves of mankind." The population of the country, it was said, was drawn to them to be sacrificed; and those who entered left all hope behind, for no prospect of health in cities was beheld. Happily the further application of the methods which those eminent writers employed, and the facts which the registers furnish, enable us to analyze the causes of death in cities; and to shew that while the mortality is increased as much as they stated, the apprehensions into which they were betrayed were ill-founded when applied to the future. There is reason to believe that the aggregation of mankind in towns is not inevitably disastrous. Health and life may be preserved in a dense population, provided the density be not carried beyond certain limits. Of this the nature of the causes to which the mortality is due, as well

as the rapid improvement in the health of London within the last two centuries, is presumptive proof; and the favourable condition of several districts of the metropolis leaves little room for doubt on the subject (*d*).

(*d*) TABLE of the Relative Mortality in different parts of the Metropolis; exhibiting the Mean Annual Mortality of Females in the Thirty-two Metropolitan Districts, in the Year 1838.

Districts.	Annual Deaths per Cent.	Districts.	Annual Deaths per Cent.	Districts.	Annual Deaths per Cent.
1. Whitechapel .	3·866	11. Bethnal Green.	2·932	21. Poplar . . .	2·331
2. St. George, Southwark .	3·297	12. Rotherhithe .	2·826	22. Lambeth . .	2·212
3. St. Giles and St. George .	3·168	13. St. Luke . .	2·812	23. Newington . .	2·186
4. St. George, East	3·142	14. Greenwich . .	2·794	24. Islington . .	2·131
5. Bermondsey .	3·123	15. Stepney. . .	2·745	25. Marylebone .	2·109
6. Shoreditch . .	3·088	16. Strand . . .	2·725	26. City of London	2·074
7. Westminster .	3·083	17. Clerkenwell .	2·693	27. St. Pancras .	2·038
8. (*a*) East and (*b*) West London	3·078	18. St. Martin in the Fields .	2·512	28. St. George, Hanover-square	1·953
9. Holborn . .	2·954	19. Kensington .	2·448	29. Camberwell .	1·925
10. St. Olave and St. Saviour .	2·934	20. St. James, Westminster . .	2·340	30. Hackney . .	1·826
Mean . . .	3·173	Mean . . .	2·683	Mean . . .	2·078

The table is read thus:—Out of 100 females living, 3·866 died in Whitechapel; or, without decimals, 3866, died out of a population of 100,000.

NOTE.—The deaths of females in the hospitals (1046) were excluded in calculating the mortality of the districts in which the hospitals were situated; but the mortality of all the districts was raised 4 per cent. as a correction for the omission.

The mortality differs as widely in other towns as in the Metropolis.

	Estimated Population, 1838.	Deaths, 1838.	Annual Rate of Mortality per Cent.
LIVERPOOL.			
Liverpool. . . .	207,826	6627	3·189
West Derby . . .	75,003	1625	2·167
Difference . .	..	..	1·022
MANCHESTER.			
Manchester . . .	174,482	6035	3·459
Blackley, &c. . .	30,533	671	2·198
Difference . .	..	..	1·261
BIRMINGHAM.			
Birmingham . . .	133,168	3359	2·581
Aston	46,061	1099	2·386
Difference . .	..	..	0·195

The above table has been calculated in the same manner as Table (F) in the First Report.

Influence of Climate.

Table (A) 1–25. Table (O.) In the diseases registered in twenty-five divisions of the kingdom, the influence of cities, occupations, and perhaps climate, may be traced. The tables may be advantageously compared with the corresponding tables of ages, and with the births; for where the number of births is greatest in proportion to the population, the number of deaths at early ages, and the diseases of children, will be found to preponderate.

It appeared important to compare the fatal diseases with the population, and to endeavour to ascertain the influence of climate, of the north and south, the east and west, the maritime and inland parts of the island. With this view a separate calculation for each county might have been entered into; but three objections presented themselves against that course. The population increases rapidly and irregularly in different counties, the districts of the respective counties are not invariably coincident with the boundaries in the population returns, and the population of some of the counties is too small to neutralize accidental fluctuations. By making four or five counties, comprising a mean population of about 1,400,000, the basis of calculation, these objections were obviated. The population of the metropolis and the ten classes of counties in England and Wales, in 1838, was calculated from the rate of increase in the ten years, 1821-31; 4 per cent. was added to the metropolis, and 0·4 per cent. to the ten other classes, for the numbers not enumerated. The increase was placed exclusively to the account of the males, when the sexes were distinguished (*f*).

In investigating the effects of climate, the influences of density, of the ages of the living, of occupation, and of differences of food, must be eliminated. The climate of the channel is the same as it was at the end of the last century; but the mortality of the crews of vessels in the channel is probably not now a third of the mortality at that period. The army reports, drawn up with so much ability by Major Tulloch and Mr. Marshall, exhibit the influence of barracks, as decisively as they do the effects of climate on English soldiers.

Sir James Clark observes that "although the power of different climates to produce as well as to alleviate and cure diseases is well established as a matter of fact; yet, perhaps there is nothing in general science more unsatisfactory than the manner in which we are able to explain this influence; and certainly, there is nothing in physic more difficult than to direct successively its application."* Climate should always be considered separately, in reference to the indigenous inhabitants, and to strangers, the natives either of a similar or of a different climate.

Table (Q.) The diseases of the 324 classified districts will throw light upon this and a variety of collateral subjects. Town districts, watering places, and districts in any way remarkable, have been distinguished; the diseases of similar and contiguous districts have been thrown together in one column. The extent of epidemics, and their order of succession, will be shewn by this annual series of tables.

The separation of Wales—or the districts chiefly inhabited by the Celtic race—from the districts of England, will shew at some future time if there is any difference in the diseases of the two races. But the ordinary laws of mortality are at present disturbed in Wales by the

* The Influence of Climate.

(*f*) TABLE shewing the Mean Annual Mortality, *per Cent.*, in the Metropolis and in Different Districts of England and Wales, by Twelve Classes of Diseases; distinguishing the Deaths from Small-Pox, Measles, Scarlatina, Hooping Cough, Typhus, and Consumption.—*See* Tables (I, K, L, M, N.)

	CLASSES OF DISEASES.	Metropolis.	Cheshire; Lancashire.	Durham; Northumberland; Cumberland; Westmoreland.	Gloucestershire; Herefordshire; Shropshire; Worcestershire; Staffordshire; Warwickshire.	Middlesex (part of); Hertfordshire; Bucks; Oxon; Northampton; Huntingdon; Bedford; Cambridge.	Monmouth and Wales.	Yorkshire.	Surrey (part of); Kent (part of); Sussex; Hampshire; Berkshire.	Wiltshire; Dorsetshire; Devonshire; Cornwall; Somersetshire.	Essex; Suffolk; Norfolk.	Leicestershire; Rutlandshire; Lincolnshire; Nottinghamshire; Derbyshire.	ENGLAND and WALES.
		1	8	10	6	3	11	9	2	5	4	7	
1	Epidemic, Endemic, and Contagious Diseases	·742	·490	·410	·394	·372	·630	·382	·372	·422	·362	·270	·452
	Including *Small-Pox*	·206	·098	·096	·093	·086	·202	·075	·079	·107	·084	·036	·104
	Including *Measles*	·031	·054	·028	·058	·030	·026	·069	·033	·071	·019	·013	·043
	Including *Scarlatina*	·082	·028	·029	·016	·024	·123	·017	·047	·022	·019	·030	·039
	Including *Hooping-Cough*	·111	·051	·075	·062	·045	·073	·051	·046	·061	·042	·030	·061
	Including *Typhus*	·219	·150	·098	·101	·122	·152	·091	·096	·096	·118	·090	·125
2	Diseases. Of the Nervous System	·437	·461	·319	·270	·271	·324	·399	·300	·222	·207	·332	·332
3	Diseases. Of the Respiratory Organs	·770	·783	·548	·628	·568	·479	·550	·548	·512	·543	·516	·605
	including *Phthisis*	·414	·509	·353	·383	·404	·374	·371	·354	·342	·385	·351	·393
4	Diseases. Of the Organs of Circulation	·045	·017	·020	·025	·024	·008	·021	·028	·019	·019	·022	·024
5	Diseases. Of the Digestive Organs	·160	·189	·122	·143	·119	·071	·129	·114	·093	·092	·119	·129
6	Diseases. Of the Urinary Organs	·013	·010	·010	·009	·010	·007	·012	·014	·009	·013	·012	·011
7	Diseases. Of the Organs of Generation	·028	·030	·022	·018	·019	·021	·024	·017	·013	·017	·017	·021
8	Diseases. Of the Organs of Locomotion	·021	·017	·013	·013	·013	·009	·014	·012	·009	·010	·013	·014
9	Diseases. Of the Integumentary System	·004	·002	·004	·003	·002	·002	·002	·003	·002	·002	·003	·003
10	Diseases. Of Uncertain Seat	·285	·288	·333	·295	·388	·227	·268	·296	·292	·317	·280	·295
11	Old Age	·219	·175	·300	·245	·272	·242	·214	·254	·240	·277	·242	·237
12	Deaths by Violence	·075	·101	·111	·096	·063	·077	·073	·070	·083	·056	·075	·081
	All Causes	2·800	2·567	2·216	2·143	2·122	2·101	2·093	2·030	1·931	1·918	1·904	2·203
	Population to 1 Square Mile	26,903	701	147	299	222	126	263	239	219	214	201	269

confluence of workmen within the mining districts. The population, suddenly collected by mining operations, is exposed to all the evils of dense districts, with few of the alleviations which spring up in towns of slow growth, having well-organized intelligent municipal councils.

Influence of the Seasons.

The seasons, which exercise such a striking influence upon the vegetable kingdom, influence the diseases of the human race. The reduction of temperature alone, when the atmosphere reaches the freezing point, is fatal to a certain number of persons; at the same time many artisans are thrown out of employment, the small earnings of the poorer classes are diminished, and, as fuel is dear, the air, to exclude the cold, is shut out of their dwellings, until it becomes highly insalubrious. Warm weather creates a demand for labour out of doors, and excites all the functions when it is not carried to excess. As the temperature advances, and autumn comes on, dead vegetable and animal matter undergoes rapid decomposition; the living are infected; and, where the miasmata are concentrated in cities, or in undrained lands, remittent fevers, dysenteries, plagues, and malignant maladies, are generated.

It therefore follows, that the same atmospheric conditions, and the same changes of temperature, may produce directly opposite effects on the relative mortality of the seasons in populations placed in different circumstances. Winter may be the most fatal to the inhabitants of a city on a favourable site, furnished with sewers, or to an agricultural population occupying a dry soil; and summer to the inhabitants of marshy districts, or of cities in which the refuse of organic matter is exposed to putrefaction. In proportion as the severity of the weather or malaria preponderates, the winter or summer will be the unhealthiest season.

The deaths registered in the metropolis in the winter quarter of 1838 amounted to 15,611; in spring, to 13,109; in summer, to 11,397; and in autumn to 12,581. Summer was the healthiest, winter the most fatal season: and this rule has prevailed in England since the beginning of the last century. It is the reverse of the doctrines of the early English writers, and of the Greek and Roman physicians, summed up by Celsus in the aphorism: *Saluberrimum ver est: proxime deinde ab hoc, hiems: periculosior aestas: autumnus longe periculosissimus.* This order of salubrity, still observed in Rome, and in the towns on the shores of the Mediterranean, might be ascribed to the climate, if it had not formerly obtained in London and other cities on nearly the same isothermal line. Julius Cæsar placed the *middle* of spring, summer, autumn, and winter, at the equinoxes and solstices; and according to this arrangement of the months, in which winter dates from November 11th, the relative mortality of the seasons in London was, winter 26, spring 16, summer 44, autumn 163, in five plague years of the seventeenth century; and in five intercurrent years the mortality was winter, 17, spring 14, summer 15, autumn 24,—precisely the order laid down by Celsus.

The remarkable change in the relative mortality of the seasons in London will be best seen in the subjoined comparison (*g*).

The mortality of the seasons in the seventeenth century was deduced from the weekly bills of mortality; and the absolute mortality from the annual deaths, and from an enumeration of the population of the

city of London, in 1631.* It will be perceived at once, by this comparison, that the high rate of mortality in summer did not, in the seventeenth century, imply a low absolute rate of mortality in any season. The severities of winter were unmitigated, though they were thrown into obscurity by the plague. If the annual mortality of the metropolis had been the same in 1838 as it was in 1606-10, the deaths in the four seasons would have been—winter 26,200, spring 28,210, summer 39,670, autumn 37,960: if it had been as high in July, August, September, as in the plague years, 307,950 might have been registered in the three months, instead of 11,397. So much has the health of London improved: so much is life under human control!

The registration quarters end on March 31st, June 30th, September 30th, and December 31st. In the ordinary arrangement of the seasons, winter terminates about March 20th, spring June 21st, summer September 22nd, autumn December 22nd. The registration quarters are therefore 9 or 10 days in advance of the seasons; but the deaths are registered a few days (perhaps four days, on an average) after they occur, so that there will be scarcely any error in the application of the terms, winter, spring, summer, and autumn, to the March, June, September, and December quarters. The effects of the seasons accumulate: diseases do not prove fatal, on an average, in *less* than 20 days, and many are of long duration; consequently a proportion of the deaths caused at the close of a quarter occur, and are registered, in the quarter succeeding. The deaths registered in the winter quarter represent approximatively the agency of the causes in operation during December, January, and February, the coldest months of the year, which have been considered by some the true climatorial winter. The remark applies also to spring, summer, and autumn.

There was a peculiarity in the diseases and a corresponding irregularity in the temperature of the year 1838. At Chiswick, in the vicinity of London, the mean temperature of winter (January 1st to March 31st) was 40°, spring 55°, summer 61°, autumn 45°, during the 10 years 1826-35; in 1838 the mean temperature of winter was 35°, spring 52°, summer 60°, autumn 44°. The mean temperature of the year was 47°·6, of the 10 years preceding, 50°·5. The mean temperature of January was 4° below the freezing point; while on an average of the 10 years, 1826-35, it was 4° above the freezing point. In the shade the thermometer fell 4½° below zero, or 14° lower than in 1826-35, when the minimum observed was 10°. The cold in London was less intense. The temperature of the four seasons at the apart-

(*g*) Table of the Deaths in London out of 100 Living.

	Plague Years. 1593 1625 1603 1636 1665	Intercurrent Years. 1606–10	1838
January, February, March	1·7	1·4	·85
April, May, June	2·0	1·5	·70
July, August, September	16·3	2·1	·60
October, November, December. . . .	5·0	2·0	·66
Annual mortality per cent. . . .	25·0	7·0	2·81

* See Macculloch's Statistics of the British Empire, Art. Vital Statistics.

ments of the Royal Society, Somerset House, was 36°, 53°, 61°, 45°,—of the year 48°·9. The thermometer did not fall lower than 11°.

The dryness of the seasons, measured at Chiswick with Mr. Daniel's dewpoint hygrometer, was 2°·2; 5°·7; 4°·7; 1°·3 in 1826-35; and 1°·9; 6°·1; 4°·2; 1°·0, in 1838. The moisture was above the average; yet the quantity of rain that fell was only 21½ inches, while the average quantity, 1826-35, was 24 inches.

The electric state of the atmosphere was not observed; but it is indicated by the deaths from lightning, which in the kingdom amounted to 24; in winter 1, spring 10, summer 11, autumn 2.

Professor Lindley* has stated that "the winter of 1837-8 was in England more injurious to vegetation than any which has occurred in modern times, and it must be many years before its disastrous effects can be repaired, under the most favourable circumstances."

It is evident from these details that the registration of 1838 is well calculated to exhibit the influence of cold (*h*, *i*, *k*, *l*). The Tables shew the mortality in the four seasons by different diseases; the first comprising the metropolis, the second Cornwall and Devonshire, the third the mining districts.—*See* Tables (R, S, T).

(*h*) The cold increased the Mortality in the Metropolis from the following diseases, to the greatest extent.

CAUSES OF DEATH.	Winter.	Spring.	Summer.	Autumn.
Paralysis	234	181	135	187
Apoplexy	299	241	201	246
Asthma	760	225	97	331
Hydrothorax	90	73	43	79
Bronchitis, Pleurisy, Pneumonia	1699	870	545	1154
Influenza	31	18	3	11
Diseases of the Heart, &c.	273	159	177	211
Diabetes	12	4	1	6
Dropsy	501	427	375	465
Mortification	84	50	35	56
Sudden Deaths	216	165	105	146
Old age	1383	969	778	981

(*i*) The subsequent diseases were scarcely more fatal in winter than in summer.

CAUSES OF DEATH.	Winter.	Spring.	Summer.	Autumn.
Cephalitis and Hydrocephalus	607	622	540	535
Convulsions	914	834	912	759

(*k*) Consumption destroyed the greatest number in spring; but the excess of deaths may have been the result of the previous winter's cold. Males suffered from the disease in winter more than females.

CAUSES OF DEATH.		Winter.	Spring.	Summer.	Autumn.
Consumption	Males	1048	1137	968	904
	Females	896	972	937	825
	Total	1944	2109	1905	1729

* Transactions of the Horticultural Society, Second Series, vol. ii., p. 4, p. 225.

The observations in Devonshire and Cornwall, where the climate is milder than in the rest of England, and in the mining districts, where fuel is cheap, present many interesting and instructive points of comparison with the facts registered in the metropolis.

Progress of Epidemics.—Epidemic of Small Pox.

Many of the causes of death act with equal force from year to year; others, as has been just seen, regulated by the seasons, increase or decrease with the temperature. The diseases of the epidemic class follow laws of their own; they remain nearly stationary during months, years, and, as we learn from medical history, centuries; then suddenly rise, like a mist from the earth, and shed desolation on nations—to disappear as rapidly or insensibly as they came. The pestilences of ancient history, the plagues of England, cholera, influenza, small-pox, and typhus, are examples of this peculiar tribe of diseases. Epidemics have furnished much matter for discussion, and still offer large scope for inquiry. They have been attributed to terrestrial emanations, to the influence of the stars, to mysterious changes in the atmosphere, to heat, to animalcules, to deteriorated food, to contagion; and acting upon the latter doctrine, it has been assumed that the prohibition of direct intercourse with districts in which they prevailed would protect the inhabitants of a country from invasion.

The registration has already yielded facts which are likely to throw light upon the propagation of epidemics. The small-pox epidemic may be investigated now; and the other epidemic diseases, which appear to follow similar laws, may be investigated in future Reports.

The deaths from small-pox in 324 divisions of the kingdom are exhibited separately in each of the 10 quarters, from July 1st, 1837, to December 31st, 1839; a period comprising two winters, two springs, three summers, and three autumns.—*See* Table (P).

The march of the epidemic through the kingdom will illustrate the nature of this class of diseases, and will also shew how little they are disturbed in their course by the changing seasons.—*See* Table (*m*) p. 92.

The grand epidemic was composed of a succession of smaller epidemics; and, whether the commencement or the acme be considered, it is evident that the disease was not regulated by any cause, such as temperature; for at the time that it was beginning in one district, it

(*l*) Diseases of the Digestive Organs and some Nervous Affections prevailed in summer.

CAUSES OF DEATH.	Winter.	Spring.	Summer.	Autumn.
Thrush	52	66	112	59
Gastritis, Enteritis, Peritonitis	183	220	298	245
Diarrhœa	88	70	167	68
Dysentery	27	21	33	24
Cholera	3	..	7	5
Intussusception	5	8	14	14
Remittent Fever	3	8	7	6
Teething	166	153	228	216
Hydropobia	2	1	3	6
Tetanus	3	3	6	7
Delirium Tremens	6	14	9	20

was at its height or was declining in another, placed in apparently the same general circumstances (*n*).

When the Registration Act came into operation the epidemic of small-pox had commenced, and was rapidly advancing. It was raging at its height on the western side of the island. In Liverpool and West Derby 458 individuals perished, and were registered under small-pox, in the first three months. Bath, with a much smaller population, lost 154 lives; Leicester, 43; Shrewsbury, 35. The epidemic prevailed in the south-west counties in autumn, extending to the districts around Bath, and then passing from Somersetshire to Devonshire, where it destroyed 131 lives in Exeter, and half as many more in the surrounding districts; and to Wiltshire, where 40 died in Calne, Marlborough, and Pewsey, 48 in Devizes, and 22 in Salisbury. It penetrated further into the country: 64 died in Wycombe, 72 in Wolverhampton, 57 in Blackburn, 99 in Wigan. The deaths from small-pox in Wales were tripled: 69 died in Wrexham, 85 in Abergavenny and Pontypool, 54 in Merthyr Tydfil. The hills and the valleys of Wales were traversed, and 711 victims were cut off, in the third quarter, the winter of 1838. The disease hovered over the metropolis at the first: 22 died in Holborn, 10 in Whitechapel, 16 in St. George's, Southwark, 29 in Lambeth, 47 in Greenwich: the deaths from it were doubled in the second quarter; 753 perished in the winter of 1838. The surrounding districts were infected, Richmond, Kingston, Brentford, Staines, and Uxbridge; Dorsetshire, in the south-west, that had remained almost exempt, was visited; Weymouth, Bridport, Beaminster; then Sherborne, Dorchester, and Cerne; and Taunton, that had been just left by dysentery, with Williton, Wellington, and Bridgewater, in Somersetshire. During the winter quarter (1838) not less than 121 died in Bristol and Clifton; 63 in Worcester, 36 in Dudley, 61 in

(*m*) Small-Pox.

	1837		1838				1839			
Periods	1	2	3	4	5	6	7	8	9	10
Seasons	Summer	Autumn.	Winter.	Spring.	Summer	Autumn.	Winter.	Spring.	Summer	Autumn
Deaths	2513	3289	4242	4489	3685	3851	2982	2505	1533	1730

(*n*) Small-Pox.

Years	1837		1838				1839			
Periods	1	2	3	4	5	6	7	8	9	10
Liverpool and West Derby	458	176	52	33	18	37	13	34	75	141
Manchester	23	98	127	120	111	180	94	40	33	53
Bath	154	18	15	1	1	2	1	25	17	30
Exeter	88	131	6	..	2	..	..	..	..	..
Leeds	4	11	29	69	134	197	74	55	30	15
Norwich	1	..	..	..	..	17	180	204	10	7
Metropolis	257	506	753	1145	1061	858	364	117	65	60

Wolverhampton, 108 in Birmingham and Aston, 40 in Altrincham and Runcorn, 156 in Manchester and Salford. The small-pox mortality attained its maximum in the spring of 1838: the metropolis saw 1145 carried to premature graves; Surrey lost 83 by the malady; Kent, 132; Berkshire, 64; Wiltshire, 93; Somersetshire, 222; Gloucestershire, 142; Worcestershire, 89; Warwickshire, 107; Lancashire, 442; Yorkshire, 282; Durham, 88; Cumberland, 44; Monmouthshire, 82; Wales, 515. In three months, 4489 deaths from small-pox were registered. The epidemic paused, either because its strength was exhausted or its victims failed; yet 3685 fell under its hands in summer, 3851 in autumn. On the Surrey side of the Thames, and at the west end of the metropolis, the mortality attained the highest pitch in the summer and autumn of 1838; in the three last months of the year, 104 died of small-pox in the Westminster district. Ramsgate and Margate suffered severely. In the summer, 76 died at Reading; in autumn, 62 in Ely, North Witchford, and Wisbeach, Cambridgeshire; 50 in Romford, Orsett, Billericay; 48 in Rochford and Maldon; 78 in Colchester, Essex; 95 in Ipswich; 48 in Plymouth; 180 in Manchester; 106 in Oldham; 197 in Leeds; 22 in Whitehaven; 38 in Westmorland.

In 1839 the epidemic reached Norfolk; in the spring, 127 were destroyed in Walsingham, Docking, Freebridge Lynn, and King's Lynn; 180 in Norwich, where 204 more died in the ensuing summer; the disease still raging in Essex and Suffolk, but with diminished violence. The North and the East Ridings of Yorkshire, Sunderland, Newcastle-upon-Tyne, and Tynemouth, were visited. The epidemic subsided on the eastern shore; and in the summer of 1839 only 1533 died of small-pox in the kingdom: 65 cases of small-pox were registered in London. In the autumn of 1839 signs of a second epidemic appeared at Liverpool, Bath, and other towns; the deaths in the kingdom rose to 1730.

The epidemic destroyed more than 30,819 persons.

The Abstract for 1839 is not quite so complete, or so accurate, as the Abstracts for 1837 and 1838, which were drawn up in the regular course, and tested by the ordinary checks. It contains returns from a few districts not included in a return made to an order of the House of Lords. Where the returns from districts were found imperfect when the abstract was made, the table has been marked with an asterisk. The omissions are inconsiderable, and will not affect the general results, which I now proceed to discuss very briefly.

The annual rate of mortality from small-pox was 0·8 in 1000. In the metropolis, 1·1; in Monmouthshire and Wales 1·2 in 1000.

The ages of 8714 persons who died of small-pox in 1839 are subjoined —*See* Table (*o*), p. 94; and the statement is followed by a table of the annual rate of mortality at different ages, calculated upon the assumption that the relative numbers living at the respective ages were the same as in 1821. This is the nearest approximation to the truth that can be obtained, as the ages of the living were not specified in 1831.

Small-pox is admitted on all hands to be contagious. It is communicated by inoculation, or by the inhalation of the vapour given off by a small-pox patient. The minutest particle of matter introduced into the blood acts like a ferment on the organization, reproduces all the characteristic phenomena of the disease, and leaves the survivor secure from any subsequent invasion. Will the simple principle of contagion

then explain the rapid propagation of the epidemic?—Not exclusively; for the disease is always contagious, and a certain number of deaths are caused by it in all seasons, and in every county of England. The facilities of intercourse, and the frequency of contact with the sick, are not greater when the disease is increasing, or is at its height, than when it is stationary or declining. The fact that 2513 died in the first period, 3289 in the second period, and 4242 in the third period, must therefore be accounted for either by assuming that the disease had its origin in some spreading physical cause; that the contagious principle grew more virulent, and was conducted with greater facility by the atmosphere; that the susceptibility of the population increased; or, finally, that the tendency of the organization to fall into this peculiar pathological state augmented spontaneously. *Five* die weekly of small-pox in the metropolis when the disease is not epidemic; and it will be recollected that the question is not to account for this rate of mortality, or for the five weekly deaths which may occur as other deaths occur, or be kept up by the uniform transmission of the disease from family to family. The problem for solution is,—Why do the five deaths become 10, 15, 20, 31, 58, 88 weekly, and then progressively fall through the same measured steps?

This difficulty has presented itself in the history of plague and of contagious diseases of every description; but it has generally been disposed of summarily, by the hypothesis that the disease is always introduced from without, and spreads naturally, like a conflagration. When the plague broke out, that is, became epidemic, in Cairo, the Egyptians asserted that it came from Ethiopia; when it decimated Constantinople, it was ascribed to merchandise or vessels from Egypt.

(*o*) Ages of 8714 Persons who died of Small-Pox in 1839.

	Months.						Years.				
Age	0	1	2	3	6	9	0	1	2	3	4
Males and Females	202	181	162	456	646	588	2235	1524	1197	869	628
Annual Rate of Mortality to 1000 living at each Age	..	..	..	..	..	..	2·73				

	Years.										
Age	5	10	15	20	25	30	35	40	45	50	55
Males and Females	1122	206	226	240	148	93	75	43	22	13	10
Annual Rate of Mortality to 1000 living at each Age	·54	·12	·14	·16		·09		·04		·02	

	Years.								Uncertain.	
Age	60	65	70	75	80	85	90	95		Total.
Males and Females	19	10	10	4	10	1	..	1	8	8714
Annual Rate of Mortality to 1000 living at each Age	·03		·04		·01		..	..	..	·55

Upon precisely the same grounds, it may be contended that Manchester derived the small-pox from Liverpool. The intercourse between Liverpool and Manchester is perhaps more intimate than between any two towns in Europe. The epidemic broke out early in 1837, at Liverpool, and it appeared in Manchester later in the year; was it not then communicated by the population of Liverpool to the population of Manchester? It may have been so communicated. Epidemics are unquestionably transmitted from one place and people to another; but who will pretend to assert that, if all intercourse had been cut off between Manchester and Liverpool, quarantine had been established, and a *cordon sanitaire* had been drawn, such as was enforced in Prussia when cholera prevailed, that Manchester, with all the materials of disease in its streets, would never have suffered from an epidemic of small-pox. Isolated cases of small-pox existed all the while in Manchester; the seeds of an epidemic were there, and would not the causes which generated the epidemic in Liverpool have led to the same result in Manchester? At any rate, the evolution of the epidemic in Liverpool could not be traced to external contagion; and the problem remains for solution,—Why did the deaths from small-pox rise so rapidly, that at last 418 individuals perished in three months, while the ordinary mortality in Liverpool and West Derby, from small-pox, is 27 in three months?

Epidemics appear to be generated at intervals in unhealthy places, spread, go through a regular course, and decline; but of the cause of their evolutions no more is known than of the periodical paroxysms of ague. The body, in its diseases as well as its functions, observes a principle of periodicity; its elements pass through prescribed cycles of changes, and the diseases of nations are subject to similar variations.*

If the latent cause of epidemics cannot be discovered, the mode in which it operates may be investigated. The laws of its action may be determined by observation, as well as the circumstances in which epidemics arise, or by which they may be controlled.

Amidst the apparent irregularities of the epidemic of small-pox, and its eruptions all over the kingdom, it was governed in its progress by cer-

* The hypothesis that the causes of epidemics are generations of minute insects transmitted from one individual to another, through the medium of the atmosphere, has been ingeniously put by Dr. Holland, in his "Medical Notes and Reflections." Henle, of Berlin, has supported the theory by new facts and analogies. The diffusion of contagion has a close analogy with fermentation; and Cagnard-Latour and Schwann have shewn that fermentation is the decomposition of organic fluids by minute vegetables of the lowest class. Putrefaction is a destruction of organic matter effected by infusoria, and not a mere decomposition into elements. One contagious disease, the muscardine of the silk-worm, is known to depend on the development of a vegetable parasite. The germs are innumerable, and spread with the greatest rapidity. In mixtures, certain genera of infusoria appear, and then give place to new genera. Individual cases of disease may be caused by one generation of parasites; an epidemic by successive generations. Each epidemic disease has its specific animal contagion, its specific genera of infusoria. Henle has proved the existence of this cause, and the truth of the theory in every way but one; he has never seen the epidemic infusoria. The omission is, no doubt, important; and the more so on the part of Henle, who is justly considered one of the best microscopic observers in Germany. The infusorial hypothesis does not satisfactorily explain the cause of epidemics; it accounts for them by the creation of animalcules, but does not shew why the animalcules are created at distant times in swarms. The phenomena of swarms of insects, of blight, and of infusorial generation, may suggest investigation; but in the present state of pathology, they cannot supply its place.—*Pathologische Untersuchungen. Von Dr. Henle, Berlin*, 1840. *British and Foreign Medical Review, April*, 1840.

tain general laws. The deaths in the early stage of the epidemic were not registered. To avoid circumlocution, it will be convenient to call the ten quarters in which the deaths were registered the ten periods, the first quarter the first period, the second the second period, &c. &c. The mortality increased up to the fourth registered period; the deaths in the first were 2513, in the second 3289, in the third 4242; and it will be perceived at a glance that these numbers increased very nearly at the rate of 30 per cent. For, multiply 2513 by 1·30, and it will become 3267; multiply 3267 by 1·30, and it will become 4248. The rate of increase is retarded at the end of the third period, and only rises 6 per cent. in the next, where it remains stationary, like a projectile at the summit of the curve which it is destined to describe.

The decline of the epidemic was less rapid than its rise, and the mortality was somewhat greater in the autumns of 1838 and 1839 than in the summers. But by taking the mean of the deaths in the third and fourth period, the mean of the deaths in the fourth and fifth period, &c., &c., a regular series of numbers is produced.

Deaths observed in the decline of the Epidemic.

1	2	3	4	5	6	7
4365	4087	3767	3416	2743	2019	1631

Deaths in a regular series.

1	2	3	4	5	6	7
4364	4147	3767	3272	2716	2156	1635

The 4,365 may be considered to represent the deaths that happened between the middle of February and the middle of May. The regular series of numbers has been calculated upon the hypothesis that the fall of the mortality took place at a uniformly accelerated rate.

The calculated numbers are sometimes a little too high, and sometimes too low; but, on the whole, the agreement is remarkable. The second number (4147) is nearly 5 per cent. lower than the first; and the decrease is successively 5, 10, 15, 20, 26, and 32 per cent. The rates of decrease are 1·052, 1·101, 1·152, 1·205, 1·260, 1·318. The division of 4364 by 1·052 reduces it to 4147; the division of 4147, by 1·101 produces 3767, &c. The mortality decreased at accelerated rates; and the rate of acceleration was 1·046, which, by successive multiplications, will reproduce all the rates, 1·052, 1·101, &c. &c. The rate 1·046 may be called the constant.

The mortality from small-pox was greater in the metropolis than in all the other parts of England: and the rate of increase in the second, third, and fourth periods was 1·50, the deaths having been 506, 753, and 1145. The rate of increase in the first and second periods was 1·97, the deaths were 257 and 560.

The decline of the epidemic in the metropolis is shewn by the following numbers:—

Metropolis.

	1	2	3	4	5
1. Mean quarterly Deaths registered	1103	959	611	240	91
2. Calculated series . . .	1103	967	611	278	91

The number 1103, in the upper line, was the mean of the deaths registered in the fourth and fifth periods; 959 was the mean of the deaths in the fifth and sixth periods; the other numbers were obtained

in the same manner. The first rate of the calculated series was 1·14, and the other rates were obtained by multiplying 1·14, four times in succession, by 1·39, the constant.

I subjoin one more comparative series, deduced by the same methods:—

Wales and the Western Counties of England.

	1	2	3	4	5	6	7	8
1. Mean quarterly Deaths registered	1157	813	621	489	304	194	116	81
2. Calculated series .	1157	858	621	440	304	206	136	88

The first rate was 1·35; the constant, 1·023.

The rates vary with the density of the population, the numbers susceptible of attack, the mortality, and accidental circumstances; so that to obtain the mean rates applicable to the whole population, or to any portion of the population, several epidemics should be investigated. It appears probable, however, that the small-pox increases at an accelerated and then a retarded rate; that it declines first at a slightly accelerated, then at a rapidly accelerated, and lastly at a retarded rate, until the disease attains the minimum intensity, and remains stationary. The degrees of acceleration, and certain corrections, have been neglected in the previous calculations, and the neglect of them produced a little discrepancy between the observed and calculated facts; but it may be well to give one example in which all the corrections are made.

The quarterly rate of mortality by small-pox is obtained by dividing the deaths in a quarter by the population existing in the middle of the quarter; dividing 4364, for instance, by 1,550,000, the population of England on the 31st March, 1838. The annual rate of mortality is expressed by four times the quarterly rate (·00028 × 4 = ·00112, the annual rate of mortality by small-pox). The quarters vary in length from 90 to 92 days; their mean duration is 91¼ days; and, to be strictly accurate, the mortality of the March quarter must be raised in the proportion of 90·5 to 91·25. The rates of mortality in England (*p*) have been corrected in accordance with these principles.

These two series of numbers exactly agree; the rates of decrease in the six periods were 1·08, 1·09, 1·11, 1·24, and 1·39. The first three were produced by multiplying by 1·011, the two last by 1·12. The first constant 1·011, extended over the year 1838; the second, nearly the tenth power of the first, over the first half of the year 1839.

The small-pox would be disturbed, and sometimes arrested, by vaccination, which protected a part of the population, and by inoculation,

(*p*) Small Pox.

	1838				1839	
	March 31.	June 30.	Sept. 30.	Dec. 31.	March 31.	June 30.
Annual rate of mortality per cent. in England (observed)	·114	·105	·096	·086	·070	·051
Annual rate of mortality per cent. (calculated) . . .	·114	·105	·096	·086	·070	·050

which there is reason to believe led to the extension of the epidemic by diffusing the infection artificially. Table (*q*) exhibits the progress of four more epidemic diseases in the metropolis,—measles, typhus, hooping-cough, and scarlatina,—which have not yet been effectually controlled by medical science. They exhibit the same regularity, but the laws which govern their course will be more conveniently discussed when the abstract of the observations has been extended over another year.

In the beginning of January, cholera broke out epidemically in the House of Industry, Coventry: it was fortunately arrested, and did not spread through the town (*r*); 55 died; 27 were males, 28 females.

(*q*) Deaths registered in the Metropolis, during Six Quarters, from Measles, Typhus, Hooping-Cough, Small-Pox, and Scarlatina.

	EPIDEMICS.	1837		1838			
		July, August, September.	October, November, December.	January, February, March.	April, May, June.	July, August, September.	October, November, December.
		88 Days.	92 Days.	90 Days.	91 Days.	92 Days.	92 Days.
No. 1	Measles . . .	822*	532	173	96	94	225
2	Typhus . . .	826	1107	1285*	1176	829	788
3	Hooping Cough	493	573	949*	592	250	292
4	Small Pox . .	257	506	753	1145*	1061	858
5	Scarlatina . .	153	265	207	272	408	637*

(*r*) Deaths from Cholera in the Coventry House of Industry.

1838	January 7 to 11	January 12 to 16	January 17 to 21	January 22 to 26	January 27 to 31	February 1 to 5	Total.
Deaths .	7	4	15	20	7	2	55

AGE.	Under 1 Year.	1 to 5	5—10	10—20	20—40	40—60	60—80	80—90	Total.
Deaths .	1	6	4	4	3	8	20	9	55

In concluding this letter, I am very sensible of its imperfections; but I have endeavoured to carry out your directions, in the best way I could; to classify the registered diseases, to notice some of the practical applications of the facts, and to point out the principal Causes of death—to be avoided—by the people of England.

I have the honour to be, Sir,
Your very obedient and humble servant,
WILLIAM FARR.

To the Registrar-General.

ABSTRACTS OF THE CAUSES OF DEATH

Registered in the Year 1838.

ENGLAND and WALES.

TABLE (A).—Being an Abstract of the Causes of Death registered in the several Districts and Counties of England and Wales, 1838.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	8639	7629	16,268
	Measles	3328	3186	6514
	Scarlatina	2890	2912	5802
	Hooping-Cough	4036	5071	9107
	Croup	2410	2053	4463
	Thrush	572	518	1090
	Diarrhœa	1371	1111	2482
	Dysentery	362	265	627
	Cholera	178	153	331
	Influenza	427	379	806
	Ague	30	14	44
	Remittent Fever	89	93	182
	Typhus (1)	9282	9493	18,775
	Erysipelas	605	598	1203
	Syphilis	86	73	159
	Hydrophobia	16	8	24
	Total	34,321	33,556	67,877
Sporadic Diseases. — Of the Nervous System.	Cephalitis	1204	974	2178
	Hydrocephalus	4242	3430	7672
	Apoplexy	2938	2692	5630
	Paralysis	2307	2668	4975
	Convulsions	14,549	11,498	26,047
	Tetanus	100	29	129
	Chorea	4	20	24
	Epilepsy (2)	578	515	1093
	Insanity (3)	178	189	367
	Delirium Tremens	167	15	182
	Disease (4)	762	645	1407
	Total	27,029	22,675	49,704
Sporadic Diseases. — Of the Respiratory Organs.	Laryngitis	56	43	99
	Quinsey	226	206	432
	Bronchitis	1193	874	2067
	Pleurisy (5)	329	253	582
	Pneumonia	9887	8112	17,999
	Hydrothorax	1295	1011	2306
	Asthma	3359	2386	5745
	Consumption	27,935	31,090	59,025
	Disease (6)	1432	1136	2568
	Total	45,712	45,111	90,823
Sporadic Diseases. — Of the Organs of Circulation.	Pericarditis	74	50	124
	Aneurism	88	31	119
	Disease (7)	1870	1449	3319
	Total	2032	1530	3562
Sporadic Diseases. — Of the Digestive Organs. — Intestinal Canal.	Teething	2294	2110	4404
	Gastritis, Enteritis	3139	2922	6061
	Peritonitis	51	117	168
	Tabes Mesenterica	373	351	724
	Worms	330	419	749
	Ascites	27	36	63
	Ulceration	137	119	256
	Hernia	318	189	507
	Colic, or Ileus	345	274	619
	Intussusception	136	102	238
	Stricture (8)	48	63	111
	Hematemesis	65	46	111
	Disease	699	686	1385
Sporadic Diseases. — Of the Digestive Organs. — Pancreas	Disease	2	1	3
Sporadic Diseases. — Of the Digestive Organs. — Liver	Hepatitis	242	207	449
	Jaundice	405	436	841
	Disease	1432	1158	2590
Sporadic Diseases. — Of the Digestive Organs. — Spleen	Disease (9)	15	12	27
	Total	10,058	9248	19,306

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. — Of the Urinary Organs.	Nephritis	113	44	157
	Ischuria	59	11	70
	Diabetes	152	55	207
	Cystitis	103	25	128
	Stone	282	38	320
	Stricture	51	8	59
	Disease (10)	578	132	710
	Total	1338	313	1651
Sporadic Diseases. — Of the Organs of Generation.	Childbed	..	2811	2811
	Paramenia	..	69	69
	Ovarian Dropsy	..	45	45
	Disease (11)	11	327	338
	Total	11	3252	3263
Sporadic Diseases. — Of the Organs of Locomotion.	Arthritis	9	7	16
	Rheumatism	520	510	1030
	Disease	563	493	1056
	Total	1092	1010	2102
Sporadic Diseases. — Of the Integumentary System.	Carbuncle	20	15	35
	Phlegmon	9	7	16
	Ulcer	81	81	162
	Fistula	82	18	100
	Disease (12)	67	40	107
	Total	259	161	420
Sporadic Diseases. — Of Uncertain Seat.	Inflammation	3050	2766	5816
	Hæmorrhage	730	488	1218
	Dropsy	5170	7172	12,342
	Abscess	869	609	1478
	Mortification	802	541	1343
	Purpura	31	27	58
	Scrofula (13)	599	520	1119
	Carcinoma (14)	620	1828	2448
	Tumor	141	232	373
	Gout	161	46	207
	Atrophy	1022	996	2018
	Debility	6743	5891	12,634
	Malformations (15)	93	73	166
	Sudden Deaths	1840	1172	3012
	Total	21,871	22,361	44,232
	Old Age	16,246	19,318	35,564
Deaths ascribed to External Causes, or to Violence.	Intemperance (16)	125	36	161
	Starvation by Cold, Want, &c.	126	41	167
	Violent Deaths (17)	8359	3368	11,727
	Total	8610	3445	12,055
Causes not specified		6465	5505	11,970
Total		175,044	167,485	342,529

Area in Square Miles.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
57,814	13,897,187	834,543	1,227,614	849,717	2,911,874

Notes to Table (A).

In the following notes diseases, which, like mumps, cause few deaths, are distinguished; they are sometimes entirely different from the head to which they were temporarily referred, for convenience in forming the Abstracts.

Under (1) *Typhus* are included, mumps, 9; blue fever, 1, aged 43; yellow fever, 1, aged 68.

Under (2) *Epilepsy*, hysteric fits, 13, of whom 1 was aged 1, 6 were 10—20, 3 were 20—30, and 3 were 50—60.

Under the same head as (3) *Insanity* are included the following mental affections:—grief, 4, aged respectively, 53, 53, 24, 61; passion, 1, aged 1 year and 9 months; fright, 10.

Under (4) *Disease of the Nervous System* are included, softening of brain, 9; hydatids in brain, 1; worms in brain, 1; softening of spinal cord, 1, aged 28; tic doloureux, 3, aged 41, 49, 66; coup-de-soleil, 1, aged 38; ophthalmia, 3; disease of eye, 1.

Under (5) *Pleurisy*, diaphragmitis, 1.

Under (6) *Disease of the Respiratory Organs*, contraction of windpipe, 1.

Under (7) *Disease of the Organs of Circulation* are included, angina pectoris, 22, of whom 1 was aged 20, 1 was 30—40, 4 were 40—50, 6 were 50—60, 7 were 60—70, and 3 were 70—80; phlebitis, 5; fainting, 3; abscess of heart, 1.

Under (8) *Stricture of the Intestinal Tube*, stricture of œsophagus, 31; of pylorus, 7; of colon, 2; and of rectum, 6; in the total of whom 3 were aged 20—30, 2 were 30—40, 5 were 40—50, 15 were 50—60, 14 were 60—70, 1 was 70—80, and the ages of 6 were not specified.

Under (9) *Disease of Spleen*, hyperthrophy, 1, a shoemaker, aged 34; the spleen in his case weighed 11½ lbs.

Under (10) *Disease of the Urinary Organs*, 2 cases of hæmaturia.

Under (11) *Disease of the Organs of Generation*, orchitis, 2.

Under (12) *Disease*, of skin, elephantiasis, 1, aged 49; pemphigus, 1, aged 83; leprosy, 11; rupia, 1, aged 30; psoriasis, 1, aged 4 months; mercurial erythema, 1.

Under (13) *Scrofula*, bronchocele, or wen, 8; rickets, 17, of whom 5 were aged 1 year, 4 were 2, 1 was 3, and 6 were 5, and the age of 1 was not specified; scurvy, 11; glanders, 3; cachexia, 18.

Under (14) *Cancer*, chimney-sweep's cancer, 3, aged respectively 28, 32, 50.

Under (15) *Malformation*, sex doubtful, 1, aged 1 hour; cyanosis, or blue disease, 3, aged 1 day, 5 days, 18 years.

Under (16) *Intemperance*, opium-eating, 2, aged 66, 76.

Under (17) *Violence*, Suicides, 1058, of whom 751 were males and 307 females; of 76 murdered, 13 were merely stated to be infants, 1 was aged 1 month, 2 were 2 months, 1 was 3 months, 2 were 6 months, 1 was 2 years, 2 were 3 years, 42 were 20 and upwards, and the ages of 12 were not specified; overlaid by mother, 17; lightning, 24; taking laudanum (not suicides) 18; drinking gin, 2; taking Godfrey's Cordial, 3; taking hartshorn inadvertently, 1; application of calomel to cure the itch, 1, aged 47; from an overdose of tartar emetic, 1; charcoal burnt in the bed-room, 2, aged 11 and 50; drinking hot water from the spout of a tea-kettle, 25, of whom 1 was aged 6 months, 6 were 1 year, 10 were 2 years, 3 were 3 years, 3 were 4 years, 1 was 5 years, and the age of 1 was not specified; from the bite of a dog (not hydrophobia), 1, aged 38; from the bite of a viper 1, aged 3; sea-sickness, 1, aged 38.

METROPOLIS.

TABLE (A) 1.—DIVISION I.—Parts of the Counties of MIDDLESEX, SURREY, and KENT.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	2030	1787	3817
	Measles	310	278	588
	Scarlatina	747	777	1524
	Hooping-Cough	948	1135	2083
	Croup	181	173	354
	Thrush	148	141	289
	Diarrhœa	219	174	393
	Dysentery	56	49	105
	Cholera	10	5	15
	Influenza	29	34	63
	Ague	5	3	8
	Remittent Fever	11	13	24
	Typhus	2083	1995	4078
	Erysipelas	218	187	405
	Syphilis	24	17	41
	Hydrophobia	8	4	12
	Total	7027	6772	13,799
Sporadic Diseases. Of the Nervous System.	Cephalitis	307	228	535
	Hydrocephalus	992	777	1769
	Apoplexy	525	462	987
	Paralysis	353	384	737
	Convulsions	1851	1568	3419
	Tetanus	13	6	19
	Chorea	1	5	6
	Epilepsy	104	103	207
	Insanity	37	36	73
	Delirium Tremens	46	3	49
	Disease	163	145	308
	Total	4392	3717	8109
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	11	9	20
	Quinsey	33	31	64
	Bronchitis	252	201	453
	Pleurisy	34	37	71
	Pneumonia	2005	1739	3744
	Hydrothorax	154	131	285
	Asthma	789	624	1413
	Consumption	4057	3630	7687
	Disease	316	235	551
	Total	7651	6637	14,288
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	7	9	16
	Aneurism	23	1	24
	Disease	416	364	780
	Total	446	374	820
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	381	382	763
	Gastritis, Enteritis	430	451	881
	Peritonitis	22	43	65
	Tabes Mesenterica	87	87	174
	Worms	4	7	11
	Ascites	10	5	15
	Ulceration	24	27	51
	Hernia	55	45	100
	Colic, or Ileus	55	41	96
	Intussusception	28	13	41
	Stricture	5	12	17
	Hematemesis	11	8	19
	Disease	94	101	195
Pancreas	Disease	2	1	3
Liver	Hepatitis	19	29	48
	Jaundice	45	54	99
	Disease	194	189	383
Spleen	Disease	5	2	7
	Total	1471	1497	2968
Sporadic Diseases. Of the Urinary Organs.	Nephritis	20	9	29
	Ischuria	..	1	1
	Diabetes	19	4	23
	Cystitis	5	2	7
	Stone	18	2	20
	Stricture	27	5	32
	Disease	102	23	125
	Total	191	46	237
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	403	403
	Paramenia	..	3	3
	Ovarian Dropsy	..	14	14
	Disease	1	120	121
	Total	1	540	541
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	1	1	2
	Rheumatism	104	80	184
	Disease	112	99	211
	Total	217	180	397
Sporadic Diseases. Of the Integumentary System.	Carbuncle	1	3	4
	Phlegmon	6	2	8
	Ulcer	8	14	22
	Fistula	16	4	20
	Disease	16	6	22
	Total	47	29	76
Sporadic Diseases. Of Uncertain Seat.	Inflammation	474	469	943
	Hæmorrhage	123	67	190
	Dropsy	765	1003	1768
	Abscess	111	83	194
	Mortification	116	109	225
	Purpura	8	1	9
	Scrofula	39	32	71
	Carcinoma	51	234	285
	Tumor	20	51	71
	Gout	48	21	69
	Atrophy	117	93	210
	Debility	306	292	598
	Malformations	26	17	43
	Sudden Deaths	360	272	632
	Total	2564	2744	5308
Old Age		1694	2417	4111
Deaths ascribed to External Causes, or to Violence.	Intemperance	14	7	21
	Starvation	21	8	29
	Violent Deaths	910	417	1327
	Total	945	432	1377
Causes not specified		404	263	667
	Total	27,050	25,648	52,698

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
44,810	1,594,890	4487	205,090	163,632	373,209

MANCHESTER and SALFORD.

TABLE (A) 2.—DIVISION II.—Part of the County of LANCASTER.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	302	298	600
	Measles	83	90	173
	Scarlatina	42	44	86
	Hooping-Cough	109	133	242
	Croup	91	71	162
	Thrush	4	8	12
	Diarrhœa	67	46	113
	Dysentery	6	8	14
	Cholera	5	3	8
	Influenza	2	6	8
	Ague	..	1	1
	Remittent Fever	1	3	4
	Typhus	318	309	627
	Erysipelas	6	15	21
	Syphilis	..	2	2
	Hydrophobia	..	..	..
	Total	1036	1037	2073
Sporadic Diseases. Of the Nervous System.	Cephalitis	36	18	54
	Hydrocephalus	131	102	233
	Apoplexy	44	27	71
	Paralysis	53	36	89
	Convulsions	540	414	954
	Tetanus	1	2	3
	Chorea	..	1	1
	Epilepsy	6	7	13
	Insanity	3	5	8
	Delirium Tremens	5	1	6
	Disease	5	7	12
	Total	824	620	1444
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	..	..	..
	Quinsey	10	10	20
	Bronchitis	30	27	57
	Pleurisy	11	7	18
	Pneumonia	393	313	706
	Hydrothorax	21	15	36
	Asthma	152	133	285
	Consumption	769	810	1579
	Disease	22	23	45
	Total	1408	1338	2746
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	2	3	5
	Aneurism	3	1	4
	Disease	30	30	60
	Total	35	34	69
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	204	196	400
	Gastritis, Enteritis	63	65	128
	Peritonitis	1	1	2
	Tabes Mesenterica	6	1	7
	Worms	13	14	27
	Ascites	..	..	..
	Ulceration	6	9	15
	Hernia	6	5	11
	Colic or Ileus	3	3	6
	Intussusception	3	1	4
	Stricture	2	..	2
	Hematemesis	1	1	2
	Disease	16	24	40
Pancreas	Disease	..	..	..
Liver	Hepatitis	1	4	5
	Jaundice	7	5	12
	Disease	42	24	66
Spleen	Disease	..	..	..
	Total	374	353	727

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	6	3	9
	Ischuria	..	..	..
	Diabetes	3	1	4
	Cystitis	2	2	4
	Stone	9	..	9
	Stricture	1	..	1
	Disease	7	2	9
	Total	28	8	36
Of the Organs of Generation.	Childbed	..	91	91
	Paramenia	..	2	2
	Ovarian Dropsy	..	..	..
	Disease	..	4	4
	Total	..	97	97
Of the Organs of Locomotion.	Arthritis	..	..	..
	Rheumatism	16	21	37
	Disease	17	9	26
	Total	33	30	63
Of the Integumentary System.	Carbuncle	..	..	..
	Phlegmon	..	..	..
	Ulcer	3	3	6
	Fistula	1	1	2
	Disease	1	..	1
	Total	5	4	9
Of Uncertain Seat.	Inflammation	29	35	64
	Hæmorrhage	17	9	26
	Dropsy	90	146	236
	Abscess	15	13	28
	Mortification	11	6	17
	Purpura	1	..	1
	Scrofula	8	5	13
	Carcinoma	8	29	37
	Tumor	1	2	3
	Gout	..	..	..
	Atrophy	19	16	35
	Debility	120	116	236
	Malformations	..	..	..
	Sudden Deaths	42	17	59
	Total	361	394	755
	Old Age	204	266	470
Deaths ascribed to External Causes, or to Violence.	Intemperance	8	4	12
	Starvation	3	1	4
	Violent Deaths	219	91	310
	Total	230	96	326
Causes not specified		60	38	98
	Total	4598	4315	8913

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
37,797	236,935	1381	37,522	10,489	49,392

LIVERPOOL and WEST DERBY.

TABLE (A) 3.—DIVISION III.—Part of the County of LANCASTER.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	74	66	140
	Measles	130	108	238
	Scarlatina	38	50	88
	Hooping-Cough	129	165	294
	Croup	85	61	146
	Thrush	6	6	12
	Diarrhœa	27	20	47
	Dysentery	22	8	30
	Cholera	6	2	8
	Influenza	3	3	6
	Ague	1	..	1
	Remittent Fever	2	2	4
	Typhus	312	261	573
	Erysipelas	25	12	37
	Syphilis	1	6	7
	Hydrophobia	1	..	1
	Total	862	770	1632
Sporadic Diseases. Of the Nervous System.	Cephalitis	18	28	46
	Hydrocephalus	144	120	264
	Apoplexy	37	35	72
	Paralysis	35	49	84
	Convulsions	560	517	1077
	Tetanus	4	..	4
	Chorea	..	..	..
	Epilepsy	10	6	16
	Insanity	5	2	7
	Dilirium Tremens	..	..	..
	Disease	10	7	17
	Total	823	764	1587
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	..	..	..
	Quinsey	26	14	40
	Bronchitis	18	9	27
	Pleurisy	8	8	16
	Pneumonia	435	358	793
	Hydrothorax	17	14	31
	Asthma	134	115	249
	Consumption	819	823	1642
	Disease	7	9	16
	Total	1464	1350	2814
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	2	2	4
	Aneurism	2	..	2
	Disease	43	25	68
	Total	47	27	74
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	127	123	250
	Gastritis, Enteritis	97	100	197
	Peritonitis	..	..	..
	Tabes Mesenterica	..	1	1
	Worms	6	4	10
	Ascites	..	..	..
	Ulceration	1	..	1
	Hernia	5	1	6
	Colic or Ileus	1	2	3
	Intussusception	3	1	4
	Stricture	..	..	..
	Hematemesis	1	..	1
	Disease	8	4	12
Pancreas	Disease	..	..	..
Liver	Hepatitis	9	8	17
	Jaundice	7	10	17
	Disease	29	26	55
Spleen	Disease	1	..	1
	Total	295	280	575
Sporadic Diseases. Of the Urinary Organs.	Nephritis	3	1	4
	Ischuria	2	..	2
	Diabetes	1	1	2
	Cystitis	2	2	4
	Stone	4	..	4
	Stricture	..	..	..
	Disease	1	1	2
	Total	13	5	18
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	76	76
	Paramenia	..	3	3
	Ovarian Dropsy	..	..	..
	Disease	..	..	..
	Total	..	79	79
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	1	1	2
	Rheumatism	11	5	16
	Disease	12	11	23
	Total	24	17	41
Sporadic Diseases. Of the Integumentary System.	Carbuncle	1	..	1
	Phlegmon	..	..	..
	Ulcer	2	1	3
	Fistula	2	..	2
	Disease	1	..	1
	Total	36	71	107
Sporadic Diseases. Of Uncertain Seat.	Inflammation	27	29	56
	Hæmorrhage	20	10	30
	Dropsy	101	108	209
	Abscess	7	7	14
	Mortification	22	16	38
	Purpura	..	..	..
	Scrofula	10	5	15
	Carcinoma	12	36	48
	Tumor	3	5	8
	Gout	3	1	4
	Atrophy	27	18	45
	Debility	76	100	176
	Malformations	..	..	..
	Sudden Deaths	40	24	64
	Total	348	359	707
Old Age		171	253	424
Deaths ascribed to External Causes, or to Violence.	Intemperance	1	5	6
	Starvation	3	1	4
	Violent Deaths	175	89	264
	Total	179	95	274
Causes not specified.		13	7	20
	Total	4245	4007	8252

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
38,060	218,233	1446	20,456	21,124	43,026

LEEDS.

TABLE (A) 4.—DIVISION IV.—Part of the County of YORK.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	218	211	429
	Measles	75	92	167
	Scarlatina	16	12	28
	Hooping-Cough	51	59	110
	Croup	34	37	71
	Thrush	14	5	19
	Diarrhœa	8	20	28
	Dysentery	..	1	1
	Cholera	4	2	6
	Influenza	2	1	3
	Ague	..	..	..
	Remittent Fever	2	..	2
	Typhus	129	116	245
	Erysipelas	2	6	8
	Syphilis	..	1	1
	Hydrophobia	..	..	..
	Total	555	563	1118
Sporadic Diseases. Of the Nervous System.	Cephalitis	21	21	42
	Hydrocephalus	80	82	162
	Apoplexy	20	18	38
	Paralysis	15	17	32
	Convulsions	219	176	395
	Tetanus	2	..	2
	Chorea	..	..	..
	Epilepsy	3	1	4
	Insanity	1	..	1
	Delirium Tremens	3	..	3
	Disease	20	14	34
	Total	384	329	713
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	..	..	..
	Quinsey	3	1	4
	Bronchitis	18	10	28
	Pleurisy	3	2	5
	Pneumonia	163	128	291
	Hydrothorax	5	7	12
	Asthma	57	31	88
	Consumption	368	416	784
	Disease	4	3	7
	Total	621	598	1219
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	..	..	..
	Aneurism	1	..	1
	Disease	14	13	27
	Total	15	13	28
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	55	44	99
	Gastritis, Enteritis	22	29	51
	Peritonitis	..	..	..
	Tabes Mesenterica	1	..	1
	Worms	8	5	13
	Ascites	..	..	..
	Ulceration	..	..	..
	Hernia	1	1	2
	Colic or Ileus	2	3	5
	Intussusception	..	..	..
	Stricture	..	..	..
	Hematemesis	..	..	..
	Disease	7	5	12
Sporadic Diseases. Of the Digestive Organs. Pancreas	Disease	..	..	..
Sporadic Diseases. Of the Digestive Organs. Liver	Hepatitis	2	..	2
	Jaundice	1	5	6
	Disease	14	8	22
Sporadic Diseases. Of the Digestive Organs. Spleen	Disease	..	..	..
	Total	113	100	213

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	1	..	1
	Ischuria	..	..	..
	Diabetes	1	..	1
	Cystitis	..	1	1
	Stone	5	..	5
	Stricture	..	..	..
	Disease	3	..	3
	Total	10	1	11
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	39	39
	Paramenia	..	..	..
	Ovarian Dropsy	..	..	..
	Disease	..	4	4
	Total	..	43	43
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	..	..	..
	Rheumatism	3	4	
	Disease	7	2	9
	Total	10	6	16
Sporadic Diseases. Of the Integumentary System.	Carbuncle	..	1	1
	Phlegmon	..	..	..
	Ulcer	..	..	..
	Fistula	1	..	1
	Disease	1	..	1
	Total	2	1	3
Sporadic Diseases. Of Uncertain Seat.	Inflammation	34	39	73
	Hæmorrhage	4	..	4
	Dropsy	52	65	117
	Abscess	6	6	12
	Mortification	6	5	11
	Purpura	..	..	..
	Scrofula	3	..	3
	Carcinoma	3	15	18
	Tumor	1	3	4
	Gout	..	..	..
	Atrophy	1	..	1
	Debility	79	66	145
	Malformations	1	..	1
	Sudden Deaths	23	8	31
	Total	213	207	420
	Old Age	138	147	285
Deaths ascribed to External Causes, or to Violence.	Intemperance	..	1	1
	Starvation	..	..	..
	Violent Deaths	92	39	131
	Total	92	40	132
Causes not specified		49	39	88
	Total	2202	2087	4289

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
41,520	135,581	1327	18,810	8542	28,679

BIRMINGHAM.

TABLE (A) 5.—DIVISION V.—Part of the County of WARWICK.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	144	140	284
	Measles	47	50	97
	Scarlatina	7	1	8
	Hooping-Cough	32	52	84
	Croup	19	18	37
	Thrush	4	1	5
	Diarrhœa	9	7	16
	Dysentery	2	1	3
	Cholera	2	1	3
	Influenza	1	3	4
	Ague	..	..	..
	Remittent Fever	..	..	..
	Typhus	74	49	123
	Erysipelas	4	5	9
	Syphilis	..	..	..
	Hydrophobia	..	..	..
	Total	345	328	673
Sporadic Diseases. Of the Nervous System.	Cephalis	12	5	17
	Hydrocephalus	46	42	88
	Apoplexy	32	22	54
	Paralysis	6	20	26
	Convulsions	83	71	154
	Tetanus	..	..	..
	Chorea	..	..	..
	Epilepsy	7	4	11
	Insanity	11	7	18
	Delirium Tremens	..	..	..
	Disease	5	3	8
	Total	202	174	376
Sporadic Diseases. Of the Respiratory Organs.	Quinsey	..	1	1
	Bronchitis	18	15	33
	Pleurisy	5	1	6
	Pneumonia	221	187	408
	Hydrothorax	10	2	12
	Asthma	56	53	109
	Consumption	341	276	617
	Disease	8	5	13
	Total	660	540	1200
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	1	..	1
	Aneurism	2	..	2
	Disease	37	23	60
	Total	40	23	63
Sporadic Diseases. Of the Digestive Organs.	Teething	39	33	72
	Gastritis, Enteritis	79	85	164
	Peritonitis	..	..	..
	Tabes Mesenterica	1	..	1
	Worms	..	..	..
Intestinal Canal.	Ascites	..	2	2
	Ulceration	..	2	2
	Hernia	3	3	6
	Colic, or Ileus	2	2	4
	Intussusception	..	..	..
	Stricture	..	1	1
	Hematemesis	..	..	..
	Disease	4	3	7
Pancreas	Disease	..	..	..
Liver	Hepatitis	3	1	4
	Jaundice	5	6	11
	Disease	10	11	21
Spleen	Disease	..	..	..
	Total	146	149	295

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	1	2	3
	Ischuria	..	2	2
	Diabetes	3	1	4
	Cystitis	..	..	..
	Stone	1	2	3
	Stricture	1	..	1
	Disease	4	2	6
	Total	10	9	19
Of the Organs of Generation.	Childbed	..	18	18
	Paramenia	..	1	1
	Ovarian Dropsy	..	1	1
	Disease	..	1	1
	Total	..	21	21
Of the Organs of Locomotion.	Arthritis	..	..	..
	Rheumatism	7	6	13
	Disease	7	4	11
	Total	14	10	24
Of the Integumentary System.	Carbuncle	..	..	..
	Phlegmon	..	..	..
	Ulcer	3	1	4
	Fistula	1	..	1
	Disease	1	..	1
	Total	5	1	6
Of Uncertain Seat.	Inflammation	6	5	11
	Hæmorrhage	31	45	76
	Dropsy	18	8	26
	Abscess	3	4	7
	Mortification	1	..	1
	Purpura	5	2	7
	Scrofula	10	23	33
	Carcinoma	7	65	12
	Tumor	1	..	1
	Gout	5	12	17
	Atrophy	70	65	135
	Debility	..	..	..
	Malformations	4	1	5
	Sudden Deaths	167	175	342
	Total	106	123	229
Old Age				
Deaths ascribed to External Causes, or to Violence.	Intemperance	1	..	1
	Starvation	1	..	1
	Violent Deaths	48	33	81
	Total	50	33	83
Causes not specified		21	7	28
	Total	1766	1593	3359

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
2660	110,914	301	20,763	2870	23,934

MIDDLESEX (part of), HERTFORDSHIRE, BUCKINGHAMSHIRE, and BEDFORDSHIRE.

TABLE (A) 6.—DIVISION VI.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-pox	293	252	545
	Measles	101	79	180
	Scarlatina	61	70	131
	Hooping Cough	95	150	245
	Croup	68	59	127
	Thrush	38	34	72
	Diarrhœa	47	38	85
	Dysentery	5	7	12
	Cholera	4	7	11
	Influenza	16	11	27
	Ague	2	..	2
	Remittent Fever	1	2	3
	Typhus	295	282	577
	Erysipelas	11	19	30
	Syphilis	4	2	6
	Hydrophobia	..	..	..
	Total	1041	1012	2053
Sporadic Diseases. Of the Nervous System.	Cephalitis	40	33	73
	Hydrocephalus	107	94	201
	Apoplexy	117	118	235
	Paralysis	94	98	192
	Convulsions	403	294	697
	Tetanus	7	2	9
	Chorea	1	..	1
	Epilepsy	35	38	73
	Insanity	6	6	12
	Delirium Tremens	9	2	11
	Disease	35	32	67
	Total	854	717	1571
Sporadic Diseases. Of the Respiratory Organs.	Quinsey	3	6	9
	Bronchitis	24	21	45
	Pleurisy	15	7	22
	Pneumonia	283	230	513
	Hydrothorax	61	65	126
	Asthma	33	33	66
	Consumption	886	1167	2053
	Disease	56	31	87
	Total	1361	1563	2924
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	4	3	7
	Aneurism	..	3	3
	Disease	85	36	121
	Total	89	42	131
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	50	47	97
	Gastritis, Enteritis	94	85	179
	Peritonitis	..	3	3
	Tabes Mesenterica	18	19	37
	Worms	10	6	16
	Ascites	2	3	5
	Ulceration	5	4	9
	Hernia	7	2	9
	Colic or Ileus	16	9	25
	Intussusception	1	2	3
	Stricture	1	4	5
	Hematemesis	4	..	4
	Disease	24	25	49
Pancreas	Disease	..	..	..
Liver	Hepatitis	10	5	15
	Jaundice	18	16	34
	Disease	69	70	139
Spleen	Disease	..	..	..
	Total	329	300	629

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	1	..	1
	Ischuria	1	..	1
	Diabetes	1	1	2
	Cystitis	2	..	2
	Stone	4	1	5
	Stricture	..	..	..
	Disease	22	4	26
	Total	31	6	37
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	95	95
	Paramenia	..	..	..
	Ovarian Dropsy	..	..	..
	Disease	1	15	16
	Total	1	110	111
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	..	..	..
	Rheumatism	9	9	18
	Disease	30	25	55
	Total	39	34	73
Sporadic Diseases. Of the Integumentary System.	Carbuncle	1	..	1
	Phlegmon	..	..	..
	Ulcer	..	5	5
	Fistula	5	..	5
	Disease	..	..	..
	Total	6	5	11
Sporadic Diseases. Of Uncertain Seat.	Hæmorrhage	24	12	36
	Dropsy	206	309	515
	Abscess	38	22	60
	Mortification	35	23	58
	Purpura	..	..	..
	Scrofula	27	23	50
	Carcinoma	16	71	87
	Tumor	5	5	10
	Gout	3	1	4
	Atrophy	44	42	86
	Debility	301	287	588
	Malformations	2	5	7
	Sudden Deaths	123	76	199
	Total	1027	1066	2093
	Old Age	723	784	1507
Deaths ascribed to External Causes, or to Violence.	Intemperance	4	1	5
	Starvation	5	5	10
	Violent Deaths	209	108	317
	Total	218	114	332
Causes not specified		180	166	346
	Total	5899	5919	11,818

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,323,888	515,893	48,368	29,960	26,675	105,003

KENT (except GREENWICH), SURREY (part of), SUSSEX, HAMPSHIRE, and BERKSHIRE.

TABLE (A) 7.—DIVISION VII.

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. — Epidemic, Endemic, and Contagious Diseases.	Small Pox	651	478	1129
	Measles	239	230	469
	Scarlatina	321	346	667
	Hooping Cough	294	369	663
	Croup	181	166	347
	Thrush	51	36	87
	Diarrhœa	106	76	182
	Dysentery	51	33	84
	Cholera	8	9	17
	Influenza	60	40	100
	Ague	..	3	3
	Remittent Fever	16	9	25
	Typhus	674	694	1368
	Erysipelas	48	63	111
	Syphilis	15	8	23
	Hydrophobia	..	2	2
	Total	2715	2562	5277
Of the Nervous System.	Cephalitis	94	84	178
	Hydrocephalus	398	302	700
	Apoplexy	352	356	708
	Paralysis	210	237	447
	Convulsions	993	827	1820
	Tetanus	10	3	13
	Chorea	..	..	..
	Epilepsy	74	42	116
	Insanity	34	23	57
	Delirium Tremens	15	2	17
	Disease	108	90	198
	Total	2288	1966	4254
Of the Respiratory Organs.	Quinsey	13	8	21
	Bronchitis	134	105	239
	Pleurisy	30	23	53
	Pneumonia	870	638	1508
	Hydrothorax	153	123	276
	Asthma	170	100	270
	Consumption	2359	2678	5037
	Disease	211	137	348
	Total	3949	3823	7772
Of the Organs of Circulation.	Pericarditis	6	6	12
	Aneurism	16	1	17
	Disease	208	157	365
	Total	230	164	394
Of the Digestive Organs. — Intestinal Canal.	Teething	118	108	226
	Gastritis, Enteritis	271	219	490
	Peritonitis	6	13	19
	Tabes Mesenterica	58	48	106
	Worms	12	6	18
	Ascites	4	3	7
	Ulceration	14	19	33
	Hernia	30	16	46
	Colic or Ileus	54	57	111
	Intussusception	15	5	20
	Stricture	4	9	13
	Hematemesis	10	4	14
	Disease	79	74	153
Pancreas	Disease	..	..	..
Liver	Hepatitis	28	21	49
	Jaundice	35	24	59
	Disease	140	107	247
Spleen	Disease	2	2	4
	Total	880	735	1615

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. — Of the Urinary Organs.	Nephritis	7	1	8
	Ischuria	1	2	3
	Diabetes	18	6	24
	Cystitis	8	1	9
	Stone	22	..	22
	Stricture	10	3	13
	Disease	94	23	117
	Total	160	36	196
Of the Organs of Generation.	Childbed	..	197	197
	Paramenia	..	..	..
	Ovarian Dropsy	..	3	3
	Disease	1	45	46
	Total	1	245	246
Of the Organs of Locomotion.	Arthritis	1	..	1
	Rheumatism	45	38	83
	Disease	46	50	96
	Total	92	88	180
Of the Integumentary System.	Carbuncle	3	1	4
	Phlegmon	1	..	1
	Ulcer	7	8	15
	Fistula	7	2	9
	Disease	8	4	12
	Total	26	15	41
Of Uncertain Seat.	Inflammation	[illegible]	[illegible]	[illegible]
	Hæmorrhage	89	62	151
	Dropsy	534	724	1258
	Abscess	94	81	175
	Mortification	88	56	144
	Purpura	5	3	8
	Scrofula	64	53	117
	Carcinoma	67	216	283
	Tumor	21	29	50
	Gout	30	4	34
	Atrophy	79	87	166
	Debility	548	471	1019
	Malformations	12	9	21
	Sudden Deaths	126	67	193
	Total	2085	2122	4207
Old Age		1757	1859	3616
Deaths ascribed to External Causes, or to Violence.	Intemperance	8	3	11
	Starvation	10	1	11
	Violent Deaths	692	279	971
	Total	710	283	993
Causes not specified		524	447	971
	Total	15,417	14,345	29,762

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
3,861,100	1,351,236	107,028	88,519	79,222	274,769

DORSETSHIRE and WILTSHIRE.

TABLE (A) 8.—DIVISION VIII.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	261	253	514
	Measles	178	165	343
	Scarlatina	12	12	24
	Hooping Cough	83	115	198
	Croup	38	30	68
	Thrush	8	9	17
	Diarrhœa	42	37	79
	Dysentery	11	7	18
	Cholera	1	..	1
	Influenza	28	24	52
	Ague	2	1	3
	Remittent Fever	3	..	3
	Typhus	162	197	359
	Erysipelas	14	12	26
	Syphilis	4	..	4
	Hydrophobia	..	..	..
	Total	847	862	1709
Sporadic Diseases. Of the Nervous System.	Cephalitis	24	16	40
	Hydrocephalus	72	62	134
	Apoplexy	89	99	188
	Paralysis	59	89	148
	Convulsions	221	155	376
	Tetanus	4	..	4
	Chorea	..	..	..
	Epilepsy	26	12	38
	Insanity	3	9	12
	Delirium Tremens	3	..	3
	Disease	20	23	43
	Total	521	465	986
Sporadic Diseases. Of the Respiratory Organs.	Quinsey	1	1	2
	Bronchitis	50	34	84
	Pleurisy	3	2	5
	Pneumonia	217	197	414
	Hydrothorax	39	34	73
	Asthma	51	39	90
	Consumption	624	816	1440
	Disease	28	34	62
	Total	1014	1158	2172
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	7	1	8
	Aneurism	2	2	4
	Disease	46	25	71
	Total	55	28	83
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	20	24	44
	Gastritis, Enteritis	70	63	133
	Peritonitis	1	3	4
	Tabes Mesenterica	6	12	18
	Worms	1	8	9
	Ascites	..	4	4
	Ulceration	2	4	6
	Hernia	9	5	14
	Colic or Ileus	6	10	16
	Intussusception	3	1	4
	Stricture	..	1	1
	Hematemesis	6	2	8
	Disease	27	31	58
Pancreas	Disease	..	..	..
Liver	Hepatitis	1	3	4
	Jaundice	8	12	20
	Disease	33	24	57
Spleen	Disease	..	..	..
	Total	193	207	400

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	..	1	1
	Ischuria	..	..	..
	Diabetes	2	..	2
	Cystitis	2	..	2
	Stone	8	1	9
	Stricture	1	..	1
	Disease	20	2	22
	Total	33	4	37
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	55	55
	Paramenia	..	..	..
	Ovarian Dropsy	..	..	..
	Disease	..	8	8
	Total	..	63	63
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	..	..	..
	Rheumatism	5	9	14
	Disease	11	14	25
	Total	16	23	39
Sporadic Diseases. Of the Integumentary System.	Carbuncle	2	1	3
	Phlegmon	..	..	..
	Ulcer	..	1	1
	Fistula	..	..	..
	Disease	1	..	1
	Total	3	2	5
Sporadic Diseases. Of Uncertain Seat.	Inflammation	17	20	37
	Hæmorrhage	191	278	469
	Dropsy	17	16	33
	Abscess	22	17	39
	Mortification	1	1	2
	Purpura	32	33	65
	Scrofula	17	53	70
	Carcinoma	4	5	9
	Tumor	3	..	3
	Gout	29	36	65
	Atrophy	165	168	333
	Debility	4	2	6
	Malformations	48	38	86
	Sudden Deaths	576	685	1261
	Total	482	576	1058
Deaths ascribed to External Causes, or to Violence.	Old Age	1	..	1
	Intemperance	3	..	3
	Starvation	187	79	266
	Violent Deaths	191	79	270
	Total	209	155	364
Causes not specified		4140	4307	8447

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,407,913	373,797	37,243	24,005	18,949	89,197

DEVONSHIRE.

TABLE (A) 9.—DIVISION IX.

		Diseases.	Males.	Fem.	Total.
Sporadic Diseases.	Epidemic, Endemic, and Contagious Diseases.	Small Pox	237	223	460
		Measles	134	153	287
		Scarlatina	60	38	98
		Hooping Cough	141	171	312
		Croup	91	57	148
		Thrush	11	8	19
		Diarrhœa	42	31	73
		Dysentery	12	5	17
		Cholera	3	2	5
		Influenza	7	12	19
		Ague	2	..	2
		Remittent Fever	1	1	2
		Typhus	239	278	517
		Erysipelas	9	12	21
		Syphilis	1	4	5
		Hydrophobia	..	..	..
		Total	990	995	1985
	Of the Nervous System.	Cephalitis	28	26	54
		Hydrocephalus	124	97	221
		Apoplexy	118	126	244
		Paralysis	91	89	180
		Convulsions	260	201	461
		Tetanus	5	2	7
		Chorea	..	..	..
		Epilepsy	8	12	20
		Insanity	4	6	10
		Delirium Tremens	4	..	4
		Disease	15	21	36
		Total	657	580	1237
	Of the Respiratory Organs.	Laryngitis	5	4	9
		Quinsey	2	1	3
		Bronchitis	34	15	49
		Pleurisy	8	3	11
		Pneumonia	325	239	564
		Hydrothorax	47	30	77
		Asthma	63	39	102
		Consumption	810	839	1649
		Disease	31	16	47
		Total	1325	1186	2511
	Of the Organs of Circulation.	Pericarditis	..	3	3
		Aneurism	2	..	2
		Disease	52	55	107
		Total	54	58	112
	Of the Digestive Organs. — Intestinal Canal.	Teething	24	34	58
		Gastritis, Enteritis	93	60	153
		Peritonitis	3	5	8
		Tabes Mesenterica	6	9	15
		Worms	12	12	24
		Ascites	..	3	3
		Ulceration	6	4	10
		Hernia	11	1	12
		Colic or Ileus	10	4	14
		Intussusception	5	4	9
		Stricture	..	4	4
		Hematemesis	3	..	3
		Disease	25	23	48
	Pancreas	Disease	..	..	..
	Liver	Hepatitis	9	7	16
		Jaundice	10	14	24
		Disease	38	28	66
	Spleen	Disease	2	2	4
		Total	257	214	471

		Diseases.	Males.	Fem.	Total.
Sporadic Diseases.	Of the Urinary Organs.	Nephritis	5	1	6
		Ischuria	3	..	3
		Diabetes	4	..	4
		Cystitis	4	2	6
		Stone	5	..	5
		Stricture	..	..	..
		Disease	24	6	30
		Total	45	9	54
	Of the Organs of Generation.	Childbed	..	68	68
		Paramenia	..	..	..
		Ovarian Dropsy	..	4	4
		Disease	..	7	7
		Total	..	79	79
	Of the Organs of Locomotion.	Arthritis	..	..	..
		Rheumatism	11	8	19
		Disease	15	13	28
		Total	26	21	47
	Of the Integumentary System.	Carbuncle	..	2	2
		Phlegmon	..	1	1
		Ulcer	1	5	6
		Fistula	5	1	6
		Disease	1	..	1
		Total	7	9	16
	Of Uncertain Seat.	Inflammation	88	61	149
		Hæmorrhage	25	19	44
		Dropsy	198	316	514
		Abscess	31	14	45
		Mortification	17	19	36
		Purpura	2	..	2
		Scrofula	14	8	22
		Carcinoma	20	89	109
		Tumor	14	16	30
		Gout	10	2	12
		Atrophy	30	38	68
		Debility	169	146	315
		Malformations	1	5	6
		Sudden Deaths	51	35	86
		Total	670	768	1438
		Old Age	560	680	1240
	Deaths ascribed to External Causes, or to Violence.	Intemperance	4	1	5
		Starvation	4	..	4
		Violent Deaths	287	109	396
		Total	295	110	405
	Causes not specified		129	122	251
		Total	5015	4831	9846

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,691,572	503,118	36,150	33,880	33,247	103,277

CORNWALL.

TABLE (A) 10.—DIVISION X.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	78	57	135
	Measles	81	87	168
	Scarlatina	78	79	157
	Hooping Cough	220	271	491
	Croup	52	32	84
	Thrush	7	5	12
	Diarrhœa	17	23	40
	Dysentery	4	3	7
	Cholera	3	1	4
	Influenza	2	3	5
	Ague	1	..	1
	Remittent Fever	1	1	2
	Typhus	148	138	286
	Erysipelas	3	4	7
	Syphilis	1	1	2
	Hydrophobia	1	..	1
	Total	697	705	1402
Sporadic Diseases. Of the Nervous System.	Cephalitis	15	20	35
	Hydrocephalus	52	47	99
	Apoplexy	60	54	114
	Paralysis	45	65	110
	Convulsions	123	97	220
	Tetanus	1	1	2
	Chorea	1	..	1
	Epilepsy	8	10	18
	Insanity	..	3	3
	Delirium Tremens	2	..	2
	Disease	14	13	27
	Total	321	310	631
Sporadic Diseases. Of the Respiratory Organs	Laryngitis	..	..	..
	Quinsey	3	2	5
	Bronchitis	13	7	20
	Pleurisy	8	5	13
	Pneumonia	177	165	342
	Hydrothorax	19	12	31
	Asthma	23	14	37
	Consumption	661	609	1270
	Disease	11	7	18
	Total	915	821	1736
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	1	..	1
	Aneurism	1	1	2
	Disease	24	15	39
	Total	26	16	42
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	8	1	9
	Gastritis, Enteritis	61	45	106
	Peritonitis	..	1	1
	Tabes Mesenterica	3	3	6
	Worms	4	8	12
	Ascites	..	..	..
	Ulceration	..	2	2
	Hernia	5	2	7
	Colic or Ileus	13	6	19
	Intussusception	2	2	4
	Stricture	2	1	3
	Hematemesis	..	4	4
	Disease	7	14	21
Sporadic Diseases. Of the Digestive Organs. Pancreas	Disease	..	..	..
Sporadic Diseases. Of the Digestive Organs. Liver	Hepatitis	2	2	4
	Jaundice	4	7	11
	Disease	12	7	19
Sporadic Diseases. Of the Digestive Organs. Spleen	Disease	..	..	..
	Total	123	105	228

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	..	2	2
	Ischuria	..	..	..
	Diabetes	..	1	1
	Cystitis	2	1	3
	Stone	2	1	3
	Stricture	..	..	..
	Disease	9	1	10
	Total	13	6	19
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	59	59
	Paramenia	..	..	..
	Ovarian Dropsy	..	..	..
	Disease	..	3	3
	Total	..	62	62
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	..	..	..
	Rheumatism	10	10	20
	Disease	4	3	7
	Total	14	13	27
Sporadic Diseases. Of the Integumentary System.	Carbuncle	..	2	2
	Phlegmon	..	..	..
	Ulcer	1	4	5
	Fistula	..	..	..
	Disease	..	1	1
	Total	1	7	8
Sporadic Diseases. Of Uncertain Seat.	Inflammation	41	42	83
	Hæmorrhage	13	12	25
	Dropsy	94	146	240
	Abscess	19	9	28
	Mortification	11	10	21
	Purpura	..	1	1
	Scrofula	11	9	20
	Carcinoma	10	20	30
	Tumor	2	5	7
	Gout	4	..	4
	Atrophy	7	6	13
	Debility	146	142	288
	Malformations	1	..	1
	Sudden Deaths	36	24	60
	Total	395	426	821
	Old Age	271	375	646
Deaths ascribed to External Causes, or to Violence.	Intemperance	2	..	2
	Starvation	..	..	..
	Violent Deaths	250	68	318
	Total	252	68	320
Causes not specified		84	68	152
	Total	3112	2982	6094

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
866,474	304,785	18,546	13,532	28,374	60,452

SOMERSETSHIRE.

TABLE (A) 11.—DIVISION XI.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	389	321	710
	Measles	231	170	401
	Scarlatina	44	44	88
	Hooping Cough	22	24	66
	Croup	66	53	119
	Thrush	15	20	35
	Diarrhœa	46	37	83
	Dysentery	18	20	38
	Cholera	5	3	8
	Influenza	11	9	20
	Ague	2	..	2
	Remittent Fever	1	1	2
	Typhus	204	268	472
	Erysipelas	9	12	21
	Syphilis	1	..	1
	Hydrophobia	2	1	3
	Total	1066	983	2049
Sporadic Diseases. Of the Nervous System.	Cephalitis	32	20	52
	Hydrocephalus	74	75	149
	Apoplexy	77	75	152
	Paralysis	56	75	131
	Convulsions	215	155	370
	Tetanus	3	1	4
	Chorea	..	1	1
	Epilepsy	16	19	35
	Insanity	6	6	12
	Delirium Tremens	8	2	10
	Disease	36	30	66
	Total	523	459	982
Sporadic Diseases. Of the Urinary Organs.	Nephritis	3	..	3
	Ischuria	6	..	6
	Diabetes	1	1	2
	Cystitis	4	..	4
	Stone	2	1	3
	Stricture	..	..	..
	Disease	20	3	23
	Total	36	5	41
Of the Organs of Generation.	Childbed	..	35	35
	Paramenia	..	1	1
	Ovarian Dropsy	..	1	1
	Disease	1	3	4
	Total	1	40	41
Of the Organs of Locomotion.	Arthritis	..	1	1
	Rheumatism	12	16	28
	Disease	7	10	17
	Total	19	27	46
Of the Integumentary System.	Carbuncle	..	..	..
	Phlegmon	..	..	..
	Ulcer	1	..	1
	Fistula	3	..	3
	Disease	..	3	3
	Total	4	3	7

		Diseases.	Males.	Fem.	Total.
Sporadic Diseases.	Of the Respiratory Organs.	Laryngitis	1	..	1
		Quinsey	3	5	8
		Bronchitis	36	23	59
		Pleurisy	4	4	8
		Pneumonia	226	200	426
		Hydrothorax	45	32	77
		Asthma	80	51	131
		Consumption	649	797	1446
		Disease	51	38	89
		Total	1095	1150	2245
	Of the Organs of Circulation.	Pericarditis	4	..	4
		Aneurism	..	3	3
		Disease	41	48	89
		Total	45	51	96
	Of the Digestive Organs. Intestinal Canal.	Teething	40	28	68
		Gastritis, Enteritis	75	85	160
		Peritonitis	2	2	4
		Tabes Mesenterica	17	15	32
		Worms	11	3	14
		Ascites	..	1	1
		Ulceration	3	4	7
		Hernia	8	7	15
		Colic or Ileus	10	4	14
		Intussusception	9	7	16
		Stricture	1	3	4
		Hematemesis	2	1	3
		Disease	17	21	38
	Pancreas	Disease	..	..	..
	Liver	Hepatitis	6	8	14
		Jaundice	12	14	26
		Disease	31	26	57
	Spleen	Disease	..	..	..
		Total	244	229	473
Sporadic Diseases. Of Uncertain Seat.		Inflammation	19	21	40
		Hæmorrhage	34	23	57
		Dropsy	188	230	418
		Abscess	31	28	59
		Mortification	28	15	43
		Purpura	1	..	1
		Scrofula	15	25	40
		Carcinoma	22	69	91
		Tumor	3	5	8
		Gout	8	2	10
		Atrophy	73	82	155
		Debility	200	202	402
		Malformations	3	1	4
		Sudden Deaths	63	51	114
		Total	688	754	1442
		Old Age	510	634	1144
Deaths ascribed to External Causes, or to Violence.		Intemperance	3	1	4
		Starvation	4	3	7
		Violent Deaths	268	119	387
		Total	275	123	398
Causes not specified			109	96	205
		Total	4615	4554	9169

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
987,087	415,252	30,253	28,931	27,461	86,645

ESSEX.

TABLE (A) 12.—DIVISION XII.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	260	200	460
	Measles	37	46	83
	Scarlatina	25	35	60
	Hooping Cough	70	93	163
	Croup	27	31	58
	Thrush	13	13	26
	Diarrhœa	32	21	53
	Dysentery	10	15	25
	Cholera	1	1	2
	Influenza	9	4	13
	Ague	2	..	2
	Remittent Fever	4	2	6
	Typhus	185	172	357
	Erysipelas	12	20	32
	Syphilis	1	4	5
	Hydrophobia	..	..	..
	Total	688	657	1345
Sporadic Diseases. — Of the Nervous System.	Cephalitis	20	19	39
	Hydrocephalus	67	50	117
	Apoplexy	66	54	120
	Paralysis	39	36	75
	Convulsions	214	148	362
	Tetanus	2	1	3
	Chorea	..	1	1
	Epilepsy	17	13	30
	Insanity	..	4	4
	Delirium Tremens	2	..	2
	Disease	17	12	29
	Total	444	338	782
Sporadic Diseases. — Of the Respiratory Organs.	Laryngitis	1	1	2
	Quinsey	3	3	6
	Bronchitis	19	13	32
	Pleurisy	9	5	14
	Pneumonia	151	125	276
	Hydrothorax	40	30	70
	Asthma	30	12	42
	Consumption	567	683	1250
	Disease	37	31	68
	Total	857	903	1760
Sporadic Diseases. — Of the Organs of Circulation.	Pericarditis	1	1	2
	Aneurism	1	1	2
	Disease	32	29	61
	Total	34	31	65
Sporadic Diseases. — Of the Digestive Organs. — Intestinal Canal.	Teething	15	9	24
	Gastritis, Enteritis	44	44	88
	Peritonitis	..	..	..
	Tabes Mesenterica	9	3	12
	Worms	3	1	4
	Ascites	1	1	2
	Ulceration	2	..	2
	Hernia	10	3	13
	Colic or Ileus	3	6	9
	Intussusception	3	5	8
	Stricture	1	2	3
	Hematemesis	2	2	4
	Disease	15	12	27
Sporadic Diseases. — Of the Digestive Organs. — Pancreas	Disease	..	..	..
Sporadic Diseases. — Of the Digestive Organs. — Liver	Hepatitis	3	..	3
	Jaundice	9	11	20
	Disease	28	21	49
Sporadic Diseases. — Of the Digestive Organs. — Spleen	Disease	..	..	..
	Total	148	120	268
Sporadic Diseases. — Of the Urinary Organs.	Nephritis	2	..	2
	Ischuria	3	..	3
	Diabetes	4	..	4
	Cystitis	1	..	1
	Stone	2	..	2
	Stricture	..	..	..
	Disease	16	2	18
	Total	28	2	30
Sporadic Diseases. — Of the Organs of Generation.	Childbed	..	39	39
	Paramenia	..	..	..
	Ovarian Dropsy	..	1	1
	Disease	2	7	9
	Total	2	47	49
Sporadic Diseases. — Of the Organs of Locomotion.	Arthritis	1	..	1
	Rheumatism	10	10	20
	Disease	4	10	14
	Total	15	20	35
Sporadic Diseases. — Of the Integumentary System.	Carbuncle	..	..	..
	Phlegmon	..	..	..
	Ulcer	..	3	3
	Fistula	..	..	..
	Disease	1	1	2
	Total	1	4	5
Sporadic Diseases. — Of Uncertain Seat.	Inflammation	127	125	252
	Hæmorrhage	16	10	26
	Dropsy	102	109	211
	Abscess	9	10	19
	Mortification	15	7	22
	Purpura	..	..	..
	Scrofula	17	11	28
	Carcinoma	15	44	59
	Tumor	5	5	10
	Gout	..	1	1
	Atrophy	32	30	62
	Debility	120	89	209
	Malformations	6	1	7
	Sudden Deaths	38	22	60
	Total	502	464	966
Sporadic Diseases.	Old Age	428	443	871
Deaths ascribed to External Causes, or to Violence.	Intemperance	..	..	..
	Starvation	1	2	3
	Violent Deaths	108	39	147
	Total	109	41	150
Causes not specified		200	169	369
	Total	3456	3239	6695

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
928,589	304,315	32,828	17,632	11,943	62,403

NORFOLK and SUFFOLK.

TABLE (A) 13.—DIVISION XIII.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	228	223	451
	Measles	58	58	116
	Scarlatina	66	74	140
	Hooping Cough	135	132	267
	Croup	74	56	130
	Thrush	94	92	186
	Diarrhœa	48	34	82
	Dysentery	12	2	14
	Cholera	7	4	11
	Influenza	30	22	52
	Ague	..	..	..
	Remittent Fever	5	4	9
	Typhus	416	439	855
	Erysipelas	29	17	46
	Syphilis	2	4	6
	Hydrophobia	..	..	..
	Total	1204	1161	2365
Sporadic Diseases. — Of the Nervous System.	Cephalitis	33	26	59
	Hydrocephalus	87	62	149
	Apoplexy	137	129	266
	Paralysis	94	158	252
	Convulsions	262	210	472
	Tetanus	5	1	6
	Chorea	..	..	..
	Epilepsy	16	22	38
	Insanity	11	12	23
	Delirium Tremens	7	2	9
	Disease	38	19	57
	Total	690	641	1331
Sporadic Diseases. — Of the Respiratory Organs.	Laryngitis	8	4	12
	Quinsey	6	8	14
	Bronchitis	62	54	116
	Pleurisy	6	6	12
	Pneumonia	349	291	640
	Hydrothorax	39	32	71
	Asthma	63	47	110
	Consumption	1119	1575	2694
	Disease	59	71	130
	Total	1711	2088	3799
Sporadic Diseases. — Of the Organs of Circulation.	Pericarditis	6	2	8
	Aneurism	6	2	8
	Disease	56	56	112
	Total	68	60	128
Sporadic Diseases. — Of the Digestive Organs. — Intestinal Canal.	Teething	53	39	92
	Gastritis, Enteritis	112	100	212
	Peritonitis	2	4	6
	Tabes Mesenterica	37	21	58
	Worms	12	13	25
	Ascites	2	..	2
	Ulceration	3	2	5
	Hernia	9	9	18
	Colic or Ileus	17	12	29
	Intussusception	4	6	10
	Stricture	8	1	9
	Hematemesis	3	2	5
	Disease	15	24	39
Sporadic Diseases. — Of the Digestive Organs. — Pancreas	Disease	..	..	..
Sporadic Diseases. — Of the Digestive Organs. — Liver	Hepatitis	2	6	8
	Jaundice	30	31	61
	Disease	54	35	89
Sporadic Diseases. — Of the Digestive Organs. — Spleen	Disease	..	2	2
	Total	363	307	670
Sporadic Diseases. — Of the Urinary Organs.	Nephritis	5	1	6
	Ischuria	3	..	3
	Diabetes	13	8	21
	Cystitis	6	..	6
	Stone	13	2	15
	Stricture	3	..	3
	Disease	40	13	53
	Total	83	24	107
Sporadic Diseases. — Of the Organs of Generation.	Childbed	..	109	109
	Paramenia	..	4	4
	Ovarian Dropsy	..	3	3
	Disease	1	18	19
	Total	1	134	135
Sporadic Diseases. — Of the Organs of Locomotion.	Arthritis	..	..	..
	Rheumatism	12	16	28
	Disease	13	25	38
	Total	25	41	66
Sporadic Diseases. — Of the Integumentary System.	Carbuncle	..	1	1
	Phlegmon	..	..	..
	Ulcer	3	1	4
	Fistula	2	..	2
	Disease	4	3	7
	Total	9	5	14
Sporadic Diseases. — Of Uncertain Seat.	Inflammation	203	195	398
	Hæmorrhage	34	30	64
	Dropsy	210	271	481
	Abscess	34	21	55
	Mortification	54	32	86
	Purpura	2	..	2
	Scrofula	35	46	81
	Carcinoma	33	81	114
	Tumor	3	7	10
	Gout	8	..	8
	Atrophy	92	87	179
	Debility	381	291	672
	Malformations	8	9	17
	Sudden Deaths	67	38	105
	Total	1164	1108	2272
Old Age		882	1084	1966
Deaths ascribed to External Causes, or to Violence.	Intemperance	5	1	6
	Starvation	2	2	4
	Violent Deaths	297	115	412
	Total	304	118	422
Causes not specified		431	387	818
	Total	6935	7158	14,093

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
2,188,867	682,788	68,502	46,735	29,377	144,614

CAMBRIDGESHIRE, HUNTINGDONSHIRE, and the Southern Parts of LINCOLNSHIRE.

TABLE (A) 14.—DIVISION XIV.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	107	99	206
	Measles	33	28	61
	Scarlatina	15	17	32
	Hooping-Cough	65	82	147
	Croup	48	30	78
	Thrush	19	11	30
	Diarrhœa	23	22	45
	Dysentery	1	3	4
	Cholera	8	4	12
	Influenza	9	3	12
	Ague	1	..	1
	Remittent Fever	5	7	12
	Typhus	174	223	397
	Erysipelas	7	12	19
	Syphilis	..	1	1
	Hydrophobia	..	..	..
	Total	515	542	1057
Sporadic Diseases. Of the Nervous System.	Cephalitis	23	21	44
	Hydrocephalus	48	32	80
	Apoplexy	45	39	84
	Paralysis	29	44	73
	Convulsions	239	199	438
	Tetanus	2	1	3
	Chorea	..	..	..
	Epilepsy	11	19	30
	Insanity	1	7	8
	Delirium Tremens	4	..	4
	Disease	9	11	20
	otal	411	373	784

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	3	..	3
	Ischuria	1	..	1
	Diabetes	..	1	1
	Cystitis	..	..	..
	Stone	9	..	9
	Stricture	..	..	..
	Disease	17	2	19
	Total	30	3	33
Of the Organs of Generation.	Childbed	..	42	42
	Paramenia	..	1	1
	Ovarian Dropsy	..	3	3
	Disease	..	2	2
	Total	..	48	48
Of the Organs of Locomotion.	Arthritis	1	..	1
	Rheumatism	7	13	20
	Disease	13	9	22
	Total	21	22	43
Of the Integumentary System.	Carbuncle	2	..	2
	Phlegmon	..	..	..
	Ulcer	3	1	4
	Fistula	1	..	1
	Disease	2	1	3
	Total	8	2	10

		Diseases.	Males.	Fem.	Total.
Sporadic Diseases.	Of the Respiratory Organs.	Laryngitis	1	1	2
		Quinsey	4	5	9
		Bronchitis	27	15	42
		Pleurisy	7	4	11
		Pneumonia	150	128	278
		Hydrothorax	21	18	39
		Asthma	20	17	37
		Consumption	531	626	1157
		Disease	16	17	33
		Total	777	831	1608
	Of the Organs of Circulation.	Pericarditis	..	..	..
		Aneurism	1	2	3
		Disease	25	17	42
		Total	26	19	45
	Of the Digestive Organs. Intestinal Canal.	Teething	21	32	53
		Gastritis, Enteritis	57	46	103
		Peritonitis	..	5	5
		Tabes Mesenterica	10	9	19
		Worms	5	10	15
		Ascites	1	..	1
		Ulceration	2	3	5
		Hernia	5	2	7
		Colic or Ileus	1	4	5
		Intussusception	5	3	8
		Stricture	1	2	3
		Hematemesis	1	..	1
		Disease	13	13	26
	Pancreas	Disease	..	..	..
	Liver	Hepatitis	6	7	13
		Jaundice	16	12	28
		Disease	46	22	68
	Spleen	Disease	..	..	..
		Total	190	170	360

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of Uncertain Seat.	Inflammation	58	43	101
	Hæmorrhage	17	7	24
	Dropsy	74	113	187
	Abscess	21	11	32
	Mortification	18	5	23
	Purpura	..	..	..
	Scrofula	21	16	37
	Carcinoma	18	44	62
	Tumor	5	5	10
	Gout	4	3	7
	Atrophy	29	29	58
	Debility	217	156	373
	Malformations	3	2	5
	Sudden Deaths	40	36	76
	Total	525	470	995
	Old Age	325	359	684
Deaths ascribed to External Causes, or to Violence.	Intemperance	6	2	8
	Starvation	2	1	3
	Violent Deaths	143	66	209
	Total	151	69	220
Causes not specified		241	202	443
	Total	3220	3110	6330

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,295,379	311,714	35,105	18,813	13,433	67,351

LINCOLNSHIRE (Northern Parts of), RUTLANDSHIRE, DERBYSHIRE, NOTTINGHAMSHIRE, LEICESTERSHIRE, and NORTHAMPTONSHIRE.

TABLE (A) 15.—DIVISION XV.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	247	237	484
	Measles	89	87	176
	Scarlatina	184	206	390
	Hooping-Cough	131	187	318
	Croup	141	145	286
	Thrush	42	33	75
	Diarrhœa	73	72	145
	Dysentery	23	18	41
	Cholera	8	6	14
	Influenza	73	58	131
	Ague	1	1	2
	Remittent Fever	4	12	16
	Typhus	516	575	1091
	Erysipelas	31	13	44
	Syphilis	4	3	7
	Hydrophobia	1	..	1
	Total	1568	1653	3221
Sporadic Diseases. Of the Nervous System.	Cephalitis	71	55	126
	Hydrocephalus	234	189	423
	Apoplexy	179	162	341
	Paralysis	188	161	349
	Convulsions	1274	979	2253
	Tetanus	10	2	12
	Chorea	..	3	3
	Epilepsy	41	28	69
	Insanity	7	9	16
	Delirium Tremens	8	..	8
	Disease	35	34	69
	Total	2047	1622	3669
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	1	2	3
	Quinsey	4	4	8
	Bronchitis	71	53	124
	Pleurisy	20	18	38
	Pneumonia	580	465	1045
	Hydrothorax	143	85	228
	Asthma	172	119	291
	Consumption	1916	2286	4202
	Disease	112	69	181
	Total	3019	3101	6120
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	4	6	10
	Aneurism	3	3	6
	Disease	136	102	238
	Total	143	111	254
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	135	120	255
	Gastritis, Enteritis	209	219	428
	Peritonitis	3	8	11
	Tabes Mesenterica	21	30	51
	Worms	12	22	34
	Ascites	2	6	8
	Ulceration	13	9	22
	Hernia	20	19	39
	Colic or Ileus	19	17	36
	Intussusception	17	10	27
	Stricture	6	7	13
	Hematemesis	4	4	8
	Disease	71	50	121
Pancreas	Disease	..	..	..
Liver	Hepatitis	21	15	36
	Jaundice	32	37	69
	Disease	122	88	210
Spleen	Disease	..	..	..
	Total	707	661	1368
Sporadic Diseases. Of the Urinary Organs.	Nephritis	3	4	7
	Ischuria	3	1	4
	Diabetes	17	3	20
	Cystitis	19	1	20
	Stone	25	2	27
	Stricture	2	..	2
	Disease	45	8	53
	Total	114	19	133
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	174	174
	Paramenia	..	9	9
	Ovarian Dropsy	..	2	2
	Disease	1	18	19
	Total	1	203	204
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	..	..	..
	Rheumatism	37	31	68
	Disease	42	38	80
	Total	79	69	148
Sporadic Diseases. Of the Integumentary System.	Carbuncle	1	..	1
	Phlegmon	2	..	2
	Ulcer	8	4	12
	Fistula	4	2	6
	Disease	6	4	10
	Total	21	10	31
Sporadic Diseases. Of Uncertain Seat.	Inflammation	236	223	459
	Hæmorrhage	48	39	87
	Dropsy	329	521	850
	Abscess	84	75	159
	Mortification	70	43	113
	Purpura	5	4	9
	Scrofula	45	55	100
	Carcinoma	41	153	194
	Tumor	15	26	41
	Gout	6	3	9
	Atrophy	107	88	195
	Debility	552	494	1046
	Malformations	4	5	9
	Sudden Deaths	112	55	167
	Total	1654	1784	3438
Old Age		1394	1508	2902
Deaths ascribed to External Causes, or to Violence.	Intemperance	17	1	18
	Starvation	9	5	14
	Violent Deaths	557	235	792
	Total	583	241	824
Causes not specified		465	376	841
	Total	11,795	11,358	23,153

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
3,936,980	1,045,133	81,123	94,509	46,142	221,774

OXFORDSHIRE, GLOUCESTERSHIRE, WORCESTERSHIRE (except Dudley), and WARWICKSHIRE (except Birmingham.)

TABLE (A) 16.—DIVISION XVI.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	502	398	900
	Measles	309	278	587
	Scarlatina	65	71	136
	Hooping-Cough	234	295	529
	Croup	105	88	193
	Thrush	25	25	50
	Diarrhœa	79	64	143
	Dysentery	16	10	26
	Cholera	35	33	68
	Influenza	35	19	54
	Ague	3	3	6
	Remittent Fever	..	1	1
	Typhus	472	554	1026
	Erysipelas	24	17	41
	Syphilis	8	4	12
	Hydrophobia	1	..	1
	Total	1913	1860	3773
Sporadic Diseases. Of the Nervous System.	Cephalitis	62	54	116
	Hydrocephalus	190	169	359
	Apoplexy	198	200	398
	Paralysis	185	198	383
	Convulsions	633	477	1110
	Tetanus	6	1	7
	Chorea	..	3	3
	Epilepsy	37	37	74
	Insanity	11	13	24
	Delirium Tremens	11	..	11
	Disease	70	56	126
	Total	1403	1208	2611
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	4	3	7
	Quinsey	7	6	13
	Bronchitis	90	58	148
	Pleurisy	12	16	28
	Pneumonia	672	561	1233
	Hydrothorax	89	96	185
	Asthma	174	113	287
	Consumption	1677	2053	3730
	Disease	169	152	321
	Total	2894	3058	5952
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	9	1	10
	Aneurism	10	1	11
	Disease	145	110	255
	Total	164	112	276
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	79	63	142
	Gastritis, Enteritis	311	235	546
	Peritonitis	3	5	8
	Tabes Mesenterica	19	22	41
	Worms	5	16	21
	Ascites	..	..	..
	Ulceration	14	5	19
	Hernia	19	12	31
	Colic or Ileus	25	21	46
	Intussusception	10	9	19
	Stricture	1	5	6
	Hematemesis	4	6	10
	Disease	72	70	142
Pancreas	Disease	..	..	..
Liver	Hepatitis	12	21	33
	Jaundice	33	41	74
	Disease	102	69	171
Spleen	Disease	5	1	6
	Total	714	601	1315

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	6	2	8
	Ischuria	5	..	5
	Diabetes	7	3	10
	Cystitis	8	3	11
	Stone	9	2	11
	Stricture	..	..	..
	Disease	52	15	67
	Total	87	25	112
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	140	140
	Paramenia	..	1	1
	Ovarian Dropsy	..	3	3
	Disease	..	13	13
	Total	..	157	157
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	1	..	1
	Rheumatism	30	31	61
	Disease	31	28	59
	Total	62	59	121
Sporadic Diseases. Of the Integumentary System.	Carbuncle	2	3	5
	Phlegmon	..	..	..
	Ulcer	6	8	14
	Fistula	3	3	6
	Disease	3	2	5
	Total	14	16	30
Sporadic Diseases. Of Uncertain Seat.	Inflammation	258	216	474
	Hæmorrhage	34	26	60
	Dropsy	392	527	919
	Abscess	72	47	119
	Mortification	79	60	139
	Purpura	2	9	11
	Scrofula	39	39	78
	Carcinoma	49	162	211
	Tumor	10	20	30
	Gout	7	4	11
	Atrophy	84	78	162
	Debility	460	389	849
	Malformations	8	6	14
	Sudden Deaths	118	80	198
	Total	1612	1663	3275
	Old Age	1139	1351	2490
Deaths ascribed to External Causes, or to Violence.	Intemperance	5	2	7
	Starvation	15	3	18
	Violent Deaths	558	219	777
	Total	578	224	802
Causes not specified		541	530	1071
	Total	11,121	10,864	21,985

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
2,355,462	977,108	68,385	84,320	56,722	209,427

CHESHIRE, SHROPSHIRE, and STAFFORDSHIRE (except Mining Districts).

TABLE (A) 18.—DIVISION XVIII.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	239	257	496
	Measles	165	161	326
	Scarlatina	119	121	240
	Hooping-Cough	154	198	352
	Croup	160	110	270
	Thrush	16	5	21
	Diarrhœa	82	68	150
	Dysentery	18	8	26
	Cholera	6	8	14
	Influenza	11	12	23
	Ague	1	..	1
	Remittent Fever	7	3	10
	Typhus	467	456	923
	Erysipelas	19	27	46
	Syphilis	8	1	9
	Hydrophobia	..	..	..
	Total	1472	1435	2907
Sporadic Diseases. Of the Nervous System.	Cephalitis	42	43	85
	Hydrocephalus	215	167	382
	Apoplexy	124	122	246
	Paralysis	110	149	259
	Convulsions	933	731	1664
	Tetanus	3	..	3
	Chorea	..	1	1
	Epilepsy	24	26	50
	Insanity	11	11	22
	Delirium Tremens	9	1	10
	Disease	30	28	58
	Total	1501	1279	2780
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	3	1	4
	Quinsey	15	12	27
	Bronchitis	45	27	72
	Pleurisy	15	12	27
	Pneumonia	457	398	855
	Hydrothorax	82	62	144
	Asthma	226	119	345
	Consumption	1746	2110	3856
	Disease	68	71	139
	Total	2657	2812	5469
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	1	2	3
	Aneurism	5	1	6
	Disease	88	56	144
	Total	94	59	153
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	87	79	166
	Gastritis, Enteritis	118	128	246
	Peritonitis	4	6	10
	Tabes Mesenterica	17	18	35
	Worms	13	27	40
	Ascites	..	..	..
	Ulceration	8	4	12
	Hernia	13	8	21
	Colic or Ileus	7	9	16
	Intussusception	3	4	7
	Stricture	1	2	3
	Hematamesis	2	2	4
	Disease	26	25	51
Pancreas	Disease	..	..	..
Liver	Hepatitis	18	12	30
	Jaundice	17	25	42
	Disease	97	104	201
Spleen	Disease	..	..	..
	Total	431	453	884

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	4	1	5
	Ischuria	8	2	10
	Diabetes	10	3	13
	Cystitis	5	2	7
	Stone	9	1	10
	Stricture	1	..	1
	Disease	27	5	32
	Total	64	14	78
Of the Organs of Generation.	Childbed	..	176	176
	Paramenia	..	4	4
	Ovarian Dropsy	..	5	5
	Disease	..	13	13
	Total	..	198	198
Of the Organs of Locomotion.	Arthritis	1	..	1
	Rheumatism	28	34	62
	Disease	33	25	58
	Total	62	59	121
Of the Integumentary System.	Carbuncle	3	..	3
	Phlegmon	..	3	3
	Ulcer	2	4	6
	Fistula	7	1	8
	Disease	4	3	7
	Total	16	11	27
Of Uncertain Seat.	Inflammation	145	112	257
	Hæmorrhage	39	20	59
	Dropsy	296	381	677
	Abscess	52	31	83
	Mortification	43	20	63
	Purpura	2	2	4
	Scrofula	48	26	74
	Carcinoma	45	85	130
	Tumor	1	5	6
	Gout	5	1	6
	Atrophy	45	46	91
	Debility	429	359	788
	Malformations	2	5	7
	Sudden Deaths	82	71	153
	Total	1234	1164	2398
	Old Age	930	1100	2030
Deaths ascribed to External Causes, or to Violence.	Intemperance	7	2	9
	Starvation	8	2	10
	Violent Deaths	525	227	752
	Total	540	231	771
Causes not specified		308	298	606
	Total	9309	9113	18,422

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
2,216,515	721,555	48,671	65,416	33,833	147,920

LANCASHIRE (except Liverpool and Manchester) South of Morecambe Bay.

TABLE (A) 19.—DIVISION XIX.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	454	424	878
	Measles	235	223	458
	Scarlatina	132	107	239
	Hooping-Cough	170	203	373
	Croup	347	266	613
	Thrush	10	14	24
	Diarrhœa	114	98	212
	Dysentery	34	20	54
	Cholera	20	23	43
	Influenza	20	20	40
	Ague	..	..	..
	Remittent Fever	9	12	21
	Typhus	609	610	1219
	Erysipelas	25	28	53
	Syphilis	4	2	6
	Hydrophobia	1	..	1
	Total	2184	2050	4234
Sporadic Diseases. Of the Nervous System.	Cephalitis	85	61	146
	Hydrocephalus	350	273	623
	Apoplexy	138	132	270
	Paralysis	123	157	280
	Convulsions	1694	1236	2930
	Tetanus	2	1	3
	Chorea	1	2	3
	Epilepsy	22	18	40
	Insanity	3	5	8
	Delirium Tremens	5	..	5
	Disease	40	24	64
	Total	2463	1909	4372
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	2	..	2
	Quinsey	43	39	82
	Bronchitis	45	38	83
	Pleurisy	60	42	102
	Pneumonia	631	511	1142
	Hydrothorax	47	33	80
	Asthma	342	233	575
	Consumption	2233	2615	4848
	Disease	72	63	135
	Total	3475	3574	7049
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	5	2	7
	Aneurism	1	..	1
	Disease	70	66	136
	Total	76	68	144
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	426	391	817
	Gastritis, Enteritis	234	238	472
	Peritonitis	..	3	3
	Tabes Mesenterica	7	4	11
	Worms	67	90	157
	Ascites	1	2	3
	Ulceration	8	7	15
	Hernia	40	18	58
	Colic or Ileus	19	18	37
	Intussusception	4	7	11
	Stricture	4	3	7
	Hematemesis	..	2	2
	Disease	50	31	81
Pancreas	Disease	..	..	..
Liver	Hepatitis	22	13	35
	Jaundice	22	27	49
	Disease	77	70	147
Spleen	Disease	..	..	..
	Total	981	924	1905
Sporadic Diseases. Of the Urinary Organs.	Nephritis	13	10	23
	Ischuria	2	1	3
	Diabetes	23	9	32
	Cystitis	11	1	12
	Stone	32	3	35
	Stricture	2	..	2
	Disease	10	1	11
	Total	93	25	118
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	303	303
	Paramenia	..	14	14
	Ovarian Dropsy	..	..	..
	Disease	1	7	8
	Total	1	324	325
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	..	..	..
	Rheumatism	42	65	107
	Disease	44	34	78
	Total	86	99	185
Sporadic Diseases. Of the Integumentary System.	Carbuncle	..	..	..
	Phlegmon	..	..	..
	Ulcer	7	4	11
	Fistula	5	1	6
	Disease	4	3	7
	Total	16	8	24
Sporadic Diseases. Of Uncertain Seat.	Inflammation	226	194	420
	Hæmorrhage	34	15	49
	Dropsy	276	440	716
	Abscess	54	32	86
	Mortification	29	23	52
	Purpura	1	..	1
	Scrofula	28	29	57
	Carcinoma	18	48	66
	Tumor	3	5	8
	Gout	2	1	3
	Atrophy	28	36	64
	Debility	726	592	1318
	Malformations	2	2	4
	Sudden Deaths	95	51	146
	Total	1522	1468	2990
	Old Age	805	860	1666
Deaths ascribed to External Causes, or to Violence.	Intemperance	13	..	13
	Starvation	7	1	8
	Violent Deaths	691	244	935
	Total	711	245	956
Causes not specified.		447	366	813
	Total	12,861	11,920	24,781

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,131,270	905,501	21,498	119,690	30,375	171,563

WEST RIDING of YORKSHIRE (except the Northern Part thereof and Leeds).

TABLE (A) 20.—DIVISION XX.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	276	242	518
	Measles	301	324	625
	Scarlatina	93	74	167
	Hooping-Cough	166	189	355
	Croup	172	150	322
	Thrush	18	20	38
	Diarrhœa	89	56	145
	Dysentery	18	17	35
	Cholera	23	20	43
	Influenza	15	20	35
	Ague	2	1	3
	Remittent Fever	5	5	10
	Typhus	392	420	812
	Erysipelas	14	22	36
	Syphilis	4	4	8
	Hydrophobia	..	..	..
	Total	1588	1564	3152
Sporadic Diseases. Of the Nervous System.	Cephalitis	112	104	216
	Hydrocephalus	318	270	588
	Apoplexy	135	117	252
	Paralysis	70	97	167
	Convulsions	1212	935	2147
	Tetanus	3	..	3
	Chorea	..	1	1
	Epilepsy	39	28	67
	Insanity	10	7	17
	Delirium Tremens	6	1	7
	Disease	28	25	53
	Total	1933	1585	3518
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	1	..	1
	Quinsey	19	12	31
	Bronchitis	53	26	79
	Pleurisy	11	13	24
	Pneumonia	480	414	894
	Hydrothorax	61	46	107
	Asthma	207	141	348
	Consumption	1542	1731	3273
	Disease	51	40	91
	Total	2425	2423	4848
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	4	3	7
	Aneurism	1	3	4
	Disease	79	61	140
	Total	84	67	151
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	219	175	394
	Gastritis, Enteritis	172	144	316
	Peritonitis	3	3	6
	Tabes Mesenterica	12	9	21
	Worms	40	39	79
	Ascites	1	..	1
	Ulceration	8	2	10
	Hernia	11	8	19
	Colic or Ileus	4	5	9
	Intussusception	9	4	13
	Stricture	2	1	3
	Hematemesis	3	1	4
	Disease	37	48	85
Pancreas	Disease	..	..	..
Liver	Hepatitis	19	15	34
	Jaundice	26	22	48
	Disease	110	78	188
Spleen	Disease	..	1	1
	Total	676	555	1231

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	10	1	11
	Ischuria	5	..	5
	Diabetes	9	5	14
	Cystitis	11	4	15
	Stone	28	4	32
	Stricture	..	..	..
	Disease	20	4	24
	Total	83	18	101
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	204	204
	Paramenia	..	11	11
	Ovarian Dropsy	..	2	2
	Disease	2	13	15
	Total	2	230	232
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	1	2	3
	Rheumatism	22	28	50
	Disease	38	42	80
	Total	61	72	133
Sporadic Diseases. Of the Integumentary System.	Carbuncle	..	..	..
	Phlegmon	..	..	..
	Ulcer	8	4	12
	Fistula	5	2	7
	Disease	4	1	5
	Total	17	7	24
Sporadic Diseases. Of Uncertain Seat.	Inflammation	126	132	258
	Hæmorrhage	33	27	60
	Dropsy	263	369	632
	Abscess	42	29	71
	Mortification	20	13	33
	Purpura	..	..	..
	Scrofula	20	12	32
	Carcinoma	26	84	110
	Tumor	10	13	23
	Gout	3	1	4
	Atrophy	49	45	94
	Debility	443	359	802
	Malformations	2	..	2
	Sudden Deaths	101	63	164
	Total	1138	1147	2285
	Old Age	762	836	1598
Deaths ascribed to External Causes, or to Violence.	Intemperance	10	1	11
	Starvation	3	1	4
	Violent Deaths	449	217	666
	Total	462	219	681
Causes not specified		331	267	598
	Total	9562	8990	18,552

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,238,920	763,881	25,469	91,798	37,254	154,521

CITY and AINSTY of the CITY, and the EAST RIDING of the County of YORK.

TABLE (A) 21.—DIVISION XXI.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	48	44	92
	Measles	80	87	167
	Scarlatina	15	15	30
	Hooping-Cough	60	89	149
	Croup	39	43	82
	Thrush	10	6	16
	Diarrhœa	10	12	22
	Dysentery	6	9	15
	Cholera	2	3	5
	Influenza	2	4	6
	Ague	..	..	..
	Remittent Fever	..	2	2
	Typhus	92	72	164
	Erysipelas	13	14	27
	Syphilis	1	..	1
	Hydrophobia	..	..	..
	Total	378	400	778
Sporadic Diseases. Of the Nervous System.	Cephalitis	15	13	28
	Hydrocephalus	59	55	114
	Apoplexy	62	54	116
	Paralysis	32	29	61
	Convulsions	358	273	631
	Tetanus	2	..	2
	Chorea	..	1	1
	Epilepsy	12	13	25
	Insanity	1	2	3
	Delirium Tremens	5	1	6
	Disease	11	11	22
	Total	557	452	1009
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	1	1	2
	Quinsey	2	2	4
	Bronchitis	13	10	23
	Pleurisy	3	4	7
	Pneumonia	120	74	194
	Hydrothorax	23	19	42
	Asthma	45	35	80
	Consumption	311	414	725
	Disease	7	11	18
	Total	525	570	1095
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	2	..	2
	Aneurism	1	..	1
	Disease	66	32	98
	Total	69	32	101
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	26	27	53
	Gastritis, Enteritis	30	33	63
	Peritonitis	1	4	5
	Tabes Mesenterica	9	2	11
	Worms	3	5	8
	Ascites	..	1	1
	Ulceration	3	3	6
	Hernia	5	3	8
	Colic or Ileus	4	3	7
	Intussusception	3	5	8
	Stricture	1	1	2
	Hematemesis	1	2	3
	Disease	9	8	17
Sporadic Diseases. Of the Digestive Organs. Pancreas	Disease	..	..	..
Sporadic Diseases. Of the Digestive Organs. Liver	Hepatitis	10	3	13
	Jaundice	7	9	16
	Disease	20	10	30
Sporadic Diseases. Of the Digestive Organs. Spleen	Disease	..	..	..
	Total	132	119	251
Sporadic Diseases. Of the Urinary Organs.	Nephritis	4	1	5
	Ischuria	1	..	1
	Diabetes	1	1	2
	Cystitis	1	..	1
	Stone	6	2	8
	Stricture	1	..	1
	Disease	10	..	10
	Total	24	4	28
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	39	39
	Paramenia	..	1	1
	Ovarian Dropsy	..	..	..
	Disease	..	2	2
	Total	..	42	42
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	1	..	1
	Rheumatism	12	7	19
	Disease	4	5	9
	Total	17	12	29
Sporadic Diseases. Of the Integumentary System.	Carbuncle	..	..	..
	Phlegmon	..	..	..
	Ulcer	1	..	1
	Fistula	1	..	1
	Disease	..	..	..
	Total	2	..	2
Sporadic Diseases. Of Uncertain Seat.	Inflammation	52	52	104
	Hæmorrhage	10	10	20
	Dropsy	52	81	133
	Abscess	22	10	32
	Mortification	18	4	22
	Purpura	..	1	1
	Scrofula	2	7	9
	Carcinoma	17	30	47
	Tumor	..	3	3
	Gout	..	..	..
	Atrophy	31	29	60
	Debility	80	94	174
	Malformations	..	..	..
	Sudden Deaths	38	11	49
	Total	322	332	654
	Old Age	274	354	628
Deaths ascribed to External Causes, or to Violence.	Intemperance	4	2	6
	Starvation	1	1	2
	Violent Deaths	111	44	155
	Total	116	47	163
Causes not specified		57	54	111
	Total	2473	2418	4891

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
803,965	216,574	15,345	15,481	16,494	47,320

DURHAM and the NORTH RIDING of YORKSHIRE, with such Part of the WEST RIDING as is not included in Division XX. (except the Mining Part).

TABLE (A) 22.—DIVISION XXII.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	129	122	251
	Measles	90	77	167
	Scarlatina	16	24	40
	Hooping Cough	105	143	248
	Croup	49	33	82
	Thrush	..	1	1
	Diarrhœa	6	13	19
	Dysentery	3	4	7
	Cholera	5	2	7
	Influenza	17	22	39
	Ague	1	..	1
	Remittent Fever	1	3	4
	Typhus	111	124	235
	Erysipelas	32	35	67
	Syphilis	..	..	..
	Hydrophobia	..	..	..
	Total	565	603	1168
Sporadic Diseases. Of the Nervous System.	Cephalitis	25	21	46
	Hydrocephalus	91	65	156
	Apoplexy	52	51	103
	Paralysis	43	69	112
	Convulsions	369	304	673
	Tetanus	1	1	2
	Chorea	..	..	..
	Epilepsy	10	7	17
	Insanity	2	4	6
	Delirium Tremens	3	..	3
	Disease	15	14	29
	Total	611	536	1147
Sporadic Diseases. Of the Urinary Organs.	Nephritis	5	..	5
	Ischuria	3	..	3
	Diabetes	7	1	8
	Cystitis	3	..	3
	Stone	11	3	14
	Stricture	..	..	..
	Disease	11	6	17
	Total	40	10	50
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	64	64
	Paramenia	..	5	5
	Ovarian Dropsy	..	1	1
	Disease	..	4	4
	Total	..	74	74
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	..	..	..
	Rheumatism	16	7	23
	Disease	18	13	31
	Total	34	20	54
Sporadic Diseases. Of the Integumentary System.	Carbuncle	..	..	..
	Phlegmon	..	..	..
	Ulcer	3	1	4
	Fistula	1	..	1
	Disease	..	4	4
	Total	4	5	9

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	3	1	4
	Quinsey	3	5	8
	Bronchitis	15	16	31
	Pleurisy	3	3	6
	Pneumonia	125	101	226
	Hydrothorax	29	19	48
	Asthma	44	26	70
	Consumption	470	586	1056
	Disease	22	23	45
	Total	714	780	1494
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	1	1	2
	Aneurism	1	..	1
	Disease	38	18	56
	Total	40	19	59
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	15	5	20
	Gastritis, Enteritis	42	41	83
	Peritonitis	..	..	..
	Tabes Mesenterica	1	5	6
	Worms	9	10	19
	Ascites	..	1	1
	Ulceration	2	4	6
	Hernia	7	5	12
	Colic or Ileus	3	4	7
	Intussusception	..	1	1
	Stricture	1	1	2
	Hematemesis	..	1	1
	Disease	23	22	45
Sporadic Diseases. Of the Digestive Organs. Pancreas	Disease	..	..	..
Sporadic Diseases. Of the Digestive Organs. Liver	Hepatitis	9	9	18
	Jaundice	12	10	22
	Disease	36	30	66
Sporadic Diseases. Of the Digestive Organs. Spleen	Disease	..	..	..
	Total	160	149	309
Sporadic Diseases. Of Uncertain Seat.	Inflammation	98	97	195
	Hæmorrhage	16	13	29
	Dropsy	71	123	194
	Abscess	16	12	28
	Mortification	18	13	31
	Purpura	..	..	..
	Scrofula	9	6	15
	Carcinoma	21	37	58
	Tumor	2	3	5
	Gout	2	..	2
	Atrophy	16	17	33
	Debility	159	147	306
	Malformations	3	..	3
	Sudden Deaths	41	24	65
	Total	472	492	964
	Old Age	482	553	1035
Deaths ascribed to External Causes, or to Violence.	Intemperance	3	..	3
	Starvation	5	..	5
	Violent Deaths	191	78	269
	Total	199	78	277
Causes not specified		165	134	299
	Total	3486	3453	6939

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures and Handicraft.	Other Families.	Total.
2,043,326	311,356	24,545	21,207	19,027	64,779

The Mining Parts of NORTHUMBERLAND and DURHAM.

TABLE (A) 23.—DIVISION XXIII.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	127	125	252
	Measles	52	40	92
	Scarlatina	57	56	113
	Hooping Cough	126	180	306
	Croup	39	44	83
	Thrush	..	1	1
	Diarrhœa	27	24	51
	Dysentery	12	7	19
	Cholera	1	4	5
	Influenza	4	8	12
	Ague	1	..	1
	Remittent Fever	6	6	12
	Typhus	164	189	353
	Erysipelas	21	18	39
	Syphilis	..	..	..
	Hydrophobia	..	..	..
	Total	637	702	1339
Sporadic Diseases. Of the Nervous System.	Cephalitis	22	23	45
	Hydrocephalus	177	150	327
	Apoplexy	88	52	140
	Paralysis	80	79	159
	Convulsions	271	250	521
	Tetanus	2	..	2
	Chorea	..	..	..
	Epilepsy	8	5	13
	Insanity	1	4	5
	Delirium Tremens	1	..	1
	Disease	9	5	14
	Total	659	568	1227
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	..	..	..
	Quinsey	5	4	9
	Bronchitis	23	19	42
	Pleurisy	8	7	15
	Pneumonia	281	219	500
	Hydrothorax	46	31	77
	Asthma	91	56	147
	Consumption	594	633	1227
	Disease	19	8	27
	Total	1067	977	2044
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	1	..	1
	Aneurism	3	1	4
	Disease	44	34	78
	Total	48	35	83
Sporadic Diseases. Of the Digestive Organs. Intestinal Canal.	Teething	48	46	94
	Gastritis, Enteritis	112	119	231
	Peritonitis	..	1	1
	Tabes Mesenterica	7	5	12
	Worms	14	14	28
	Ascites	1	2	3
	Ulceration	3	3	6
	Hernia	9	6	15
	Colic, or Ileus	2	2	4
	Intussusception	..	2	2
	Stricture	..	1	1
	Hematemesis	3	3	6
	Disease	9	14	23
Pancreas	Disease	..	..	..
Liver	Hepatitis	4	5	9
	Jaundice	12	6	18
	Disease	20	33	53
Spleen	Disease	..	..	..
	Total	244	262	506
Sporadic Diseases. Of the Urinary Organs.	Nephritis	..	1	1
	Ischuria	2	..	2
	Diabetes	4	1	5
	Cystitis	1	1	2
	Stone	12	1	13
	Stricture	..	..	..
	Disease	10	1	11
	Total	29	5	34
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	81	81
	Paramenia	..	..	..
	Ovarian Dropsy	..	2	2
	Disease	..	5	5
	Total	..	88	88
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	..	..	..
	Rheumatism	10	9	19
	Disease	24	8	32
	Total	34	17	51
Sporadic Diseases. Of the Integumentary System.	Carbuncle	1	..	1
	Phlegmon	..	..	..
	Ulcer	6	..	6
	Fistula	1	..	1
	Disease	2	1	3
	Total	10	1	11
Sporadic Diseases. Of Uncertain Seat.	Inflammation	95	88	183
	Hæmorrhage	18	8	26
	Dropsy	124	138	262
	Abscess	18	10	28
	Mortification	11	6	17
	Purpura	..	..	..
	Scrofula	10	6	16
	Carcinoma	18	35	53
	Tumor	3	2	5
	Gout	1	..	1
	Atrophy	7	6	13
	Debility	290	223	513
	Malformations	1	1	2
	Sudden Deaths	16	9	25
	Total	612	532	1144
Old Age		388	507	895
Deaths ascribed to External Causes or to Violence.	Intemperance	1	..	1
	Starvation	3	..	3
	Violent Deaths	263	72	335
	Total	267	72	339
Causes not specified		207	177	384
	Total	4202	3943	8145

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
688,708	318,941	7,298	22,937	39,297	69,532

CUMBERLAND and WESTMORELAND, and such Parts of the Counties of LANCASTER and NORTHUMBERLAND as are not included respectively in Divisions XIX and XXIII.

TABLE (A) 24.—DIVISION XXIV.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	141	133	274
	Measles	26	22	48
	Scarlatina	43	53	96
	Hooping Cough	72	72	144
	Croup	75	76	151
	Thrush	1	3	4
	Diarrhœa	42	41	83
	Dysentery	10	5	15
	Cholera	3	2	5
	Influenza	18	14	32
	Ague	1	..	1
	Remittent Fever	1	2	3
	Typhus	133	152	285
	Erysipelas	11	12	23
	Syphilis	2	1	3
	Hydrophobia	..	..	..
	Total	579	588	1167
Sporadic Diseases. — Of the Nervous System.	Cephalitis	16	12	28
	Hydrocephalus	78	70	148
	Apoplexy	67	52	119
	Paralysis	57	81	138
	Convulsions	99	76	175
	Tetanus	7	1	8
	Chorea	..	..	..
	Epilepsy	11	7	18
	Insanity	1	1	2
	Delirium Tremens	1	..	1
	Disease	10	8	18
	Total	347	308	655
Sporadic Diseases. — Of the Urinary Organs.	Nephritis	3	1	4
	Ischuria	3	..	3
	Diabetes	3	4	7
	Cystitis	..	..	..
	Stone	6	1	7
	Stricture	1	..	1
	Disease	4	1	5
	Total	20	7	27
Sporadic Diseases. — Of the Organs of Generation.	Childbed	..	52	52
	Paramenia	..	2	2
	Ovarian Dropsy	..	..	..
	Disease	..	2	2
	Total	..	56	56
Sporadic Diseases. — Of the Organs of Locomotion.	Arthritis	..	1	1
	Rheumatism	10	9	19
	Disease	5	6	11
	Total	15	16	31
Sporadic Diseases. — Of the Integumentary System.	Carbuncle	..	..	..
	Phlegmon	..	..	..
	Ulcer	3	5	8
	Fistula	4	..	4
	Disease	4	..	4
	Total	11	5	16

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. — Of the Respiratory Organs.	Laryngitis	3	..	3
	Quinsey	7	8	15
	Bronchitis	21	21	42
	Pleurisy	19	7	26
	Pneumonia	101	68	169
	Hydrothorax	41	31	72
	Asthma	52	53	105
	Consumption	526	524	1050
	Disease	8	8	16
	Total	778	720	1498
Sporadic Diseases. — Of the Organs of Circulation.	Pericarditis	3	1	4
	Aneurism	1	..	1
	Disease	29	22	51
	Total	33	23	56
Sporadic Diseases. — Of the Digestive Organs. — Intestinal Canal.	Teething	18	17	35
	Gastritis, Enteritis	67	66	133
	Peritonitis	..	1	1
	Tabes Mesenterica	2	4	6
	Worms	13	17	30
	Ascites	..	1	1
	Ulceration	2	..	2
	Hernia	3	4	7
	Colic or Ileus	4	7	11
	Intussusception	1	2	3
	Stricture	1	..	1
	Hematemesis	2	..	2
	Disease	11	14	25
Sporadic Diseases. — Of the Digestive Organs. — Pancreas	Disease	..	..	..
Sporadic Diseases. — Of the Digestive Organs. — Liver	Hepatitis	6	2	8
	Jaundice	6	9	15
	Disease	20	23	43
Sporadic Diseases. — Of the Digestive Organs. — Spleen	Disease	..	..	..
	Total	156	167	323
Sporadic Diseases. — Of Uncertain Seat.	Inflammation	70	64	134
	Hæmorrhage	15	14	29
	Dropsy	95	135	230
	Abscess	9	6	15
	Mortification	15	5	20
	Purpura	..	1	1
	Scrofula	8	8	16
	Carcinoma	24	34	58
	Tumor	1	..	1
	Gout	1	..	1
	Atrophy	16	19	35
	Debility	198	190	388
	Malformations	1	2	3
	Sudden Deaths	28	24	52
	Total	481	502	983
	Old Age	418	558	976
Deaths ascribed to External Causes, or to Violence.	Intemperance	3	..	3
	Starvation	7	1	8
	Violent Deaths	225	78	303
	Total	235	79	314
Causes not specified		396	363	759
	Total	3469	3392	6861

Area in Acres.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
1,590,448	338,273	24,597	22,257	22,724	69,578

WALES, MONMOUTHSHIRE, and HEREFORDSHIRE.

TABLE (A) 25.—DIVISION XXV.

	Diseases.	Males.	Fem.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	1080	903	1983
	Measles	133	136	269
	Scarlatina	618	556	1174
	Hooping Cough	307	428	735
	Croup	171	175	346
	Thrush	9	14	23
	Diarrhœa	44	34	78
	Dysentery	9	5	14
	Cholera	7	8	15
	Influenza	20	17	37
	Ague	2	1	3
	Remittent Fever	3	2	5
	Typhus	764	747	1511
	Erysipelas	14	14	28
	Syphilis	..	7	7
	Hydrophobia	1	1	2
	Total	3182	3048	6230
Sporadic Diseases. Of the Nervous System.	Cephalitis	37	14	51
	Hydrocephalus	77	57	134
	Apoplexy	133	114	247
	Paralysis	217	228	445
	Convulsions	1291	1017	2308
	Tetanus	4	2	6
	Chorea	..	1	1
	Epilepsy	29	30	59
	Insanity	8	7	15
	Delirium Tremens	8	..	8
	Disease	15	10	25
	Total	1819	1480	3299
Sporadic Diseases. Of the Urinary Organs.	Nephritis	6	1	7
	Ischuria	6	2	8
	Diabetes	..	..	..
	Cystitis	4	1	5
	Stone	33	8	41
	Stricture	1	..	1
	Disease	9	5	14
	Total	59	17	76
Of the Organs of Generation.	Childbed	..	203	203
	Paramenia	..	5	5
	Ovarian Dropsy	..	..	..
	Disease	..	11	11
	Total	..	219	219
Of the Organs of Locomotion.	Arthritis	..	1	1
	Rheumatism	38	32	70
	Disease	24	7	31
	Total	62	40	102
Of the Integumentary System.	Carbuncle	3	1	4
	Phlegmon	..	..	..
	Ulcer	2	4	6
	Fistula	4	1	5
	Disease	2	3	5
	Total	11	9	20

	Diseases.	Males.	Fem.	Total.
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	..	1	1
	Quinsey	8	12	20
	Bronchitis	65	46	111
	Pleurisy	23	15	38
	Pneumonia	271	199	470
	Hydrothorax	48	33	81
	Asthma	188	127	315
	Consumption	1925	1950	3875
	Disease	39	30	69
	Total	2567	2413	4980
Of the Organs of Circulation.	Pericarditis	3	3	6
	Aneurism	1	4	5
	Disease	43	37	80
	Total	47	44	91
Of the Digestive Organs. Intestinal Canal.	Teething	15	14	29
	Gastritis, Enteritis	118	95	213
	Peritonitis	..	4	4
	Tabes Mesenterica	16	21	37
	Worms	42	51	93
	Ascites	2	..	2
	Ulceration	7	1	8
	Hernia	24	3	27
	Colic or Ileus	63	24	87
	Intussusception	6	5	11
	Stricture	4	1	5
	Hematemesis	2	1	3
	Disease	33	20	53
Pancreas	Disease	..	..	..
Liver	Hepatitis	11	10	21
	Jaundice	18	21	39
	Disease	65	41	106
Spleen	Disease	..	2	2
	Total	426	314	740
Of Uncertain Seat.	Inflammation	69	42	111
	Hæmorrhage	37	26	63
	Dropsy	358	487	845
	Abscess	27	20	47
	Mortification	45	19	64
	Purpura	..	4	4
	Scrofula	81	56	137
	Carcinoma	53	111	164
	Tumor	2	4	6
	Gout	10	1	11
	Atrophy	51	46	97
	Debility	398	352	750
	Malformations	3	1	4
	Sudden Deaths	103	58	161
	Total	1237	1227	2464
	Old Age	1203	1444	2647
Deaths ascribed to External Causes, or to Violence.	Intemperance	2	2	4
	Starvation	7	3	10
	Violent Deaths	596	202	798
	Total	605	207	812
Causes not specified.		676	633	1309
	Total	11,894	11,095	22,989

Area in Square Miles.	Population according to Census of 1831.	Families in 1831. Employed chiefly in Agriculture.	Chiefly in Trade, Manufactures, and Handicraft.	Other Families.	Total.
7,425	1,016,219	91,567	59,325	58,853	209,745

TABLE (B) Deduced from TABLE (A): Shewing out of a Population of 1,000,000 of each Sex the Annual Mortality by 94 Causes of Death.

	Diseases.	Males.	Fem.	Mean.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	1170	1000	1085
	Measles	451	418	434
	Scarlatina	391	382	387
	Hooping Cough	546	665	605
	Croup	326	269	298
	Thrush	77	68	72
	Diarrhœa	186	146	166
	Dysentery	49	35	42
	Cholera	24	20	22
	Influenza	58	50	54
	Ague	4	1	3
	Remittent Fever	12	12	12
	Typhus	1257	1245	1251
	Erysipelas	82	78	80
	Syphilis	12	10	11
	Hydrophobia	2	1	1
	Total*	4647	4400	4524
Sporadic Diseases. Of the Nervous System.	Cephalitis	163	128	146
	Hydrocephalus	574	450	512
	Apoplexy	398	353	375
	Paralysis	312	350	331
	Convulsions	1970	1508	1739
	Tetanus	13	4	9
	Chorea	5/10	2	1
	Epilepsy	78	66	73
	Insanity	24	25	25
	Delirium Tremens	23	2	12
	Disease	103	85	94
	Total	3660	2973	3317
Sporadic Diseases. Of the Urinary Organs.	Nephritis	15	6	10
	Ischuria	8	1	5
	Diabetes	20	7	14
	Cystitis	14	3	8
	Stone	38	5	21
	Stricture	7	1	4
	Disease	78	17	48
	Total	181	41	111
Of the Organs of Generation.	Childbed	..	368	184
	Paramenia	..	9	4
	Ovarian Dropsy	..	6	3
	Disease	1	43	22
	Total	1	426	214
Of the Organs of Locomotion.	Arthritis	1	1	1
	Rheumatism	70	67	68
	Disease	76	64	70
	Total	148	132	140
Of the Integumentary System.	Carbuncle	3	2	2
	Phlegmon	1	1	1
	Ulcer	11	11	11
	Fistula	11	2	7
	Disease	9	5	7
	Total	35	21	28

	Diseases.	Males.	Fem.	Mean.
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	7	5	6
	Quinsey	31	27	29
	Bronchitis	162	114	138
	Pleurisy	44	33	39
	Pneumonia	1339	1064	1201
	Hydrothorax	175	133	154
	Asthma	455	313	384
	Consumption	3783	4077	3930
	Disease	194	149	171
	Total	6190	5915	6052
Of the Organs of Circulation.	Pericarditis	10	7	8
	Aneurism	12	4	8
	Disease	253	190	222
	Total	275	201	238
Of the Digestive Organs. Intestinal Canal.	Teething	310	277	293
	Gastritis-Enteritis	425	383	404
	Peritonitis	7	15	11
	Tabes Mesenterica	50	46	48
	Worms	45	55	50
	Ascites	4	5	4
	Ulceration	19	15	17
	Hernia	43	25	34
	Colic or Ileus	47	36	41
	Intussusception	18	13	16
	Stricture	7	8	7
	Hematemesis	8	6	7
	Disease	95	90	92
Pancreas	Disease	3/10	1/10	2/10
Liver	Hepatitis	33	27	30
	Jaundice	55	57	56
	Disease	194	152	173
Spleen	Disease	2	1	2
	Total	1362	1212	1287
Sporadic Diseases. Of Uncertain Seat.	Inflammation	413	363	388
	Hæmorrhage	99	64	81
	Dropsy	700	940	820
	Abscess	118	80	99
	Mortification	108	71	89
	Purpura	4	3	4
	Scrofula	81	68	75
	Carcinoma	84	240	162
	Tumor	19	30	25
	Gout	22	6	14
	Atrophy	138	131	135
	Debility	913	772	842
	Malformations	13	10	12
	Sudden Deaths	249	154	201
	Total	2961	2932	2947
	Old Age	2200	2533	2366
Deaths ascribed to External Causes, or to Violence.	Intemperance	17	5	11
	Starvation	17	5	11
	Violent Deaths	1132	442	787
	Total	1166	452	809
Causes not Specified		..	..	..
Total		22,827	21,239	22,033

Note.—The Table is read thus:—1170 died of Small Pox in the Year out of a Mean number of 1,000,000 Males living in England and Wales; 1,000 out of 1,000,000 Females; 1085 out of 1,000,000, comprising 500,000 individuals of each Sex.

* The numbers in the Totals have been deduced from the Totals in Table (A), and for obvious reasons do not always exactly coincide with the sum of the numbers in the Section.

TABLE (C).—FATAL DISEASES of ENGLAND and WALES, Classified according to their Pathological Characters.

DISEASES.		Males.	Females.	Total.
Inflammations.	Cephalitis	1,204	974	2,178
	Laryngitis	56	43	99
	Quinsey	226	206	432
	Bronchitis	1,193	874	2,067
	Pleuritis	329	253	582
	Pneumonia	9,887	8,112	17,999
	Pericarditis	74	50	124
	Gastritis, Enteritis	3,139	2,922	6,061
	Peritonitis	51	117	168
	Hernia	318	189	507
	Hepatitis	242	207	449
	Nephritis	113	44	157
	Cystitis	103	25	128
	Arthritis	9	7	16
	Phlegmon	9	7	16
	Inflammation (the part not stated)	3,050	2,766	5,816
		20,003	16,796	36,799
Specific Inflammations.	Small Pox	8,639	7,629	16,268
	Measles	3,328	3,186	6,514
	Scarlatina	2,890	2,912	5,802
	Carbuncle	20	15	35
	Hooping Cough	4,036	5,071	9,107
	Asthma	3,359	2,386	5,745
	Croup	2,410	2,053	4,463
	Hydrocephalus	4,242	3,430	7,672
	Influenza	427	379	806
	Thrush	572	518	1,090
	Diarrhœa	1,371	1,111	2,482
	Dysentery	362	265	627
	Cholera	178	153	331
	Ague	30	14	44
	Remittent Fever	89	93	182
	Typhus	9,282	9,493	18,775
	Puerperal Fever (childbirth)*	..	2,811	2,811
	Erysipelas	605	598	1,203
	Syphilis	86	73	159
	Hydrophobia	16	8	24
	Tetanus	100	29	129
	Rheumatism	520	510	1,030
	Gout	161	46	207
		42,723	42,783	85,506
Terminations of Inflammation.	Abscess	869	609	1,478
	Ulcer	81	81	162
	Ulceration of Intestines	137	119	256
	Stricture of Intestines	48	63	111
	Fistula	82	18	100
	Stricture of Urethra	51	8	59
	Mortification	802	541	1,343
	Colic or Ileus	345	274	619
	Intussusception	136	102	238
	Dropsies:—			
	Hydrothorax	1,295	1,011	2,306
	Ascites	27	36	63
	Ovarian Dropsy	..	45	45
	Dropsy	5,170	7,172	12,342
		9,043	10,079	19,122

DISEASES.		Males.	Females.	Total.
Hæmorrhages or Congestions.	Hæmorrhage	730	488	1,218
	Hematemesis	65	46	111
	Aneurism	88	31	119
	Apoplexy	2,938	2,692	5,630
	Paralysis	2,307	2,668	4,975
	Hæmaturia	2	..	2
	Purpura	31	27	58
	Sudden Death	1,840	1,172	3,012
		8,001	7,124	15,125
Carcinomatous Diseases.	Cancer	620	1,828	2,448
	Tumor	141	232	373
		761	2,060	2,821
Scrofulous Diseases.	Scrofula	599	520	1,119
	Consumption	27,935	31,090	59,025
	Tabes Mesenterica	373	351	724
		28,907	31,961	60,868
Morbid Secretions.	Worms	330	419	749
	Jaundice	405	436	841
	Ischuria	59	11	70
	Diabetes	152	55	207
	Stone	282	38	320
	Paramenia	..	69	69
		1,228	1,028	2,256
Depraved Nutrition.	Starvation	126	41	167
	Intemperance	125	36	161
	Atrophy	1,022	996	2,018
	Malformations	93	73	166
		1,366	1,146	2,512
Disorders of the Nervous System.	Debility	6,743	5,891	12,634
	Convulsions, Teething	16,843	13,608	30,451
	Angina Pectoris	15	7	22
	Chorea	4	20	24
	Epilepsy	578	515	1,093
	Delirium Tremens	167	15	182
	Insanity	178	189	367
		24,528	20,245	44,773
Old Age		16,246	19,318	35,564
Violent Deaths, (the nature of the injuries frequently not distinguished)		8,359	3,368	11,727
Diseases, the nature of which was not stated		7,414	6,072	13,486
Causes not specified		6,465	5,505	11,970
Total		175,044	167,485	342,529

* It is impossible to separate the deaths by Puerperal Fever from the rest of the deaths by Childbirth. The same difficulty occurs under other heads, and is one of the objections to the classification.

TABLE (D).—ABSTRACT of the CAUSES of DEATH registered in 1838 in the Thirty-two Metropolitan Districts, and in the Districts of the Counties of Cornwall, Devonshire, Dorsetshire, Somersetshire, and Wiltshire.

Area in Square Miles.		POPULATION ENUMERATED IN 1831—METROPOLIS, 1,594,890; THE FIVE COUNTIES, 1,599,024.									
		Estimated Population, 1838.						Rate of Decennial Increase.		Population to a Square Mile.	
		Both Sexes.		Males.		Females.					
Metropolis.	Counties.	Metropolis.	Counties.	Metropolis.	Counties.	Metropolis.	Counties.	Metropolis.	Counties.	Metropolis.	Counties.
70	7,942	1,884,844	1,743,125	913,077	843,244	971,767	899,881	20 per Cent.	12 per Cent.	26,903	219

	Diseases.	Males.		Females.		Total.	
		Metropolis.	Counties.	Metropolis.	Counties.	Metropolis.	Counties.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	2030	965	1787	854	3817	1819
	Measles	310	624	278	575	588	1199
	Scarlatina	747	194	777	173	1524	367
	Hooping Cough	948	466	1135	581	2083	1047
	Croup	181	247	173	172	354	419
	Thrush	148	41	141	42	289	83
	Diarrhœa	219	147	174	128	393	275
	Dysentery	56	45	49	35	105	80
	Cholera	10	12	5	6	15	18
	Influenza	29	48	34	48	63	96
	Ague	5	7	3	1	8	8
	Remittent Fever	11	6	13	3	24	9
	Typhus	2083	753	1995	881	4078	1634
	Erysipelas	218	35	187	40	405	75
	Syphilis	24	7	17	5	41	12
	Hydrophobia	8	3	4	1	12	4
	Total	7027	3600	6772	3545	13,799	7145
Sporadic Diseases. Of the Nervous System.	Cephalitis	307	99	228	82	535	181
	Hydrocephalus	992	322	777	281	1769	603
	Apoplexy	525	344	462	354	987	698
	Paralysis	353	251	384	318	737	569
	Convulsions	1851	819	1568	608	3419	1427
	Tetanus	13	13	6	4	19	17
	Chorea	1	1	5	1	6	2
	Epilepsy	104	58	103	53	207	111
	Insanity	37	13	36	24	73	37
	Delirium Tremens	46	17	3	2	49	19
	Disease	163	85	145	87	308	172
	Total	4392	2022	3717	1814	8109	3836
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	11	7	9	5	20	12
	Quinsey	33	9	31	9	64	18
	Bronchitis	252	133	201	79	453	212
	Pleurisy	34	23	37	14	71	37
	Pneumonia	2005	945	1739	801	3744	1746
	Hydrothorax	154	150	131	108	285	258
	Asthma	789	217	624	143	1413	360
	Consumption	4057	2744	3630	3061	7687	5805
	Disease	316	121	235	95	551	216
	Total	7651	4349	6637	4315	14,288	8664
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	7	12	9	4	16	16
	Aneurism	23	5	1	6	24	11
	Disease	416	163	364	143	780	306
	Total	446	180	374	153	820	333

	Diseases.	Males.		Females.		Total.	
		Metropolis.	Counties.	Metropolis.	Counties.	Metropolis.	Counties.
Of the Urinary Organs.	Nephritis	20	8	9	4	29	12
	Ischuria	..	9	1	..	1	9
	Diabetes	19	7	4	2	23	9
	Cystitis	5	12	2	3	7	15
	Stone	18	17	2	3	20	20
	Stricture	27	1	5	..	32	1
	Disease	102	73	23	12	125	85
	Total	191	127	46	24	237	151
Of the Organs of Generation.	Childbed	..	..	403	217	403	217
	Paramenia	..	..	3	1	3	1
	Ovarian Dropsy	..	..	14	5	14	5
	Disease	1	1	120	21	121	22
	Total	1	1	540	244	541	245
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	1	..	1	1	2	1
	Rheumatism	104	38	80	43	184	81
	Disease	112	37	99	40	211	77
	Total	217	75	180	84	397	159
Sporadic Diseases. Of the Integumentary System.	Carbuncle	1	2	3	5	4	7
	Phlegmon	6	..	2	1	8	1
	Ulcer	8	3	14	10	22	13
	Fistula	16	8	4	1	20	9
	Disease	16	2	6	4	22	6
	Total	47	15	29	21	76	36
Sporadic Diseases. Of Uncertain Seat.	Inflammation	474	174	469	142	943	316
	Hæmorrhage	123	89	67	74	190	163
	Dropsy	765	671	1003	970	1768	1641
	Abscess	111	98	83	67	194	165
	Mortification	116	78	109	61	225	139
	Purpura	8	4	1	2	9	6
	Scrofula	39	72	32	75	71	147
	Carcinoma	51	69	234	231	285	300
	Tumor	20	23	51	31	71	54
	Gout	48	25	21	4	69	29
	Atrophy	117	139	93	162	210	301
	Debility	306	680	292	658	598	1338
	Malformations	26	9	17	8	43	17
	Sudden Deaths	360	198	272	148	632	346
	Total	2564	2329	2744	2633	5308	4962

TABLE (D).—*continued.*

		Diseases.	Males. Metropolis.	Males. Counties.	Females. Metropolis.	Females. Counties.	Total. Metropolis.	Total. Counties.
Sporadic Diseases.		Teething	381	92	382	87	763	179
		Gastritis, Enteritis	430	299	451	253	881	552
		Peritonitis	22	6	43	11	65	17
		Tabes Mesenterica	87	32	87	39	174	71
		Worms	4	28	7	31	11	59
	Of the Digestive Organs.	Intestinal Canal. Ascites	10	..	5	8	15	8
		Intestinal Canal. Ulceration	24	11	27	14	51	25
		Intestinal Canal. Hernia	55	33	45	15	100	48
		Intestinal Canal. Colic or Ileus	55	39	41	24	96	63
		Intestinal Canal. Intussusception	28	19	13	14	41	33
		Intestinal Canal. Stricture	5	3	12	9	17	12
		Intestinal Canal. Hematemesis	11	11	8	7	19	18
		Intestinal Canal. Disease	94	76	101	89	195	165
		Pancreas Disease	2	..	1	..	3	..
		Liver. Hepatitis	19	18	29	20	48	38
		Liver. Jaundice	45	34	54	47	99	81
		Liver. Disease	194	114	189	85	383	199
		Spleen. Disease	5	2	2	2	7	4
		Total	1471	817	1497	755	2968	1572

	Diseases.	Males. Metropolis.	Males. Counties.	Females. Metropolis.	Females. Counties.	Total. Metropolis.	Total. Counties.
Deaths ascribed to External Causes, or to Violence.	Old Age	1694	1823	2417	2265	4111	4088
	Intemperance	14	10	7	2	21	12
	Starvation	21	11	8	3	29	14
	Violent Deaths	910	992	417	375	1327	1367
	Total	945	1013	432	380	1377	1393
	Causes not specified	404	531	263	441	667	972
	Total	27,050	16,882	25,648	16,674	52,698	33,556

TABLE (E).—ABSTRACT of the CAUSES of DEATH registered in 1838 in the Districts of the Counties of Essex, Gloucester (except Bristol and Clifton), Hereford, Norfolk (except Norwich), Suffolk, Sussex, and Westmoreland; and in the Twenty-four Districts of Aston, Bath ,Birmingham, Bristol, Cambridge, Carlisle, Clifton, Derby, Dudley, Exeter, Leeds, Leicester, Liverpool, Manchester, Maidstone, Newcastle-on-Tyne, Northampton, Nottingham, Salford, Sheffield, Stoke-on-Trent, Sunderland, Wolverhampton, and West Derby.

Area in Square Miles.		POPULATION ENUMERATED IN 1831—CITIES, 1,484,402; COUNTIES, 1,656,455. Estimated Population, 1838. Males and Females.		Males.		Females.		Rate of Decennial Increase.		Population to a Square Mile.	
Cities.	Counties.	Cities.	Counties.	Cities.	Counties.	Cities.	Counties.	Cities.	Counties.	Cities.	Counties.
677	9312	1,841,377	1,796,783	898,233	892,688	943,144	904,095	31·6 per Cent.	11·7 per Cent.	2720	192

	Diseases.	Males. Cities.	Males. Counties.	Females. Cities.	Females. Counties.	Total. Cities.	Total. Counties.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	1178	856	1152	698	2330	1554
	Measles	709	416	702	376	1411	792
	Scarlatina	199	180	204	207	403	387
	Hooping Cough	601	402	755	436	1356	838
	Croup	347	192	310	169	657	361
	Thrush	65	102	53	113	118	215
	Diarrhœa	290	125	207	97	497	222
	Dysentery	54	41	31	28	85	69
	Cholera	22	11	10	8	32	19
	Influenza	18	64	28	47	46	111
	Ague	1	3	2	1	3	4
	Remittent Fever	11	10	7	6	18	16
	Typhus	1382	888	1370	927	2752	1815
	Erysipelas	64	53	65	60	129	113
	Syphilis	6	10	10	12	16	22
	Hydrophobia	3	1	..	1	3	2
	Total	4950	3354	4906	3186	9856	6540

		Diseases.	Males. Cities.	Males. Counties.	Females. Cities.	Females. Counties.	Total. Cities.	Total. Counties.
Sporadic Diseases.	Of the Urinary Organs.	Nephritis	18	12	7	2	25	14
		Ischuria	6	12	2	1	8	13
		Diabetes	14	21	5	11	19	32
		Cystitis	12	13	8	1	20	14
		Stone	29	25	7	3	36	28
		Stricture	3	6	..	..	3	6
		Disease	58	91	11	24	69	115
		Total	140	180	40	42	180	222
	Of the Organs of Generation.	Childbed	..	..	405	255	405	255
		Paramenia	..	..	9	5	9	5
		Ovarian Dropsy	..	..	3	6	3	6
		Disease	1	4	25	32	26	36
		Total	1	4	442	298	443	302

TABLE (E).—*continued.*

		Diseases.	Males. Cities.	Males. Counties.	Females. Cities.	Females. Counties.	Total. Cities.	Total. Counties.
Diseases.	Of the Nervous System.	Cephalitis	178	100	150	100	328	200
		Hydrocephalus	699	316	593	258	1292	574
		Apoplexy	313	358	274	337	587	695
		Paralysis	258	303	282	341	540	644
		Convulsions	2378	1035	1959	781	4337	1816
		Tetanus	17	9	3	2	20	11
		Chorea	..	..	3	1	3	1
		Epilepsy	64	70	53	65	117	135
		Insanity	33	18	26	26	59	44
		Delirium Tremens	21	14	1	1	22	15
		Disease	129	120	108	86	237	206
		Total	4090	2343	3452	1998	7542	4341
	Of the Respiratory Organs.	Laryngitis	4	12	3	10	7	22
		Quinsey	48	16	39	16	87	32
		Bronchitis	176	143	121	101	297	244
		Pleurisy	42	27	36	29	78	56
		Pneumonia	2059	924	1669	770	3728	1694
		Hydrothorax	124	158	85	115	209	273
		Asthma	693	183	523	115	1216	298
		Consumption	4319	2972	4339	3756	8658	6728
		Disease	223	253	182	244	405	497
		Total	7688	4688	6997	5156	14,685	9844
Sporadic Diseases.	Of the Organs of Circulation.	Pericarditis	9	10	7	4	16	14
		Aneurism	15	12	5	5	20	17
		Disease	258	189	187	159	445	348
		Total	282	211	199	168	481	379
	Of the Digestive Organs.	Teething	640	116	617	88	1257	204
		Gastritis, Enteritis	602	310	620	295	1222	605
		Peritonitis	2	3	4	7	6	10
		Tabes Mesenterica	23	52	16	31	39	83
		Worms	48	21	49	24	97	45
	Intestinal Canal.	Ascites	..	3	4	2	4	5
		Ulceration	17	10	18	10	35	20
		Hernia	37	32	17	19	54	51
		Colic or Ileus	27	53	26	49	53	102
		Intussusception	11	11	7	20	18	31
		Stricture	4	11	5	5	9	16
		Hematemesis	4	6	2	6	6	12
		Disease	104	89	126	85	230	174
	Pancreas	Disease	..	..	..	..	..	..
	Liver	Hepatitis	36	16	21	20	57	36
		Jaundice	49	54	62	66	111	120
		Disease	192	158	145	113	337	271
	Spleen	Disease	2	1	..	3	2	4
		Total	1798	946	1739	843	3537	1789
Sporadic Diseases.	Of the Organs of Locomotion.	Arthritis	2	1	2	..	4	1
		Rheumatism	59	43	54	54	113	97
		Disease	78	36	61	61	139	97
		Total	139	80	117	115	256	195
	Of the Integumentary System.	Carbuncle	2	3	1	1	3	4
		Phlegmon	..	..	1	..	1	..
		Ulcer	21	4	9	5	30	9
		Fistula	13	5	4	1	17	6
		Disease	10	7	7	4	17	11
		Total	46	19	22	11	68	30
	Of Uncertain Seat.	Inflammation	251	496	240	461	491	957
		Hæmorrhage	99	84	54	73	153	157
		Dropsy	625	615	781	792	1406	1407
		Abscess	123	93	95	72	218	165
		Mortification	85	118	69	76	154	194
		Purpura	8	3	6	6	14	9
		Scrofula	48	84	41	102	89	186
		Carcinoma	68	86	246	233	314	319
		Tumor	21	17	32	22	53	39
		Gout	16	20	5	5	21	25
		Atrophy	148	181	168	182	316	363
		Debility	815	812	754	617	1569	1429
		Malformations	9	20	1	10	10	30
		Sudden Deaths	211	179	120	108	331	287
		Total	2527	2808	2612	2759	5139	5567
		Old Age	1395	2253	1868	2533	3263	4786
	Deaths ascribed to External Causes, or to Violence.	Intemperance	23	9	10	1	33	10
		Starvation	10	13	5	4	15	17
		Violent Deaths	1167	793	512	303	1679	1096
		Total	1200	815	527	308	1727	1123
		Causes not specified	660	931	484	805	1144	1736
		Total	24,916	18,632	23,405	18,222	48,321	36,854

TABLE (F).—Comparative Table of the Fatal Diseases of the Districts of (1) the Metropolis; of (2) Twenty-four Towns; of (3) Cornwall, Dorsetshire, Devonshire, Somersetshire, Wiltshire; and of (4) Norfolk, Suffolk, Essex, Sussex, Gloucestershire, Herefordshire, and Westmoreland.—(*See* Tables D. and E.)

DISEASES.		Town Districts.			Rural Districts.		
		Metropolis.	Towns.	Total.	Total.	South-Western Counties.	Norfolk, &c.
Inflammations.	Cephalitis	535	328	863	381	181	200
	Laryngitis	20	7	27	34	12	22
	Quinsey	64	87	151	50	18	32
	Bronchitis	453	297	750	456	212	244
	Pleuritis	71	78	149	93	37	56
	Pneumonia	3744	3728	7472	3440	1746	1694
	Pericarditis	16	16	32	30	16	14
	Gastritis, Enteritis	881	1222	2103	1157	552	605
	Peritonitis	65	6	71	27	17	10
	Hernia	100	54	154	99	48	51
	Hepatitis	48	57	105	74	38	36
	Nephritis	29	25	54	26	12	14
	Cystitis	7	20	27	29	15	14
	Arthritis	2	4	6	2	1	1
	Phlegmon	8	1	9	1	1	..
	Inflammation (the part not stated)	943	491	1434	1273	316	957
	Total	6986	6421	13,407	7172	3222	3950
Specific Inflammations.	Small Pox	3817	2330	6147	3373	1819	1554
	Measles	588	1411	1999	1991	1199	792
	Scarlatina	1524	403	1927	754	367	387
	Carbuncle	4	3	7	11	7	4
	Hooping Cough	2083	1356	3439	1885	1047	838
	Asthma	1413	1216	2629	658	360	298
	Croup	354	657	1011	780	419	361
	Hydrocephalus	1769	1292	3061	1177	603	574
	Influenza	63	46	109	207	96	111
	Thrush	289	118	407	298	83	215
	Diarrhœa	393	497	890	497	275	222
	Dysentery	105	85	190	149	80	69
	Cholera	15	32	47	37	18	19
	Ague	8	3	11	12	8	4
	Remittent Fever	24	18	42	25	9	16
	Typhus	4078	2752	6830	3449	1634	1815
	Puerperal Fever (Childbirth)	403	405	808	472	217	255
	Erysipelas	405	129	534	188	75	113
	Syphilis	41	16	57	34	12	22
	Hydrophobia	12	3	15	6	4	2
	Tetanus	19	20	39	28	17	11
	Rheumatism	184	113	297	178	81	97
	Gout	69	21	90	54	29	25
	Total	17,660	12,926	30,586	16,263	8459	7804
Terminations of Inflammation.	Abscess	194	218	412	330	165	165
	Ulcer	22	30	52	22	13	9
	Ulceration of Intestines	51	35	86	45	25	20
	Stricture of Intestines	17	9	26	28	12	16
	Fistula	20	17	37	15	9	6
	Stricture of Urethra	32	3	35	7	1	6
	Mortification	225	154	379	333	139	194
	Colic or Ileus	96	53	149	165	63	102
	Intussusception	41	18	59	64	33	31
	Dropsies:—						
	Hydrothorax	285	209	494	531	258	273
	Ascites	15	4	19	13	8	5
	Ovarian Dropsy	14	3	17	11	5	6
	Dropsy	1768	1406	3174	3048	1641	1407
	Total	2780	2159	4939	4612	2372	2240
Hæmorrhages or Congestions.	Hæmorrhage	190	153	343	320	163	157
	Hematemesis	19	6	25	30	18	12
	Aneurism	24	20	44	28	11	17
	Apoplexy	987	587	1574	1393	698	695
	Paralysis	737	540	1277	1213	569	644
	Purpura	9	14	23	15	6	9
	Sudden Deaths	632	331	963	633	346	287
	Total	2598	1651	4249	3632	1811	1821
Carcinomatous Diseases.	Cancer	285	314	599	619	300	319
	Tumor	71	53	124	93	54	39
	Total	356	367	723	712	354	358
Scrofulous Diseases.	Scrofula	71	89	160	333	147	186
	Consumption	7687	8658	16,345	12,533	5805	6728
	Tabes Mesenterica	174	39	213	154	71	83
	Total	7932	8786	16,718	13,020	6023	6997
Morbid Secretions.	Worms	11	97	108	104	59	45
	Jaundice	99	111	210	201	81	120
	Ischuria	1	8	9	22	9	13
	Diabetes	23	19	42	41	9	32
	Stone	20	36	56	48	20	28
	Paramenia	3	9	12	6	1	5
	Total	157	280	437	422	179	243
Depraved Nutrition.	Starvation	29	15	44	31	14	17
	Intemperance	21	33	54	22	12	10
	Atrophy	210	316	526	664	301	363
	Malformations	43	10	53	47	17	30
	Total	303	374	677	764	344	420
Disorders of the Nervous System.	Debility	598	1569	2167	2767	1338	1429
	Convulsions	4182	5594	9776	3626	1606	2020
	Teething						
	Chorea	6	3	9	3	2	1
	Epilepsy	207	117	324	246	111	135
	Delirium Tremens	49	22	71	34	19	15
	Insanity	73	59	132	81	37	44
	Total	5115	7364	12,479	6757	3113	3644
Old Age		4111	3263	7374	8874	4088	4786
Violent Deaths (the nature of the injuries frequently not distinguished)		1327	1679	3006	2463	1367	1096
Diseases, the nature of which was not stated		2706	1907	4613	3011	1252	1759
Causes not specified		667	1144	1811	2708	972	1736
Total		52,698	48,321	101,019	70.410	33,556	36,854

POPULATION.

	1831	1838
Town Districts	3,079,292	3,726,221
Rural Districts	3,255,479	3,539,908

TABLE (G).—Of the Mortality in Thirty-two Metropolitan Districts by different Classes of Diseases; also the Population of 1821 and 1831; the Total Deaths in the Year 1838; and the Density of the Population, expressed by the Number of Square Yards to one Person.

No.	DISTRICTS.	POPULATION. 1821	POPULATION. 1831	Square Yards to One Person.	Total Deaths.	Annual Rate of Mortality per 100.	Annual Rate of Mortality per Cent. by Diseases of: The Epidemic Class.	*Typhus.*	The Nervous System.	The Respiratory System.	*Phthisis.*	The Digestive Organs.	All other Classes.
1	Whitechapel (London Hospital) .	68,905	64,141	25	2,900	4·427	1·341	·571	·506	1·067	·537	·183	1·330
2	St. George, Southwark	36,368	39,769	See St. Olave.	1,423	3·291	·906	·224	·536	·878	·554	·126	·845
3	St. Giles and St. George . . .	51,793	52,907	22	1,762	3·213	·971	·337	·518	·947	·504	·141	.636
4	St. George in the East	32,528	38,505	25	1,407	3·179	1·011	·311	·480	·780	·435	·123	·785
5	Bermondsey	25,235	29,741	88	1,046	3·070	·895	·257	·603	·848	·440	·142	·582
6	Shoreditch	52,966	68,564	35	2,502	2·982	·818	·277	·523	·785	·331	·153	·703
7	Westminster (Westminster Hospital)	39,222	47,992	72	1,933	3·424	1·042	·276	·454	·920	·505	·245	·763
8	(*a*) East London, (*b*) West London (Bartholomew's Hospital) . .	71,899	70,833	16	2,742	3·790	1·034	.409	·540	1·039	·558	·213	·964
9	Holborn	36,523	37,927	19	1,164	2·927	·806	·360	·469	·867	·469	·167	·618
10	St. Olave; St. Saviour (Guy's and St. Thomas's Hospitals) .	49,537	51,732	29	2,164	3·973	1·118	·472	·551	1·011	·517	·212	1·081
11	Bethnal Green	45,676	62,018	46	2,254	2·873	·959	·282	·503	·625	·283	·154	·632
12	Rotherhithe	12,523	12,875	249	396	2·954	·542	·198	·351	·824	·511	·267	·970
13	St. Luke, Middlesex	40,876	46,642	22	1,423	2·724	·778	·113	·479	·683	·374	·226	·558
14	Greenwich (Greenwich Hospital and the Dreadnought Hospital)	58,538	63,564	321	2,476	3·600	·882	·300	·481	·993	·395	·231	1·013
15	Stepney	52,289	72,442	144	2,492	2·681	·744	·211	·437	·717	·369	·119	·664
16	Strand	41,973	42,479	18	1,109	2·535	·610	·158	·445	·808	·415	·142	·530
17	Clerkenwell	39,105	47,634	27	1,442	2·582	·590	·102	·424	·660	·387	·128	·780
18	St. Martin in the Fields (Charing Cross Hospital)	28,003	23,483	52	719	2·998	·652	·230	·481	·807	·439	·201	·857
19	Kensington	63,065	85,352	388	2,792	2·591	·622	·145	·408	·716	·413	·184	·661
20	St. James, Westminster . . .	34,890	37,725	19	945	2·322	·419	·074	·387	·867	·461	·149	·500
21	Poplar	18,932	25,066	See Stepney.	879	2·821	·733	·208	·515	·767	·466	·112	·694
22	Lambeth	57,638	87,856	146	2,718	2·255	·580	·137	·389	·626	·352	·127	·533
23	Newington	33,047	44,526	54	1,273	2·272	·496	·083	.375	·735	·413	·136	·530
24	Islington	22,417	37,316	271	1,147	2·107	·477	·057	·355	·585	·355	·131	·559
25	Marylebone (Middlesex Hospital) .	96,040	122,206	48	3,528	2·388	·544	·126	·375	·729	·373	·160	·580
26	City of London	57,421	57,080	30	1,202	2·062	·425	·121	·352	·690	·374	·136	·459
27	St. Pancras (North London Hospital, Fever Hospital, Small Pox Hospital)	71,838	103,548	92	3,485	2·551	·827	·263	·358	·680	·363	·138	·548
28	St. George, Hanover Square (St. George's Hospital)	46,384	58,209	75	1,725	2·475	·550	·145	·343	·697	·390	·191	·694
29	Camberwell	17,876	28,231	557	866	2·181	·395	·101	·424	·608	·346	·094	·660
30	Hackney	25,164	34,527	434	784	1·782	·359	·064	·251	·471	·324	·116	·585
	Total	1,328,671	1,594,890	..	52,698	2·796	·741	·219	·436	·768	·408	·160	·691

Note.—The Table is read thus:—In the Whitechapel District the Population was 68,905 in 1821; 64,141 in 1831; the density in 1821 was 25 square yards to 1 person; the total Deaths in 1838 were 2,900; the rate of Mortality was 4·427 in 100; or, without decimals, 4,427 in 100,000. To a Population of 100,000, the Deaths from Typhus were 571.

TABLE (H).—Of the Relative Mortality of Males and Females in Leeds, Birmingham, London, Liverpool, and Manchester, Annual Deaths to 100(000) Living.

	Leeds.		Birmingham.		London.		Liverpool and West Derby.		Manchester and Salford.		England and Wales.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Epidemic, Endemic, and Contagious Diseases	·663	·646	·533	·487	·781	·704	·626	·534	·739	·702	·465	·440
Typhus.	·154	·133	·114	·073	·232	·207	·226	·181	·227	·209	·126	·124
Sporadic Diseases. Of the Nervous System	·459	·378	·312	·258	·488	·386	·597	·530	·588	·420	·366	·297
Of the Respiratory Organs	·742	·686	1·019	·802	·851	·690	1·063	·936	1·005	·905	·619	·592
Phthisis.	·440	·477	·526	·410	·451	·377	·595	·571	·549	·548	·378	·408
Of the Organs of Circulation	·018	·015	·062	·034	·050	·039	·034	·019	·025	·023	·027	·020
Of the Digestive Organs	·135	·115	·225	·221	·164	·156	·214	·194	·267	·239	·136	·121
Of the Urinary Organs	·012	·001	·015	·013	·021	·005	·010	·003	·020	·005	·018	·004
Of the Organs of Generation	..	·049	..	·031	..	·056	..	·055	..	·066	·000 1/10	·043
Of the Organs of Locomotion	·012	·007	·021	·015	·024	·019	·017	·012	·023	·020	·015	·013
Of the Integumentary System	·002	·001	·008	·002	·005	·003	·004	·001	·004	·003	·004	·002
Of Uncertain Seat	·254	·238	·258	·260	·285	·285	·253	·249	·258	·267	·296	·293
Old Age	·165	·169	·164	·183	·188	·251	·124	·175	·146	·180	·220	·253
Deaths by Violence	·110	·046	·077	·049	·105	·045	·130	·066	·164	·065	·117	·045
All Causes	2·572	2·351	2·694	2·356	2·962	2·639	3·072	2·774	3·239	2·895	2·283	2·124
Inhabitants to a Square Mile	2,624		31,487		25,578		4,617		4,799		269	

POPULATION OF THE METROPOLIS AND OF THE COUNTIES OF ENGLAND AND WALES, IN ELEVEN DIVISIONS.

TABLE (I).—Shewing the Area in Square Miles, and the Population in 1821, 1831, and 1838.

No.	COUNTIES.	Area in Square Miles.	1821	1831			June 30th, 1838, (estimated.)			Annual Rate of Increase per Cent. 1821–31.
			Males and Females.	Males and Females.	Males.	Females.	Males and Females.	Males.	Females.	
1	Metropolis	70	1,328,671	1,594,890	739,719	855,171	1,884,844	913,077	971,767	1·8
2	Surrey (part of), Kent (part of), Sussex, Hants, Berks	6,128	1,182,206	1,339,204	658,547	680,657	1,466,763	724,027	742,736	1·2
3	Middlesex (part of), Herts, Bucks, Oxon, Northampton, Huntingdon, Bedford, Cambridge	5,075	924,254	1,035,726	510,867	524,859	1,125,818	557,410	568,408	1·1
4	Essex, Suffolk, Norfolk	5,072	904,334	1,003,878	494,107	509,771	1,084,010	535,579	548,431	1·0
5	Wilts, Dorset, Devon, Cornwall, Somerset	7,942	1,421,071	1,599,024	770,476	828,548	1,743,125	843,244	899,881	1·2
6	Gloucester, Hereford, Shropshire, Worcester, Stafford, Warwick	6,268	1,445,095	1,679,655	827,853	851,802	1,873,066	926,687	946,379	1·5
7	Leicester, Rutland, Lincoln, Nottingham, Derby	5,431	876,322	996,350	494,332	502,018	1,094,060	544,844	549,216	1·3
8	Chester, Lancaster	2,818	1,322,957	1,671,245	814,522	856,723	1,975,569	966,580	1,008,989	2·4
9	York	5,836	1,173,187	1,371,359	677,667	693,692	1,535,345	761,569	773,776	1·6
10	Durham, Northumberland, Cumberland, Westmoreland	5,253	614,121	701,544	337,442	364,102	772,897	373,243	399,654	1·3
11	Monmouth and Wales	7,921	789,271	904,312	445,658	458,654	998,363	493,876	504,487	1·4
	England and Wales	57,814	11,981,489	13,897,187	6,771,190	7,125,997	15,553,860	7,640,136	7,913,724	1·46

CAUSES OF DEATH OF MALES IN ELEVEN DIVISIONS OF ENGLAND AND WALES.

TABLE (K).—Shewing the Deaths of Males from Twelve Classes of Diseases; distinguishing the Deaths from Small Pox, Measles, Scarlatina, Hooping Cough, Typhus, and Consumption.

No.	CLASSES OF DISEASES.	Metropolis.	Surrey (part of); Kent (part of); Sussex; Hampshire; Berkshire.	Middlesex (part of); Hertfordshire; Bucks; Oxon; Northampton; Huntingdon; Bedford; Cambridge.	Essex; Suffolk; Norfolk.	Wiltshire; Dorsetshire; Devonshire; Cornwall; Somersetshire.	Gloucestershire; Herefordshire; Shropshire; Worcestershire; Staffordshire; Warwickshire.	Leicestershire; Rutlandshire; Lincolnshire; Nottinghamshire; Derbyshire.	Cheshire; Lancashire.	Yorkshire.	Durham; Northumberland; Cumberland; Westmoreland.	Monmouth and Wales.	ENGLAND and WALES.
		1	2	3	4	5	6	7	8	9	10	11	
1	Epidemic, Endemic, & Contagious Diseases	7027	2715	1990	1892	3600	3559	1398	4843	2833	1423	3041	34,321
	Including *Small Pox*	2030	651	492	488	965	884	200	957	580	356	1036	8639
	Including *Measles*	310	239	181	95	624	517	75	553	498	110	126	3328
	Including *Scarlatina*	747	321	121	91	194	152	146	272	135	102	609	2890
	Including *Hooping Cough*	948	294	174	205	466	501	136	446	347	232	287	4036
	Including *Typhus*	2083	674	633	601	753	869	449	1484	681	325	730	9282
2	Diseases: Of the Nervous System	4392	2288	1591	1134	2022	2619	1925	4912	3236	1229	1681	27,029
3	Diseases: Of the Respiratory Organs	7651	3949	2897	2568	4349	5640	2675	7564	4057	2029	2333	45,712
	Including *Phthisis*	4057	2359	1918	1686	2744	3302	1691	4630	2549	1234	1765	27,935
4	Diseases: Of the Organs of Circulation	446	230	161	102	180	270	130	187	199	85	42	2032
5	Diseases: Of the Digestive Organs	1471	880	673	511	817	1323	655	1871	1041	425	391	10,058
6	Diseases: Of the Urinary Organs	191	160	88	111	127	134	107	160	148	58	54	1338
7	Diseases: Of the Organs of Generation	1	1	1	3	1	..	1	1	2	..	..	11
8	Diseases: Of the Organs of Locomotion	217	92	73	40	75	136	72	162	115	54	56	1092
9	Diseases: Of the Integumentary System	47	26	16	10	15	36	21	33	24	22	9	259
10	Diseases: Of Uncertain Seat	2564	2085	2092	1666	2329	2624	1434	2796	1976	1229	1076	21,871
11	Old Age	1694	1757	1408	1310	1823	1992	1229	1573	1496	937	1027	16,246
12	Deaths by Violence	945	710	454	413	1013	1233	549	1385	750	609	549	8610
	Total	26,646	14,893	11,444	9760	16,351	19,566	10,196	25,487	15,877	8100	10,259	168,579
	Causes not specified	404	524	518	631	531	1075	455	568	536	664	559	6465
	Total	27,050	15,417	11,962	10,391	16,882	20,641	10,651	26,055	16,413	8764	10,818	175,044

CAUSES OF DEATH OF FEMALES IN ELEVEN DIVISIONS OF ENGLAND AND WALES.

TABLE (L).—Shewing the Deaths of Females, from Twelve Classes of Diseases; distinguishing the Deaths from Small Pox, Measles, Scarlatina, Hooping Cough, Typhus, and Consumption.

No.	CLASSES OF DISEASES.	Metropolis.	Surrey (part of); Kent (part of); Sussex; Hampshire; Berkshire.	Middlesex (part of); Hertfordshire; Bucks; Oxon; Northampton; Huntingdon; Bedford; Cambridge.	Essex; Suffolk; Norfolk.	Wiltshire; Dorsetshire; Devonshire; Cornwall; Somersetshire.	Gloucestershire; Herefordshire; Shropshire; Worcestershire; Staffordshire; Warwickshire.	Leicestershire; Rutlandshire; Lincolnshire; Nottinghamshire; Derbyshire.	Cheshire; Lancashire.	Yorkshire.	Durham; Northumberland; Cumberland; Westmoreland.	Monmouth and Wales.	ENGLAND and WALES.
		1	2	3	4	5	6	7	8	9	10	11	
1	Epidemic, Endemic, & Contagious Diseases	6772	2562	2024	1818	3545	3455	1446	4639	2857	1515	2923	33,556
	Including *Small Pox*	1787	478	436	423	854	779	188	950	533	337	864	7629
	Including *Measles*	278	230	144	104	575	509	68	523	537	92	126	3186
	Including *Scarlatina*	777	346	134	109	173	142	171	276	119	113	552	2912
	Including *Hooping Cough*	1135	369	273	225	581	607	186	551	423	309	412	5071
	Including *Typhus*	1995	694	682	611	881	931	504	1426	680	379	710	9493
2	Diseases: Of the Nervous System	3717	1966	1330	979	1814	2185	1567	3987	2700	1050	1380	22,675
3	Diseases: Of the Respiratory Organs	6637	3823	3235	2991	4315	5539	2760	7589	4128	1893	2201	45,111
	Including *Phthisis*	3630	2678	2454	2258	3061	3715	2004	5236	2979	1298	1777	31,090
4	Diseases: Of the Organs of Circulation	374	164	99	91	153	175	104	147	124	63	36	1530
5	Diseases: Of the Digestive Organs	1497	735	609	427	755	1214	600	1781	891	452	287	9248
6	Diseases: Of the Urinary Organs	46	36	20	26	24	39	17	43	31	14	17	313
7	Diseases: Of the Organs of Generation	540	245	206	181	244	327	178	601	368	162	200	3252
8	Diseases: Of the Organs of Locomotion	180	88	73	61	84	110	64	172	101	42	35	1010
9	Diseases: Of the Integumentary System	29	15	8	9	21	23	11	17	13	6	9	161
10	Diseases: Of Uncertain Seat	2744	2122	2102	1572	2633	2632	1519	2787	2024	1154	1072	22,361
11	Old Age	2417	1859	1530	1527	2265	2380	1322	1828	1694	1224	1272	19,318
12	Deaths by Violence	432	283	219	159	380	470	237	555	351	177	182	3445
	Total	25,385	13,898	11,455	9841	16,233	18,549	9825	24,146	15,282	7752	9614	161,980
	Causes not specified	263	447	475	556	441	936	351	463	448	582	543	5505
	Total	25,648	14,345	11,930	10,397	16,674	19,485	10,176	24,609	15,730	8334	10,157	167,485

MORTALITY OF MALES IN ELEVEN DIVISIONS OF ENGLAND AND WALES,

(Arranged in the order of Mean Mortality).

TABLE (M).—Shewing the Mean Annual Mortality, *per Cent.*, by Twelve Classes of Diseases; distinguishing the Deaths from Small-Pox, Measles, Scarlatina, Hooping-Cough, Typhus, and Consumption.

No.	CLASSES OF DISEASES.	Metropolis. 1	Cheshire; Lancashire. 8	Durham; Northumberland; Cumberland; Westmoreland. 10	Gloucestershire; Herefordshire; Shropshire; Worcestershire; Staffordshire; Warwickshire. 6	Middlesex (part of); Hertfordshire; Bucks; Oxon; Northampton; Huntingdon; Bedford; Cambridge. 3	Monmouth and Wales. 11	Yorkshire. 9	Surrey (part of); Kent (part of); Sussex; Hampshire; Berkshire. 2	Wiltshire; Dorsetshire; Devonshire; Cornwall; Somersetshire. 5	Essex; Suffolk; Norfolk. 4	Leicestershire; Rutlandshire; Lincolnshire; Nottinghamshire; Derbyshire. 7	ENGLAND and WALES.
1	Epidemic, Endemic, and Contagious Diseases	·781	·512	·413	·405	·374	·649	·385	·388	·448	·377	·268	·465
	Including *Small Pox*	·226	·101	·103	·101	·092	·221	·079	·093	·118	·097	·038	·117
	Including *Measles*	·034	·058	·032	·059	·034	·027	·068	·034	·076	·019	·014	·045
	Including *Scarlatina*	·083	·029	·029	·017	·023	·130	·018	·046	·024	·018	·028	·039
	Including *Hooping Cough*	·105	·047	·067	·057	·033	·061	·047	·042	·057	·041	·026	·055
	Including *Typhus*	·232	·157	·094	·099	·119	·156	·092	·096	·092	·119	·086	·126
2	Diseases. Of the Nervous System	·488	·520	·356	·298	·298	·359	·439	·327	·248	·226	·369	·366
3	Diseases. Of the Respiratory Organs	·851	·800	·588	·642	·543	·498	·551	·565	·532	·510	·513	·619
	Including *Phthisis*	·451	·490	·358	·376	·360	·377	·346	·337	·336	·336	·324	·378
4	Diseases. Of the Organs of Circulation	·050	·020	·025	·031	·030	·009	·027	·033	·022	·020	·025	·028
5	Diseases. Of the Digestive Organs	·164	·198	·123	·151	·126	·083	·141	·126	·100	·102	·126	·136
6	Diseases. Of the Urinary Organs	·021	·017	·017	·015	·017	·012	·020	·023	·016	·022	·020	·018
7	Diseases. Of the Organs of Generation	..	..	..	..	..	..	·000 3/10	..	..	·000 6/10	·000 2/10	·000 1/10
8	Diseases. Of the Organs of Locomotion	·024	·017	·016	·015	·014	·012	·016	·013	·009	·008	·014	·014
9	Diseases. Of the Integumentary System	·005	·003	·006	·004	·003	·002	·003	·004	·002	·002	·004	·004
10	Diseases. Of Uncertain Seat	·285	·296	·356	·299	·392	·230	·268	·298	·285	·331	·275	·296
11	Old Age	·188	·166	·272	·227	·264	·219	·203	·251	·223	·260	·236	·220
12	Deaths by Violence	·105	·146	·176	·140	·085	·117	·102	·101	·124	·082	·105	·117
	All Causes	2·962	2·695	2·348	2·227	2·146	2·190	2·155	2·129	2·009	1·940	1·955	2·283

MORTALITY OF FEMALES IN ELEVEN DIVISIONS OF ENGLAND AND WALES.

TABLE (N).—Shewing the Mean Annual Mortality, *per Cent.*, by Twelve Classes of Diseases; distinguishing the Deaths from Small Pox, Measles, Scarlatina, Hooping Cough, Typhus, and Consumption.

No.	CLASSES OF DISEASES.	Metropolis. 1	Cheshire; Lancashire. 8	Durham; Northumberland; Cumberland; Westmoreland. 10	Gloucestershire; Herefordshire; Shropshire; Worcestershire; Staffordshire; Warwickshire. 6	Middlesex (part of); Hertfordshire; Bucks; Oxon; Northampton; Huntingdon; Bedford; Cambridge. 3	Monmouth and Wales. 11	Yorkshire. 9	Surrey (part of); Kent (part of); Sussex; Hampshire; Berkshire. 2	Wiltshire; Dorsetshire; Devonshire; Cornwall; Somersetshire. 5	Essex; Suffolk; Norfolk. 4	Leicestershire; Rutlandshire; Lincolnshire; Nottinghamshire; Derbyshire. 7	ENGLAND and WALES.
1	Epidemic, Endemic, and Contagious Diseases	·704	·469	·407	·384	·371	·612	·380	·357	·405	·350	·273	·440
	Including *Small Pox*	·186	·096	·091	·086	·080	·181	·071	·066	·097	·081	·035	·100
	Including *Measles*	·029	·053	·025	·056	·026	·026	·071	·032	·066	·020	·013	·042
	Including *Scarlatina*	·081	·028	·030	·016	·025	·116	·016	·048	·020	·021	·032	·038
	Including *Hooping Cough*	·118	·056	·083	·067	·058	·086	·056	·051	·066	·043	·035	·066
	Including *Typhus*	·207	·144	·102	·103	·125	·149	·090	·096	·101	·118	·095	·124
2	Diseases. Of the Nervous System	·386	·403	·282	·243	·244	·289	·359	·273	·207	·188	·296	·297
3	Diseases. Of the Respiratory Organs	·690	·766	·509	·615	·593	·461	·549	·531	·492	·576	·520	·592
	Including *Phthisis*	·377	·529	·349	·390	·449	·372	·396	·372	·349	·435	·378	·408
4	Diseases. Of the Organs of Circulation	·039	·015	·017	·019	·018	·008	·017	·023	·017	·018	·020	·020
5	Diseases. Of the Digestive Organs	·156	·180	·122	·135	·112	·060	·118	·102	·086	·082	·113	·121
6	Diseases. Of the Urinary Organs	·005	·004	·004	·004	·004	·004	·004	·005	·003	·005	·003	·004
7	Diseases. Of the Organs of Generation	·056	·061	·044	·036	·038	·042	·049	·034	·028	·035	·034	·043
8	Diseases. Of the Organs of Locomotion	·019	·017	·011	·012	·013	·007	·014	·012	·010	·012	·012	·013
9	Diseases. Of the Integumentary System	·003	·001	·002	·003	·001	·002	·002	·002	·002	·002	·002	·002
10	Diseases. Of Uncertain Seat	·285	·282	·310	·292	·385	·224	·269	·295	·301	·303	·286	·293
11	Old Age	·251	·185	·329	·264	·280	·266	·225	·258	·258	·294	·249	·253
12	Deaths by Violence	·045	·056	·048	·052	·040	·038	·047	·039	·043	·031	·045	·045
	All Causes	2·639	2·439	2·085	2·059	2·099	2·013	2·033	1·931	1·853	1·896	1·853	2·124

TABLE (O).—Shewing in 100(000) Deaths, the Number of Deaths from each of 12 Classes of Causes in Twenty-five Divisions, and in all England and Wales.

No.	CLASSES OF DISEASES.	Division 1. Metropolis.		Division 2. Manchester and Salford.		Division 3. Liverpool and West Derby.		Division 4. Leeds.		Division 5. Birmingham.	
		Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1	Epidemic, Endemic, and Contagious Diseases	26·372	26·677	22·829	24·246	20·369	19·250	25·779	27·490	19·771	20·681
	Including *Small Pox*	7·636	7·040	6·655	6·967	1·749	1·650	10·125	10·303	8·252	8·827
	Including *Typhus*	7·817	7·859	7·007	7·225	7·372	6·525	5·992	5·664	4·241	3·090
2	Diseases. Of the Nervous System	16·483	14·643	18·158	14·496	19·447	19·100	17·836	16·065	11·576	10·971
3	Diseases. Of the Respiratory Organs	28·714	26·145	31·027	31·284	34·593	33·750	28·843	29·200	37·822	34·048
	Diseases. Including *Phthisis*	15·226	14·300	16·946	18·939	19·353	20·575	17·092	20·313	19·542	17·402
4	Diseases. Of the Organs of Circulation	1·674	1·473	·772	·795	1·111	·675	·696	·635	2·292	1·450
5	Diseases. Of the Digestive Organs	5·521	5·897	8·241	8·253	6·970	7·000	5·248	4·883	8·367	9·395
6	Diseases. Of the Urinary Organs	·717	·181	·617	·187	·308	·125	·465	·048	·574	·568
7	Diseases. Of the Organs of Generation	·004	2·128	..	2·268	..	1·975	..	2·100	..	1·324
8	Diseases. Of the Organs of Locomotion	·814	·709	·727	·701	·567	·425	·465	·293	·803	·630
9	Diseases. Of the Integumentary System	·176	·114	·110	·094	·142	·025	·092	·048	·286	·063
10	Of Uncertain Seat	9·622	10·810	7·956	9·212	8·223	8·975	9·893	10·107	9·570	11·034
11	Old Age	6·357	9·521	4·495	6·219	4·041	6·325	6·410	7·178	6·074	7·755
12	Deaths by Violence	3·546	1·702	5·068	2·245	4·229	2·375	4·273	1·953	2·865	2·081

TABLE (O).—*continued.*

No.	CLASSES OF DISEASES.	Division 6. Middlesex (part of), Herts, Beds, and Bucks.		Division 7. Kent, Surrey (part of), Sussex, Berks, and Hants.		Division 8. Dorset and Wilts.		Division 9. Devon.		Division 10. Cornwall.	
		Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1	Epidemic, Endemic, and Contagious Diseases	18·203	17·588	18·230	18·434	21·547	20·761	20·262	21·130	23·019	24·195
	Including *Small Pox*	5·123	4·380	4·371	3·439	6·339	6·093	4·871	4·736	2·576	1·956
	Including *Typhus*	5·158	4·901	4·526	4·993	4·121	4·745	4·891	5·904	4·888	4·736
2	Diseases. Of the Nervous System	14·933	12·461	15·363	14·146	13·254	11·200	13·447	12·317	10·601	10·638
3	Diseases. Of the Respiratory Organs	23·798	27·164	26·516	27·508	25·795	27·890	27·118	25·186	30·218	28·174
	Diseases. Including *Phthisis*	15·492	20·282	15·840	19·269	15·874	16·953	16·578	17·817	21·830	20·899
4	Diseases. Of the Organs of Circulation	1·556	·729	1·544	1·180	1·399	·675	1·105	1·232	·859	·549
5	Diseases. Of the Digestive Organs	5·753	5·214	5·909	5·288	4·909	4·986	5·260	4·544	4·062	3·603
6	Diseases. Of the Urinary Organs	·543	·104	1·074	·259	·839	·096	·921	·191	·429	·205
7	Diseases. Of the Organs of Generation	·017	1·912	·006	1·763	..	1·517	..	1·677	..	2·128
8	Diseases. Of the Organs of Locomotion	·681	·591	·618	·634	·407	·553	·532	·445	·462	·446
9	Diseases. Of the Integumentary System	·104	·087	·175	·107	·076	·048	·143	·191	·033	·240
10	Of Uncertain Seat	17·958	18·526	14·000	15·269	14·653	16·498	13·713	16·309	13·045	14·619
11	Old Age	12·642	13·625	11·798	13·376	12·262	13·873	11·461	14·441	8·950	12·869
12	Deaths by Violence	3·812	1·999	4·767	2·036	4·859	1·903	6·038	2·337	8·322	2·334

TABLE (O).—*continued.*

No.	CLASSES OF DISEASES.	Division 11. Somerset. Males.	Somerset. Fem.	Division 12. Essex. Males.	Essex. Fem.	Division 13. Norfolk and Suffolk. Males.	Norfolk and Suffolk. Fem.	Division 14. Lincoln (part of), Huntingdon, and Cambridge. Males.	Lincoln (part of), Huntingdon, and Cambridge. Fem.	Division 15. Lincoln (part of), Derby, Notts, Leicester, and Northampton. Males.	Lincoln (part of), Derby, Notts, Leicester, and Northampton. Fem.
1	Epidemic, Endemic, and Contagious Diseases	23·659	22·050	21·130	21·401	18·512	17·147	17·288	18·638	13·839	15·052
	Including *Small Pox*	8·633	7·200	7·895	6·515	3·505	3·293	3·592	3·404	2·180	2·158
	Including *Typhus*	4·527	6·012	5·682	5·603	6·396	6·484	5·841	7·668	4·554	5·236
2	Diseases. Of the Nervous System	11·606	10·296	13·636	11·010	10·609	9·469	13·797	12·827	18·067	14·770
3	Diseases. Of the Respiratory Organs	24·301	25·796	26·321	29·414	26·307	30·837	26·083	28·576	26·646	28·237
	Diseases. Including *Phthisis*	14·403	17·878	17·414	22·248	17·205	23·261	17·825	21·527	16·911	20·816
4	Diseases. Of the Organs of Circulation	·999	1·144	1·044	1·010	1·045	·886	·873	·654	1·262	1·011
5	Diseases. Of the Digestive Organs	5·415	5·136	4·546	3·909	5·581	4·534	6·378	5·846	6·240	6·019
6	Diseases. Of the Urinary Organs	·798	·112	·859	·065	1·276	·354	1·007	·104	1·006	·173
7	Diseases. Of the Organs of Generation	·022	·898	·061	1·531	·015	1·979	..	1·651	·009	1·847
8	Diseases. Of the Organs of Locomotion	·421	·606	·461	·651	·384	·605	·704	·756	·698	·628
9	Diseases. Of the Integumentary System	·088	·067	·030	·130	·139	·073	·268	·068	·185	·092
10	Of Uncertain Seat	15·269	16·914	15·418	15·114	17·897	16·364	17·623	16·162	14·598	16·245
11	Old Age	11·319	14·222	13·146	14·430	13·561	16·009	10·910	12·345	12·304	13·732
12	Deaths by Violence	6·103	2·759	3·348	1·335	4·674	1·743	5·069	2·373	5·146	2·194

TABLE (O).—*continued.*

No.	CLASSES OF DISEASES.	Division 16. Oxon, Gloucester, Worcester (part of), and Warwick (part of). Males.	Oxon, Gloucester, Worcester (part of), and Warwick (part of). Fem.	Division 17. Mining Parts of Stafford, Salop, and Worcester. Males.	Mining Parts of Stafford, Salop, and Worcester. Fem.	Division 18. Stafford (part of), Salop (part of), and Cheshire. Males.	Stafford (part of), Salop (part of), and Cheshire. Fem.	Division 19. Lancashire (part of). Males.	Lancashire (part of). Fem.	Division 20. Yorkshire (part of). Males.	Yorkshire (part of). Fem.
1	Epidemic, Endemic, and Contagious Diseases	18·081	17·999	22·353	26·045	16·354	16·279	17·593	17·747	17·203	17·930
	Including *Small Pox*	4·745	3·851	4·155	5·031	2·655	2·915	3·657	3·670	2·990	2·774
	Including *Typhus*	4·461	5·361	4·993	6·400	5·188	5·173	4·906	5·279	4·247	4·815
2	Diseases. Of the Nervous System	13·261	11·690	11·898	10·174	16·676	14·509	19·848	16·522	20·940	18·170
3	Diseases. Of the Respiratory Organs	27·363	29·592	26·240	25·786	29·519	31·900	27·992	30·933	26·270	27·777
	Diseases. Including *Phthisis*	15·851	19·866	14·578	16·389	19·398	23·936	17·988	22·633	16·705	19·844
4	Diseases. Of the Organs of Circulation	1·551	1·084	·804	·740	1·044	·669	·612	·588	·910	·769
5	Diseases. Of the Digestive Organs	6·739	5·816	10·221	10·248	4·788	5·139	7·902	7·997	7·323	6·362
6	Diseases. Of the Urinary Organs	·822	·241	·469	·185	·711	·159	·749	·216	·899	·207
7	Diseases. Of the Organs of Generation	..	1·519	..	1·962	..	2·246	·008	2·804	·022	2·637
8	Diseases. Of the Organs of Locomotion	·586	·570	·503	·554	·688	·669	·692	·856	·660	·825
9	Diseases. Of the Integumentary System	·132	·154	·234	·036	·178	·125	·128	·069	·185	·080
10	Of Uncertain Seat	15·236	16·093	10·121	11·395	13·710	13·205	12·260	12·705	12·328	13·149
11	Old Age	10·766	13·074	6·668	9·138	10·332	12·479	6·492	7·443	8·255	9·584
12	Deaths by Violence	5·463	2·168	10·489	3·737	6·000	2·621	5·724	2·120	5·005	2·510

N

TABLE (O).—*continued.*

No.	CLASSES OF DISEASES.	Division 21. Yorkshire (part of).		Division 22. Yorkshire (part of), and Durham (part of).		Division 23. Durham (part of), and Northumberland (Mining part of).		Division 24. Lancashire (part of), Westmorland, Cumberland, and Northumberland (part of).		Division 25. Wales, with Monmouth and Hereford.	
		Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1	Epidemic, Endemic, and Contagious Diseases	15·646	16·920	17·013	18·168	15·945	18·640	18·842	19·413	28·365	29·134
	Including *Small Pox*	1·987	1·861	3·884	3·676	3·179	3·319	4·588	4·391	9·627	8·631
	Including *Typhus*	3·808	3·046	3·342	3·736	4·105	5·019	4·328	5·018	6·810	7·140
2	Diseases. Of the Nervous System	23·055	19·120	18·398	16·149	16·496	15·082	11·292	10·168	16·215	14·146
3	Diseases. Of the Respiratory Organs	21·730	24·112	21·500	23·501	26·708	25·943	25·318	23·770	22·883	23·064
	Diseases. Including *Phthisis*	12·873	17·513	14·152	17·656	14·869	16·808	17·117	17·300	17·160	18·639
4	Diseases. Of the Organs of Circulation	2·856	1·354	1·204	·573	1·201	·930	1·074	·759	·419	·421
5	Diseases. Of the Digestive Organs	5·464	5·034	4·818	4·489	6·108	6·957	5·076	5·513	3·797	3·001
6	Diseases. Of the Urinary Organs	·994	·169	1·204	·301	·726	·133	·650	·231	·525	·163
7	Diseases. Of the Organs of Generation	..	1·777	..	2·229	..	2·337	..	1·849	..	2·093
8	Diseases. Of the Organs of Locomotion	·703	·507	1·024	·603	·852	·451	·488	·528	·553	·382
9	Diseases. Of the Integumentary System	·082	..	·120	·150	·250	·026	·358	·166	·099	·087
10	Of Uncertain Seat	13·328	14·044	14·213	14·824	15·319	14·126	15·653	16·573	11·027	11·728
11	Old Age	11·341	14·975	14·514	16·662	9·712	13·463	13·602	18·422	10·724	13·802
12	Deaths by Violence	4·801	1·988	5·992	2·351	6·683	1·912	7·647	2·608	5·393	1·979

TABLE (O).—*continued.*

ENGLAND AND WALES.

No.	CLASSES OF DISEASES.	DIVISION 1 to 25. All England and Wales. Males.	Females.
1	Epidemic, Endemic, and Contagious Diseases	20·360	20·716
	Including *Small Pox*	5·125	4·710
	Including *Typhus*	5·506	5·861
2	Diseases: Of the Nervous System	16·034	13·999
3	Diseases: Of the Respiratory Organs	27·118	27·850
	Including *Phthisis*	16·033	19·194
4	Diseases: Of the Organs of Circulation	1·205	·945
5	Diseases: Of the Digestive Organs	5·966	5·709
6	Diseases: Of the Urinary Organs	·793	·193
7	Diseases: Of the Organs of Generation	·006	2·008
8	Diseases: Of the Organs of Locomotion	·647	·623
9	Diseases: Of the Integumentary System	·153	·099
10	Of Uncertain Seat	12·974	13·805
11	Old Age	9·637	11·926
12	Deaths by Violence	5·107	2·127

Note.—The Table is read thus:—Of 100 deaths of males, *in which the causes were specified*, 20·360 died of epidemic, endemic, and contagious diseases—namely, 5·125 of small-pox and 5·506 of typhus; or, without decimals, out of 100,000 deaths of males, 5125 were from small-pox.

TABLE (P).—Shewing the Deaths from Small-Pox in the several Districts and Counties of England and Wales, within Ten Quarterly Periods, extending from July 1st, 1837, to December 31st, 1839.

No.	DISTRICTS.	1837 July, Aug. Sept.	1837 Oct. Nov. Dec.	1838 Jan. Feb. Mar.	1838 April, May, June.	1838 July, Aug. Sept.	1838 Oct. Nov. Dec.	1839 Jan. Feb. Mar.	1839 April, May, June.	1839 July, Aug. Sept.	1839 Oct. Nov. Dec.
	I. METROPOLIS.										
	Middlesex.										
1	Kensington	9	16	45	49	89	70	40	5	3	..
2	St. George, Hanover Square	1	8	13	18	18	11	10	1	1	..
3	Westminster	..	5	20	49	70	104	23	1	3	2
4	St. Martin in the Fields	..	2	3	12	15	8	1	1	..	..
5	St. James, Westminster	2	9	6	29	15	2	1	..	..	..
6	St. Marylebone	19	71	69	62	44	24	5	3	4	1
7	St. Pancras (contains the Small-Pox Hospital)	38	50	92	100	89	91	30	10	9	4
8	Islington	..	9	11	25	10	19	12	2	..	..
9	Hackney	1	..	2	9	40	20	3	..	..	..
10	Poplar	..	2	1	24	26	18	4	1	..	..
11	Stepney	4	39	40	37	50	56	37	14	2	..
12	Bethnal Green	1	10	57	40	66	42	14	5	..	..
13	Shoreditch	9	31	35	55	46	32	11	5	4	..
14	Whitechapel	10	15	47	90	56	26	16	11	4	..
15	St. George in the East	1	24	34	47	29	15	9	4	3	1
16	(*a*)East London, (*b*)West London	9	12	28	59	49	26	14	6	1	12
17	City of London	1	3	4	14	10	19	5	5	3	2
18	St. Luke, Middlesex	6	29	47	65	30	13	3	4	3	7
19	Clerkenwell	9	19	22	11	20	23	4	2	..	..
20	Holborn	22	10	7	42	17	5	4	..	1	..
21	St. Giles and St. George	6	15	49	90	28	14	3	2	..	2
22	Strand	1	3	10	27	20	19	5	1	..	..
	Middlesex (part of)	149	382	642	954	837	657	254	83	41	31
	Surrey.										
23	(*a*)St. Saviour, (*b*)St. Olave	5	16	16	50	48	27	8	11	4	..
24	Bermondsey	1	15	13	14	9	13	15	7	6	8
25	St. George, Southwark	16	15	10	32	48	40	18	4	6	..
26	Newington	5	7	5	30	19	35	9	2	..	2
27	Lambeth	29	34	25	37	56	36	17	8	7	17
28	Camberwell	1	5	..	4	6	13	22	..	..	..
29	Rotherhithe	4	4	4	3	4	1	3	..	1	..
	Surrey (part of)	61	96	73	170	190	165	92	32	24	27
	Kent.										
30	Greenwich	47	28	38	21	34	36	18	2	..	2
	Kent (part of)										
	Metropolis	257	506	753	1145	1061	858	364	117	65	60
	II. SOUTH-EASTERN COUNTIES.										
	Surrey.										
31	Wandsworth and Clapham	4	9	8	10	12	17	2	..	..	5
32	(*a*)Richmond, (*b*)Kingston	1	12	32	40	14	11	2	1	2	..
33	(*a*)Chertsey, (*b*)Epsom	1	1	1	11	4	1	3	5	6	..
34	Croydon	9	6	3	15	11	3	..	3	..	1
35	(*a*)Godstone, (*b*)Reigate, (*c*)Dorking	1	1	1	..	2	3	12	16	4	1
36	(*a*)Guildford, (*b*)Farnham, (*c*)Hambledon	2	2	5	7	4	1	1	12	5	3
	Surrey (part of)	18	31	50	83	47	36	20	37	17	10
	Kent.										
37	(*a*)Lewisham, (*b*)Bromley, (*c*)Dartford	14	4	17	16	9	18	6	4	5	3
38	(*a*)Gravesend, (*b*)North Aylesford, (*c*)Hoo	1	1	..	5	8	..	5	3	..	..
39	Medway	17	17	9	13	5	11	30	39	7	2
40	(*a*)Milton, (*b*)Sheppey, (*c*)Faversham, (*d*)Blean	9	3	2	7	..	9	8	1	3	1
41	(*a*)Isle of Thanet, (*b*)Eastry	2	..	2	34	34	23	13	15	16	4
42	Dover	2	..	..	28	7	3	..	3	6	5
43	(*a*)Elham, (*b*)Bridge	1	6	..	10	6	..	..	..	1	..
44	Canterbury	..	9	24	1	3	15	..	..	..	..
45	(*a*)East Ashford, (*b*)West Ashford, (*c*)Hollingbourne	1	4	1	2	1	1	..	1	3	..
46	(*a*)Romney Marsh, (*b*)Tenterden, (*c*)Cranbrook	..	1	..	4	5	1	..	4	1	..
47	Maidstone	4	1	..	6	2	2	11	28	9	..
48	Tonbridge	..	..	..	1	9	5	2	2	..	..
49	(*a*)Malling, (*b*)Sevenoaks	3	2	8	5	2	7	9	..	2	..
	Kent (except Greenwich)	54	48	63	132	91	95	84	100	53	15

TABLE (P).—*continued.*

No.	DISTRICTS.	1837 July, Aug. Sept.	1837 Oct. Nov. Dec.	1838 Jan. Feb. Mar.	1838 April, May, June.	1838 July, Aug. Sept.	1838 Oct. Nov. Dec.	1839 Jan. Feb. Mar.	1839 April, May, June.	1839 July, Aug. Sept.	1839 Oct. Nov. Dec.
	Sussex.										
50	(*a*)Ticehurst, (*b*)Uckfield	..	2	2	2	..	1	2	1	1	..
51	(*a*)Rye, (*b*)Hastings, (*c*)Battle	..	5	15	11	2	1	3	19	5	..
52	(*a*) Hailsham, (*b*)Eastbourne, (*c*)Newhaven, (*d*)Lewes, Chailey and West Firle	..	1	..	2	..	1	..	..	..	..
53	(*a*)East Grinstead, (*b*)Horsham, (*c*) Cuckfield	..	..	1	1	..	9	1	1	..	..
54	Brighton	3	3	11	6	2	1	1	..	..	..
55	(*a*)Steyning, (*b*)Thakeham, (*c*)Worthing	..	..	..	3	2	3	1	..	..	..
56	Chichester	9	4	..	..	..	1	3	..	..	..
57	(*a*)West Hampnett, (*b*)Petworth, (*c*)Midhurst, (*d*)West-bourne	1	..	2	..	1	..	..	1	..	..
	Sussex	13	15	31	25	7	17	11	22	6	..
	Hampshire.										
58	Isle of Wight	..	..	..	..	2	..	1	2	3	..
59	(*a*)Portsea, (*b*)Alverstoke	6	1	..	18	18	10	2	11	19	2
60	(*a*)Havant, (*b*)Catherington, (*c*) Fareham, (*d*) Droxford	2	6	7	7	1	..	..	4	1	..
61	Southampton	..	4	15	9	2	1	4	7	1	1
62	(*a*)South Stoneham, (*b*)New Forest, (*c*)Lymington, (*d*)Christchurch, (*e*)Ringwood, (*f*)Fordingbridge, (*g*)Romsey	11	..	3	7	2	3	2	..	..	..
63	(*a*)Stockbridge, (*b*)Andover, (*c*)Whitchurch, (*d*)Kings-clere	1	11	6	4	1	2	..	..	..	..
64	Winchester and Hursley	..	..	..	1	5	15	..	..	..	..
65	(*a*)Alresford, (*b*)Petersfield, (*c*)Alton, (*d*)Basingstoke, (*e*)Hartley Wintney	..	4	2	7	8	8	8	1	..	..
	Hampshire	20	26	33	53	39	39	17	25	24	3
	Berkshire.										
66	Windsor	..	..	4	8	3	4	5	11	..	5
67	(*a*)East Hampstead, (*b*)Cookham, (*c*)Wokingham	6	22	20	11	14	13	7	..	2	..
68	Reading	..	2	3	21	76	27	4	..	..	..
69	(*a*)Bradfield, (*b*)Newbury, (*c*)Hungerford	5	15	20	17	15	5	2	1	..	..
70	(*a*)Wantage, (*b*)Wallingford, (*c*)Abingdon, (*d*)Faringdon	1	11	9	7	6	5	3	..	..	2
	Berkshire	12	50	56	64	114	54	21	12	2	7
	South-Eastern Counties	117	170	233	357	298	241	153	196	102	35
	III. SOUTH MIDLAND COUNTIES.										
	Middlesex.										
71	Edmonton	8	5	3	11	7	8	7	5	7	8
72	Brentford	7	30	51	53	29	14	6	2	..	..
73	(*a*)Staines, (*b*)Uxbridge	..	1	15	27	16	7	1	3	1	..
74	(*a*)Hendon, (*b*)Barnet	9	15	16	7	4	1	4	1	..	..
	Middlesex (part of)	24	51	85	98	56	30	18	11	8	8
	Hertfordshire.										
75	(*a*)Hatfield and Welwyn, (*b*)Hertford, (*c*)Ware, (*d*)Bishop Stortford	11	2	1	3	3	..	3	2	..	..
76	(*a*)Royston and Buntingford, (*b*)Hitchin	4	8	15	8	4	1	..	..	..	1
77	(*a*)St. Albans, (*b*)Watford, (*c*)Hemel Hempstead, (*d*)Berkhampstead	20	34	18	14	19	30	13	12	4	5
	Hertfordshire	35	44	34	25	26	31	16	14	4	6
	Buckinghamshire.										
78	(*a*)Amersham, (*b*)Eton	5	16	12	7	6	2	..	7	4	8
79	Wycombe	22	64	20	5	..	6	..	1	..	..
80	Aylesbury	..	2	4	3	1	5	3	..	..	..
81	(*a*)Winslow, (*b*)Newport Pagnell, (*c*)Buckingham	1	5	2	4	2	6	10	15	2	2
	Buckinghamshire	28	87	38	19	9	19	13	23	6	10

TABLE (P).—*continued.*

No.	DISTRICTS.	1837 July, Aug. Sept.	1837 Oct. Nov. Dec.	1838 Jan. Feb. Mar.	1838 April, May, June.	1838 July, Aug. Sept.	1838 Oct. Nov. Dec.	1839 Jan. Feb. Mar.	1839 April, May, June.	1839 July, Aug. Sept.	1839 Oct. Nov. Dec.
	Oxfordshire.										
82	(*a*)Henley, (*b*)Thame, (*c*)Headington	5	11	13	17	19	6	..	3	8	5
83	Oxford	..	..	2	..	..	..	..	3	20	20
84	(*a*)Woodstock, (*b*)Bicester, (*c*)Banbury	..	..	2	..	1	1	..	..	1	7
85	(*a*)Witney, (*b*)Chipping Norton	..	14	13	5	2	..	2	1	..	..
	Oxfordshire	5	25	30	22	22	7	2	7	29	32
	Northamptonshire.										
86	(*a*)Brackley, (*b*)Daventry, (*c*)Towcester, (*d*)Potterspury	5	9	7	5	9	14	13	3	1	5
87	(*a*)Hardingstone, (*b*)Wellingborough, (*c*)Brixworth	3	22	38	18	6	..	..	2	2	1
88	Northampton	2	2	9	6	10	8	9	10	3	..
89	(*a*)Kettering, (*b*)Thrapstone, (*c*)Oundle	23	6	1	7	3	..	2	..	7	31
90	Peterborough	..	1	2	..	..	5	10	12	6	1
	Northamptonshire	33	40	57	36	28	27	34	27	19	38
	Huntingdonshire.										
91	(*a*)Huntingdon, (*b*)St. Ives, (*c*)St. Neot's	..	1	9	4	3	2	11	13	..	2
	Bedfordshire.										
92	Bedford	1	..	4	9	6	3	1	2	1	..
93	(*a*)Ampthill, (*b*)Biggleswade	3	5	6	..	..	2	..	..	3	..
94	(*a*)Woburn, (*b*)Leighton Buzzard, (*c*)Luton	3	11	32	6	5	2	..	..	12	2
	Bedfordshire	7	16	42	15	11	7	1	2	16	2
	Cambridgeshire.										
95	(*a*)Caxton and Arrington, (*b*)Chesterton	..	8	3	2	1	..	..	7	3	4
96	Cambridge	4	2	10	23	1	..	11	11	1	..
97	(*a*)Linton, (*b*)Newmarket	..	..	2	1	1	2	6	1	..	..
98	(*a*)Ely, (*b*)North Witchford and Wittlesey, (*c*)Wisbeach	1	2	..	2	26	62	57	41	26	15
	Cambridgeshire	5	12	15	28	29	64	74	60	30	19
	South Midland Counties	137	276	310	247	184	187	169	157	112	117
	IV. EASTERN COUNTIES.										
	Essex.										
99	West Ham	2	..	..	2	9	13	4	7	1	..
100	(*a*)Romford, (*b*)Orsett, (*c*)Billericay	2	5	22	29	33	50	27	10	5	8
101	(*a*)Rochford, (*b*)Maldon	..	..	..	8	28	48	26	17	8	..
102	(*a*)Tendring, (*b*)Lexden and Winstree	..	..	8	6	6	11	13	6	2	..
103	Colchester	..	..	..	5	57	78	13	4	5	..
104	(*a*)Witham, (*b*)Chelmsford	..	1	..	4	5	7	12	31	1	4
105	(*a*)Ongar, (*b*)Epping, (*c*)Dunmow	..	3	6	4	6	3	7	3	..	5
106	(*a*)Braintree, (*b*)Halstead, (*c*)Saffron Walden	3	4	5	..	1	6	9	17	4	1
	Essex	7	13	41	58	145	216	111	95	26	18
	Suffolk.										
107	(*a*)Risbridge, (*b*)Sudbury	2	3	..	4	5	10	34	24	9	..
108	(*a*)Cosford, (*b*)Samford	..	..	1	6	4	6	5	3	1	4
109	Ipswich	..	..	2	6	38	95	23	..	1	..
110	(*a*)Bosmere and Claydon, (*b*)Stow, (*c*)Hoxne, (*d*)Hartismere	1	3	5	6	1	14	15	4	2	..
111	(*a*)Woodbridge, (*b*)Plomesgate	4	9	27	16	5	11	10	2	..	4
112	(*a*)Blything, (*b*)Mutford and Lothingland, (*c*)Wangford	4	4	1	2	..	1	1	..	1	..
113	(*a*)Bury St. Edmunds, (*b*)Thingoe, (*c*)Mildenhall	1	3	30	24	2	3	..	..	..	..
	Suffolk	12	22	66	64	55	140	88	33	14	8

TABLE (P).—*continued.*

No.	DISTRICTS.	1837 July, Aug. Sept.	1837 Oct. Nov. Dec.	1838 Jan. Feb. Mar.	1838 April, May, June.	1838 July, Aug. Sept.	1838 Oct. Nov. Dec.	1839 Jan. Feb. Mar.	1839 April, May, June.	1839 July, Aug. Sept.	1839 Oct. Nov. Dec.
	Norfolk.										
114	(*a*)Thetford, (*b*)Downham, (*c*)Swaffham	3	16	6	4	5	16	8	17	6	..
115	(*a*)Mitford and Launditch, (*b*)Forehoe	..	6	6	5	2	5	2	14	12	7
116	(*a*)Wayland, (*b*)Guiltcross, (*c*)Depwade	..	1	4	1	..	1	3	7	1	2
117	(*a*)Loddon and Clavering, (*b*)Humbleyard and Henstead, (*c*)St. Faith's, (*d*)Blofield	1	1	3	..	8	..	7	14	8	4
118	Norwich	1	..	..	..	..	17	180	204	10	7
119	(*a*)East and West Flegg, (*b*)Tunstead and Happing, (*c*)Aylsham, (*d*)Erpingham	..	..	..	7	4	5	15	12	34	3
120	Great Yarmouth	..	1	4	..	..	..	..	..	..	3
121	(*a*)Walsingham, (*b*)Docking, (*c*)Freebridge Lynn, (*d*)King's Lynn	..	1	2	10	7	4	127	81	6	..
	Norfolk	5	26	25	27	26	48	342	349	77	26
	Eastern Counties	24	61	132	149	226	404	541	477	117	52
	V. SOUTH-WESTERN COUNTIES.										
	Wiltshire.										
122	(*a*)Highworth and Swindon, (*b*)Cricklade and Wootton Bassett, (*c*)Malmesbury, (*d*)Chippenham	9	28	19	11	2	4	4	2	1	7
123	(*a*)Calne, (*b*)Marlborough, (*c*)Pewsey	2	40	13	17	2	1	1	..	1	..
124	Devizes	9	48	5	2	..	..	..	..	7	..
125	(*a*)Melksham, (*b*)Bradford, (*c*)Westbury and Whorwelsdown	22	6	17	36	52	5	..	1	1	1
126	(*a*)Amesbury, (*b*)Alderbury, (*c*)Wilton	2	6	5	2	..	..	..	..	..	..
127	Salisbury	3	22	7	2	..	..	..	..	..	..
128	(*a*)Tisbury, (*b*)Mere, (*c*)Warminster	..	..	6	23	10	18	7	2	..	..
	Wiltshire	47	150	72	93	66	28	12	5	10	8
	Dorsetshire.										
129	(*a*)Shaftesbury, (*b*)Wimborne and Cranborne, (*c*)Blandford, (*d*)Sturminster	..	..	..	1	17	13	6	..	..	..
130	(*a*)Poole, (*b*)Wareham and Purbeck	..	..	..	3	5	2	..	1	..	..
131	(*a*)Sherborne, (*b*)Dorchester and Cerne	14	2	3	34	31	11	1	1	..	..
132	(*a*)Weymouth, (*b*)Bridport, (*c*)Beaminster	4	19	92	31	8	4	10	9	2	..
	Dorsetshire	18	21	95	69	61	30	17	11	2	..
	Devonshire.										
133	(*a*)Axminster, (*b*)Honiton	..	..	7	6	21	2	..	..	..	1
134	Tiverton and Dulverton	..	1	1	13	4	9	1	1	..	..
135	(*a*)South Molton, (*b*)Torrington, (*c*)Crediton, (*d*)Barnstaple	1	13	4	23	13	3	..	4	16	14
136	(*a*)Bideford, (*b*)Holsworthy	10	4	15	..	..	1	..	..	..	..
137	(*a*)Tavistock, (*b*)Oakhampton	7	6	..	..	..	..	4	4	2	..
138	Exeter	88	131	6	..	2	..	..	..	..	..
139	St. Thomas	18	34	23	7	21	1	..	..	..	..
140	Newton Abbot	15	34	16	19	2	9	1	..	..	..
141	(*a*)Totnes, (*b*)Kingsbridge, (*c*)Plympton St. Mary	25	19	27	6	10	15	6	5	14	1
142	Plymouth	10	15	11	14	37	48	9	8	1	..
143	(*a*)Stoke Damerel, (*b*)East Stonehouse	26	19	30	7	5	22	11	10	4	2
	Devonshire	200	276	140	95	115	110	32	32	37	18
	Cornwall.										
144	(*a*)St. Germans, (*b*)Liskeard	18	21	6	3	..	..	2	1	..	..
145	(*a*)Launceston, (*b*)Stratton, (*c*)Camelford	7	6	..	..	..	..	..	..	1	..
146	(*a*)Bodmin, (*b*)St. Columb	2	10	1	4	3	..	..	2	..	..
147	St. Austell	18	5	3	9	15	3	..	..	..	..
148	Truro	2	3	1	..	1	3	5	3	6	9
149	Redruth	8	6	3	2	8	19	8	7	14	5
150	Falmouth	1	..	..	3	1	2	..	..	1	..
151	Helston	..	1	6	7	8	12	2	1	..	1
152	(*a*)Penzance, (*b*)Scilly Isles	7	8	2	9	..	1	..	..	..	1
	Cornwall	63	60	22	37	36	40	17	14	22	16

TABLE (P).—*continued.*

No.	DISTRICTS.	1837 July, Aug. Sept.	1837 Oct. Nov. Dec.	1838 Jan. Feb. Mar.	1838 April, May, June.	1838 July, Aug. Sept.	1838 Oct. Nov. Dec.	1839 Jan. Feb. Mar.	1839 April, May, June.	1839 July, Aug. Sept.	1839 Oct. Nov. Dec.
	Somersetshire.										
153	(*a*)Williton, (*b*)Wellington	..	3	9	62	19	3	..	..	..	..
154	Taunton	..	7	66	40	4	3	..	2	..	..
155	(*a*)Chard, (*b*)Yeovil, (*c*)Langport	1	..	20	24	49	38	37	33	6	1
156	Bridgewater	..	..	5	23	56	14	2	1	..	..
157	(*a*)Axbridge, (*b*)Wells	2	..	..	26	25	9	4	5	..	..
158	(*a*)Shepton Mallet, (*b*)Wincanton	..	1	6	15	9	21	46	30	10	7
159	(*a*)Frome, (*b*)Clutton, (*c*)Keynsham	29	57	50	17	4	4	6	1	1	2
160	Bath	154	18	15	1	1	2	1	25	17	30
161	Bedminster	27	22	49	14	2	5	..	10	9	9
	Somersetshire	213	108	220	222	169	99	96	107	43	49
	South-Western Counties	541	615	549	516	447	307	174	169	114	91
	VI. WESTERN COUNTIES.										
	Gloucestershire.										
162	Bristol	21	74	72	44	4	7	6	..	..	..
163	Clifton	16	32	49	27	7	..	..	..	1	7
164	(*a*)Chipping Sodbury, (*b*)Thornbury, (*c*)Dursley	3	2	13	9	24	2	..	..	..	..
165	(*a*)Tetbury, (*b*)Cirencester	..	1	3	6	3	2	2	..	..	..
166	Stroud	2	2	2	14	12	4	6	..	1	..
167	(*a*)Northleach, (*b*)Stow-on-the-Wold, (*c*)Winchcomb	..	1	2	5	..	4	5	2	1	..
168	Cheltenham	1	3	1	31	32	25	12	2	..	..
169	Gloucester	14	8	5	5	12	15	6	1	..	..
170	(*a*)Wheatenhurst, (*b*)Westbury-on-Severn	1	..	1	..	5	5	1	2	..	..
171	(*a*)Newent, (*b*)Tewkesbury	1	2	1	1	2	1	..	..	..	..
	Gloucestershire	59	125	149	142	101	65	38	7	3	7
	Herefordshire.										
172	(*a*)Ross, (*b*)Ledbury	5	3	3	8	9	14	6	3	..	..
173	Hereford	8	15	21	3	4	4	3	..	..	..
174	(*a*)Bromyard, (*b*)Leominster, (*c*)Weobly	1	3	6	9	2	..	1	..	..	..
	Herefordshire	14	21	30	20	15	18	10	3	..	..
	Shropshire.										
175	(*a*)Ludlow, (*b*)Church Stretton, (*c*)Clun	4	14	16	9	2	..	..	..	..	..
176	Atcham	10	7	2	2	..	4	..	..	..	..
177	Shrewsbury	35	6	1	..	..	..	4	..	..	..
178	(*a*)Oswestry, (*b*)Ellesmere, (*c*)Wem and Whitchurch	6	8	19	11	5	20	2	2	..	..
179	(*a*)Market Drayton, (*b*)Newport	4	1	3	6	3	..	..	4	3	1
180	(*a*)Wellington, (*b*)Madeley	6	4	8	9	7	9	2	..	..	3
181	(*a*)Shifnal, (*b*)Bridgnorth, (*c*)Cleobury Mortimer	1	..	5	8	..	5	..	..	..	..
	Shropshire	66	40	54	45	17	38	8	6	3	4
	Worcestershire.										
182	(*a*)Tenbury, (*b*)Martley, (*c*)Upton-on-Severn	..	4	7	5	5	2	2	..	..	..
183	(*a*)Pershore, (*b*)Evesham, (*c*)Shipston-on-Stour	..	..	13	4	..	4	2	..	..	..
184	Worcester	3	15	63	23	6	..	1	..	..	..
185	(*a*)Droitwich, (*b*)Bromsgrove, (*c*)King's Norton	2	..	8	12	11	28	19	2	..	1
186	Kidderminster	16	3	6	14	1	1	..	3	..	..
187	Stourbridge	3	3	7	8	3	..	1	7	1	1
188	Dudley	38	37	36	23	13	2	1	..	9	20
	Worcestershire	62	62	140	89	39	37	26	12	10	22
	Staffordshire.										
189	West Bromwich	5	2	12	20	6	5	6	2	..	..
190	Walsall	20	9	3	2	..	..	1	1	..	1
191	Wolverhampton	49	72	61	30	9	5	6	1	..	1
192	(*a*)Tamworth, (*b*)Lichfield, (*c*)Burton-on-Trent	13	21	25	16	18	9	10	1	1	1
193	(*a*)Uttoxeter, (*b*)Cheadle, (*c*)Leek and Longnor	1	3	1	4	1	1	1	..	3	5
194	Newcastle-under-Lyne	9	6	7	..	..	..	1	..	..	1
195	(*a*)Stoke-on-Trent, (*b*)Wolstanton and Burslem	* ..	..	2	..	..	1	..	18	14	20
196	Stone	6	9	3	..	..	..	..	..	1	..
197	Stafford	13	5	..	..	..	..	..	..	..	..
198	(*a*)Penkridge, (*b*)Seisdon	* 7	..	1	1	3	3	1	..	..	..
	Staffordshire	123	127	115	73	37	24	26	23	19	29

TABLE (P).—*continued.*

No.	DISTRICTS.	1837 July, Aug. Sept.	1837 Oct. Nov. Dec.	1838 Jan. Feb. Mar.	1838 April, May, June.	1838 July, Aug. Sept.	1838 Oct. Nov. Dec.	1839 Jan. Feb. Mar.	1839 April, May, June.	1839 July, Aug. Sept.	1839 Oct. Nov. Dec.
	Warwickshire.										
199	Birmingham	34	55	85	86	66	47	26	12	7	10
200	Aston	3	5	23	10	35	21	4	8	..	..
201	(*a*)Meriden, (*b*)Solihull, (*c*)Alcester	..	..	10	6	3	6	2	4	4	1
202	(*a*)Stratford, (*b*)Southam, (*c*)Rugby	5	4	1	..	..	1	4	6	2	..
203	Warwick	2	1	..	1	1	..	..	..	..	..
204	Coventry	4	4	..	..	..	1	1	14	1	..
205	(*a*)Foleshill, (*b*)Nuneaton, (*c*)Atherstone	3	1	6	4	2	..	10	7	..	..
	Warwickshire	51	70	125	107	107	76	47	51	14	11
	Western Counties	375	445	613	476	316	258	155	102	49	73
	VII. NORTH MIDLAND COUNTIES.										
	Leicestershire.										
206	(*a*)Lutterworth, (*b*)Hinckley, (*c*)Blaby	6	18	4	..	1	8	1	3	6	30
207	(*a*)Market Bosworth, (*b*)Ashby-de-la-Zouch	7	1	2	23	6	..	2	4	5	..
208	(*a*)Loughborough, (*b*)Barrow-on-Soar	7	5	11	3	17	12	2	3	6	12
209	Leicester	43	5	3	2	3	3	9	21	5	15
210	(*a*)Billesdon, (*b*)Market Harborough, (*c*)Melton Mowbray	7	4	..	..	..	..	2	1	..	..
	Leicestershire	70	33	20	28	27	23	16	32	22	57
	Rutlandshire.										
211	(*a*)Oakham, (*b*)Uppingham	..	..	2	..	..	..	..	..	..	..
	Lincolnshire.	..	..	..	..	..	1	11	8	1	4
212	(*a*)Stamford, (*b*)Bourn	..	..	3	7	8	3	2	14	7	..
213	(*a*)Grantham, (*b*)Sleaford	..	6	8	20	12	13	15	21	3	9
214	(*a*)Spalding, (*b*)Holbeach, (*c*)Boston	..	2	5	9	6	3	10	3	2	2
215	(*a*)Spilsby, (*b*)Horncastle, (*c*)Louth	2	12	14	11	3	1	1	6	6	6
216	Lincoln	7	19	5	2	..	4	2	..	8	9
217	(*a*)Caistor, (*b*)Glanford Brigg, (*c*)Guisborough										
	Lincolnshire	9	39	35	49	29	25	41	52	27	30
	Nottinghamshire.										
218	(*a*)East Retford, (*b*)Worksop	1	1	11	10	2	7	3	5	1	5
219	(*a*)Southwell, (*b*)Mansfield	4	..	1	..	8	2	8	1	9	1
220	(*a*)Newark, (*b*)Bingham	4	2	2	7	2	..	3	..	1	1
221	Basford	3	..	3	7	5	3	14	16	5	2
222	Radford	1	..	..	..	..	..	..	1	..	..
223	Nottingham	1	..	..	2	1	..	1	..	..	4
	Nottinghamshire	14	3	17	26	18	12	29	23	16	13
	Derbyshire.	1	..	..	..	..	..	..	1	..	16
224	Shardlow	..	..	..	1	1	..	..	..	..	..
225	Derby	2	3	6	6	7	4	17	18	6	2
226	(*a*)Belper, (*b*)Ashborne	*..	2	..	..	1	1	2	..	..	..
227	Matlock	1	3	7	7	7	27	18	5	19	15
228	Chesterfield	*..	..	..	1	..	1	..	..	8	..
229	(*a*)Hayfield and Glossop, (*b*)Chapel-en-le-Frith										
	Derbyshire	4	8	13	15	16	33	37	24	33	33
	North Midland Counties	97	83	87	118	90	93	123	131	98	133
	VIII. NORTH-WESTERN COUNTIES.										
	Cheshire.	7	5	10	13	21	38	53	86	45	47
230	Stockport	1	..	4	2	1	..	..	8	22	43
231	Macclesfield	2	16	24	16	6	8	9	8	3	2
232	(*a*)Congleton, (*b*)Northwich	2	1	2	6	..	1	11	10	3	4
233	Nantwich	5	3	40	27	3	5	10	7	3	2
234	(*a*)Altrincham, (*b*)Runcorn	11	11	9	11	9	23	26	27	27	16
235	(*a*)Great Boughton, (*b*)Wirrall										
	Cheshire	28	36	89	75	40	75	109	146	103	114

TABLE (P).—*continued.*

No.	DISTRICTS.	1837 July, Aug. Sept.	1837 Oct. Nov. Dec.	1838 Jan. Feb. Mar.	1838 April, May, June.	1838 July, Aug. Sept.	1838 Oct. Nov. Dec.	1839 Jan. Feb. Mar.	1839 April, May, June.	1839 July. Aug. Sept.	1839 Oct. Nov. Dec.
	Lancashire.										
236	Liverpool	375	132	32	24	18	36	11	29	75	138
237	West Derby	83	44	20	9	..	1	2	5	..	3
238	Ormskirk	4	8	27	21	3	11	19	19	..	3
239	(*a*)Fylde, (*b*)Garstang, (*c*)Clitheroe	1	..	1	2	7	5	6	4	..	..
240	Lancaster	1	8	4	12	4	8	5	3	1	..
241	Ulverstone	..	..	1	..	1	8	6	2	5	2
242	Burnley	3	9	3	7	3	19	25	17	12	2
243	(*a*)Todmorden, (*b*)Haslingden	11	7	7	3	4	..	3	5	10	38
244	Blackburn	19	57	30	16	1	1	12	11	9	7
245	Preston	..	5	7	11	23	35	33	54	18	23
246	Chorley	17	6	2	1	..	1	..	4	9	17
247	Rochdale	..	1	1	..	..	..	..	2	1	44
248	Bury	5	..	2	15	5	4	9	9	8	15
249	Bolton	5	5	24	49	15	14	11	39	22	19
250	Wigan	35	99	65	27	11	6	1	3	6	5
251	(*a*)Leigh, (*b*)Prescott	22	8	30	30	19	1	2	..	2	52
252	Warrington	..	..	1	9	1	2	7	4	4	..
253	Chorlton	..	2	19	22	10	25	10	18	9	39
254	Manchester	23	98	127	120	111	180	94	40	33	53
255	Salford	5	15	29	17	7	9	17	20	45	80
256	Ashton and Oldham	*14	*..	*7	47	32	106	67	37	27	20
	Lancashire.	623	504	439	442	275	472	340	325	296	560
	North-Western Counties	651	540	528	517	315	547	449	471	399	674

IX. YORKSHIRE.

	West Riding.										
257	(*a*)Saddleworth, (*b*)Ecclesfield, (*c*)Ecclesall Bierlow, (*d*)Wortley	5 / 14	2 / 14	5 / 27	11 / 36	4 / 22	5 / 12	6 / 9	8 / 3	8 / 4	9 / ..
258	Sheffield	..	5	5	11	4	2	2	18	5	3
259	Rotherham	..	..	..	3	1	13	17	25	33	39
260	Wakefield	*..	..	*..	39	30	7	..	1	3	2
261	Huddersfield	..	..	1	7	6	7	6	1	11	8
262	Dewsbury	16	21	23	9	3	8	18	10	7	17
263	Halifax	46	29	23	40	34	29	38	48	42	80
264	Bradford	4	11	29	69	134	197	74	55	30	15
265	Leeds	* 3	2	2	..	6	16	16	15	11	6
266	(*a*)Otley, (*b*)Keighley	..	1	1	4	15	26	16	4	2	1
267	(*a*)Skipton, (*b*)Sedbergh, (*c*)Settle	..	2	6	36	3	4	2	20	9	2
268	(*a*)Pateley Bridge, (*b*)Ripon, (*c*) Knaresborough	2	1	3	7	3	2	14	11	1	1
269	(*a*)Selby, (*b*)Goole, (*c*)Pontefract	..	..	..	..	..	3	1	4	2	6
270	(*a*)Doncaster, (*b*)Thorne										
	West Riding	90	88	125	272	265	331	219	223	168	189
	East Riding and York.										
271	(*a*)Howden, (*b*)Skirlaugh	2	..	7	1	3	2	1	1	..	..
272	Hull	..	..	..	4	11	20	16	15	16	30
273	Sculcoates	*..	..	1	..	1	5	19	11	7	8
274	(*a*)Patrington, (*b*)Beverley, (*c*)Driffield, (*d*)Bridlington	..	..	1	..	2	13	21	31	4	2
275	(*a*)Pocklington, (*b*)Tadcaster	..	..	1	..	..	2	11	4	4	1
276	York	..	..	..	..	3	15	30	25	14	22
	East Riding and York	2	..	10	5	20	57	98	87	45	63
	North Riding.										
277	(*a*)Easingwold, (*b*)Malton, (*c*)Helmsley, (*d*)Pickering	*..	..	..	1	..	9	26	19	18	12
278	Scarborough	..	1	1	1	..	1	..	..	7	21
279	(*a*)Whitby, (*b*)Guisborough, (*c*)Stokesley	..	1	..	1	2	2	3	..	..	9
280	(*a*)North Allerton, (*b*)Thirsk, (*c*)Leyburn, (*d*)Askrigg, (*e*)Richmond	..	..	..	2	6	2	7	12	4	1
	North Riding	..	2	1	5	8	14	36	31	29	43
	Yorkshire	92	90	136	282	293	402	353	341	242	295

TABLE (P).—*continued.*

No.	DISTRICTS.	1837 July, Aug. Sept.	1837 Oct. Nov. Dec.	1838 Jan. Feb. Mar.	1838 April, May, June.	1838 July, Aug. Sept.	1838 Oct. Nov. Dec.	1839 Jan. Feb. Mar.	1839 April, May, June.	1839 July, Aug. Sept.	1839 Oct. Nov. Dec.
	X. NORTHERN COUNTIES.										
	Durham.										
281	(*a*)Darlington, (*b*)Stockton and Sedgefield, (*c*)Easington	3	9	28	40	21	15	6	..	3	2
282	Durham and Lanchester	1	1	9	2	4	6	6	3	6	14
283	(*a*)Auckland, (*b*)Teesdale, (*c*)Weardale	3	1	11	20	20	5	13	12	3	..
284	(*a*)Houghton-le-Spring, (*b*)Chester-le-Street	2	..	1	3	3	4	12	12	4	1
285	Sunderland	10	15	11	9	13	26	46	26	4	1
286	South Shields	1	4	8	14	11	7	12	51	20	16
287	Gateshead	3	1	..	..	7	18	18	5	11	12
	Durham	23	31	68	88	79	81	113	109	51	46
	Northumberland.										
288	Tynemouth	..	10	29	8	7	9	12	30	18	10
289	Newcastle-on-Tyne	16	17	11	11	..	23	54	24	39	25
290	(*a*)Castle Ward, (*b*)Hexham	10	2	6	3	3	3	4	2	2	18
291	(*a*)Morpeth, (*b*)Rothbury, (*c*)Alnwick, (*d*)Belford	1	11	21	11	2	..	..	8	1	5
292	Berwick-on-Tweed	6	2	..	..	..	..	..	..	6	2
293	(*a*)Glendale, (*b*)Bellingham, (*c*)Haltwhistle	8	..	2	..	..	..	..	..	1	1
	Northumberland	41	42	69	33	12	35	70	64	67	61
	Cumberland.										
294	(*a*)Brampton, (*b*)Longtown	1	1	3	3	..	..	..	1	1	14
295	Carlisle	9	25	31	32	* 5	* 7	10	5	6	1
296	Wigton	4	1	3	1	..	3	2	5	1	1
297	Cockermouth	3	..	5	2	31	14	32	9	4	3
298	Whitehaven	3	..	3	4	9	22	15	7	..	15
299	(*a*)Bootle, (*b*)Alston and Garrigill, (*c*)Penrith	9	..	5	2	..	3	1	4	3	10
	Cumberland	29	27	50	44	45	49	60	31	15	44
	Westmoreland.										
300	(*a*)East Ward, (*b*)West Ward, (*c*)Kendal	..	2	1	1	..	38	42	4	1	..
	Northern Counties	93	104	188	166	136	203	285	208	134	151
	XI. WALES (WITH MONMOUTHSHIRE.)										
	Monmouthshire.										
301	(*a*)Monmouth, (*b*)Chepstow	8	2	13	11	10	6	1	3	..	1
302	(*a*)Abergavenny, (*b*)Pontypool	13	85	102	50	22	21	22	30	26	10
303	Newport	5	31	55	21	7	3	8	..	3	1
	Monmouthshire	26	118	170	82	39	30	31	33	29	12
	Wales.										
304	Merthyr Tydfil	9	54	160	91	10	3	18	16	12	..
305	(*a*)Cardiff, (*b*)Bridgend and Cowbridge, (*c*)Neath	1	15	40	23	16	33	28	10	..	..
306	Swansea	2	3	5	5	35	48	10	4	2	..
307	(*a*)Llanelly, (*b*)Llandilofawr, Llandovery	3	2	9	14	10	37	26	10	9	13
308	Caermarthen	..	..	5	35	16	13	10	2	..	..
309	(*a*)Narberth (*b*)Pembroke	2	10	14	21	30	29	12	2	1	..
310	Haverfordwest	6	5	31	31	47	37	10	2	2	2
311	(*a*)Cardigan, (*b*)Aberayron	1	..	2	10	2	2	3	1	7	4
312	Aberystwith	..	..	..	..	2	..	6	15	9	1
313	(*a*)Tregaron, (*b*)Lampeter, (*c*)Newcastle-in-Emlyn	3	1	1	11	6	4	3	11	4	4
314	(*a*)Builth, (*b*)Brecknock, (*c*)Crickhowell, (*d*)Hay	25	17	39	33	8	17	15	7	11	9
315	(*a*)Presteigne and Kington, (*b*)Knighton, (*c*)Rhayader	..	4	9	3	2	1	1	2	..	..
316	(*a*)Newtown and Llanidloes, (*b*)Montgomery	6	25	15	14	4	3	2	1	4	..
317	(*a*)Llanfyllin, (*b*)Machynlleth	1	3	2	..	1	..	..	..	..	..
318	(*a*)Dolgelly, (*b*)Bala, (*c*)Corwen, (*d*)Festiniog	6	16	23	2	1	1	..	..	..	..
319	(*a*)Pwllheli, (*b*)Carnarvon	2	2	16	22	22	14	3	..	2	..
320	(*a*)Bangor and Beaumaris, (*b*)Conway	4	15	5	14	9	19	4	4	..	..
321	(*a*)Llanrwst, (*b*)St. Asaph, (*c*)Ruthin	13	28	46	25	5	11	9	10	4	3
322	Wrexham	13	69	60	25	11	3	12	6	4	..
323	Holywell	6	11	27	45	42	45	10	..	..	1
324	Anglesey	..	1	30	10	2	1	3	..	1	..
	Monmouthshire and Wales	129	399	713	516	319	351	216	136	101	49
	Total England and Wales	2513	3289	4242	4489	3685	3851	2982	2505	1533	1730

Total Deaths, by Small-pox, 30,819.

1.—MEASLES.

In the Districts of the Metropolis.

DISTRICTS.		1837		1838			
		July, August, September.	October, November, December.	January, February, March.	April, May, June.	July, August, September.	October, November, December.
		88 Days.	92 Days.	90 Days.	91 Days.	92 Days.	92 Days.
Metropolis.		822	532	173	96	94	225
No.							
1	Kensington	51	29	7	16	7	7
2	St. George, Hanover-square	5	9	7	2	4	2
3	Westminster	11	5	7	2	1	1
4	St. Martin in the Fields .	12	8	2	..	1	..
5	St. James, Westminster .	21	7	2	..	1	4
6	Marylebone	79	37	8	15	8	7
7	St. Pancras	36	34	7	3	3	18
8	Islington	21	3	..	4	2	2
9	Hackney	16	4	..	..	..	..
10	Poplar.	21	23	10	1	..	..
11	Stepney	27	19	9	1	4	9
12	Bethnal Green . . .	56	68	16	1	7	17
13	Shoreditch.	43	24	8	1	4	15
14	Whitechapel	28	49	18	1	7	12
15	St. George in the East .	12	10	3	2	..	1
16	East and West London .	61	24	7	2	1	7
17	City of London . . .	5	8	3	6	3	3
18	St. Luke, Middlesex . .	68	25	4	5	6	48
19	Clerkenwell	28	18	2	8	3	17
20	Holborn	41	13	..	3	..	..
21	St. Giles in the Fields .	36	18	4	2	1	13
22	Strand.	10	11	1	2	1	4
23	St. Olave and St. Saviour.	16	29	8	1	7	7
24	Bermondsey	29	11	13	1	4	4
25	St. George, Southwark .	16	15	11	..	5	11
26	Newington	10	12	7	2	4	2
27	Lambeth	28	13	5	2	5	10
28	Camberwell	..	4	1	8	4	1
29	Rotherhithe	25	1	..	1	..	1
30	Greenwich	10	1	3	4	1	2

2.—TYPHUS.

In the Districts of the Metropolis.

DISTRICTS.		1837		1838			
		July, August, September.	October, November, December.	January, February, March,	April, May, June.	July, August, September.	October, November, December.
		88 Days.	92 Days.	90 Days.	91 Days.	92 Days.	92 Days.
Metropolis.		826	1107	1285	1176	829	788
No.							
1	Kensington	22	27	54	43	34	23
2	St. George, Hanover-square	16	15	42	25	20	14
3	Westminster	36	23	49	47	41	18
4	St. Martin in the Fields .	11	21	19	15	10	11
5	St. James, Westminster .	11	20	11	9	4	6
6	Marylebone	33	44	58	49	39	38
7	St. Pancras	78	88	94	99	71	91
8	Islington	6	10	9	11	3	8
9	Hackney	8	4	11	9	5	3
10	Poplar	4	7	21	19	16	7
11	Stepney	39	59	54	56	53	29
12	Bethnal Green . . .	50	54	65	76	41	38
13	Shoreditch.	44	58	58	70	42	61
14	Whitechapel	94	155	141	99	65	63
15	St. George in the East .	39	50	39	53	20	24
16	East and West London .	69	66	81	101	50	52
17	City of London . . .	13	11	19	20	7	24
18	St. Luke, Middlesex . .	13	23	12	19	11	17
19	Clerkenwell	23	18	9	16	16	16
20	Holborn	20	32	37	28	32	45
21	St. Giles in the Fields .	47	55	67	47	36	34
22	Strand	13	8	29	14	12	14
23	St. Olave and St. Saviour.	38	76	82	84	48	38
24	Bermondsey	12	40	29	20	25	13
25	St. George, Southwark .	15	18	36	24	23	13
26	Newington	15	9	10	13	15	8
27	Lambeth	14	53	56	44	28	37
28	Camberwell	6	11	16	12	8	3
29	Rotherhithe	1	..	1	11	8	6
30	Greenwich.	36	52	76	43	46	34

3.—HOOPING-COUGH.

In the Districts of the Metropolis.

No.	DISTRICTS.	1837 July, August, September. 88 Days.	1837 October November, December. 92 Days.	1838 January, February, March. 90 Days.	1838 April, May, June. 91 Days.	1838 July, August, September. 92 Days.	1838 October, November, December. 92 Days.
	Metropolis	493	573	949	592	250	292
1	Kensington	10	19	26	41	16	11
2	St. George, Hanover-square	9	10	22	23	11	8
3	Westminster	10	14	27	7	18	9
4	St. Martin in the Fields .	5	10	8	9	4	2
5	St. James, Westminster .	9	4	13	8	8	7
6	Marylebone	47	36	49	30	17	16
7	St. Pancras	42	43	87	46	7	17
8	Islington	10	9	18	20	7	6
9	Hackney	3	7	12	4	2	2
10	Poplar	4	3	25	21	5	1
11	Stepney	19	27	58	32	8	9
12	Bethnal Green . . .	19	31	82	22	14	21
13	Shoreditch	34	34	33	24	11	11
14	Whitechapel	30	27	52	40	13	3
15	St. George in the East .	11	29	45	34	6	5
16	East and West London .	22	32	48	28	17	15
17	City of London . . .	12	20	26	17	6	5
18	St. Luke, Middlesex . .	23	36	18	17	6	9
19	Clerkenwell	34	29	31	16	7	5
20	Holborn	13	26	22	17	4	..
21	St. Giles in the Fields .	20	18	33	25	14	12
22	Strand.	9	14	31	6	4	13
23	St. Olave and St. Saviour	17	20	26	8	11	7
24	Bermondsey	16	9	3	5	4	18
25	St. George, Southwark .	8	14	22	11	4	22
26	Newington	16	6	14	13	2	17
27	Lambeth	28	25	61	35	13	34
28	Camberwell	1	4	1	9	2	2
29	Rotherhithe	3	2	2	2	3	1
30	Greenwich.	9	15	54	22	6	4

4.—SMALL-POX.

In the Districts of the Metropolis.

No.	DISTRICTS.	1837 July, August, September. 88 Days.	1837 October, November, December. 92 Days.	1838 January, February, March. 90 Days.	1838 April, May, June. 91 Days.	1838 July, August, September. 92 Days.	1838 October, November, December. 92 Days.
	Metropolis.	257	506	753	1145	1061	858
1	Kensington	9	16	45	49	89	70
2	St. George, Hanover-square	1	8	13	18	18	11
3	Westminster	..	5	20	49	70	104
4	St. Martin in the Fields .	..	2	3	12	15	8
5	St. James, Westminster .	2	9	6	29	15	2
6	St. Marylebone . . .	19	71	69	62	44	24
7	St. Pancras	38	50	92	100	89	91
8	Islington	..	9	11	25	10	19
9	Hackney	1	..	2	9	40	20
10	Poplar	..	2	1	24	26	18
11	Stepney	4	39	40	37	50	56
12	Bethnal Green . . .	1	10	57	40	66	42
13	Shoreditch	9	31	35	55	46	32
14	Whitechapel	10	15	47	90	56	26
15	St. George in the East .	1	24	34	47	29	15
16	East and West London .	9	12	28	59	49	26
17	City of London . . .	1	3	4	14	10	19
18	St. Luke, Middlesex . .	6	29	47	65	30	13
19	Clerkenwell	9	19	22	11	20	23
20	Holborn	22	10	7	42	17	5
21	St. Giles in the Fields .	6	15	49	90	28	14
22	Strand	1	3	10	27	20	19
23	St. Saviour and St. Olave	5	16	16	50	48	27
24	Bermondsey	1	15	13	14	9	13
25	St. George, Southwark .	16	15	10	32	48	40
26	Newington	5	7	5	30	19	35
27	Lambeth	29	34	25	37	56	36
28	Camberwell	1	5	..	4	6	13
29	Rotherhithe	4	4	4	3	4	1
30	Greenwich.	47	28	38	21	34	36

5.—SCARLATINA.

In the Districts of the Metropolis.

DISTRICTS.	1837		1838			
	July, August, September.	October, November, December.	January, February, March.	April, May, June.	July, August, September.	October, November, December.
	88 Days.	92 Days.	90 Days.	91 Days.	92 Days.	92 Days.
Metropolis.	153	265	207	272	408	637
No.						
1 Kensington	7	11	10	8	17	14
2 St. George, Hanover-square	2	5	5	11	15	19
3 Westminster	2	6	8	9	12	24
4 St. Martin in the Fields .	..	4	2	4	4	5
5 St. James, Westminster .	4	18	5	7	5	1
6 Marylebone	18	20	13	22	22	37
7 St. Pancras	15	36	15	19	29	32
8 Islington	4	7	10	17	13	24
9 Hackney	17	9	3	3	1	5
10 Poplar	2	1	1	1	1	5
11 Stepney	4	14	23	32	24	25
12 Bethnal Green . . .	5	6	8	5	25	37
13 Shoreditch.	7	9	8	12	16	42
14 Whitechapel	10	12	2	6	22	22
15 St. George in the East .	4	5	4	9	17	29
16 East and West London .	4	2	2	10	26	30
17 City of London . . .	1	5	8	4	9	20
18 St. Luke, Middlesex . .	2	4	4	13	7	24
19 Clerkenwell	2	4	9	2	7	38
20 Holborn	4	7	..	7	12	12
21 St. Giles in the Fields .	3	12	7	2	4	9
22 Strand	1	5	6	7	6	6
23 St. Olave and St. Saviour	4	7	11	15	20	22
24 Bermondsey	2	1	9	7	30	29
25 St. George, Southwark .	3	4	8	7	9	19
26 Newington	9	22	5	2	3	19
27 Lambeth	14	11	10	12	29	55
28 Camberwell	..	4	3	7	2	6
29 Rotherhithe	1	1	1	6		5
30 Greenwich.	2	13	7	6	14	22

ver Square.	Westminster.	St. Martin in the Fields.	St. James, Westminster.	St. Marylebone.	St. Pancras.	Islington.	Hackney.	Poplar.	Stepney.	Bethnal Green.	Shoreditch.	Whitechapel.
2	3	4	5	6	7	8	9	10	11	12	13	14
..	3	..	2	1	1	3	1	..	1	1	..	
1	..	..	..	..	..	..	..	..	..	..	..	
3	..	1	..	3	3	1	..	..	..	2	1	
..	..	..	..	..	1	..	1	..	..	1	..	
1	2	1	1	..	2	..	1	..	..	..	..	
5	..	..	..	2	..	..	..	..	1	2	..	
14	7	2	2	16	3	2	1	..	4	3	5	
24	12	4	5	22	10	6	4	..	6	9	6	2
14	15	2	12	32	25	11	10	4	7	16	18	1
..	..	..	..	..	..	..	..	..	..	1	..	
..	1	1	1	1	1	..	..	..	..	..	2	..
8	2	..	2	7	10	..	1	3	9	5	8	2
22	18	3	15	40	36	11	11	7	16	22	28	20
.	..	..	..	..	2	..	..	..	..	..	..	..
9	10	5	2	15	10	4	2	2	6	9	6	23
29	6	3	6	15	12	6	2	2	6	2	10	5
8	16	8	8	30	24	10	4	4	12	11	16	28

1407	2742	1202	1423	1442	1164	1762	1109	40,336	2164	1046	1423	
17	111	7	2	6	9	8	4	465	43	7	10	
13	113	28	14	10	19	23	15	955	150	12	21	
13	111	27	14	7	17	17	15	913	149	10	21	
..	2	..	..	1	2	2	..	24	1	..	..	
..	..	1	..	2	..	4	..	18	..	2	..	

TABLE (Q).—1. METROPOLIS.

CAUSES OF DEATH.		MIDDLESEX (PART OF).																			SURREY (PART OF).								KENT (Part of)	GRAND TOTAL.	CAUSES OF DEATH.	
		Kensington.	St. George, Hanover Square.	Westminster.	St. Martin in the Fields.	St. James, Westminster.	St. Marylebone.	St. Pancras.	Islington.	Hackney.	Poplar.	Stepney.	Bethnal Green.	Shoreditch.	Whitechapel.	St. George in the East.	East and West London.	City of London.	St. Luke, Middlesex.	Clerkenwell.	Holborn.	St. Giles and St. George.	Strand.	TOTAL.	St. Saviour; St. Olave.	Bermondsey.	St. George, Southwark.	Newington.	Lambeth.	Camberwell.	Rotherhithe.	TOTAL.	Greenwich.			
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22		23	24	25	26	27	28	29		30			
Epidemic, Endemic, and Contagious Diseases.	Small Pox	253	60	243	38	52	199	372	65	71	69	183	205	168	219	125	162	47	155	76	71	1	76	3090	141	49	130	89	154	23	12	598	129	3817	Small Pox	Epidemic, Endemic, and Contagious Diseases.
	Measles	37	15	11	3	7	38	31	8	..	11	23	41	28	38	6	17	15	63	30	3	0	8	453	23	22	27	15	22	14	2	125	10	588	Measles	
	Scarlatina	49	50	53	15	18	94	95	64	12	8	104	75	78	52	59	68	41	48	56	31	2	25	1117	68	75	43	29	106	18	19	358	49	1524	Scarlatina	
	Hooping Cough	94	64	61	23	36	112	157	51	20	52	107	139	79	108	90	108	54	50	59	43	4	54	1645	52	30	59	46	143	14	8	352	86	2083	Hooping Cough	
	Croup	24	14	19	4	7	26	20	13	2	4	20	17	13	17	12	16	5	10	11	7	5	12	278	11	7	13	6	24	4	..	65	11	354	Croup	
	Thrush	17	6	5	3	2	26	20	7	2	2	15	14	10	10	3	7	7	5	11	8	5	7	202	5	4	5	26	30	3	3	76	11	289	Thrush	
	Diarrhœa	10	22	6	2	6	66	14	4	12	3	20	13	34	23	4	9	1	5	11	2	2	4	273	7	18	5	4	22	20	1	77	43	393	Diarrhœa	
	Dysentery	2	4	7	1	..	8	5	..	1	3	2	4	17	4	2	11	1	..	..	3	2	..	77	2	1	2	3	4	2	..	14	14	105	Dysentery	
	Cholera	2	2	1	..	..	1	1	1	..	..	..	..	1	..	..	..	..	..	..	1	1	..	11	2	1	..	..	..	..	..	3	1	15	Cholera	
	Influenza	2	6	1	..	3	6	4	1	1	1	2	2	6	3	..	1	2	..	1	1	5	2	50	2	2	1	1	4	2	..	12	1	63	Influenza	
	Ague	..	..	..	..	..	..	3	2	..	..	..	..	..	1	..	..	..	..	..	..	.	..	6	1	..	..	..	..	..	..	1	1	8	Ague	
	Remittent Fever	3	..	1	2	1	1	1	1	..	..	1	..	..	..	..	..	2	..	1	..	.	..	14	2	..	..	2	1	5	..	10	..	24	Remittent Fever	
	Typhus	154	101	155	55	30	184	355	31	28	63	192	220	231	368	136	284	70	59	57	142	14	69	3168	252	87	96	46	165	39	26	711	199	4078	Typhus	
	Erysipelas	15	36	21	9	6	27	37	10	8	5	8	18	12	17	5	28	1	10	14	5	9	9	310	21	7	8	6	19	6	..	67	28	405	Erysipelas	
	Syphilis	..	3	1	..	1	2	1	..	..	..	1	..	5	3	..	6	..	..	1	1	.	..	25	8	..	..	1	3	2	..	14	2	41	Syphilis	
	Hydrophobia	1	..	1	1	..	2	1	..	..	1	..	..	..	1	..	1	..	1	..	..	.	..	10	..	..	..	2	..	..	..	2	..	12	Hydrophobia	
	Total	663	383	586	156	169	792	1117	258	157	222	678	748	682	864	442	718	246	406	328	318	50	266	10,729	597	303	389	276	697	152	71	2485	585	13,799	Total	
Of the Nervous System.	Cephalitis	19	27	16	7	11	27	38	19	6	6	26	21	47	17	8	27	16	27	29	5	15	10	424	17	10	12	15	27	8	5	94	17	535	Cephalitis	Of the Nervous System.
	Hydrocephalus	107	59	53	32	39	153	152	48	22	28	78	46	60	60	48	76	65	50	56	58	51	38	1379	55	52	56	56	79	37	9	344	46	1769	Hydrocephalus	
	Apoplexy	51	48	32	9	22	62	58	30	18	19	47	33	58	33	24	51	36	16	22	20	20	25	734	30	20	23	29	70	19	9	200	53	987	Apoplexy	
	Paralysis	34	8	24	14	16	47	43	31	11	10	29	46	52	27	13	28	16	24	16	8	23	16	536	32	9	25	11	44	26	8	155	46	737	Paralysis	
	Convulsions	179	66	93	40	54	200	155	54	43	87	197	183	177	174	111	151	61	125	98	87	56	84	2585	136	108	97	87	215	54	12	709	125	3419	Convulsions	
	Tetanus	1	1	..	1	..	1	2	..	1	..	..	1	3	..	..	1	..	..	..	..	.	..	12	2	..	1	..	2	..	..	5	2	19	Tetanus	
	Chorea	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	2	..	..	..	..	.	1	4	..	..	..	..	2	..	..	2	..	6	Chorea	
	Epilepsy	12	4	17	4	4	4	6	6	2	2	8	48	12	5	..	20	3	1	2	2	1	3	166	5	2	10	2	8	6	1	34	7	207	Epilepsy	
	Insanity	8	1	2	..	..	18	6	2	..	1	2	11	..	1	1	1	..	..	3	1	2	1	61	2	1	2	..	3	1	1	10	2	73	Insanity	
	Delirium Tremens	1	3	3	3	3	4	4	1	..	2	3	..	4	1	..	3	1	..	..	..	.	2	38	2	..	2	2	1	1	..	8	3	49	Delirium Tremens	
	Disease	23	22	15	5	7	30	20	1	7	1	8	2	23	7	5	15	6	7	10	4	5	15	238	13	2	2	7	16	11	1	52	18	308	Disease	
	Total	435	239	255	115	156	546	484	192	110	156	398	392	436	326	210	375	204	250	236	185	33	194	6177	294	204	230	209	467	163	46	1613	319	8109	Total	
Of the Respiratory Organs.	Laryngitis	1	1	..	1	..	5	2	..	1	..	2	..	..	..	..	..	..	..	..	..	.	1	15	3	..	..	..	..	..	..	3	2	20	Laryngitis	Of the Respiratory Organs.
	Quinsey	4	5	3	..	1	4	4	2	..	3	3	4	2	3	1	3	1	2	2	..	7	..	54	2	1	..	2	2	..	2	9	1	64	Quinsey	
	Bronchitis	9	8	14	5	2	46	30	4	6	1	42	20	23	46	5	16	8	1	1	5	5	32	329	31	19	4	4	33	3	2	96	28	453	Bronchitis	
	Pleurisy	6	3	4	1	1	5	9	2	..	..	1	3	3	4	1	2	1	1	..	1	..	5	53	3	1	1	3	1	..	..	9	9	71	Pleurisy	
	Pneumonia	167	127	140	45	109	314	272	77	31	64	188	165	167	189	73	177	125	106	86	88	25	84	2919	147	81	70	115	190	50	27	680	145	3744	Pneumonia	
	Hydrothorax	17	13	11	6	5	25	18	11	8	9	14	6	22	1	7	18	5	1	8	5	5	13	228	5	3	4	6	11	8	3	40	17	285	Hydrothorax	
	Asthma	81	23	48	13	20	71	72	20	11	10	44	63	104	81	38	103	33	42	34	47	87	22	1067	61	28	56	38	60	10	5	258	88	1413	Asthma	
	Consumption	440	272	284	105	186	543	491	192	142	141	336	220	276	346	190	387	217	195	215	185	275	181	5819	276	149	238	230	423	133	67	1516	352	7687	Consumption	
	Disease	38	34	13	17	26	48	21	8	7	4	24	6	57	18	26	15	10	8	21	11	12	14	438	12	5	4	11	32	30	2	96	17	551	Disease	
Sporadic Diseases.	Total	763	486	517	193	350	1061	919	316	206	232	654	487	654	688	341	721	400	356	367	342	17	352	10,922	540	287	377	409	752	234	108	2707	659	14,288	Total	Sporadic Diseases.
Of the Organs of Circulation.	Pericarditis	1	1	1	..	..	4	..	1	..	..	..	..	1	..	..	3	..	..	..	..	..	..	12	1	..	..	1	1	..	..	3	1	16	Pericarditis	Of the Organs of Circulation.
	Aneurism	1	3	2	1	..	1	..	..	..	..	1	..	1	..	..	1	1	..	..	1	..	..	13	7	..	..	1	..	..	..	8	3	24	Aneurism	
	Disease	31	52	27	9	19	84	44	27	18	9	47	11	24	26	12	37	20	19	17	16	20	17	586	42	7	8	23	47	22	3	152	42	780	Disease	
	Total	33	56	30	10	19	89	44	28	18	9	47	12	25	27	12	41	21	19	17	17	20	17	611	50	7	8	25	48	22	3	163	46	820	Total	
Of the Digestive Organs.	Teething	53	10	46	14	16	45	38		8	6	17	53	26	32	19	35	16	43	16	15	26	31	583	29	11	19	26	54	3	17	159	21	763	Teething	Of the Digestive Organs.
	Gastritis, Enteritis	66	34	41	4	18	61	62		15	16	32	37	43	33	19	42	28	36	25	22	25	12	697	32	22	20	17	37	7	13	148	36	881	Gastritis, Enteritis	
	Peritonitis	..	4	2	2	3	9	2		..	1	7	..	4	..	..	..	1	7	..	..	1	1	44	6	..	..	..	5	2	..	13	8	65	Peritonitis	
	Tabes Mesenterica	6	15	8	6	3	22	13		1	2	13	10	21	4	2	6	10	1	2	6	2	2	156	1	3	2	3	2	1	..	12	6	174	Tabes Mesenterica	
	Worms	..	..	..	..	..	4	1		..	..	..	..	..	..	..	..	..	1	..	1	1	..	8	1	..	..	..	1	..	1	3	..	11	Worms	
	Ascites	2	..	1	1	..	1	1		..	..	1	..	1	..	..	..	2	..	..	..	..	..	10	2	..	..	..	..	..	..	2	3	15	Ascites	
	Ulceration	5	5	1	..	1	4	3	1	3	..	1	..	..	..	..	2	2	1	..	..	2	3	34	3	2	1	1	2	1	1	11	6	51	Ulceration	
	Hernia	2	9	3	3	1	3	8	4	..	3	2	3	1	11	..	15	..	3	2	2	1	..	76	11	..	1	4	3	2	..	21	3	100	Hernia	
	Colic or Ileus	6	10	7	..	3	11	10	4	1	..	3	5	3	2	1	3	4	..	2	1	5	..	81	1	1	1	3	3	1	..	10	5	96	Colic or Ileus	
	Intussusception	4	4	..	..	..	1	..	2	1	..	2	..	2	1	..	..	..	2	..	..	..	..	19	..	..	1	4	5	..	..	10	12	41	Intussusception	
	Stricture	..	3	..	..	..	..	3	..	..	1	1	..	..	..	..	2	..	..	..	..	..	..	10	2	..	..	..	2	..	..	4	3	17	Stricture	
	Hematemesis	2	..	2	..	..	4	1	..	..	..	..	1	1	2	..	2	..	1	..	..	1	..	17	1	..	..	..	1	..	..	2	..	19	Hematemesis	
	Disease	11	10	5	4	3	27	16	5	6	1	8	3	3	11	3	7	4	4	3	10	3	1	148	8	4	2	2	10	4	1	31	16	195	Disease	
	Disease of Pancreas	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	..	..	..	..	1	..	3	Disease of Pancreas	
	Hepatitis	3	..	1	1	3	1	3	1	..	2	4	1	1	2	..	7	..	2	2	..	3	3	40	4	..	..	..	1	1	1	7	1	48	Hepatitis	
	Jaundice	5	8	..	3	3	4	5	4	3	1	3	2	3	5	3	8	2	2	4	2	2	1	73	2	3	1	6	5	1	..	18	8	99	Jaundice	
	Disease of Liver	30	21	21	10	6	35	21	5	12	1	14	5	19	15	7	18	10	15	15	7	5	8	300	7	2	4	10	21	13	1	58	25	383	Disease of Liver	
	Disease of Spleen	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	3	3	..	1	..	..	..	..	4	..	7	Disease of Spleen	
	Total	196	133	138	48	60	233	187	71	51	34	109	120	128	118	54	148	79	118	71	66	77	62	2301	113	48	54	76	152	36	35	514	153	2968	Total	

1.—METROPOLIS—*continued.*

F).

	St. George in the East.	East and West London.	City of London.	St. Luke, Middlesex.	Clerkenwell.	Holborn.	St. Giles and St. George.	Strand.	TOTAL.	St. Saviour; St. Olave.	Bermondsey.	St. George, South.
	15	16	17	18	19	20	21	22		23	24	25
2	..	2	1	3	1	1	1	1	26	..	2	..
.	..	..	..	..	..	..	..	..	1	..	..	..
1	..	1	..	..	1	..	1	..	18	..	..	1
.	..	1	..	1	..	..	1	..	6	..	..	..
1	..	1	1	..	2	..	..	..	16	4	..	..
3	..	2	..	..	..	1	..	..	19	9	1	..
8	2	2	2	6	3	1	..	3	89	8	1	1
	2	9	4	10	7	3	3	4	175	21	4	2
20	17	8	19	9	27	13	11	3	6	298	14	16	12
		611	50	7	8	25	48	22	5	163	1	..	..
										2	46	..	..
												1	1
26	31	583	29	11	19	26	54	3	17	159	21	17	13
25	12	697	32	22	20	17	37	7	13	148	36		
1	1	44	6	..	..	..	5	2	..	13	8		
2	2	156	1	3	2	3	2	1	..	12	6	..	..
1	..	8	1	..	..	..	1	..	1	3	..	2	7
..	..	10	2	..	..	..	..	..	..	2	3	2	1
2	3	34	3	2	1	1	2	1	1	11	6		
1	..	76	11	..	1	4	3	2	..	21	3	4	8
5	..	81	1	1	1	3	3	1	..	10	5		
..	..	19	..	..	1	4	5	..	..	10	12		
..	..	10	2	..	..	..	2	..	..	4	3	..	..
1	..	17	1	..	..	..	1	..	..	2	..	..	..
3	1	148	8	4	2	2	10	4	1	31	16	..	1
..	..	2	..	..	1	..	..	..	..	1	..	..	..
3	3	40	4	..	..	..	1	1	1	7	1	1	..
2	1	73	2	3	1	6	5	1	..	18	8		
5	8	300	7	2	4	10	21	13	1	58	25	1	1
..	..	3	3	..	1	..	..	..	..	4	..		
77	62	2301	113	48	54	76	152	36	35	514	153		
											4	4	114
											5	..	7
											4	34	49
											8	3	4
											9	1	3
	..	..									.	..	..
	..	3	..	1	1	1	2	1			4	5	..
	3	4	9	5	11	2	7	4	220	13	3	2
	1	9	..	3	..	..	1	..	48	9	2	4
	1	2	1	..	3	5	2	6	57	1	..	2
	..	36	2	..	12	..	..	14	183	..	1	..
	11	13	9	5	9	5	51	7	427	30	29	18
	1	..	1	..	1	..	3	..	31	1	1	1
	40	1	3	16	40	16	29	10	607	2	1	1
	178	246	95	123	240	105	194	102	4108	220	84	205
	122	207	98	88	135	77	85	72	3141	74	68	105

1.—METROPOLIS—*continued.*

CAUSES OF DEATH.		MIDDLESEX (PART OF).																								SURREY (PART OF).					KENT (Part of)		CAUSES OF DEATH.	
		Kensington.	St. George, Hanover Square.	Westminster.	St. Martin in the Fields.	St. James, Westminster.	St. Marylebone.	St. Pancras.	Islington.	Hackney.	Poplar.	Stepney.	Bethnal Green.	Shoreditch.	Whitechapel.	St. George in the East.	East and West London.	City of London.	St. Luke, Middlesex.	Clerkenwell.	Holborn.	St. Giles and St. George.	Strand.	TOTAL.	St. Saviour; St. Olave.	Bermondsey.	St. George, Southwark.	Newington.	Lambeth.	Camberwell.	Rotherhithe.	TOTAL.	Greenwich.	GRAND TOTAL.	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22		23	24	25	26	27	28	29		30		
Sporadic Diseases.	Of the Urinary Organs. Nephritis	1		..	3	..	2	1	1	3	1	..	1	1	..	2	..	2	1	3	1	1	1	1	26	..	2	..	..	..	1	..	3	..	29	Nephritis. Of the Urinary Organs.
	Ischuria	..		1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	Ischuria.
	Diabetes	..		3	..	1	..	3	3	1	..	..	..	2	1	..	1	..	..	1	..	1	..	18	..	..	1	1	2	1	..	5	..	23	Diabetes.
	Cystitis	..		..	..	..	..	1	..	1	..	..	1	..	..	..	1	..	1	..	1	..	..	6	..	..	..	..	..	..	..	..	1	7	Cystitis.
	Stone	..		1	2	1	1	..	2	..	1	..	..	1	..	..	1	1	..	2	..	..	..	16	4	..	..	..	..	..	..	4	..	20	Stone.
	Stricture	..		5	..	..	..	2	..	..	..	..	1	2	..	..	2	..	1	..	..	1	..	19	9	1	..	..	..	2	1	..	13	..	32	Stricture.
	Disease	3		14	7	2	2	16	3	2	1	..	4	3	5	2	2	2	6	3	1	..	3	89	8	1	1	..	1	4	3	..	18	18	125	Disease.
	Total	4		24	12	4	5	22	10	6	4	..	6	9	6	2	9	4	10	7	3	3	4	175	21	4	2	2	8	6	..	43	19	237	Total.
	Of the Organs of Generation. Childbed	19		14	15	2	12	32	25	11	10	4	7	16	18	17	8	19	9	27	13	11	3	6	298	14	16	12	9	27	11	3	92	13	403	Childbed. Of the Organs of Generation.
	Paramenia	..		..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	2	1	..	..	..	..	..	..	1	..	3	Paramenia.
	Ovarian Dropsy	..		1	1	1	1	1	..	..	..	..	..	..	2	..	..	..	..	1	..	..	..	8	4	..	..	..	..	1	..	5	1	14	Ovarian Dropsy.
	Disease	6		8	2	..	2	7	10	..	1	3	9	5	8	..	6	3	5	6	2	1	3	89	8	1	1	6	6	2	..	24	8	121	Disease.
	Total	25		22	18	3	15	40	36	11	11	7	16	22	28	20	8	25	12	32	20	13	4	9	397	27	17	13	15	33	14	3	122	22	541	Total.
	Of the Organs of Locomotion. Arthritis	..		..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	2	Arthritis. Of the Organs of Locomotion.
	Rheumatism	8		9	10	5	2	15	10	4	2	2	6	9	6	23	4	9	6	1	1	3	4	6	145	6	2	7	2	5	5	1	28	11	184	Rheumatism.
	Disease	8		29	6	3	6	15	12	6	2	2	6	2	10	3	4	15	1	3	3	4	10	4	156	19	2	1	5	6	5	3	41	14	211	Disease.
	Total	16		38	16	8	8	30	24	10	4	4	12	11	16	28	8	24	7	4	4	7	14	10	303	25	4	8	7	11	10	4	69	25	397	Total.
	Of the Integumentary System. Carbuncle	..		..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	2	..	..	..	..	1	..	..	1	1	4	Carbuncle. Of the Integumentary System.
	Phlegmon	..		..	1	..	..	1	..	..	..	..	..	..	..	..	1	..	..	3	1	..	..	8	..	..	..	..	..	..	..	..	..	..	8	Phlegmon.
	Ulcer	..		..	1	..	..	1	..	..	..	..	..	..	..	..	2	..	1	..	..	..	1	15	3	..	1	1	1	..	..	6	1	22	Ulcer.
	Fistula	2		..	..	..	..	1	2	..	..	..	..	2	..	..	1	1	..	1	..	..	..	13	5	..	..	..	1	..	..	6	1	20	Fistula.
	Disease	1		1	..	..	..	2	..	..	..	1	..	..	4	2	..	..	..	..	2	1	..	14	2	1	..	2	1	..	..	6	2	22	Disease.
	Total	1		3	3	..	..	5	2	..	..	1	..	2	7	12	..	4	1	1	1	3	4	2	52	10	1	1	3	4	..	..	19	5	76	Total.
	Of Uncertain Seat. Inflammation	68		2	7	22	7	22	14	2	33	..	5	33	33	140	66	19	30	35	78	18	46	19	699	24	4	114	11	68	8	2	231	13	943	Inflammation. Of Uncertain Seat.
	Hæmorrhage	10		8	7	5	8	24	5	8	3	3	5	6	5	2	3	8	4	5	9	3	7	8	146	5	..	7	6	12	3	1	34	10	190	Hæmorrhage.
	Dropsy	84	4	1	52	20	29	104	108	37	27	27	85	82	64	133	45	128	25	47	60	48	38	24	1308	104	34	49	52	96	30	16	381	79	1768	Dropsy.
	Abscess	12		2	11	2	..	6	7	4	2	14	9	11	7	19	4	9	4	3	4	6	*2	3	141	18	3	4	1	8	2	1	37	16	194	Abscess.
	Mortification	9		5	19	5	2	27	9	3	5	2	8	12	11	15	3	14	7	3	12	1	5	6	183	9	1	3	3	9	4	2	31	11	225	Mortification.
	Purpura	..		1	..	1	..	..	1	..	..	2	..	..	1	..	..	..	..	..	..	1	..	7	..	..	..	..	1	..	..	1	1	9	Purpura.
	Scrofula	6		2	6	2	..	10	5	3	..	..	3	1	3	1	..	3	..	1	1	1	2	1	51	4	5	..	1	2	3	..	15	5	71	Scrofula.
	Carcinoma	14	2	1	7	5	8	40	16	6	9	5	12	12	13	7	3	4	9	5	11	2	7	4	220	13	3	2	12	17	2	6	55	10	285	Carcinoma.
	Tumor	1		1	3	1	3	4	3	1	2	..	2	3	4	6	1	9	..	3	..	..	1	..	48	9	2	4	1	4	2	..	22	1	71	Tumor.
	Gout	3		2	3	..	1	6	7	1	2	..	1	2	3	6	1	2	1	..	3	5	2	6	57	1	..	2	3	1	2	1	10	2	69	Gout.
	Atrophy	16	1	3	20	6	4	15	2	..	1	1	4	25	11	41	..	36	2	..	12	..	..	14	183	..	1	..	1	6	8	1	17	10	210	Atrophy.
	Debility	31	2	8	13	4	12	47	42	28	10	12	20	22	15	33	11	13	9	5	9	5	51	7	427	30	29	18	6	53	12	7	155	16	598	Debility.
	Malformations	4		3	1	1	3	1	4	3	..	1	..	1	3	..	1	..	1	..	..	3	..	31	1	1	1	1	4	2	..	10	2	43	Malformations.
	Sudden Deaths	43	1	2	12	6	11	62	46	6	13	35	61	24	57	64	40	1	3	16	40	16	29	10	607	2	1	1	..	6	..	4	14	11	632	Sudden Deaths.
	Total	301	14	1	161	80	88	368	269	102	107	102	215	234	230	427	178	246	95	123	240	105	194	102	4108	200	84	205	98	287	78	41	1013	187	5308	Total.
	Old Age	297	14	4	128	55	49	211	284	118	98	51	256	178	245	183	122	207	98	88	135	77	85	72	3141	74	68	105	125	197	94	55	718	252	4111	Old Age.
Violent Deaths.	Intemperance	2		..	2	..	4	1	1	..	..	..	..	..	..	1	..	..	1	..	2	..	4	..	18	..	2	..	1	..	..	..	3	..	21	Intemperance. Violent Deaths.
	Starvation	..		1	5	2	..	2	2	..	..	..	1	1	3	..	..	2	..	..	1	2	..	24	1	..	..	..	4	..	..	5	..	29	Starvation.
	Violent Deaths	25	9	5	54	43	14	76	68	27	14	36	52	24	26	138	13	111	27	14	7	17	17	15	913	149	10	21	9	48	30	21	298	116	1327	Violent Deaths.
	Total	27	9	6	61	45	18	79	71	27	14	36	53	25	29	139	13	113	28	14	10	19	23	15	955	150	12	21	20	52	30	21	306	116	1377	Total.
	Causes not specified	31			8	2	8	52	38	8	4	25	48	14	16	47	17	111	7	2	6	9	8	4	465	43	7	10	8	10	27	9	114	88	667	Causes not specified.
	Total	2792	172	5	1933	719	945	3528	3485	1147	784	879	2492	2254	2502	2900	1407	2742	1202	1423	1442	1164	1762	1109	40,336	2164	1046	1423	1273	2718	866	396	9886	2476	52,698	Total.

BERKSHIRE.

	Bradfield; Newbury; Hungerford.	Wantage; Wallingford; Abingdon; Faringdon.	TOTAL.	GRAND TOTAL.	CAUSES OF DEATH.	
8	69	70				
7	57	27	288	1129	Small Pox	Epidemic, Endemic, and Contagious Diseases.
.	1	17	21	469	Measles	
.	5	3	28	667	Scarlatina	
4	12	22	86	663	Hooping Cough	
1	23	17	46	347	Croup	
6	1	3	15	87	Thrush	
4	10	3	21	182	Diarrhœa	
.	..	1	6	84	Dysentery	
.	..	1	2	17	Cholera	
1	5	8	15	100	Influenza	
.	..	..	..	3	Ague	
.	..	1	1	25	Remittent Fever	
8	45	62	176	1368	Typhus	
1	3	2	8	111	Erysipelas	
.	1	..	2	23	Syphilis	
.	..	..	..	2	Hydrophobia	
2	163	167	715	5277	Total.	
3	6	3	14	178	Cephalitis	
					Hydrocephalus	

Old Age	65	74	102	70	93	115	
Violent Deaths. — Intemperance	..	2	..	..	..	..	
Violent Deaths. — Starvation	1	2	1	..	..	..	
Violent Deaths. — Violent Deaths	21	29	24	14	17	30	
Violent Deaths. — Total	22	33	25	14	17	30	
Causes not specified	5	7	40	4	15	88	
Total	848	823	653	640	598	107	

CAUSES OF DEATH.	SURREY (PART OF).							KENT (EXCEPT THE DISTRICT OF GREENWICH).																			SUSSEX.							HAMPSHIRE.												BERKSHIRE.							GRAND TOTAL.	CAUSES OF DEATH.	
	Wandsworth and Clapham.	Richmond; Kingston.	Chertsey; Epsom.	Croydon.	Godstone; Reigate; Dorking.	Guildford; Farnham; Hambledon.	TOTAL.	Lewisham; Bromley; Dartford.	Gravesend; North Aylesford; Hoo.	Medway.	Milton; Sheppey; Faversham; Bleam.	Isle of Thanet; Easby.	Dover.	Elham; Bridge.	Canterbury.	East Ashford; West Ashford; Hollingbourne.	Romney Marsh; Tenterden; Cranbrook.	Maidstone.	Tonbridge.	Malling; Sevenoaks.	TOTAL.	Tiechurst; Uckfield.	Rye; Hastings; Battle.	Hailsham; Eastbourne; Newhaven; Lewes.	East Grinstead; Horsham; Cuckfield.	Brighton.	Steyning; Thakeham; Worthing.	Chichester.	West Hampnett; Petworth; Midhurst; Westbourne.	TOTAL.	Isle of Wight.	Portsea; Alverstoke.	Havant; Catherington; Fareham; Droxford.	Southampton.	South Stoneham; New Forest; Irmington; Romsey; Fordingbridge; Romsey.	Stockbridge; Andover; Whitchurch; Kingsclere.	Winchester and Hursley.	Alresford; Petersfield; Alton; Basingstoke; Hartley Wintney.	TOTAL.	Windsor.	East Hampstead; Cookham; Wokingham.	Reading; Sandhurst; Bradfield; Newbury; Hungerford.	Wantage; Wallingford; Abingdon; Faringdon.	TOTAL.		
	31	32	33	34	35	36		37	38	39	40	41	42	43	44	45	46	47	48	49		50	51	52	53	54	55	56	57		58	59	60	61	62	63	64	65		66	67	68	69	70				
Epidemic, Endemic, and Contagious Diseases. — Small Pox	47	97	17	32	6	17	216	6	0	13	38	18	93	38	16	43	5	10	10	15	22	381	5	29	3	11	20	8	1	3	80	2	46	15	27	15	13	21	25	164	19	58	127	57	27	288	1129	Small Pox	Epidemic, Endemic, and Contagious Diseases.
Measles	21	22	2	2	3	2	52		1	18	23	63	7	..	1	..	17	4	13	4	8	159	8	78	18	9	33	13	..	..	159	2	45	1	3	20	6	1	..	78	1	2	..	1	17	21	469	Measles	
Scarlatina	37	7	5	23	34	12	118		1	17	12	80	32	2	12	1	34	27	22	3	5	256	3	43	3	53	13	11	3	15	144	1	56	31	1	8	20	3	1	121	2	18	..	5	3	28	667	Scarlatina	
Hooping Cough	24	39	14	45	29	62	213		3	16	2	2	3	7	9	2	14	13	20	10	17	128	4	5	7	29	12	6	4	21	88	29	21	14	25	15	14	11	19	148	9	19	24	12	22	86	663	Hooping Cough	
Croup	8	6	14	11	7	18	64		4	1	6	20	10	5	4	3	5	8	7	21	7	111	8	13	6	15	17	6	3	5	73	5	6	1	6	12	9	..	14	53	3	2	1	23	17	46	347	Croup	
Thrush	4	..	3	5	1	..	13		1	5	..	5	3	..	3	..	1	1	4	..	3	26	1	1	3	3	3	..	3	1	15	..	4	1	2	..	8	..	3	18	2	3	6	1	3	15	87	Thrush	
Diarrhœa	3	2	2	9	4	9	29		5	..	4	8	4	2	4	..	2	..	3	2	3	47	6	..	..	3	11	1	2	6	29	6	9	5	2	9	6	5	14	56	..	4	4	10	3	21	182	Diarrhœa	
Dysentery	4	1	..	5	1	3	14		3	1	8	2	4	1	1	1	..	..	3	5	2	31	6	2	1	..	1	..	..	1	11	..	15	1	1	..	..	2	3	22	2	3	..	..	1	6	84	Dysentery	
Cholera	3	..	..	..	1	..	4		..	..	2	..	..	..	..	..	..	1	1	3	7	..	..	1	..	2	..	..	..	3	..	..	..	..	1	..	..	..	1	1	..	..	..	1	2	17	Cholera	
Influenza	5	1	2	2	3	..	13		..	1	..	4	8	4	..	1	3	2	2	3	4	32	2	4	2	5	..	1	..	2	16	5	1	4	1	5	6	..	2	24	..	1	1	5	8	15	100	Influenza	
Ague	..	..	..	..	..	..	..		..	..	..	1	..	..	..	..	..	..	1	1	3	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	Ague	
Remittent Fever	2	..	2	..	..	2	6		..	..	..	1	..	..	..	..	..	..	..	1	1	3	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25	Remittent Fever	
Typhus	29	25	15	24	20	48	161	6	3	..	..	..	1	..	2	..	..	3	..	..	..	9	..	..	..	..	..	1	..	..	1	..	5	..	..	3	..	..	8	..	..	..	..	1	1	25	Typhus	
Erysipelas	6	8	..	5	1	7	27		5	11	60	40	37	6	18	21	41	27	44	49	32	451	30	39	35	38	35	26	4	40	247	34	75	32	18	44	45	16	69	333	24	27	18	45	62	176	1368	Erysipelas	
Syphilis	2	..	1	..	1	..	4		3	6	4	3	1	..	1	..	2	2	1	..	3	31	1	..	1	4	4	4	7	..	21	1	13	1	1	3	1	1	3	24	..	2	1	3	2	8	111	Syphilis	
Hydrophobia	..	..	..	..	..	..	..		..	..	1	..	..	..	1	1	..	1	..	..	2	6	4	..	..	..	3	..	..	..	7	..	2	..	..	..	1	..	..	4	..	..	1	..	2	23	Hydrophobia	
Total	195	208	77	163	111	180	934	19	3	89	160	246	203	65	72	73	124	98	130	114	112	1679	78	214	80	170	154	78	27	93	894	85	299	106	88	131	132	60	154	1055	63	140	182	163	167	715	5277	Total	
Of the Nervous System. — Cephalitis	12	5	8	4	3	2	34	1	0	3	3	10	8	2	3	1	2	2	3	3	2	52	9	7	2	..	17	2	3	4	44	3	7	2	10	7	3	1	1	34	1	1	3	6	3	14	178	Cephalitis	Of the Nervous System.
Hydrocephalus	35	16	23	18	8	23	123	3	7	28	18	24	23	11	7	6	19	12	15	18	16	234	14	18	20	19	27	23	3	11	135	18	42	12	9	18	12	5	9	125	13	8	17	15	30	83	700	Hydrocephalus	
Apoplexy	34	30	18	14	19	29	144	2	5	17	18	21	18	14	6	7	7	10	12	9	24	192	12	17	15	14	14	20	5	24	121	12	43	17	15	33	10	8	33	171	6	16	13	16	29	80	708	Apoplexy	
Paralysis	11	18	7	12	10	11	69	1	8	4	8	13	21	8	19	6	9	3	7	2	13	127	8	5	6	12	14	13	5	4	67	6	25	13	14	28	13	6	14	119	6	7	6	30	16	65	447	Paralysis	
Convulsions	40	69	47	28	40	49	273	7	5	57	75	65	22	27	23	20	18	36	31	25	62	586	42	57	65	62	58	65	9	73	431	29	103	26	35	51	24	12	64	344	27	34	23	45	57	186	1820	Convulsions	
Tetanus	..	1	2	..	..	..	3		..	..	..	..	2	..	..	..	1	..	1	..	2	7	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	1	1	2	13	Tetanus	
Chorea	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Chorea	
Epilepsy	4	4	5	4	4	2	23	4	1	7	5	6	1	1	..	4	1	3	1	1	35	1	6	3	2	1	4	1	1	19	3	4	2	1	5	2	4	7	28	1	1	3	3	3	11	116	Epilepsy	
Insanity	1	2	1	..	..	3	7	1	..	1	2	3	1	1	..	1	2	10	..	2	24	2	..	2	2	..	2	..	..	8	2	9	1	1	1	..	1	1	16	..	1	..	1	..	2	57	Insanity	
Delirium Tremens	..	2	..	..	..	..	2		1	1	..	1	..	1	..	..	..	..	..	..	6	..	..	1	1	..	..	..	..	2	..	..	..	..	1	..	2	1	4	..	1	..	..	2	3	17	Delirium Tremens	
Disease	4	7	4	4	2	13	34	12	3	3	7	9	4	4	4	4	5	9	1	3	68	8	10	1	3	5	4	2	3	36	3	6	2	1	12	3	4	8	39	8	2	3	4	4	21	198	Disease	
Total	141	154	115	84	86	132	712	184	114	134	147	113	68	65	44	65	71	142	59	125	1331	96	120	115	115	136	133	28	120	863	76	240	75	86	156	67	43	138	881	62	71	68	121	145	467	4254	Total	
Of the Respiratory Organs. — Laryngitis	..	..	..	1	..	1	2	..	..	..	2	2	..	1	1	1	..	..	..	..	7	..	..	..	1	..	..	..	1	2	..	6	..	..	2	..	..	..	8	..	..	..	1	..	1	20	Laryngitis	Of the Respiratory Organs.
Quinsey	1	..	1	1	..	2	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Quinsey	
Bronchitis	8	7	1	4	3	1	24	11	1	1	2	1	..	..	..	..	..	..	1	..	6	1	..	..	..	..	..	..	2	3	..	..	..	..	1	3	..	..	4	..	1	1	1	..	3	21	Bronchitis	
Pleurisy	1	..	..	1	1	2	5	3	2	28	5	5	..	3	1	5	10	6	3	3	82	2	..	6	5	4	..	..	1	3	21	11	35	2	1	11	4	5	12	81	3	3	7	13	5	31	239	Pleurisy	
Pneumonia	80	42	51	60	7	58	298	32	1	..	2	..	..	3	3	..	..	..	..	..	12	..	..	2	2	7	..	2	..	13	2	8	..	..	1	2	1	3	17	..	4	..	1	1	6	53	Pneumonia	
Hydrothorax	9	6	1	6	7	13	42	21	48	35	41	51	15	14	33	23	37	34	19	37	419	31	37	12	36	36	24	18	28	222	24	103	39	34	43	30	19	46	338	17	25	41	51	97	231	1508	Hydrothorax	
Asthma	13	11	3	4	8	7	46	13	2	3	6	10	4	1	2	2	2	2	3	6	64	5	6	9	5	5	4	3	9	46	7	22	7	1	15	9	6	11	78	6	5	3	22	10	46	276	Asthma	
Consumption	133	124	97	71	95	160	680	154	4	15	6	14	3	7	2	2	2	6	1	5	80	5	8	4	1	16	6	1	3	44	2	29	6	..	3	2	5	56	1	12	6	7	18	44	270	Consumption	
Disease	14	18	7	8	4	14	65	18	95	148	146	141	65	54	49	100	78	119	65	135	1349	116	127	127	116	223	137	51	150	1047	127	268	97	83	212	149	72	214	1222	86	106	86	198	263	739	5037	Disease	
Total	259	208	161	156	125	258	1167	252	2	8	12	14	1	8	5	14	6	7	8	10	113	8	5	6	7	2	5	7	12	52	6	17	3	..	24	7	18	12	87	8	5	5	4	9	31	348	Total	
Of the Organs of Circulation. — Pericarditis	..	..	..	..	..	1	1	..	155	238	222	238	88	91	96	147	135	174	100	196	2132	168	183	166	173	293	176	83	208	1450	179	488	154	119	318	207	123	303	1891	121	161	149	298	403	1132	7772	Total	Sporadic Diseases.
Aneurism	..	1	..	..	1	..	1	4	..	..	..	..	1	..	..	1	..	2	..	4	..	1	1	..	..	..	..	..	..	2	..	..	..	..	..	2	1	..	3	..	..	..	1	1	2	12	Pericarditis	Of the Organs of Circulation.
Disease	14	18	8	5	8	10	63	23	1	4	1	..	2	..	..	..	..	..	..	..	8	..	..	..	..	..	..	..	..	..	1	3	..	1	..	..	..	..	5	..	..	..	..	..	..	17	Aneurism	
Total	15	19	8	6	8	12	68	23	6	16	9	23	4	2	4	5	4	6	3	12	117	9	10	5	5	10	4	9	8	60	11	23	6	6	17	7	11	6	87	6	6	9	6	11	38	365	Disease	
									7	20	10	23	6	2	5	5	5	6	5	12	129	9	11	6	5	10	4	9	8	62	12	26	6	7	17	9	12	6	95	6	6	9	7	12	40	394	Total	
Of the Digestive Organs. — Teething	1	..	7	10	4	8	30	12	5	5	13	4	5	2	2	5	2	..	..	..	55	..	9	7	4	29	1	..	..	50	2	29	2	6	5	2	4	..	50	4	17	6	9	5	41	226	Teething	Of the Digestive Organs.
Gastritis, Enteritis	18	15	7	18	4	17	79	17	12	10	13	22	3	6	6	7	13	21	9	9	148	9	10	8	13	18	16	4	11	89	11	26	10	7	28	17	1	21	121	5	3	12	14	19	53	490	Gastritis, Enteritis	
Peritonitis	..	..	..	..	..	..	..	..	1	3	..	..	1	1	..	..	1	1	2	..	9	1	1	..	..	..	..	..	..	2	3	..	..	..	..	1	..	3	7	..	1	..	..	..	1	19	Peritonitis	
Tabes Mesenterica	1	1	3	16	2	2	25	1	..	2	1	7	..	2	2	5	3	4	2	9	38	..	3	1	..	..	..	..	..	4	11	2	3	3	6	3	2	2	32	..	..	2	3	2	7	106	Tabes Mesenterica	
Worms	..	1	1	..	..	1	3	..	..	..	1	1	..	..	..	2	..	..	..	..	4	1	..	5	..	..	..	..	..	6	1	..	..	..	1	2	..	1	5	..	..	..	..	..	..	18	Worms	
Ascites	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	2	..	..	..	3	..	3	7	Ascites	
Ulceration	1	..	..	..	..	2	3	..	1	2	1	1	..	2	..	1	..	1	1	2	12	3	3	..	2	..	1	..	1	10	1	1	..	2	..	..	1	..	5	1	..	1	1	..	3	33	Ulceration	
Hernia	2	3	..	..	1	1	7	3	1	..	2	1	..	..	..	..	..	..	..	..	9	..	3	..	..	3	..	..	..	9	..	3	..	..	3	2	3	..	11	..	1	..	2	5	8	46	Hernia	
Colic or Ileus	1	..	..	2	..	4	7	4	3	1	4	8	2	1	1	1	1	6	2	4	38	4	6	6	4	5	3	..	2	30	3	13	3	..	2	..	..	4	25	..	3	2	4	2	11	111	Colic or Ileus	
Intussusception	1	1	1	..	1	..	4	1	..	1	1	1	..	..	..	..	1	..	..	..	5	1	1	1	..	1	..	..	..	5	..	..	1	..	1	..	..	2	4	..	1	..	1	..	2	20	Intussusception	
Stricture	..	..	1	..	..	1	2	..	..	1	1	2	..	1	..	1	2	..	..	..	8	..	..	..	2	..	1	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	Stricture	
Hematemesis	..	1	..	..	..	2	3	..	1	1	..	2	..	1	..	1	..	..	1	1	7	..	..	..	..	..	..	..	..	..	1	2	..	..	1	..	..	..	4	..	..	..	..	..	..	14	Hematemesis	
Disease	5	2	4	3	3	6	23	5	1	5	3	5	1	4	8	1	3	11	2	7	56	4	2	2	1	6	..	2	1	18	1	6	4	2	4	2	2	6	27	8	4	2	9	6	29	153	Disease	
Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Pancreas	
Hepatitis	2	3	..	..	1	1	7	3	..	3	3	..	..	..	..	..	3	..	..	1	16	1	1	..	..	7	1	..	1	11	2	3	..	..	1	1	..	2	9	..	..	1	4	1	6	49	Hepatitis	
Jaundice	1	2	1	..	1	3	8	1	..	1	2	3	2	3	4	1	1	1	..	2	21	2	1	1	..	2	3	1	1	11	1	2	2	..	3	1	..	1	10	..	..	4	2	3	9	59	Jaundice	
Disease of Liver	11	5	6	13	3	10	48	8	6	4	9	7	2	1	4	6	6	4	4	6	67	11	2	9	11	3	5	2	3	46	3	12	3	10	7	6	6	11	58	9	4	6	7	2	28	247	Disease of Liver	
Disease of Spleen	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	..	..	..	..	1	..	..	1	..	2	..	..	..	..	..	..	2	..	..	..	..	..	..	4	Disease of Spleen	
Total	44	34	31	62	20	58	249	57	31	41	54	67	16	24	27	29	38	49	25	42	498	38	44	41	37	72	32	10	21	295	40	102	28	30	63	37	19	53	372	27	34	36	59	45	201	1615	Total	

BERKSHIRE.

East Hampstead; Cookham; Wokingham.	Reading.	Bradfield; Newbury; Hungerford.	Wantage; Wallingford; Abingdon; Faringdon.	TOTAL.	GRAND TOTAL.	CAUSES OF DEATH.		TOTAL.
67	68	69	70					
..	..	..	..	1	8	Nephritis	Of the Urinary Organs.	136
..	..	..	..	..	3	Ischuria		57
..	..	..	2	2	24	Diabetes		25
..	..	1	..	1	9	Cystitis		90
1	..	..	..	1	22	Stone		41
..	1	..	..	1	13	Stricture		17
2	1	7	2	12	117	Disease		18
3	2	8	4	18	196	Total.		1
								7
								1
								1
								4
2	2	4	6	14	197	Childbed	Of the Organs of Generation.	206
..	..	..	..	..	..	Paramenia		6
..	..	..	..	..	3	Ovarian Dropsy		1
..	2	4	1	7	46	Disease		..
2	4	8	7	21	246	Total.		611
..	..	..	..	..	1	Arthritis	Of the Organs of Locomotion.	
3	..	..	2	6	83	Rheumatism		
..	..	2	2	4	96	Disease		
3	..	2	4	10	180	Total.		
..	1	..	..	1	4	Carbuncle	Of the Integumentary Sstem.	
..	..	..	..	..	1	Phlegmon		
..	..	..	..	..	15	Ulcer		
..	1	..	..	1	9	Fistula		736
..	..	1	1	2	12	Disease		31
..	2	1	1	4	41	Total.		4
2	24	5	5	51	87	588	Inflammation	Of Uncertain Seat.	29	15
3	2	2	3	4	14	151	Hæmorrhage			
20	19	13	57	73	182	1258	Dropsy		28	14
1	7	4	5	8	25	175	Abscess		..	1
..	2	6	6	10	24	144	Mortification		1	..
..	..	..	1	..	1	8	Purpura			
1	1	..	7	6	15	117	Scrofula			
5	5	3	10	10	33	283	Carcinoma		8	3
..	1	3	2	2	8	50	Tumor			
2	..	..	2	2	6	34	Gout			
1	3	1	4	..	9	166	Atrophy		20	130
3	36	9	33	87	168	1019	Debility			
..	..	..	2	..	2	21	Malformations		18	3
2	18	2	11	11	44	193	Sudden Deaths		..	1
40	118	48	148	264	618	4207	Total.			

2.—SOUTH-EASTERN COUNTIES—*continued.*

CAUSES OF DEATH.		SURREY (PART OF)							KENT (EXCEPT THE DISTRICT OF GREENWICH).														SUSSEX.										HAMPSHIRE.									BERKSHIRE.						GRAND TOTAL.	CAUSES OF DEATH.	
		Wandsworth and Clapham.	Richmond; Kingston.	Chertsey; Epsom.	Croydon.	Godstone; Reigate; Dorking.	Farnham; Guildford; Ham-	TOTAL.	Lewisham; Bromley; Dartford.	Gravesend; North Aylesford; Hoo.	Medway.	Milton; Sheppey; Faversham; Bleau.	Isle of Thanet; Eastry.	Dover.	Elham; Bridge.	Canterbury.	East Ashford; West Ashford; Hollingbourne.	Romney Marsh; Tenterden; Cranbrook.	Maidstone.	Tonbridge.	Mallings; Sevenoaks.	TOTAL.	Tricehurst; Uckfield.	Rye; Hastings; Battle.	Hailsham; Eastbourne; Newhaven; Lewes.	East Grinstead; Horsham; Cuckfield.	Brighton.	Steyning; Thakeham; Worthing.	Chichester.	West Hampnett; Petworth; Midhurst; Westbourne.	TOTAL.	Isle of Wight.	Portsea; Alverstoke.	Havant; Catherington; Fareham; Droxford.	Southampton.	South Stoneham; New Forest; Lymington; Christchurch; Ringwood; Fordingbridge; Romsey.	Stockbridge; Andover; Whitchurch; Kingsclere.	Winchester and Hursley.	Alresford; Petersfield; Alton; Basingstoke; Hartley Wintney.	TOTAL.	Windsor.	East Hampstead; Cookham; Wokingham.	Reading.	Bradfield; Newbury; Hungerford.	Wantage; Wallingford; Abingdon; Faringdon.	TOTAL.			
		31	32	33	34	35	36		37	38	39	40	41	42	43	44	45	46	47	48	49		50	51	52	53	54	55	56	57		58	59	60	61	62	63	64	65		66	67	68	69	70				
Sporadic Diseases.	Of the Urinary Organs.	Nephritis	1	..	..	..	..	1	2	..	..	..	..	..	..	..	2	..	..	..	..	2	2	..	..	..	..	1	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	1	8	Nephritis	Of the Urinary Organs.
		Ischuria	..	..	1	..	..	..	1	1	..	..	..	..	..	1	..	..	..	1	..	1	..	..	..	1	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	3	Ischuria	
		Diabetes	..	..	..	1	1	2	4	1	1	..	1	1	..	1	1	..	..	1	..	7	3	1	1	1	..	1	..	9	2	..	..	..	..	..	..	..	..	..	..	..	..	2	24	Diabetes	
		Cystitis	1	..	..	..	..	..	1	1	..	1	..	..	..	..	..	..	..	..	..	2	..	1	..	..	..	..	..	2	..	1	..	..	..	..	1	..	..	1	..	..	..	3	9	Cystitis	
		Stone	1	..	..	..	..	1	2	..	..	1	..	1	1	..	1	..	..	..	1	5	2	2	..	1	..	3	..	1	9	2	2	..	..	..	1	..	5	..	1	..	..	1	22	Stone	
		Stricture	..	..	1	..	..	2	3	..	2	..	..	..	..	..	..	..	..	..	1	2	1	..	..	1	..	..	..	2	..	1	..	..	..	3	..	..	4	..	1	..	..	1	13	Stricture	
		Disease	1	5	3	2	..	6	17	4	1	4	3	1	2	3	6	1	2	7	2	..	36	3	1	8	4	2	..	3	3	24	4	10	2	2	3	2	3	2	28	..	2	1	7	2	12	117	Disease	
		Total	4	5	5	3	1	12	30	6	4	6	4	3	3	3	8	4	2	7	4	1	55	10	6	11	6	7	1	5	5	51	6	14	2	2	4	7	3	4	42	1	3	2	8	4	18	196	Total.	
	Of the Organs of Generation.	Childbed	1	2	11	2	5	10	31	10	2	6	7	2	2	3	1	3	5	5	1	10	57	3	7	4	10	5	9	..	2	40	5	7	5	4	11	9	3	11	55	..	..	2	2	4	6	14	197	Childbed	Of the Organs of Generation.
		Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Paramenia	
		Ovarian Dropsy	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	Ovarian Dropsy	
		Disease	4	2	1	3	..	1	11	1	..	2	1	2	1	..	..	..	3	..	..	2	12	..	..	1	1	2	..	..	..	4	..	5	..	3	..	..	3	1	12	..	..	2	4	1	7	46	Disease	
		Total	5	4	12	5	5	12	43	11	2	8	8	4	3	3	1	3	8	5	2	12	70	3	7	6	11	7	9	..	2	45	5	12	5	7	11	9	6	12	67	..	2	4	8	7	21	246	Total.	
	Of the Organs of Locomotion.	Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	1	Arthritis	Of the Organs of Locomotion.
		Rheumatism	2	1	4	5	4	2	18	5	3	2	..	2	1	..	..	1	..	1	..	5	20	3	1	4	..	5	1	..	3	17	2	11	2	..	..	2	1	1	3	22	1	3	..	..	2	6	83	Rheumatism	
		Disease	5	6	..	3	1	7	22	2	3	2	2	3	..	1	..	2	3	2	4	2	26	1	3	2	1	10	1	2	3	23	2	7	1	3	3	2	1	2	21	..	..	..	2	2	4	96	Disease	
		Total	7	7	4	8	5	9	40	7	6	4	2	5	1	1	..	3	3	3	4	7	46	4	4	6	1	15	2	2	6	40	4	19	3	3	5	3	2	5	44	1	3	..	2	4	10	180	Total.	
	Of the Integumentary System.	Carbuncle	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	1	4	Carbuncle	Of the Integumentary Sstem.
		Phlegmon	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Phlegmon	
		Ulcer	..	..	2	..	..	..	2	..	..	4	1	..	..	..	..	..	..	1	..	..	6	..	..	..	..	..	..	1	..	1	..	1	1	1	1	1	6	..	..	..	..	..	..	15	Ulcer	
		Fistula	..	1	..	1	..	..	2	..	..	1	..	..	1	..	..	..	1	..	..	..	3	..	..	..	..	2	..	..	2	..	..	..	..	1	..	..	1	..	..	..	..	1	9	Fistula	
		Disease	..	..	..	..	..	1	1	..	..	..	2	1	..	..	..	..	1	..	..	..	4	1	..	..	..	..	..	..	1	..	..	..	1	1	..	1	4	..	..	..	..	1	2	12	Disease	
		Total	..	3	..	1	..	1	5	1	..	5	3	2	1	..	..	..	1	2	..	..	15	1	1	..	..	3	..	..	1	6	..	1	2	1	2	2	1	2	11	..	..	2	1	1	4	41	Total.	
	Of Uncertain Seat.	Inflammation	7	5	8	6	42	42	110	38	7	31	15	5	26	8	2	23	2	46	3	14	220	14	26	31	16	19	11	1	9	127	4	1	2	1	6	22	1	7	44	2	24	5	5	51	87	588	Inflammation	Of Uncertain Seat.
		Hæmorrhage	4	6	3	5	1	1	20	8	4	4	5	3	..	2	2	3	3	2	2	6	44	4	6	6	9	5	6	1	4	41	6	15	1	1	3	..	2	4	32	3	2	2	3	4	14	151	Hæmorrhage	
		Dropsy	37	23	25	17	36	55	193	46	28	37	29	39	17	16	8	22	25	31	23	28	349	21	36	33	36	32	24	8	36	226	20	58	33	6	54	52	17	68	308	20	19	13	57	73	182	1258	Dropsy	
		Abscess	1	4	3	7	4	6	25	11	3	4	1	3	2	2	4	5	4	7	3	6	55	4	4	6	3	12	3	2	2	36	3	8	2	..	4	8	6	3	34	1	7	4	5	8	25	175	Abscess	
		Mortification	5	3	2	6	1	2	19	3	1	..	3	8	2	2	1	2	4	2	1	4	33	4	..	2	2	3	5	3	3	22	6	10	3	2	10	5	2	8	46	..	2	6	6	10	24	144	Mortification	
		Purpura	..	2	..	..	..	..	2	..	..	1	1	..	..	..	..	..	2	..	..	4	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	8	Purpura	
		Scrofula	5	1	5	1	..	4	16	1	..	1	4	6	..	1	1	5	5	..	1	4	29	4	5	2	4	4	1	..	5	25	3	5	2	4	6	2	2	8	32	1	1	..	7	6	15	117	Scrofula	
		Carcinoma	9	8	5	3	9	12	46	12	1	13	10	11	4	8	1	5	6	5	3	4	83	12	6	8	2	10	3	1	10	52	9	13	8	5	10	9	10	5	69	5	5	3	10	10	33	283	Carcinoma	
		Tumor	..	1	1	..	5	..	7	3	..	3	..	2	2	..	..	1	..	1	..	3	15	1	2	..	..	2	1	..	3	9	..	2	..	..	7	..	..	2	11	..	1	3	2	2	8	50	Tumor	
		Gout	..	..	..	..	..	..	..	2	1	..	..	3	1	1	..	1	3	1	3	2	10	1	..	..	5	2	..	1	9	1	4	1	..	2	..	..	1	9	2	..	..	2	2	6	34	Gout	
		Atrophy	1	1	..	..	..	7	9	6	3	2	23	11	1	1	..	1	3	1	3	2	57	1	2	..	6	23	1	1	1	35	3	20	3	9	5	6	8	2	56	1	3	1	4	..	9	166	Atrophy	
		Debility	13	10	17	19	11	23	93	27	31	21	30	40	15	18	1	26	33	39	19	26	326	20	31	40	9	14	20	14	45	193	11	58	28	5	46	31	20	40	239	3	36	9	33	87	168	1019	Debility	
		Malformations	2	..	..	..	1	1	4	1	..	..	..	1	..	..	..	..	..	..	..	2	4	..	..	..	1	..	..	..	..	1	..	2	2	..	2	3	..	1	10	..	..	..	2	..	2	21	Malformations	
		Sudden Deaths	2	3	4	..	2	11	22	8	10	16	6	5	1	1	3	3	2	8	..	3	66	2	8	2	3	..	2	1	..	18	3	7	2	..	13	7	8	3	43	2	18	2	11	11	44	193	Sudden Deaths	
		Total	86	67	73	64	112	164	566	166	89	133	127	137	71	60	24	96	88	144	58	102	1295	89	126	130	91	129	79	32	119	795	69	203	87	33	168	145	76	152	933	40	118	48	148	264	618	4207	Total.	
	Old Age		65	74	102	70	93	115	519	160	63	78	99	109	50	57	49	71	51	45	59	116	1007	59	82	106	136	60	95	31	117	686	92	155	89	77	158	100	55	156	882	54	102	37	159	170	522	3616	Old Age.	
Violent Deaths.		Intemperance	..	2	..	..	..	..	2	..	..	..	1	..	1	..	..	..	..	..	..	..	2	..	..	..	1	..	..	..	..	1	..	..	2	1	1	1	..	..	5	..	..	..	..	1	1	11	Intemperance	Violent Deaths.
		Starvation	1	2	1	..	..	..	4	..	..	..	2	..	..	..	1	..	..	..	..	..	3	..	..	..	..	..	..	1	..	2	..	..	..	..	..	1	..	..	1	..	..	..	..	1	1	11	Starvation	
		Violent Deaths	21	29	24	14	17	30	135	36	35	36	48	33	13	15	15	16	26	21	17	24	335	15	24	29	21	19	18	9	27	162	19	67	16	4	35	31	21	31	224	6	24	14	30	41	115	971	Violent Deaths	
		Total	22	33	25	14	17	30	141	36	35	36	51	33	14	15	16	16	26	21	17	24	340	15	24	29	22	19	19	9	28	165	19	67	18	5	36	33	21	31	230	6	24	14	30	43	117	993	Total.	
	Causes not specified		5	7	40	4	15	88	159	32	30	3	36	23	47	9	9	69	66	9	49	2	384	9	37	31	25	11	9	10	21	153	68	17	13	8	23	16	..	35	180	..	29	3	42	21	95	971	Causes not specified.	
	Total		848	823	653	640	598	1071	4633	1126	625	866	1009	960	433	402*	352	632	592	737	496	751	8981	579	859	727	792	916	637	246	749	5505	655	1643	588	466	1092	767	421	1051	6683	31	693	554	1046	1286	3960	29,762	Total.	

* 17 deaths were accidentally omitted in the Abstracts.

E. TOTAL.	GRAND TOTAL.	CAUSES OF DEATH.	
136	928	Small Pox . . .	Epidemic, Endemic, and Contagious Diseases.
57	325	Measles	
25	255	Scarlatina . . .	
90	447	Hooping Cough .	
41	250	Croup	
17	131	Thrush	
18	174	Diarrhœa . . .	
1	26	Dysentery . . .	
7	26	Cholera	
1	60	Influenza . . .	
1	5	Ague	
4	11	Remittent Fever .	
206	1315	Typhus	
6	51	Erysipelas . . .	
1	10	Syphilis	
..	..	Hydrophobia . .	
611	4014	Total	

736	931	1030	Total . .
4	9	11	Causes not specified
15	29	26	Total . .
14	28	26	Violent Deaths .
1	..	..	Starvation . .
..	1	..	Intemperance . .
88	13	126	Old Age . . .
130	120	150	Total . .
5	18	17	Sudden Deaths .

Violent Deaths.

CAUSES OF DEATH.		MIDDLESEX (PART OF).					HERTFORDSHIRE.				BUCKINGHAMSHIRE.					OXFORDSHIRE.					NORTHAMPTONSHIRE.						HUNTINGDONSHIRE.		BEDFORDSHIRE.				CAMBRIDGESHIRE.					GRAND TOTAL.	CAUSES OF DEATH.	
		Edmonton.	Brentford.	Staines; Uxbridge.	Hendon; Barnet.	TOTAL.	Hatfield & Welwyn; Hertford; Ware; Bishop Stortford.	Royston; Buntingford; Hitchin.	St. Albans; Watford; Hemel Hempstead; Berkhampstead.	TOTAL.	Amersham; Eton.	Wycombe.	Aylesbury.	Winslow; Newport Pagnel; Buckingham.	TOTAL.	Henley; Thame; Headington.	Oxford.	Woodstock; Bicester; Banbury.	Witney; Chipping Norton.	TOTAL.	Brackley; Daventry; Towcester; Potterspury.	Harlingstone; Wellingborough; Brixworth.	Northampton.	Kettering; Thrapstone; Oundle.	Peterborough.	TOTAL.	Huntingdon; St. Ives; St. Neot's.	TOTAL.	Bedford.	Ampthill; Biggleswade.	Woburn; Leighton Buzzard; Luton.	TOTAL.	Caxton and Arrington; Chesterton.	Cambridge.	Linton; Newmarket.	Ely; North Witchford and Whittlesey; Wisbeach.	TOTAL.			
		71	72	73	74		75	76	77		78	79	80	81		82	83	84	85		86	87	88	89	90		91		92	93	94		95	96	97	98				
Epidemic, Endemic, and Contagious Diseases.	Small Pox	29	147	65	28	269	7	28	81	116	27	31	13	14	85	55	2	4	20	81	35	62	33	11	7	148	18	18	22	8	45	75	6	34	6	90	136	928	Small Pox	Epidemic, Endemic, and Contagious Diseases.
	Measles	16	10	1	7	34	1	5	39	45	13	45	3	..	61	7	2	24	18	51	18	8	4	5	1	36	1	1	19	15	6	40	..	..	42	15	57	325	Measles	
	Scarlatina	19	8	7	4	38	4	2	7	13	1	..	2	56	59	3	5	1	10	19	39	10	21	5	..	75	5	5	7	3	11	21	..	1	12	12	25	255	Scarlatina	
	Hooping Cough	40	24	18	22	104	15	25	8	48	8	10	6	3	27	7	3	33	16	59	4	14	3	15	..	36	17	17	9	48	9	66	6	19	17	48	90	447	Hooping Cough	
	Croup	16	11	14	9	50	5	12	18	35	9	7	2	13	31	3	1	15	14	33	16	8	6	2	5	37	12	12	1	6	4	11	4	6	10	21	41	250	Croup	
	Thrush	4	7	1	2	14	5	2	16	23	5	4	1	10	20	5	..	3	4	12	2	2	4	9	6	23	7	7	3	3	9	15	..	3	6	8	17	131	Thrush	
	Diarrhœa	3	13	20	5	41	6	1	5	12	9	2	4	5	20	8	11	1	13	33	4	8	1	6	3	22	16	16	7	2	3	12	2	..	6	10	18	174	Diarrhœa	
	Dysentery	..	1	4	..	5	..	..	1	1	..	..	1	1	2	..	..	2	4	6	..	4	1	1	..	6	1	1	3	..	1	4	..	..	1	..	1	26	Dysentery	
	Cholera	2	..	..	..	2	..	..	4	4	..	..	1	..	1	..	1	..	..	1	..	2	1	..	3	6	1	1	1	2	1	4	..	..	4	3	7	26	Cholera	
	Influenza	2	..	..	..	2	1	2	..	3	..	5	4	3	12	8	..	..	10	18	2	3	..	3	2	10	4	4	8	..	2	10	..	..	1	..	1	60	Influenza	
	Ague	..	..	..	..	..	..	1	1	2	..	..	..	..	..	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	5	Ague	
	Remittent Fever	..	1	..	..	1	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	3	3	..	1	..	1	..	..	..	4	4	11	Remittent Fever	
	Typhus	43	22	21	13	99	47	48	52	147	36	75	33	53	197	67	25	70	41	203	68	96	26	47	36	273	56	56	50	30	54	134	61	32	61	52	206	1315	Typhus	
	Erysipelas	7	2	7	1	17	4	1	..	5	..	..	..	1	1	2	..	3	2	7	1	1	..	3	..	5	3	3	2	1	4	7	..	2	2	2	6	51	Erysipelas	
	Syphilis	..	1	..	..	1	2	..	..	2	..	1	1	..	2	..	1	1	..	2	..	..	..	1	..	1	..	..	..	1	..	1	1	..	..	..	1	10	Syphilis	
	Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Hydrophobia	
	Total	181	247	158	91	677	97	127	233	457	108	180	71	159	518	165	51	159	152	527	189	219	100	108	63	679	144	144	132	120	149	401	80	97	168	266	611	4014	Total.	
Of the Nervous System.	Cephalitis	6	6	7	3	22	6	4	5	15	7	1	1	6	15	..	5	6	5	16	5	7	3	3	1	19	9	9	9	5	7	21	..	1	9	3	13	130	Cephalitis	Of the Nervous System.
	Hydrocephalus	28	26	16	13	83	11	13	13	37	20	17	3	7	47	22	21	19	13	75	13	19	14	7	7	60	18	18	9	10	15	34	3	6	8	24	41	395	Hydrocephalus	
	Apoplexy	26	23	12	11	72	33	18	20	71	21	16	8	5	50	16	9	27	19	71	25	17	10	18	8	78	16	16	15	3	24	42	8	10	15	14	47	447	Apoplexy	
	Paralysis	13	11	22	13	59	18	3	17	38	19	14	3	19	55	9	7	12	13	41	33	30	11	11	12	97	16	16	9	12	19	40	5	5	16	7	33	379	Paralysis	
	Convulsions	62	44	27	31	164	73	93	75	241	37	43	26	42	148	45	15	55	29	144	46	54	34	62	27	223	64	64	46	33	65	144	23	15	25	85	148	1276	Convulsions	
	Tetanus	1	..	1	..	2	..	..	4	4	1	..	..	..	1	2	1	..	..	3	..	..	1	..	..	1	..	..	..	1	1	2	..	..	1	1	2	15	Tetanus	
	Chorea	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Chorea	
	Epilepsy	11	1	19	1	32	9	2	10	21	5	1	1	5	12	4	..	4	3	11	9	5	..	4	2	20	12	12	3	3	2	8	2	3	3	4	12	128	Epilepsy	
	Insanity	..	1	1	2	4	..	1	2	3	2	..	..	1	3	4	1	1	1	7	..	..	1	1	..	2	1	1	..	2	..	2	1	..	2	2	5	27	Insanity	
	Delirium Tremens	3	..	1	1	5	3	..	1	4	..	..	1	..	1	1	1	3	..	5	..	..	1	1	..	2	1	1	1	..	..	1	..	..	1	2	3	22	Delirium Tremens	
	Disease	11	4	3	5	23	9	3	6	18	8	1	2	5	16	3	2	8	3	16	..	..	1	..	..	1	3	3	6	..	4	10	1	8	2	3	14	101	Disease	
	Total	161	116	109	80	466	163	137	153	453	120	93	45	90	348	106	62	135	86	389	131	132	76	107	57	503	140	140	98	69	137	304	43	48	82	145	318	2921	Total.	
Of the Respiratory Organs.	Laryngitis	1	..	..	..	1	1	..	..	1	..	..	..	..	..	..	..	..	1	1	..	1	1	..	..	2	1	1	1	..	..	1	..	..	..	..	..	7	Laryngitis	Of the Respiratory Organs.
	Quinsey	1	2	..	1	4	..	1	1	2	..	1	..	..	1	..	..	..	1	1	..	..	..	..	1	1	1	1	..	2	..	2	1	1	1	3	6	18	Quinsey	
	Bronchitis	10	8	1	4	23	6	1	2	9	6	1	1	1	9	11	3	11	9	34	4	3	2	2	..	11	1	1	..	3	1	4	..	2	3	15	20	111	Bronchitis	
	Pleurisy	1	..	4	1	6	8	..	..	8	..	3	1	1	5	1	..	..	..	1	2	2	2	..	..	6	1	1	..	1	2	3	..	2	2	1	5	35	Pleurisy	
	Pneumonia	51	48	47	32	178	38	17	52	107	37	40	32	22	131	27	25	32	24	108	50	27	60	30	25	192	45	45	19	32	46	97	16	39	51	50	156	1014	Pneumonia	
	Hydrothorax	16	7	5	9	37	11	5	19	35	9	5	3	7	24	7	5	23	9	44	18	10	8	17	1	54	18	18	8	5	17	30	1	2	5	3	11	253	Hydrothorax	
	Asthma	15	15	1	2	33	1	4	11	16	6	1	4	2	19	6	5	7	7	25	7	9	8	9	3	36	6	6	..	1	3	4	3	1	2	9	15	148	Asthma	
	Consumption	144	104	97	56	401	182	183	255	620	112	136	80	247	575	187	66	261	141	655	235	156	156	141	74	762	216	216	138	116	203	457	102	129	163	292	686	4372	Consumption	
	Disease	20	8	9	9	46	4	12	3	19	5	..	..	4	3	7	20	11	8	46	6	1	6	1	..	14	14	14	7	5	1	13	..	7	3	3	13	174	Disease	
	Total	259	192	164	114	729	251	223	343	817	175	187	121	284	767	246	124	345	200	915	322	209	243	200	104	1078	303	303	173	165	273	611	123	183	230	376	912	6132	Total.	
Of the Organs of Circulation.	Pericarditis	3	..	..	2	5	1	1	..	2	..	..	..	..	..	2	..	2	..	4	..	1	1	1	..	3	..	..	..	..	..	..	..	..	..	..	..	14	Pericarditis	Of the Organs of Circulation.
	Aneurism	1	..	..	..	1	1	..	..	1	..	1	..	..	1	..	..	..	1	1	..	..	..	1	..	1	..	..	..	..	..	..	..	2	..	..	2	6	Aneurism	
	Disease	29	15	7	3	54	14	7	9	30	12	3	7	1	23	9	11	18	22	60	6	5	3	8	3	25	6	6	2	4	8	14	3	8	11	6	28	240	Disease	
	Total	33	15	7	5	60	16	8	9	33	12	4	7	1	24	11	11	20	22	64	6	6	4	9	4	29	6	6	2	4	8	14	3	10	11	6	30	260	Total.	
Of the Digestive Organs.	Teething	9	17	12	4	42	8	4	16	28	7	6	2	2	17	11	1	3	2	17	14	5	7	2	4	32	6	6	1	3	6	10	13	7	3	9	32	184	Teething	Of the Digestive Organs.
	Gastritis, Enteritis	13	15	14	7	49	10	9	10	29	11	3	11	31	56	14	5	28	10	57	20	13	29	13	1	76	25	25	15	7	23	45	3	28	10	16	57	394	Gastritis, Enteritis	
	Peritonitis	..	..	..	..	..	..	..	..	..	2	1	..	..	3	..	..	3	..	3	..	..	..	2	1	3	..	..	..	..	..	..	..	..	..	1	1	10	Peritonitis	
	Tabes Mesenterica	3	3	1	..	7	8	..	1	9	2	2	13	1	18	3	4	11	2	20	2	4	2	..	1	9	6	6	..	3	..	3	1	2	7	1	11	83	Tabes Mesenterica	
	Worms	..	1	..	..	1	5	2	1	8	1	2	1	2	6	1	..	4	..	5	1	2	1	..	..	4	1	1	..	..	1	1	11	..	1	..	12	38	Worms	
	Ascites	..	..	..	..	..	3	1	..	4	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	6	Ascites	
	Ulceration	1	..	..	2	3	1	1	..	2	..	1	..	..	1	2	1	1	2	6	..	..	2	..	..	2	1	1	..	..	3	3	..	1	1	1	3	21	Ulceration	
	Hernia	2	..	..	..	2	1	2	1	4	..	1	1	..	2	1	1	2	2	6	..	..	2	..	1	3	1	1	..	1	..	1	..	..	1	2	3	22	Hernia	
	Colic or Ileus	3	3	2	1	9	3	2	..	5	2	1	4	..	7	..	..	2	3	5	1	1	4	3	..	9	..	..	1	1	2	4	..	..	..	4	4	43	Colic or Ileus	
	Intussusception	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	2	3	..	..	..	1	..	1	..	..	1	..	1	2	..	..	1	4	5	12	Intussusception	
	Stricture	2	..	..	..	2	1	..	..	1	..	..	..	..	..	..	1	1	..	2	1	1	..	..	..	2	1	1	1	1	..	2	1	..	..	1	2	12	Stricture	
	Hematemesis	1	1	1	..	3	..	..	..	..	1	..	..	..	1	..	..	2	2	4	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	9	Hematemesis	
	Disease	11	..	3	5	19	7	2	4	13	2	1	1	..	4	1	..	6	8	15	5	3	6	1	1	16	11	11	5	3	5	13	1	2	1	2	6	97	Disease	
	Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Pancreas	
	Hepatitis	1	..	..	1	2	2	..	3	5	2	..	..	..	2	1	..	..	2	3	..	..	..	2	..	2	3	3	1	2	3	6	5	..	1	2	8	31	Hepatitis	
	Jaundice	3	2	1	..	6	..	1	4	5	..	3	1	2	6	2	1	1	1	5	3	1	2	2	..	8	6	6	8	7	2	17	2	..	6	6	14	67	Jaundice	
	Disease of Liver	15	13	9	8	45	20	11	11	42	7	8	8	5	28	6	2	14	6	28	12	15	2	9	6	44	10	10	2	13	9	24	3	7	10	11	31	252	Disease of Liver	
	Disease of Spleen	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Disease of Spleen	
	Total	65	55	43	28	191	69	35	51	155	38	29	42	43	152	43	16	79	42	180	59	46	57	35	15	212	72	72	35	41	55	131	40	47	42	60	189	1282	Total.	

Sporadic Diseases. (Epidemic, Endemic, and Contagious Diseases. / Of the Nervous System. / Of the Respiratory Organs. / Of the Organs of Circulation. / Of the Digestive Organs.)

Sporadic Diseases. (Of Uncertain Seat.)

R

ORDSHIRE.

bury.	Witney; Chipping Norton.	TOTAL.	Brackley; Daventry; Tow-	CAUSES OF DEATH.		
54	85		8			
.	..	..	..			
.	..	..	..	ephritis . . .	Of the Urinary Organs.	Sporadic Diseases.
3	1	5	2	churia . . .		
1	2	5	..	iabetes . . .		
.	3	4	1	rstitis . . .		
.	..	..	..	one . . .		
5	6	15	2	ricture . . .		
				sease . . .		
9	12	29	5			
				tal.		
3	8	19	10			
.	..	..	1	ildbed . . .	Of the Organs of Generation.	
1	..	2	..	ramenia . . .		
.	2	2	..	arian Dropsy .		
				sease . . .		
4	10	23	11			
				tal.		
	..	..	..		Of the Organs of Locomotion.	
	5	7	3	thritis . . .		
	1	11	..	eumatism . .		
				sease . . .		
	6	18	3			
				tal.		
	..	1	..		Of the Integumentary System.	
	..	..	1	buncle . . .		
	..	3	..	legmon . . .		
	..	..	..	er		
	..	..	..	tula		
				ease		
	..	4	1			
				al.		
	20	125	59			
	1	4	5	ammation . .	Of Uncertain Seat.	
	34	153	72	morrhage . .		
	5	25	9	psy		
	8	15	4	cess		
	..	1	..	tification . .		
	5	16	10	pura		
	13	40	11	ful a . . .		
	1	6	2	cinoma . . .		
	2	2	..	ior		
	19	29	..	t		
	28	138	82	phy. . . .		
		4	1	lity . . .		
				rmations		

CAUSES OF DEATH.		MIDDLESEX (PART OF).					HERTFORDSHIRE.				BUCKINGHAMSHIRE.					OXFORDSHIRE.					NORTHAMPTONSHIRE.						HUNTINGDONSHIRE.		BEDFORDSHIRE.				CAMBRIDGESHIRE.				GRAND TOTAL.	CAUSES OF DEATH.	
		Edmonton.	Brentford.	Staines; Uxbridge.	Hendon; Barnet.	TOTAL.	Hatfield & Welwyn; Hertford; Ware; Bishop Stortford.	Royston; Buntingford; Hitchin.	St. Albans; Watford; Hemel Hempstead; Berkhampstead.	TOTAL.	Amersham; Eton.	Wycombe.	Aylesbury.	Winslow; Newport Pagnel; Buckingham.	TOTAL.	Henley; Thame; Headington.	Oxford.	Woodstock; Bicester; Banbury.	Witney; Chipping Norton.	TOTAL.	Brackley; Daventry; Towcester; Potterspury.	Harlingstone; Wellingborough; Brixworth.	Northampton.	Kettering; Thrapstone; Oundle.	Peterborough.	TOTAL.	Huntingdon; St. Ives; St. Neot's.	TOTAL.	Bedford.	Ampthill; Biggleswade.	Woburn; Leighton Buzzard; Luton.	TOTAL.	Caxton and Arrington; Chesterton.	Cambridge.	Linton; Newmarket.	Ely; North Witchford and Whittlesey; Wisbeach.	TOTAL.			
		71	72	73	74		75	76	77		78	79	80	81		82	83	84	85		86	87	88	89	90		91		92	93	94		95	96	97	98				
Sporadic Diseases.	Of the Urinary Organs. Nephritis	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	Nephritis	Of the Urinary Organs.	Sporadic Diseases.
	Ischuria	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	1	1	1	1	..	..	..	..	..	3	Ischuria		
	Diabetes	..	..	..	..	..	1	..	..	1	..	..	..	..	..	3	1	1	5	10	2	..	..	..	2	5	1	1	..	1	..	1	10	Diabetes		
	Cystitis	1	..	..	..	1	1	..	..	1	..	..	..	..	..	2	4	1	5	12	..	4	1	..	..	5	..	..	..	..	..	..	12	Cystitis		
	Stone	..	..	1	1	2	..	..	..	..	..	3	..	..	3	1	..	..	3	4	1	..	..	1	1	3	1	1	..	..	..	2	2	15	Stone		
	Stricture	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Stricture		
	Disease	4	1	1	2	8	3	2	2	7	6	..	1	1	8	3	1	5	6	15	2	2	4	2	4	14	4	4	..	3	..	3	..	2	2	3	7	66	Disease		
	Total	5	1	3	3	12	5	2	3	10	6	3	1	1	11	7	1	9	12	29	5	6	5	4	5	25	7	7	..	4	..	4	..	3	2	5	10	108	Total.		
	Of the Organs of Generation. Childbed	4	3	8	3	18	7	7	14	28	6	4	2	11	23	8	..	3	8	19	10	3	13	7	4	37	7	7	6	10	10	26	4	3	6	11	24	182	Childbed	Of the Organs of Generation.	
	Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	..	..	..	1	..	..	..	..	..	..	..	1	Paramenia		
	Ovarian Dropsy	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	3	Ovarian Dropsy		
	Disease	3	2	1	..	6	3	3	1	7	..	..	..	1	1	..	..	2	2	..	1	..	..	..	1	2	2	..	1	1	..	2	..	..	..	..	..	21	Disease		
	Total	7	5	9	3	24	10	10	15	35	6	4	2	12	24	8	1	4	10	23	11	4	13	7	4	39	9	9	7	11	10	28	4	4	6	11	25	207	Total.		
	Of the Organs of Locomotion. Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	Arthritis	Of the Organs of Locomotion.	
	Rheumatism	..	5	2	..	7	2	..	2	4	1	1	1	1	4	1	..	1	5	7	3	4	1	2	2	12	6	6	..	..	..	3	3	1	2	4	10	53	Rheumatism		
	Disease	5	3	4	1	13	4	3	6	13	2	1	8	8	19	1	1	8	1	11	..	5	3	1	1	10	8	8	4	1	5	10	2	3	3	..	8	92	Disease		
	Total	5	8	6	1	20	6	3	8	17	3	2	9	9	23	2	1	9	6	18	3	9	4	3	3	22	14	14	4	4	5	13	5	5	5	4	19	146	Total.		
	Of the Integumentary System. Carbuncle	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	3	Carbuncle	Of the Integumentary System.	
	Phlegmon	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	Phlegmon		
	Ulcer	1	..	..	..	1	..	..	2	2	..	..	..	2	2	2	..	1	..	3	..	1	..	..	..	1	1	1	..	..	..	..	..	2	..	..	2	12	Ulcer		
	Fistula	..	1	..	..	1	1	1	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	5	Fistula		
	Disease	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1	1	..	..	..	..	1	..	..	..	1	3	Disease		
	Total	1	1	..	..	2	1	1	3	5	..	1	..	2	3	3	..	1	..	4	1	2	..	..	..	3	2	2	..	..	1	1	1	2	..	1	4	24	Total.		
	Of Uncertain Seat. Inflammation	18	17	4	12	51	29	73	60	162	20	67	15	42	144	68	..	37	20	125	59	19	1	21	11	111	5	5	3	17	16	36	20	12	13	23	68	702	Inflammation	Of Uncertain Seat.	
	Hæmorrhage	3	7	1	2	13	1	6	4	11	2	2	2	1	7	2	1	..	1	4	5	3	3	7	2	20	3	3	3	2	..	5	3	2	1	7	13	76	Hæmorrhage		
	Dropsy	47	28	31	12	118	48	53	60	161	35	47	19	45	146	45	12	62	34	153	72	44	25	37	13	191	29	29	31	17	42	90	18	20	28	41	107	995	Dropsy		
	Abscess	10	1	7	5	23	5	3	7	15	6	1	1	1	9	12	1	7	5	25	9	10	5	4	4	32	5	5	2	5	6	13	1	3	2	7	13	135	Abscess		
	Mortification	10	6	2	2	20	3	13	2	18	3	3	2	3	11	1	1	5	8	15	4	6	2	4	1	17	4	4	5	1	3	9	..	2	4	5	11	105	Mortification		
	Purpura	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	2	Purpura		
	Scrofula	3	1	2	2	8	3	4	4	11	5	4	12	4	25	4	3	4	5	16	10	8	..	5	1	24	6	6	1	5	..	6	3	1	3	14	21	117	Scrofula		
	Carcinoma	6	5	9	5	25	10	4	10	24	6	1	6	7	20	11	5	11	13	40	11	5	3	9	7	35	15	15	2	5	11	18	3	3	9	11	26	203	Carcinoma		
	Tumor	..	1	1	..	2	..	1	4	5	..	..	..	1	1	1	1	3	1	6	2	1	1	3	..	7	3	3	..	1	1	2	2	1	1	1	5	31	Tumor		
	Gout	2	1	..	..	3	..	..	..	..	1	..	..	..	1	..	..	..	2	2	..	1	..	..	1	2	1	1	..	..	..	..	..	2	..	1	3	12	Gout		
	Atrophy	6	1	13	..	20	9	1	..	10	18	..	4	4	26	..	5	5	19	29	..	23	3	3	1	30	12	12	3	22	5	30	2	8	14	9	33	190	Atrophy		
	Debility	28	33	55	12	128	24	68	66	158	26	24	19	78	147	50	17	43	28	138	82	47	34	31	50	244	71	71	17	85	53	155	33	32	34	112	211	1252	Debility		
	Malformations	..	1	..	1	2	2	..	..	2	2	..	..	..	2	4	..	..	..	4	1	1	..	..	..	2	2	2	..	1	..	1	..	1	2	..	3	18	Malformations		
	Sudden Deaths	17	18	5	13	53	15	2	7	24	19	4	15	34	72	24	8	26	5	63	26	5	4	1	4	40	14	14	13	16	21	50	4	3	8	25	40	356	Sudden Deaths		
	Total	150	120	130	66	466	149	228	224	601	143	153	95	220	611	222	54	204	141	621	281	173	82	125	95	756	170	170	80	177	158	415	89	90	119	256	554	4194	Total.		
	Old Age	126	13	88	64	411	143	135	142	420	68	91	75	172	406	148	25	140	83	396	184	127	71	142	40	564	103	108	65	114	91	270	89	55	90	129	363	2938	Old Age.		
Violent Deaths.	Intemperance	..	1	..	..	1	..	..	..	..	..	1	2	..	3	1	..	1	..	2	..	..	1	1	..	2	1	1	1	..	..	1	..	..	1	1	2	12	Intemperance	Violent Deaths.	
	Starvation	..	..	1	1	2	1	..	..	1	4	2	1	..	7	3	..	1	..	4	1	2	1	..	..	4	..	..	.	..	..	..	..	..	1	1	2	20	Starvation		
	Violent Deaths	26	28	14	21	89	49	33	29	111	15	11	14	32	72	22	12	30	13	77	45	19	29	18	14	125	22	22	11	17	17	45	11	14	13	62	100	641	Violent Deaths		
	Total	26	29	15	22	92	50	33	29	112	19	14	17	32	82	26	12	32	13	83	46	21	31	19	14	131	23	23	12	17	17	46	11	14	15	64	104	673	Total.		
	Causes not specified	11	9	4	4	28	62	4	30	96	19	27	19	4	69	11	1	123	34	169	50	2	3	34	12	101	50	50	68	10	75	153	66	5	19	237	327	993	Causes not specified.		
	Total	1030	931	736	481	3178	1022	946	1243	3211	717	788	504	1029	3038	998	359	1260	801	3418	1288	956	689	793	416	4142	1048	1048	676	736	979	2391	554	563	789	1560	3466	23,892	Total.		

	Walsingham; Docking; Freebridge Lynn; King's Lynn.	TOTAL.	GRAND TOTAL.	CAUSES OF DEATH.	
20	121				
4	23	126	911	Small Pox	Epidemic, Endemic, and Contagious Diseases.
1	2	63	199	Measles	
..	16	53	200	Scarlatina	
16	32	109	430	Hooping Cough	
5	6	46	188	Croup	
4	16	146	212	Thrush	
5	6	46	135	Diarrhœa	
..	1	8	39	Dysentery	
..	2	5	13	Cholera	
1	2	35	65	Influenza	
..	..	..	2	Ague	
..	..	4	15	Remittent Fever	
11	88	462	1212	Typhus	
2	5	28	78	Erysipelas	
..	1	4	11	Syphilis	
..	..	..	..	Hydrophobia	
49	200	1135	3710	Total.	

3	3	3	2	4	Sudden Deaths.
138	150	137	183		

157	126	109	57	Total	Violent Deaths.
137	53	106	64	Old Age	
..	..	..	..	Intemperance	
20	..	25	1	Starvation	
..	20	..	15	Violent Deaths	
20	20	25	16	Total	
37	26	30	1	Causes not specified	
885	811	1013	564	Total	

CAUSES OF DEATH.		ESSEX.									SUFFOLK.								NORFOLK.								GRAND TOTAL.	CAUSES OF DEATH.	
		West Ham.	Romford; Orsett; Billericay.	Rochford; Maldon.	Tendring; Lexden and Winstree.	Colchester.	Witham; Chelmsford.	Ongar; Epping; Dunmow.	Braintree; Halstead; Saffron Walden.	TOTAL.	Risbridge; Sudbury.	Cosford; Samford.	Ipswich.	Bosmere and Claydon; Stow; Hoxne; Hartismere.	Woodbridge; Plomesgate.	Blything; Mutford and Lothingland; Wangford.	Bury St. Edmunds; Thingoe; Mildenhall.	TOTAL.	Thetford; Downham; Swaffham.	Mitford and Launditch; Forehoe.	Wayland; Guiltcross; Depwade.	Loddon and Clavering; Humbleyard and Henstead; St. Faith's; Blofield.	Norwich.	East and West Flegg; Tunstead and Happing; Aylsham; Erpingham.	Great Yarmouth.	Walsingham; Freebridge Lynn; King's Lynn.	TOTAL.			
		99	100	101	102	103	104	105	106		107	108	109	110	111	112	113		114	115	116	117	118	119	120	121				
Epidemic, Endemic, and Contagious Diseases.	Small Pox	24	134	84	31	140	16	19	12	460	19	17	141	26	59	4	59	325	31	18	6	11	17	16	4	23	126	911	Small Pox	Epidemic, Endemic, and Contagious Diseases.
	Measles	3	14	20	14	..	14	10	8	83	4	17	1	15	12	1	3	53	12	8	3	3	29	5	1	2	63	199	Measles	
	Scarlatina	18	5	4	9	..	5	8	11	60	7	6	26	26	9	7	6	87	6	9	8	1	5	8	..	16	53	200	Scarlatina	
	Hooping Cough	21	21	18	9	3	18	22	51	163	11	34	29	29	9	43	3	158	24	3	17	12	1	4	16	32	109	430	Hooping Cough	
	Croup	8	8	5	9	..	7	7	14	58	15	10	3	15	14	16	11	84	13	7	8	2	2	3	5	6	46	188	Croup	
	Thrush	3	3	6	4	3	3	1	3	26	2	1	7	8	2	12	8	40	18	20	20	17	42	9	4	16	146	212	Thrush	
	Diarrhœa	3	14	10	3	..	7	11	5	53	6	..	1	13	1	12	3	36	9	7	2	3	9	5	5	6	46	135	Diarrhœa	
	Dysentery	3	17	1	2	..	1	..	1	25	..	1	..	3	1	1	..	6	..	..	1	3	1	2	..	1	8	39	Dysentery	
	Cholera	..	1	1	..	..	..	..	..	2	3	1	1	..	..	..	1	6	..	1	..	1	..	1	..	2	5	13	Cholera	
	Influenza	2	2	1	2	1	2	..	3	13	4	..	..	4	6	1	2	17	7	7	7	2	3	6	1	2	35	65	Influenza	
	Ague	..	..	..	2	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	Ague	
	Remittent Fever	4	..	1	1	..	..	..	..	6	..	..	..	1	2	2	..	5	..	3	..	..	..	1	..	..	4	15	Remittent Fever	
	Typhus	24	52	58	64	20	40	37	62	357	121	49	16	89	57	32	29	393	47	51	69	50	63	83	11	88	462	1212	Typhus	
	Erysipelas	9	7	3	1	2	2	6	2	32	..	6	5	4	1	2	..	18	8	3	1	1	7	1	2	5	28	78	Erysipelas	
	Syphilis	..	2	..	..	1	2	..	..	5	2	..	..	..	..	..	..	2	..	..	..	..	..	3	..	1	4	11	Syphilis	
	Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Hydrophobia	
	Total	122	280	212	151	170	117	121	172	1345	194	142	230	233	173	133	125	1230	175	137	142	106	179	147	49	200	1135	3710	Total.	
Of the Nervous System.	Cephalitis	4	15	6	2	..	4	4	4	39	3	4	4	3	..	4	4	22	7	3	4	3	11	3	3	3	37	98	Cephalitis	Of the Nervous System.
	Hydrocephalus	8	18	13	13	14	28	11	12	117	13	16	7	18	7	23	5	89	12	4	8	..	15	10	3	8	60	266	Hydrocephalus	
	Apoplexy	19	29	5	9	7	18	19	14	120	21	11	16	33	15	10	14	120	23	15	13	19	23	20	1	32	146	386	Apoplexy	
	Paralysis	14	17	9	13	1	5	7	9	75	7	7	11	22	14	22	16	99	17	19	11	13	40	25	7	21	153	327	Paralysis	
	Convulsions	42	77	49	42	17	19	61	55	362	39	10	18	17	24	18	9	135	43	25	11	20	76	53	17	92	337	834	Convulsions	
	Tetanus	..	..	..	1	..	1	..	1	3	1	..	..	2	..	..	1	4	..	..	..	..	..	1	1	..	2	9	Tetanus	
	Chorea	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Chorea	
	Epilepsy	6	5	..	4	..	5	3	7	30	6	2	2	4	3	3	..	20	2	1	5	3	2	2	1	2	18	68	Epilepsy	
	Insanity	..	2	..	1	..	..	..	1	4	1	..	..	1	4	2	4	12	..	2	2	..	1	2	2	2	11	27	Insanity	
	Delirium Tremens	..	..	2	..	..	..	..	..	2	1	1	..	1	..	2	..	5	1	..	1	..	1	..	..	1	4	11	Delirium Tremens	
	Disease	2	8	3	2	4	5	3	2	29	3	5	1	6	1	10	6	32	2	3	7	3	..	3	4	3	25	86	Disease	
	Total	95	172	87	87	43	85	108	105	782	95	56	59	107	68	94	59	538	107	72	62	61	169	119	39	164	793	2113	Total.	
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	..	..	1	..	..	..	1	..	2	..	..	..	1	..	1	..	2	5	..	1	..	..	..	..	4	10	14	Laryngitis	Of the Respiratory Organs. Sporadic Diseases.
	Quinsey	..	..	4	1	..	..	1	..	6	..	..	2	..	..	..	2	4	1	2	5	..	..	1	1	..	10	20	Quinsey	
	Bronchitis	1	5	5	4	..	13	2	2	32	7	10	2	27	2	6	6	60	10	5	6	8	2	7	3	15	56	148	Bronchitis	
	Pleurisy	1	1	9	2	1	..	..	..	14	..	..	1	4	2	1	..	8	..	1	..	2	1	..	..	..	4	26	Pleurisy	
	Pneumonia	40	49	39	42	11	30	35	30	276	25	22	58	78	30	63	39	315	53	34	26	16	111	36	20	29	325	916	Pneumonia	
	Hydrothorax	1	11	8	7	9	13	13	8	70	7	2	5	10	4	3	2	33	6	6	3	3	6	5	2	7	38	141	Hydrothorax	
	Asthma	10	7	4	6	6	3	3	3	42	7	..	6	6	9	8	1	37	6	5	6	12	23	8	3	10	73	152	Asthma	
	Consumption	91	125	154	166	95	173	186	260	1250	232	120	138	280	186	186	164	1306	170	130	178	192	239	233	60	186	1388	3944	Consumption	
	Disease	8	7	13	4	2	6	22	6	68	4	2	2	9	9	8	6	40	8	2	25	4	2	19	15	15	90	198	Disease	
	Total	152	205	237	232	124	238	263	309	1760	282	156	214	415	242	276	220	1805	259	185	250	237	384	309	104	266	1994	5559	Total.	
Of the Organs of Circulation.	Pericarditis	..	1	..	..	..	..	..	1	2	..	1	..	3	1	..	1	6	..	..	..	..	..	2	..	..	2	10	Pericarditis	Of the Organs of Circulation.
	Aneurism	..	1	..	1	..	..	..	..	2	..	..	..	..	..	..	..	..	1	..	..	..	1	2	2	2	8	10	Aneurism	
	Disease	10	13	13	6	4	5	6	4	61	8	10	4	18	3	10	8	61	14	6	6	3	4	10	2	6	51	173	Disease	
	Total	10	15	13	7	4	5	6	5	65	8	11	4	21	4	10	9	67	15	6	6	3	5	14	4	8	61	193	Total.	
Of the Digestive Organs.	Teething	3	3	..	5	1	2	5	5	24	5	1	10	6	2	8	2	34	7	3	4	1	11	2	5	25	58	116	Teething	Of the Digestive Organs.
	Gastritis, Enteritis	16	19	9	18	3	5	10	8	88	10	3	19	32	14	19	3	100	11	10	18	15	34	15	2	7	112	300	Gastritis, Enteritis	
	Peritonitis	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	..	3	1	..	..	1	..	..	..	1	3	6	Peritonitis	
	Tabes Mesenterica	..	1	2	3	..	2	2	2	12	1	3	2	3	1	2	1	13	11	7	1	..	..	4	13	9	45	70	Tabes Mesenterica	
	Worms	1	..	..	..	..	..	2	1	4	1	..	..	..	..	..	1	2	1	1	2	..	1	1	..	17	23	29	Worms	
	Ascites	..	1	..	..	..	..	1	..	2	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	2	4	Ascites	
	Ulceration	..	1	..	..	..	..	1	..	2	..	..	..	2	..	1	..	3	..	..	..	..	1	1	..	..	2	7	Ulceration	
	Hernia	2	4	..	..	..	1	3	3	13	1	..	1	2	4	2	2	12	1	..	..	1	..	1	..	3	6	31	Hernia	
	Colic or Ileus	..	1	..	1	1	3	1	2	9	..	..	..	5	1	4	4	14	1	1	2	5	..	1	1	4	15	38	Colic or Ileus	
	Intussusception	1	3	..	1	..	..	1	2	8	..	..	..	2	..	..	1	3	..	1	..	1	1	1	2	1	7	18	Intussusception	
	Stricture	..	1	..	..	..	1	..	1	3	3	..	1	1	..	..	1	6	..	1	..	..	..	..	..	2	3	12	Stricture	
	Hematemesis	..	..	1	..	..	2	1	..	4	..	1	..	..	..	..	..	1	2	..	1	..	..	1	..	..	4	9	Hematemesis	
	Disease	1	9	1	6	..	4	4	2	27	2	2	3	7	1	2	4	21	1	..	5	1	..	6	1	4	18	66	Disease	
	Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Pancreas	
	Hepatitis	..	1	..	1	..	..	1	..	3	..	..	..	1	..	1	..	2	..	3	..	..	3	..	..	..	6	11	Hepatitis	
	Jaundice	1	1	3	3	2	1	6	3	20	7	2	2	3	4	6	2	26	4	5	4	7	6	2	1	6	35	81	Jaundice	
	Disease of Liver	9	10	4	5	4	5	6	6	49	1	5	2	11	4	3	8	34	13	4	10	4	4	5	5	10	55	138	Disease of Liver	
	Disease of Spleen	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	1	..	..	..	1	2	Disease of Spleen	
	Total	34	55	20	43	11	26	44	35	268	31	17	40	78	32	48	29	275	54	36	47	36	62	40	30	90	395	938	Total.	

Lothingland; Wangford.	Bury St. Edmunds; Thingoe; Mildenhall.	TOTAL.	CAUSES OF DEATH.		
112	113				
..	..	2	is	Of the Urinary Organs.	Sporadic Diseases.
..	..	1			
..	2	7	s		
1	..	4			
3	1	7			
..	..	2	e		
1	1	19			
5	4	42			
7	4	38	ed	Of the Organs of Generation.	
..	..	3	enia		
..	..	2	n Dropsy		
..	1	7	e		
7	5	50			
..	..	..	tis	Of the Organs of Locomotion.	
4	..	14	natism		
3	1	15	se		
7	1	29			
..	..	..	ncle	Of the Integumentary System.	
..	..	..	mon		
..	..	..			
..	..	..	a		
..	..	..	se		
..	..	..			
36	82	259	nmation	Of Uncertain Seat.	
7	4	31	orrhage		
29	36	211	y		
7	1	28	ess		
9	3	36	ification		
..	..	2	ura		
2	4	44	ula		
10	12	55	noma		
2	1	7	or		
..	1	6	..		
2	3	63			
51	43	295	phy		
1	..	2	lity		
3	2	20	ormations		
			en Deaths		

4.—EASTERN COUNTIES—*continued.*

CAUSES OF DEATH.		West Ham.	Romford; Orsett; Billericay.	Rochford; Maldon.	Tendring; Lexden and Winstree.	Colchester.	Witham; Chelmsford.	Ongar; Epping; Dunmow.	Braintree; Halstead; Saffron Walden.	TOTAL.
		99	100	101	102	103	104	105	106	
Sporadic Diseases.	Of the Urinary Organs. Nephritis	..	..	..	..	..	..	..	2	2
	Ischuria	..	..	..	1	..	2	..	..	3
	Diabetes	1	1	1	..	..	..	1	..	4
	Cystitis	..	..	1	..	..	..	..	..	1
	Stone	..	1	..	1	..	..	..	..	2
	Stricture	..	..	..	..	..	..	..	..	..
	Disease	2	4	4	..	..	6	..	2	18
	Total	3	6	6	2	..	8	1	4	30
	Of the Organs of Generation. Childbed	4	2	3	4	3	10	4	9	39
	Paramenia	..	..	..	..	..	..	..	..	..
	Ovarian Dropsy	..	1	..	..	..	..	..	..	1
	Disease	1	..	1	1	1	4	1	..	9
	Total	5	3	4	5	4	14	5	9	49
	Of the Organs of Locomotion. Arthritis	..	..	..	1	..	..	..	..	1
	Rheumatism	3	3	3	1	1	3	4	2	20
	Disease	2	4	1	4	1	..	2	..	14
	Total	5	7	4	6	2	3	6	2	35
	Of the Integumentary System. Carbuncle	..	..	..	..	..	..	..	..	..
	Phlegmon	..	..	..	..	..	..	..	..	..
	Ulcer	..	..	1	1	..	1	..	..	3
	Fistula	..	..	..	..	..	..	..	..	..
	Disease	..	..	2	..	..	..	..	..	2
	Total	..	..	3	1	..	1	..	..	5
	Of Uncertain Seat. Inflammation	3	13	42	44	58	32	19	41	252
	Hæmorrhage	3	1	3	4	4	1	2	8	26
	Dropsy	12	27	29	21	16	23	49	34	211
	Abscess	4	2	2	2	2	3	1	3	19
	Mortification	2	4	6	3	..	1	2	4	22
	Purpura	..	..	..	..	..	..	..	..	..
	Scrofula	2	2	3	7	1	2	4	7	28
	Carcinoma	2	8	5	7	5	9	9	14	59
	Tumor	2	1	..	1	1	1	3	1	10
	Gout	1	..	..	..	..	..	..	..	1
	Atrophy	3	18	6	1	1	3	9	21	62
	Debility	16	29	20	48	11	34	9	42	209
	Malformations	1	4	2	..	..	..	..	..	7
	Sudden Deaths	6	..	8	19	2	10	2	13	60
	Total	57	109	126	157	101	119	109	188	966
	Old Age	64	106	53	137	65	127	135	184	871
Violent Deaths.	Intemperance	..	..	..	..	..	..	..	..	..
	Starvation	1	..	..	..	..	..	1	1	3
	Violent Deaths	15	25	20	20	9	16	18	24	147
	Total	16	25	20	20	9	16	19	25	150
	Causes not specified	1	30	26	37	..	88	95	92	369
	Total	564	1013	811	885	533	847	912	1130	6695

CAUSES OF DEATH.		SUFFOLK. Risbridge; Sudbury.	Cosford; Samford.	Ipswich.	Bosmere and Claydon; Stow; Hoxne; Hartismere.	Woodbridge; Plomesgate.	Blything; Mutford and Lothingland; Wangford.	Bury St. Edmunds; Thingoe; Mildenhall.	TOTAL.	NORFOLK. Thetford; Downham; Swaffham.	Mitford and Launditch; Forehoe.	Wayland; Guiltcross; Depwade.	Loddon and Clavering; Humbleyard and Henstead; St. Faith's; Blofield.	Norwich.	East and West Flegg; Tunstead and Happing; Aylsham; Erpingham.	Great Yarmouth.	Walsingham; Docking; Freebridge Lynn; King's Lynn.	TOTAL.	GRAND TOTAL.	CAUSES OF DEATH.	
		107	108	109	110	111	112	113		114	115	116	117	118	119	120	121				
Sporadic Diseases.	Of the Urinary Organs. Nephritis	..	..	..	2	..	..	..	2	1	..	..	1	1	..	..	1	4	8	Nephritis	Of the Urinary Organs.
	Ischuria	..	..	..	1	..	..	..	1	..	..	..	2	..	..	..	..	2	6	Ischuria	
	Diabetes	..	..	1	4	..	..	2	7	..	..	3	..	6	3	2	..	14	25	Diabetes	
	Cystitis	..	..	..	2	1	1	..	4	..	..	2	..	..	..	..	..	2	7	Cystitis	
	Stone	1	1	..	1	..	3	1	7	..	1	2	2	..	2	..	1	8	17	Stone	
	Stricture	..	..	..	..	2	..	..	2	..	..	..	..	..	1	..	..	1	3	Stricture	
	Disease	..	8	3	6	..	1	1	19	7	3	8	..	1	1	5	9	34	71	Disease	
	Total	1	9	4	16	3	5	4	42	8	4	15	5	8	7	7	11	65	137	Total.	
	Of the Organs of Generation. Childbed	6	7	4	5	5	7	4	38	15	9	11	5	7	8	2	14	71	148	Childbed	Of the Organs of Generation.
	Paramenia	1	..	2	..	..	..	..	3	..	..	..	1	..	..	..	..	1	4	Paramenia	
	Ovarian Dropsy	1	..	..	1	..	..	..	2	..	1	..	..	..	..	..	..	1	4	Ovarian Dropsy	
	Disease	..	1	2	3	..	..	1	7	..	..	1	..	3	3	3	2	12	28	Disease	
	Total	8	8	8	9	5	7	5	50	15	10	12	6	10	11	5	16	85	184	Total.	
	Of the Organs of Locomotion. Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Arthritis	Of the Organs of Locomotion.
	Rheumatism	1	1	2	4	2	4	..	14	3	4	..	1	2	2	1	1	14	48	Rheumatism	
	Disease	3	4	..	3	1	3	1	15	6	1	2	3	2	3	3	3	23	52	Disease	
	Total	4	5	2	7	3	7	1	29	9	5	2	4	4	5	4	4	37	101	Total.	
	Of the Integumentary System. Carbuncle	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	1	Carbuncle	Of the Integumentary System.
	Phlegmon	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Phlegmon	
	Ulcer	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	1	4	7	Ulcer	
	Fistula	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	2	2	Fistula	
	Disease	..	..	..	..	..	..	..	..	1	2	1	1	..	..	1	1	7	9	Disease	
	Total	..	..	..	..	..	..	..	..	2	2	1	2	2	1	1	3	14	19	Total.	
	Of Uncertain Seat. Inflammation	27	17	4	30	63	36	82	259	29	16	25	29	5	13	..	22	139	650	Inflammation	Of Uncertain Seat.
	Hæmorrhage	3	4	2	7	4	7	4	31	5	1	2	3	6	5	4	7	33	90	Hæmorrhage	
	Dropsy	43	15	9	46	33	29	36	211	34	27	26	29	57	48	9	40	270	692	Dropsy	
	Abscess	4	2	5	9	..	7	1	28	2	4	6	4	1	4	1	5	27	74	Abscess	
	Mortification	3	3	2	6	10	9	3	36	10	7	4	2	4	7	6	10	50	108	Mortification	
	Purpura	..	..	..	1	..	..	..	2	..	..	..	..	..	..	..	..	..	2	Purpura	
	Scrofula	8	3	4	17	6	2	4	44	3	9	9	..	1	5	1	9	37	109	Scrofula	
	Carcinoma	5	3	6	14	5	10	12	55	9	6	3	7	10	11	1	12	59	173	Carcinoma	
	Tumor	..	..	..	3	1	2	1	7	..	1	..	..	..	2	..	..	3	20	Tumor	
	Gout	1	..	1	3	..	..	1	6	..	..	..	1	..	1	..	..	2	9	Gout	
	Atrophy	23	1	..	26	8	2	3	63	27	10	5	..	35	8	10	21	116	241	Atrophy	
	Debility	35	22	15	91	28	61	43	295	58	32	44	51	9	65	54	64	377	881	Debility	
	Malformations	..	..	..	1	..	1	..	2	2	1	..	5	1	1	5	..	15	24	Malformations	
	Sudden Deaths	4	2	3	3	3	3	2	20	8	5	14	19	8	13	5	13	85	165	Sudden Deaths	
	Total	156	73	51	257	161	169	192	1059	187	119	138	150	137	183	96	203	1213	3238	Total.	
	Old Age	166	90	58	202	132	148	107	903	103	83	138	114	172	178	63	212	1063	2837	Old Age.	
Violent Deaths.	Intemperance	..	..	..	..	..	..	..	1	2	1	1	..	..	1	..	..	5	6	Intemperance	Violent Deaths.
	Starvation	..	..	..	1	..	..	..	1	2	..	..	..	..	1	..	..	3	7	Starvation	
	Violent Deaths	19	14	16	42	17	24	15	147	28	28	25	31	50	38	13	52	265	559	Violent Deaths	
	Total	19	15	16	43	17	24	15	149	32	29	26	31	50	40	13	52	273	572	Total.	
	Causes not specified	32	87	8	62	14	43	25	271	43	94	45	35	191	65	2	72	547	1187	Causes not specified.	
	Total	996	669	694	1450	854	964	791	6418	1009	782	884	790	1373	1119	417	1301	7675	20,788	Total.	

RSETSHIRE.

	Shepton Mallet; Wincanton.	Frome; Clutton; Keynsham.	Bath.	Bedminster.	TOTAL.	GRAND TOTAL.	CAUSES OF DEATH.	
)7	158	159	160	161				
60	51	75	19	70	710	1819	Small Pox . . .	Epidemic, Endemic, and Contagious Diseases.
20	38	217	39	36	401	1199	Measles . . .	
4	6	15	12	6	88	367	Scarlatina . . .	
2	1	11	6	10	46	1047	Hooping Cough .	
8	10	34	12	1	119	419	Croup	
5	3	9	4	2	35	83	Thrush	
15	1	11	29	3	83	275	Diarrhœa . . .	
1	..	6	2	..	38	80	Dysentery . . .	
..	6	2	..	..	8	18	Cholera	
4	1	5	..	1	20	96	Influenza . . .	
2	..	..	..	..	2	8	Ague	
..	..	..	..	..	2	9	Remittent Fever .	
53	57	91	105	20	472	1634	Typhus	
3	5	1	6	..	21	75	Erysipelas . . .	
..	..	..	1	..	1	12	Syphilis	
..	1	1	1	..	3	4	Hydrophobia . .	
177	180	478	236	149	2049	7145	Total.	

	Total . .	1278	656	426	1162	633	234	767	5156
	Causes not specified	11	11	23	49	52	2	31	179
	Total . .	40	17	9	41	21	2	23	153
Violent Deaths.	Violent Deaths . .	40	17	8	41	20	2	23	151
	Starvation . .	..	..	1	..	..	..	..	1
	Intemperance . .	..	..	..	..	1	..	..	1
	Old Age . . .	166	74	67	88	78	44	96	613
	Total . .	179	105	85	166	110	28	115	788
	Sudden Deaths .	10	10	6	15	4	..	5	54

CAUSES OF DEATH.		WILTSHIRE.								DORSETSHIRE.					DEVONSHIRE.													CORNWALL.								SOMERSETSHIRE.										GRAND TOTAL.	CAUSES OF DEATH.	
		Highworth and Swindon; Cricklade and Wootton Bassett; Malmesbury; Chippenham.	Calne; Marlborough; Pewsey.	Devizes.	Melksham; Bradford; Westbury and Whorwelsdown.	Amesbury; Alderbury; Wilton.	Salisbury.	Tisbury; Mere; Warminster.	TOTAL.	Shaftesbury; Wimborne and Cranborne; Wareham and Purbeck.	Poole; Blandford; Sturminster.	Sherborne; Dorchester and Cerne.	Weymouth; Bridport; Beaminster.	TOTAL.	Axminster; Honiton.	Tiverton and Dulverton.	South Moulton; Torrington; Crediton; Barnstaple.	Bideford; Holsworthy.	Tavistock; Okehampton.	Exeter.	St. Thomas.	Newton Abbot.	Totnes; Kingsbridge; Plympton St. Mary.	Plymouth.	Stoke Damerel; East Stonehouse.	TOTAL.	St. Germain's; Liskeard.	Launceston; Stratton; Camelford.	Bodmin; St. Columb.	St. Austell.	Truro.	Redruth.	Falmouth.	Helston.	Penzance; Scilly Islands.	TOTAL.	Williton; Wellington.	Taunton.	Chard; Yeovil; Langport.	Bridgewater.	Axbridge; Wells.	Shepton Mallet; Wincanton.	Frome; Clutton; Keynsham.	Bath.	Bedminster.	TOTAL.		
		122	123	124	125	126	127	128		129	130	131	132		133	134	135	136	137	138	139	140	141	142	143		144	145	146	147	148	149	150	151	152		153	154	155	156	157	158	159	160	161				
Epidemic, Endemic, and Contagious Diseases.	Small Pox	36	33	7	110	7	9	57	259	31	10	79	135	255	36	27	43	16	..	8	52	46	58	110	64	460	9	..	8	30	5	32	6	33	12	135	93	113	131	98	60	51	75	19	70	710	1819	Small Pox	Epidemic, Endemic, and Contagious Diseases.
	Measles	111	23	2	84	7	..	36	263	17	17	25	21	80	12	39	31	2	26	22	12	51	37	25	30	287	38	2	10	4	34	15	22	4	39	168	18	11	16	6	20	38	217	39	36	401	1199	Measles	
	Scarlatina	16	..	..	6	..	..	..	22	..	1	..	1	2	4	10	21	5	10	1	10	11	6	17	3	98	11	15	4	28	5	19	11	38	26	157	4	13	4	24	4	6	15	12	6	88	367	Scarlatina	
	Hooping Cough	15	19	6	29	26	12	33	140	11	6	14	27	58	12	2	32	11	49	8	12	9	96	29	52	312	39	43	12	46	110	126	38	35	42	491	5	6	3	2	2	1	11	6	10	46	1047	Hooping Cough	
	Croup	16	7	1	6	6	1	9	46	..	9	7	6	22	8	14	54	11	12	5	8	7	16	7	6	148	7	4	10	8	8	18	3	12	14	84	9	6	28	11	8	10	34	12	1	119	419	Croup	
	Thrush	3	..	1	2	1	4	1	12	1	..	3	1	5	..	..	3	1	1	4	1	..	8	1	..	19	..	..	2	1	1	3	..	1	4	12	1	2	6	3	5	3	9	4	2	35	83	Thrush	
	Diarrhœa	13	4	11	21	9	..	7	65	7	1	3	3	14	2	4	5	2	2	18	9	6	5	9	11	73	2	1	3	5	1	13	7	2	6	40	4	7	8	5	15	1	11	29	3	83	275	Diarrhœa	
	Dysentery	6	1	..	1	1	..	3	12	1	1	1	3	6	..	..	..	1	..	1	3	..	3	5	4	17	1	..	..	1	2	..	2	1	..	7	7	13	7	2	1	..	6	2	..	38	80	Dysentery	
	Cholera	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	2	..	1	..	..	1	1	5	1	..	..	..	1	1	..	1	..	4	..	..	..	..	..	6	2	..	..	8	18	Cholera	
	Influenza	7	9	5	4	2	..	1	28	12	6	4	2	24	1	2	1	..	7	2	3	1	1	1	..	19	1	1	1	..	2	..	..	..	..	5	..	..	9	..	4	1	5	..	1	20	96	Influenza	
	Ague	..	..	..	..	..	..	2	2	..	1	..	..	1	..	..	2	..	..	..	..	..	..	..	..	2	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	2	..	..	..	..	2	8	Ague	
	Remittent Fever	1	..	..	1	..	..	..	2	1	..	..	..	1	..	..	..	..	..	..	1	..	..	..	1	2	..	1	..	..	..	1	..	..	..	2	1	1	..	..	..	..	..	..	..	2	9	Remittent Fever	
	Typhus	64	29	11	53	32	8	27	224	26	23	29	57	135	27	56	89	26	40	41	58	31	83	28	38	517	59	17	26	33	34	50	12	29	26	286	28	27	54	37	53	57	91	105	20	472	1634	Typhus	
	Erysipelas	2	1	2	2	3	2	5	17	3	1	4	1	9	3	..	1	..	2	2	2	1	4	3	3	21	..	..	..	4	..	..	1	1	1	7	1	2	2	1	3	5	1	6	..	21	75	Erysipelas	
	Syphilis	1	1	..	1	1	..	..	4	..	..	..	..	..	1	..	..	..	..	1	..	..	..	1	2	5	..	..	..	1	..	..	1	..	..	2	..	..	..	..	..	..	..	1	..	1	12	Syphilis	
	Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	3	4	Hydrophobia	
	Total	291	127	46	320	95	36	181	1096	110	76	170	257	613	106	154	282	75	151	113	172	163	317	237	215	1985	168	84	76	161	203	279	103	158	170	1402	171	201	268	189	177	180	478	236	149	2049	7145	Total.	
Of the Nervous System.	Cephalitis	10	2	..	9	2	..	4	27	5	2	1	5	13	5	..	4	3	8	1	5	2	4	6	16	54	5	1	5	2	8	2	1	3	8	35	4	1	4	7	3	1	9	15	8	52	181	Cephalitis	Of the Nervous System.
	Hydrocephalus	25	10	9	20	6	3	11	84	9	14	10	17	50	22	12	29	7	7	39	23	18	17	15	32	221	2	7	11	11	23	16	15	3	11	99	9	10	22	16	17	13	21	23	18	149	603	Hydrocephalus	
	Apoplexy	31	17	8	25	17	6	7	111	19	20	15	23	77	20	22	39	3	9	16	24	22	24	25	40	244	30	19	13	11	8	6	12	6	9	114	21	12	32	8	9	18	19	23	10	152	698	Apoplexy	
	Paralysis	24	10	8	29	16	..	14	101	9	11	11	16	47	13	9	43	2	11	3	17	16	39	9	18	180	11	13	15	12	19	21	7	2	10	110	17	21	14	9	14	7	18	21	10	131	569	Paralysis	
	Convulsions	55	34	20	39	18	19	33	218	38	35	28	57	158	36	33	71	23	37	27	32	28	67	57	50	461	26	23	36	16	32	30	14	17	26	220	15	26	60	18	24	24	67	81	55	370	1427	Convulsions	
	Tetanus	1	..	..	..	1	..	..	2	..	..	1	..	1	..	..	1	1	..	..	..	..	1	4	..	7	..	..	..	..	..	..	1	..	1	2	..	..	..	..	1	1	..	2	..	4	17	Tetanus	
	Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	1	2	Chorea	
	Epilepsy	8	2	4	2	6	..	2	24	1	7	5	1	14	1	2	7	1	1	4	..	..	2	1	1	20	3	1	3	..	2	2	5	..	2	18	3	1	3	2	4	4	6	7	5	35	111	Epilepsy	
	Insanity	..	1	..	3	..	..	3	7	2	3	..	..	5	..	..	..	..	3	1	3	1	2	..	..	10	1	..	..	1	..	..	..	1	..	3	..	1	..	1	3	1	5	1	..	12	37	Insanity	
	Delirium Tremens	..	..	..	1	1	..	..	2	..	..	..	1	1	..	..	..	..	1	..	..	..	1	2	..	4	1	..	..	..	..	..	..	1	..	2	..	1	2	..	..	2	..	1	2	2	10	19	Delirium Tremens	
	Disease	6	6	..	8	2	4	4	30	3	6	2	2	13	8	1	2	1	1	..	4	4	5	6	4	36	2	3	4	2	1	5	6	2	2	27	3	3	2	9	5	4	4	33	3	66	172	Disease	
	Total	160	82	49	136	69	32	78	606	86	99	72	123	380	105	79	196	41	77	92	108	91	161	124	163	1237	81	67	88	55	93	83	61	34	69	631	72	76	140	70	82	73	150	208	111	982	3836	Total.	
Of the Respiratory Organs.	Laryngitis	1	1	..	..	..	..	..	2	..	..	..	..	..	..	1	1	1	1	..	..	..	..	3	2	9	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	12	Laryngitis	Of the Respiratory Organs.
	Quinsey	..	..	1	..	..	..	..	1	..	..	..	1	1	..	..	..	..	2	..	..	..	1	..	..	3	..	..	1	..	1	..	..	2	1	5	1	..	..	1	2	..	..	3	1	8	18	Quinsey	
	Bronchitis	14	9	8	9	11	..	14	65	4	5	3	7	19	2	3	11	1	8	1	6	3	1	7	6	49	6	1	1	..	1	..	3	2	6	20	2	6	12	4	3	3	12	15	2	59	212	Bronchitis	
	Pleurisy	1	..	..	1	..	..	..	2	..	1	1	1	3	2	..	4	..	..	..	2	..	1	2	..	11	..	2	2	1	1	..	2	1	4	13	..	..	..	1	1	..	3	2	1	8	37	Pleurisy	
	Pneumonia	75	45	7	68	24	18	31	268	18	40	45	43	146	23	29	60	35	88	47	50	45	54	51	82	564	48	39	29	29	48	46	33	15	55	342	24	29	37	39	43	15	81	69	89	426	1746	Pneumonia	
	Hydrothorax	6	1	1	8	13	2	8	39	9	2	11	12	34	6	4	12	5	10	3	9	7	9	7	5	77	8	..	4	2	8	1	4	1	3	31	16	2	17	6	11	4	6	11	4	77	258	Hydrothorax	
	Asthma	6	10	9	17	2	6	4	54	5	11	10	10	36	7	7	16	2	2	9	8	8	8	10	25	102	4	3	4	4	5	6	2	4	5	37	10	13	21	3	12	11	28	23	10	131	360	Asthma	
	Consumption	205	101	96	191	107	55	114	869	152	122	127	170	571	130	112	236	65	115	156	119	132	256	131	197	1649	121	86	127	137	162	237	100	134	166	1270	82	95	221	68	164	172	236	271	137	1446	5805	Consumption	
	Disease	11	15	4	3	9	1	6	49	4	3	2	4	13	15	1	4	1	2	6	7	5	2	2	2	47	8	..	3	..	2	..	1	1	3	18	2	4	13	9	4	6	21	28	2	89	216	Disease	
	Total	319	182	126	297	166	82	177	1349	192	184	199	248	823	185	157	344	110	228	222	201	200	332	213	319	2511	195	131	171	173	228	290	145	160	243	1736	137	149	321	131	240	211	388	422	246	2245	8664	Total.	
Of the Organs of Circulation.	Pericarditis	..	..	1	1	1	1	2	6	1	..	..	1	2	..	..	2	..	..	..	..	..	..	1	..	3	..	..	..	..	1	..	..	..	..	1	1	..	..	..	1	..	2	..	..	4	16	Pericarditis	Of the Organs of Circulation.
	Aneurism	..	1	..	1	1	..	..	3	..	..	..	1	1	..	..	1	..	..	..	..	1	..	..	..	2	1	..	..	..	..	..	..	..	1	2	..	..	..	..	1	2	..	..	3	11	Aneurism	
	Disease	14	4	2	7	4	..	11	42	12	6	2	9	29	9	8	11	3	7	4	7	6	8	21	23	107	9	4	5	4	6	4	2	2	3	39	5	9	8	3	5	9	13	32	5	89	306	Disease	
	Total	14	5	3	9	6	1	13	51	13	6	2	11	32	9	8	14	3	7	4	7	7	8	22	23	112	10	4	5	4	7	4	2	2	4	42	6	9	8	3	6	10	17	32	5	96	333	Total.	
Of the Digestive Organs.	Teething	9	1	1	6	1	1	3	22	4	3	5	10	22	8	4	7	2	1	13	8	3	2	7	3	58	..	1	4	..	..	..	4	..	..	9	1	5	13	1	3	..	13	31	1	68	179	Teething	Of the Digestive Organs.
	Gastritis, Enteritis	24	18	4	17	8	3	10	84	10	15	8	16	49	9	8	26	3	6	8	14	15	21	21	22	153	13	8	9	5	13	19	11	16	12	106	8	11	32	9	15	5	28	35	17	160	552	Gastritis, Enteritis	
	Peritonitis	..	..	..	..	..	..	..	..	1	1	..	2	4	..	..	..	..	..	..	1	1	..	6	..	8	..	..	..	..	1	..	..	..	..	1	..	..	..	..	1	..	1	1	1	4	17	Peritonitis	
	Tabes Mesenterica	5	1	..	2	..	1	2	11	1	2	1	3	7	2	..	..	2	1	..	5	2	..	3	..	15	2	1	..	1	..	..	2	..	..	6	1	1	6	1	..	3	9	11	..	32	71	Tabes Mesenterica	
	Worms	1	..	..	..	1	..	..	2	3	..	1	3	7	4	4	7	4	2	..	1	1	1	..	..	24	2	1	1	1	..	3	..	..	4	12	4	1	4	1	2	..	2	..	..	14	59	Worms	
	Ascites	..	..	..	..	1	..	3	4	..	..	..	..	..	..	..	1	..	..	..	1	..	..	1	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	8	Ascites	
	Ulceration	2	..	..	..	..	..	2	4	1	..	1	..	2	1	1	..	..	1	..	1	..	1	..	5	10	2	..	..	..	..	..	..	..	..	2	1	..	1	1	..	2	..	2	..	7	25	Ulceration	
	Hernia	1	1	1	2	2	..	2	9	3	1	1	..	5	2	1	1	3	..	1	..	1	1	1	1	12	2	..	2	1	1	..	..	..	1	7	..	1	1	2	1	..	5	4	1	15	48	Hernia	
	Colic or Ileus	1	4	..	..	3	..	3	11	1	2	2	..	5	2	2	1	1	..	1	2	2	3	..	..	14	1	1	6	..	..	1	4	2	4	19	..	..	1	..	1	..	3	7	2	14	63	Colic or Ileus	
	Intussusception	2	..	..	..	1	..	..	3	..	1	..	..	1	4	..	..	..	..	..	1	1	1	2	..	9	..	1	..	..	2	1	..	..	..	4	5	1	1	1	2	2	2	1	16	33	Intussusception	
	Stricture	..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	1	..	..	..	1	1	..	1	..	4	..	..	1	1	..	..	..	1	..	3	..	1	..	..	1	..	2	..	4	12	Stricture	
	Hematemesis	1	..	..	4	..	..	1	6	..	1	1	..	2	..	..	1	..	1	..	..	..	..	..	1	3	..	..	..	..	1	1	2	..	..	4	..	..	..	..	2	..	1	..	..	3	18	Hematemesis	
	Disease	11	8	2	6	4	..	7	38	6	6	4	4	20	10	..	3	2	2	10	4	3	3	5	6	48	3	1	..	2	3	4	2	3	3	21	1	4	6	5	..	2	3	16	1	38	165	Disease	
	Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Pancreas	
	Hepatitis	..	..	..	1	..	..	1	2	..	1	..	1	2	2	2	1	3	2	..	..	1	3	1	1	16	..	..	2	..	..	1	..	1	..	4	2	1	3	2	1	1	3	..	1	14	38	Hepatitis	
	Jaundice	3	2	2	2	3	..	..	12	2	1	3	2	8	1	2	1	..	2	4	3	4	3	1	3	24	1	3	..	..	1	1	3	..	2	11	6	2	4	1	3	1	4	2	3	26	81	Jaundice	
	Disease of Liver	12	1	5	3	3	1	7	32	4	7	5	9	25	10	2	3	1	2	6	16	7	6	2	11	66	1	2	2	2	2	3	4	..	3	19	5	10	9	1	10	3	4	11	4	57	199	Disease of Liver	
	Disease of Spleen	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	..	..	..	1	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	Disease of Spleen	
	Total	72	37	15	43	27	6	41	241	36	41	32	50	159	55	28	52	21	22	44	58	41	45	52	33	471	27	19	27	13	24	34	32	23	29	228	34	38	81	25	40	20	79	124	32	473	1572	Total.	

Sporadic Diseases. — Sporadic Diseases.

C.	Plymouth.	Stoke Damerel; East Stonehouse.	TOTAL.	GRAND TOTAL.	CAUSES OF DEATH.	
	142	143				
Sporadic Diseases. Of the U Orga	3	1	3	12	Nephritis . . .	Of the Urinary Organs.
	..	..	6	9	Ischuria . . .	
	..	1	2	9	Diabetes . . .	
	1	1	4	15	Cystitis . . .	
	1	..	3	20	Stone	
	..	..	..	1	Stricture . . .	
	4	10	23	85	Disease . . .	
	9	13	41	151	Total.	
Of the Or Generat	5	3	35	217	Childbed . . .	Of the Organs of Generation.
	..	..	1	1	Paramenia . . .	
	..	..	1	5	Ovarian Dropsy .	
	1	..	4	22	Disease	
	6	3	41	245	Total.	
Of the Or Locomot	..	..	1	1	Arthritis . . .	Of the Organs of Locomotion.
	1	1	28	81	Rheumatism . .	
	3	..	17	77	Disease	
	4	1	46	159	Total.	
Of th Integume Syster	..	1	..	1	Carbuncle . . .	Of the Integumentary System.
	..	..	..	1	Phlegmon . . .	
	1	..	1	13	Ulcer	
	..	3	3	9	Fistula	
	..	..	3	6	Disease	
	1	4	7	36	Total.	
Of Uncertain	..	11	40	316	Inflammation . .	Of Uncertain Seat.
	5	3	57	163	Hæmorrhage . .	
	28	45	418	1641	Dropsy	
	1	5	59	165	Abscess	
	1	7	43	139	Mortification . .	
	..	..	1	6	Purpura	
	1	1	40	147	Scrofula	
	11	19	91	300	Carcinoma . . .	
	9	4	8	54	Tumor	
	2	..	10	29	Gout	
	3	8	155	301	Atrophy . . .	
	17	23	402	1338	Debility . . .	
	..	3	4	17	Malformations . .	

CAUSES OF DEATH.		WILTSHIRE.								DORSETSHIRE.					DEVONSHIRE.																CORNWALL.								SOMERSETSHIRE.										GRAND TOTAL.	CAUSES OF DEATH.	
		Highworth and Swindon; Cricklade and Wootton Bassett; Malmesbury; Chippenham.	Calne; Marlborough; Pewsey.	Devizes.	Melksham; Bradford; Westbury and Whorwelsdown.	Amesbury; Alderbury; Wilton.	Salisbury.	Tisbury; Mere; Warminster.	TOTAL.	Shaftesbury; Wimborne and Cranborne; Wareham and Purbeck.	Poole; Blandford; Sturminster.	Sherborne; Dorchester and Cerne.	Weymouth; Bridport; Beaminster.	TOTAL.	Axminster; Honiton.	Tiverton and Dulverton.	South Moulton; Torrington; Crediton; Barnstaple.	Bideford; Holsworthy.	Tavistock; Okehampton.	Exeter.	St. Thomas.	Newton Abbot.	Totnes; Kingsbridge; Plympton St. Mary.	Plymouth.	Stoke Damerel; East Stonehouse.	TOTAL.	St. German's; Liskeard.	Launceston; Stratton; Camelford.	Bodmin; St. Columb.	St. Austell.	Truro.	Redruth.	Falmouth.	Helston.	Penzance; Scilly Islands.	TOTAL.	Williton; Wellington.	Taunton.	Chard; Yeovil; Langport.	Bridgewater.	Axbridge; Wells.	Shepton Mallet; Wincanton.	Frome; Clutton; Keynsham.	Bath.	Bedminster.	TOTAL.		
		122	123	124	125	126	127	128		129	130	131	132		133	134	135	136	137	138	139	140	141	142	143		144	145	146	147	148	149	150	151	152		153	154	155	156	157	158	159	160	161				
Sporadic Diseases.	Of the Urinary Organs. Nephritis	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	1	1	..	..	..	3	1	6	..	..	..	1	..	..	..	..	1	2	..	1	1	..	1	..	..	..	..	3	12	Nephritis	Of the Urinary Organs.
	Ischuria	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..	..	..	..	..	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	2	..	6	9	Ischuria	
	Diabetes	2	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	1	1	1	..	..	1	4	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	1	..	2	9	Diabetes	
	Cystitis	1	..	..	..	..	..	..	1	..	..	..	1	1	..	..	..	1	1	..	..	1	1	1	1	6	..	..	1	1	1	..	..	..	..	3	1	1	..	..	..	1	1	..	..	4	15	Cystitis	
	Stone	1	1	..	..	1	..	..	3	2	3	1	..	6	1	..	1	..	1	..	..	1	..	1	..	5	..	..	..	1	..	1	..	..	1	3	..	..	..	..	..	..	..	1	2	3	20	Stone	
	Stricture	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Stricture	
	Disease	4	3	..	3	1	..	4	15	2	1	..	4	7	..	..	3	..	1	3	5	3	1	4	10	30	2	1	3	..	..	..	..	1	3	10	1	3	5	2	1	2	4	4	1	23	85	Disease	
	Total	9	4	..	3	2	..	4	22	4	4	1	6	15	1	1	5	1	5	5	6	6	2	9	13	54	2	2	4	3	1	1	..	1	5	19	2	5	7	2	4	3	7	8	3	41	151	Total.	
	Of the Organs of Generation. Childbed	10	6	2	5	3	1	..	27	6	7	5	10	28	7	6	10	7	5	6	7	5	7	5	3	68	7	3	7	7	9	8	4	7	7	59	3	1	3	2	7	3	7	3	6	35	217	Childbed	Of the Organs of Generation.
	Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	Paramenia	
	Ovarian Dropsy	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1	..	..	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	5	Ovarian Dropsy	
	Disease	..	3	..	2	1	..	..	6	..	..	..	2	2	1	1	1	..	1	..	1	..	1	1	..	7	..	1	..	1	..	..	..	..	1	3	2	..	..	1	..	..	1	..	4	22	Disease	
	Total	10	9	2	7	4	1	..	33	6	7	5	12	30	8	8	11	7	7	6	9	6	8	6	3	79	7	4	7	8	9	8	4	7	8	62	5	1	3	3	8	4	7	4	6	41	245	Total.	
	Of the Organs of Locomotion. Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	Arthritis	Of the Organs of Locomotion.
	Rheumatism	2	2	1	..	2	..	4	11	1	..	1	1	3	2	1	4	2	3	..	2	2	1	1	1	19	2	2	2	1	2	3	2	2	4	20	3	1	6	1	7	2	4	2	2	28	81	Rheumatism	
	Disease	5	1	..	2	1	..	2	11	..	6	3	5	14	5	4	2	..	3	4	2	1	4	3	..	28	1	1	2	..	..	2	..	1	..	7	1	..	1	3	1	..	3	8	..	17	77	Disease	
	Total	7	3	1	2	3	..	6	22	1	6	4	6	17	7	5	6	2	6	4	4	3	5	4	1	47	3	3	4	1	2	5	2	3	4	27	4	1	7	4	8	2	7	11	2	46	159	Total.	
	Of the Integumentary System. Carbuncle	..	..	..	..	..	..	2	2	..	..	..	1	1	..	..	..	..	..	..	..	..	1	..	1	2	1	..	..	..	1	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	3	Carbuncle	Of the Integumentary System.
	Phlegmon	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Phlegmon	
	Ulcer	..	..	..	..	..	..	..	..	..	1	..	..	1	1	..	..	..	2	1	1	..	..	1	..	6	..	3	..	..	..	..	..	1	1	5	1	..	..	..	..	..	..	..	..	1	13	Ulcer	
	Fistula	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	3	9	Fistula	
	Disease	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	1	1	..	..	..	..	1	..	1	..	3	6	Disease	
	Total	..	..	..	1	..	..	2	3	..	1	..	1	2	1	..	..	..	2	2	1	1	4	1	4	16	1	4	..	..	1	..	..	1	1	8	2	..	1	..	1	2	..	1	..	7	36	Total.	
	Of Uncertain Seat. Inflammation	11	1	5	6	5	..	8	36	2	1	1	4	8	23	2	66	23	7	..	2	..	15	..	11	149	11	11	9	27	10	1	1	7	6	83	6	..	10	3	18	..	2	1	..	40	316	Inflammation	Of Uncertain Seat.
	Hæmorrhage	6	4	..	3	2	3	3	21	4	3	4	5	16	7	3	6	2	3	2	2	5	6	5	3	44	5	4	2	2	7	2	1	1	1	25	6	8	7	1	5	7	9	12	2	57	163	Hæmorrhage	
	Dropsy	68	52	29	55	46	10	43	303	39	35	43	49	166	43	31	85	36	36	43	39	45	83	28	45	514	34	34	26	19	26	25	20	27	29	240	39	26	72	29	40	42	72	75	23	418	1641	Dropsy	
	Abscess	4	2	2	3	5	1	5	22	1	1	6	3	11	5	3	10	3	2	5	6	3	2	1	5	45	4	2	6	2	5	1	3	1	4	28	6	4	7	5	6	7	7	14	3	59	165	Abscess	
	Mortification	9	2	3	7	2	..	2	25	3	5	4	2	14	5	5	6	1	2	3	4	1	1	1	7	36	6	2	..	3	1	..	1	..	8	21	4	9	7	2	1	3	6	7	4	43	139	Mortification	
	Purpura	..	..	..	..	..	..	..	..	1	..	..	1	2	1	1	..	..	..	..	..	..	..	..	..	2	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	1	6	Purpura	
	Scrofula	17	5	2	10	5	1	4	44	10	1	6	4	21	4	2	2	1	3	..	5	..	3	1	1	22	2	4	1	2	3	..	1	6	1	20	5	2	6	2	3	2	17	2	1	40	147	Scrofula	
	Carcinoma	9	5	6	14	6	1	4	45	6	8	4	7	25	12	4	13	9	7	11	6	8	9	11	19	109	3	2	8	1	5	5	2	2	2	30	8	7	12	8	10	6	9	21	10	91	300	Carcinoma	
	Tumor	..	1	1	..	1	..	..	3	2	1	2	1	6	1	3	4	1	1	3	..	3	1	9	4	30	1	1	2	1	..	..	1	..	1	7	1	..	1	..	1	1	1	3	..	8	54	Tumor	
	Gout	..	..	..	..	..	..	..	..	1	1	..	1	3	..	1	5	..	1	1	..	1	1	2	..	12	2	..	1	..	..	..	..	..	1	4	1	..	..	..	..	..	1	6	2	10	29	Gout	
	Atrophy	4	1	..	14	12	..	24	55	1	4	2	3	10	4	10	1	2	3	8	18	1	10	3	8	68	3	..	4	..	3	..	2	..	1	13	24	20	26	10	1	10	21	28	15	155	301	Atrophy	
	Debility	41	19	31	34	22	12	17	176	49	39	36	33	157	17	39	51	25	23	11	39	16	54	17	23	315	21	39	15	4	73	26	37	44	29	288	29	22	46	17	75	51	90	63	9	402	1338	Debility	
	Malformations	..	3	..	1	..	..	..	4	1	..	..	1	2	..	..	..	..	1	..	1	..	1	..	3	6	..	..	..	1	..	..	..	..	..	1	..	..	3	1	..	..	..	..	..	4	17	Malformations	
	Sudden Deaths	10	10	6	19	4	..	5	54	6	10	9	7	32	1	10	6	2	5	7	5	25	18	5	2	86	3	3	13	6	7	5	9	6	8	60	6	8	23	11	15	17	14	15	5	114	346	Sudden Deaths	
	Total	179	105	85	166	110	28	115	788	126	109	117	121	473	123	114	255	105	94	94	127	108	204	83	131	1438	95	102	88	68	140	65	78	94	91	821	135	106	220	89	175	146	250	247	74	1442	4962	Total.	
	Old Age	166	74	67	88	78	44	96	613	125	97	111	112	445	136	125	249	63	86	66	96	143	140	68	68	1240	64	64	78	72	99	53	54	82	80	646	103	84	211	64	130	159	176	160	57	1144	4088	Old Age.	
Violent Deaths.	Intemperance	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	2	5	1	..	..	..	..	..	1	..	..	2	..	..	..	..	2	..	1	1	..	4	12	Intemperance	Violent Deaths.
	Starvation	..	..	1	..	..	..	..	1	..	..	1	1	2	2	..	..	..	1	..	..	..	..	1	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	4	..	..	7	14	Starvation	
	Violent Deaths	40	17	8	41	20	2	23	151	21	25	14	55	115	27	23	58	38	35	32	26	26	60	42	29	396	33	17	27	20	39	62	21	48	51	318	28	41	65	36	35	25	79	55	23	387	1367	Violent Deaths	
	Total	40	17	9	41	21	2	23	153	21	25	15	56	117	29	23	58	38	36	32	27	26	62	43	31	405	34	17	27	20	39	62	22	48	51	320	28	41	65	36	40	25	84	56	23	398	1393	Total.	
	Causes not specified	11	11	23	49	52	2	31	179	66	9	42	68	185	70	14	50	18	10	16	8	11	21	..	33	251	2	6	5	25	17	30	2	3	62	152	12	4	33	34	30	8	16	58	10	205	972	Causes not specified	
	Total	1278	656	426	1162	633	234	767	5156	786	664	770	1071	3291	835	716	1522	484	731	700	824	806	1309	862	1057	9846	689	507	580	603	863	914	505	616	817	6094	711	715	1365	650	941	843	1659	1567	718	9169	33556	Total.	

CAUSES OF DEATH.		GRAND TOTAL.	WARWICKSHIRE.					
			TOTAL.	Foleshill; Nuneaton; Atherstone.	Coventry.	Warwick.	Stratford; Southam; Rugby.	Alcester.
			201	205	204	203	202	
Epidemic, Endemic, and Contagious Diseases.	Small Pox	1663	415	12	1	2	2	5
	Measles	1026	153	13	7	4	10	1
	Scarlatina	294	36	4	7	..	3	1
	Hooping Cough	1108	164	2	9	9	21	5
	Croup	428	66	4	1	5	3	8
	Thrush	77	15	1	3	1	1	2
	Diarrhœa	321	35	11	4	..	2	..
	Dysentery	42	6	..	1	..	1	1
	Cholera	81	63	1	55	..	2	1
	Influenza	68	6	1	..	..	..	1
	Ague	4	..	..	..	..	..	..
	Remittent Fever	6	..	..	..	..	..	..
	Typhus	1800	418	33	75	40	46	9
	Erysipelas	74	17	2	..	1	2	2
	Syphilis	20	3	2	..	..	..	1
Violent Deaths,	Intemperance	1	1	..	..	2	1	..
	Starvation	1	1	1	..	..	..	..
	Violent Deaths	79	20	39	16	35	15	11
	Total	80	23	40	16	35	15	11
	Causes not specified	24	24	41	21	20	28	105
	Total	1842	1328	987	554	952	550	869
	Debility	3	1	1	..	..	..	..
	Malformations	9	4	..	16	..	8	8
	Sudden Deaths	196	121	148	89	159	119	99
	Total	178	90	86	82	91	70	73
	Old Age							

CAUSES OF DEATH.	GLOUCESTERSHIRE.											HEREFORDSHIRE.				SHROPSHIRE.									WORCESTERSHIRE.							STAFFORDSHIRE.										WARWICKSHIRE.								GRAND TOTAL.	CAUSES OF DEATH.	
	Bristol.	Clifton.	Chipping Sodbury; Thornbury; Dursley.	Tetbury; Cirencester.	Stroud.	Northleach; Stow-on-the-Wold; Winchcombe.	Cheltenham.	Gloucester.	Wheatenhurst; Westbury-on-Severn.	Newent; Tewkesbury.	TOTAL.	Ross; Ledbury.	Hereford.	Bromyard; Leominster; Weobly.	TOTAL.	Ludlow; Church Stretton; Clun.	Atcham.	Shrewsbury.	Oswestry; Ellesmere; Wem and Whitchurch.	Market Drayton; Newport.	Wellington; Madeley.	Shiffnall; Bridgenorth; Cleobury Mortimer.	TOTAL.	Tenbury; Martley; Upton-on-Severn.	Pershore; Evesham; Shipston-on-Stour.	Worcester.	Droitwich; Bromsgrove; King's Norton.	Kidderminster.	Stourbridge.	Dudley.	TOTAL.	West Bromwich.	Walsall.	Wolverhampton.	Tamworth; Lichfield; Burton-on-Trent.	Uttoxeter; Cheadle; Leek and Longnor.	Newcastle-under-Lyne.	Stoke-on-Trent; Wolstanton and Burslem.	Stone.	Stafford.	Penkridge; Seisdon.	TOTAL.	Birmingham.	Aston.	Meriden; Solihull; Alcester.	Stratford; Southam; Rugby.	Warwick.	Coventry.	Foleshill; Nuneaton; Atherstone.	TOTAL.		
	162	163	164	165	166	167	168	169	170	171		172	173	174		175	176	177	178	179	180	181		182	183	184	185	186	187	188		189	190	191	192	193	194	195	196	197	198		199	200	201	202	203	204	205				
Small Pox	127	83	48	14	32	11	89	37	11	5	457	34	32	17	83	27	8	1	55	12	33	18	154	19	21	92	59	22	18	74	305	43	5	105	68	7	7	3	3	..	8	249	284	89	25	2	2	1	12	415	1663	Small Pox	Epidemic, Endemic, and Contagious Diseases.
Measles	110	83	65	52	49	25	24	12	11	9	440	..	8	9	17	..	1	6	1	13	67	24	112	3	6	20	..	8	3	82	122	6	4	69	12	25	36	21	4	..	5	182	97	21	1	10	4	7	13	153	1026	Measles	
Scarlatina	7	13	8	2	..	5	1	1	..	3	40	..	1	12	13	4	4	1	14	5	13	5	46	12	2	3	9	6	17	7	56	16	5	5	8	26	8	13	4	2	16	103	8	13	1	3	..	7	4	36	294	Scarlatina	
Hooping Cough	26	20	2	14	40	8	74	28	14	18	244	14	18	4	36	19	5	27	9	12	30	36	138	15	26	19	31	27	28	112	258	58	31	22	60	14	24	47	2	2	8	268	84	14	25	21	9	9	2	164	1108	Hooping Cough	
Croup	9	11	18	1	2	4	5	5	2	..	57	10	2	11	23	16	2	3	7	3	16	8	55	10	10	9	29	4	12	30	104	28	9	23	11	18	1	10	7	5	11	123	37	8	8	3	5	1	4	66	428	Croup	
Thrush	3	10	2	..	1	..	2	4	1	..	23	..	4	3	7	..	..	1	..	..	3	1	5	..	1	1	1	..	2	12	17	..	1	..	3	1	1	..	2	1	10	5	2	2	1	1	3	1	15	77	Thrush	
Diarrhœa	9	10	10	4	11	5	..	3	1	1	54	..	7	..	7	2	5	3	8	2	3	5	28	3	6	1	5	..	22	91	128	1	1	19	3	7	..	28	..	5	5	69	16	2	..	2	..	4	11	35	321	Diarrhœa	
Dysentery	4	3	3	..	2	..	1	..	..	..	13	..	1	..	1	..	..	..	4	..	..	2	6	1	1	1	..	..	1	1	5	1	1	..	2	1	..	3	1	2	..	11	3	..	1	1	..	1	..	6	42	Dysentery	
Cholera	..	..	..	..	..	..	..	..	2	..	2	..	..	..	..	..	1	..	2	2	..	..	5	..	4	..	..	..	1	..	5	1	..	..	..	2	..	..	3	..	..	6	3	1	1	2	..	55	1	63	81	Cholera	
Influenza	2	1	3	..	12	4	..	..	..	2	24	1	..	2	3	..	..	..	..	..	1	1	2	3	2	2	..	3	..	2	13	5	2	2	5	..	1	3	..	1	1	20	4	..	1	..	..	..	1	6	68	Influenza	
Ague	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	Ague	
Remittent Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	2	..	1	..	..	2	5	..	..	..	..	..	..	..	6	Remittent Fever	
Typhus	59	46	48	28	39	25	12	27	17	20	312	32	27	12	71	33	6	23	23	18	41	23	167	16	55	31	29	19	66	109	325	55	38	79	44	49	44	157	15	12	14	507	123	52	49	46	40	75	33	418	1800	Typhus	
Erysipelas	6	3	1	..	1	2	..	..	..	2	15	..	..	3	3	3	..	3	2	3	2	2	15	1	2	4	3	..	1	3	14	..	..	1	3	2	..	..	2	1	1	10	9	1	2	2	1	..	2	17	74	Erysipelas	
Syphilis	1	..	..	..	..	..	..	..	1	1	3	..	1	..	1	3	1	..	..	..	..	..	4	..	1	2	..	..	1	..	4	..	..	2	..	..	..	1	..	1	1	5	..	..	1	..	..	..	2	3	20	Syphilis	
Hydrophobia	..	1	..	..	..	..	..	..	..	..	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	Hydrophobia	
Total	354	285	208	115	189	89	208	117	60	61	1686	92	101	73	266	107	33	68	125	70	209	125	737	84	138	184	170	86	174	524	1360	214	97	327	219	154	122	288	38	36	73	1568	673	203	117	93	62	163	86	1397	7014	Total	
Cephalitis	12	24	7	3	..	2	2	2	1	3	56	..	4	..	4	1	1	3	8	3	5	4	25	2	3	11	2	7	..	7	32	3	2	6	4	5	3	10	3	2	2	40	17	3	3	2	5	1	5	36	193	Cephalitis	Of the Nervous System.
Hydrocephalus	25	25	15	3	14	8	19	15	5	5	134	2	9	5	16	6	3	9	18	5	18	2	61	5	10	8	17	5	11	5	61	14	4	11	23	33	8	39	5	3	2	142	88	35	9	19	12	7	12	182	596	Hydrocephalus	
Apoplexy	22	32	25	8	12	12	10	15	7	7	150	5	21	13	39	17	9	6	30	16	7	9	94	22	19	11	12	8	7	24	103	8	5	21	27	14	3	24	6	5	5	118	54	23	13	20	18	10	14	152	656	Apoplexy	
Paralysis	27	32	20	10	33	16	4	28	12	14	196	14	30	10	54	4	5	3	23	13	7	1	56	13	22	14	5	6	12	11	83	5	8	15	16	12	6	23	4	25	6	120	26	9	19	25	10	3	8	100	609	Paralysis	
Convulsions	132	99	42	18	48	14	54	17	7	44	475	16	70	27	113	49	5	44	76	25	62	27	288	25	56	35	17	24	49	108	314	68	22	160	98	63	44	223	30	15	28	751	154	55	33	49	31	35	82	439	2380	Convulsions	
Tetanus	1	..	..	..	..	..	1	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	2	..	..	1	..	1	..	..	..	1	..	3	..	..	1	..	..	..	1	8	Tetanus	
Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	2	..	..	..	1	..	..	..	..	1	..	1	..	..	..	..	..	..	..	1	4	Chorea	
Epilepsy	17	6	5	..	4	4	1	1	1	2	41	1	3	1	5	1	..	..	..	4	4	2	11	3	2	3	..	1	2	5	16	1	..	2	4	3	2	8	3	4	..	27	11	2	1	3	1	2	2	22	122	Epilepsy	
Insanity	..	1	3	..	2	..	1	..	..	..	7	1	..	2	3	1	1	..	..	..	..	2	4	2	..	..	5	..	1	..	8	..	1	..	..	..	1	3	..	5	2	12	18	1	..	1	..	..	..	20	54	Insanity	
Delirium Tremens	..	1	..	..	..	..	1	..	..	..	2	..	..	1	1	..	1	..	1	..	..	..	2	..	1	..	..	..	..	2	3	..	..	..	1	..	..	1	..	..	..	2	..	..	..	1	..	..	2	3	13	Delirium Tremens	
Disease	40	6	8	9	1	2	..	4	1	8	79	..	2	1	3	3	3	..	..	1	..	2	9	3	6	3	4	..	1	4	21	2	..	1	7	6	..	7	1	6	5	35	8	6	1	..	1	2	4	22	169	Disease	
Total	276	226	125	51	114	58	93	82	34	83	1142	39	139	60	238	82	28	65	156	67	103	49	550	75	119	88	62	51	83	167	645	101	42	217	180	137	67	338	53	66	50	1251	376	134	80	121	78	60	129	978	4804	Total	
Laryngitis	4	..	2	..	..	..	..	..	..	..	6	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	3	1	..	..	..	..	..	..	1	11	Laryngitis	Of the Respiratory Organs.
Quinsey	1	1	..	..	1	..	1	1	..	..	5	..	..	1	1	2	..	..	2	..	2	..	6	1	1	..	1	1	2	1	7	2	4	..	1	1	2	4	..	..	..	14	1	..	..	..	..	..	1	2	35	Quinsey	
Bronchitis	19	8	14	3	2	..	3	6	4	2	61	1	4	4	9	4	..	1	2	1	2	2	12	2	2	5	6	2	5	19	41	2	1	4	6	7	..	15	..	3	3	41	33	5	6	7	4	5	4	64	228	Bronchitis	
Pleurisy	2	3	2	1	..	..	1	..	2	..	11	..	3	1	4	3	..	2	1	1	2	1	10	1	1	1	2	2	1	..	8	3	..	1	2	..	..	5	..	2	..	43	6	1	1	3	..	..	3	14	60	Pleurisy	
Pneumonia	102	123	47	35	58	28	43	60	44	38	578	19	29	8	56	28	6	37	36	27	63	45	242	35	22	63	64	42	51	76	353	89	43	97	53	27	39	117	15	29	30	509	408	101	30	44	40	18	37	678	2446	Pneumonia	
Hydrothorax	3	14	10	5	5	10	4	2	1	9	63	1	11	2	14	3	3	6	6	6	12	4	40	4	9	5	6	7	4	2	37	3	3	6	22	9	2	19	1	6	..	78	12	3	11	10	7	1	11	55	280	Hydrothorax	
Asthma	38	16	12	3	7	3	4	11	4	1	99	..	10	4	14	13	1	6	11	10	25	11	77	9	5	17	14	17	10	36	108	20	13	59	18	17	10	58	8	3	10	209	109	31	15	7	5	17	16	200	714	Asthma	
Consumption	253	200	139	97	176	91	161	119	64	95	1395	72	142	119	333	127	54	143	300	112	122	137	995	127	153	120	142	118	142	188	990	194	138	236	228	254	94	460	81	42	82	1809	617	185	132	162	127	145	127	1495	7017	Consumption	
Disease	125	60	16	3	7	7	2	2	..	9	231	1	5	9	15	8	2	2	2	1	5	2	22	5	15	11	..	1	..	2	34	..	..	5	23	5	4	7	1	10	6	61	13	..	5	..	2	..	5	25	388	Disease	
Total	547	425	242	147	256	139	219	201	119	154	2449	94	204	148	446	188	66	197	360	158	233	203	1405	184	208	222	235	190	215	324	1578	313	202	408	353	320	151	686	106	96	132	2767	1200	326	200	233	185	186	204	2534	11,179	Total	
Pericarditis	1	..	1	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	1	..	4	..	1	..	..	..	..	2	..	1	..	4	1	..	..	..	..	..	..	1	11	Pericarditis	Of the Organs of Circulation.
Aneurism	3	1	1	..	1	..	..	1	..	..	7	1	..	..	1	1	..	..	..	..	..	..	1	..	..	..	..	2	1	..	..	..	..	..	..	1	4	2	..	..	1	..	..	3	6	19	Aneurism	
Disease	27	26	7	9	11	5	1	7	..	7	100	1	9	2	12	11	2	9	9	4	11	6	52	7	10	4	9	11	5	9	55	4	7	10	24	15	5	8	2	7	5	87	60	9	9	12	7	6	6	109	415	Disease	
Total	31	27	9	9	12	5	1	8	..	7	109	2	9	2	13	12	2	9	9	4	11	6	53	7	10	7	9	11	6	9	59	4	8	12	25	15	5	10	2	8	6	95	63	9	9	13	7	6	9	116	445	Total	
Teething	7	22	..	..	3	..	7	4	1	2	46	1	..	..	1	..	..	..	..	..	11	1	12	4	2	3	1	2	24	61	97	10	13	49	3	5	..	30	4	..	..	114	72	15	5	2	1	15	5	115	385	Teething	Of the Digestive Organs.
Gastritis, Enteritis	35	32	28	5	33	5	19	23	14	9	203	7	15	5	27	7	8	13	18	9	38	12	105	12	17	25	20	11	40	66	191	78	33	70	19	10	9	21	4	6	6	256	164	41	22	24	21	17	36	325	1107	Gastritis, Enteritis	
Peritonitis	1	..	1	..	..	..	..	..	..	..	2	..	..	..	..	1	1	2	..	1	..	..	5	..	1	..	..	..	..	2	3	..	..	..	1	..	..	..	..	..	2	..	..	..	1	..	..	1	2	14	Peritonitis	
Tabes Mesenterica	1	..	1	2	2	..	1	..	..	..	7	..	..	2	2	3	1	..	3	..	5	4	16	3	2	..	..	..	1	..	6	..	..	1	4	..	..	..	3	5	13	1	1	..	..	1	3	3	9	53	Tabes Mesenterica	
Worms	..	1	..	..	1	..	1	..	2	..	5	..	3	1	4	4	..	..	6	2	6	3	21	3	..	1	..	..	2	15	21	7	6	8	..	3	1	2	1	..	..	28	..	1	2	1	..	..	1	5	84	Worms	
Ascites	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	2	3	Ascites	
Ulceration	..	1	1	2	..	..	..	..	..	..	4	..	..	..	..	..	1	4	..	..	..	1	6	4	2	..	1	..	2	1	10	..	..	..	1	..	..	2	..	..	..	3	2	..	..	..	..	..	..	2	25	Ulceration	
Hernia	6	..	..	1	..	1	1	..	1	..	10	1	..	..	1	1	1	..	..	3	..	2	7	2	1	3	1	..	2	2	11	1	1	..	..	4	1	2	..	..	3	12	6	1	..	1	..	2	2	12	53	Hernia	
Colic or Ileus	5	5	4	..	10	..	1	4	..	..	29	..	1	3	4	..	..	..	..	..	3	1	4	4	1	1	3	..	..	..	9	..	..	..	6	2	..	..	..	..	..	8	4	1	1	1	..	..	..	7	61	Colic or Ileus	
Intussusception	..	2	2	1	2	1	..	..	..	1	9	..	..	..	..	..	..	..	1	..	4	..	5	..	..	..	1	..	1	1	2	..	..	..	1	1	1	..	..	..	1	4	..	..	3	..	..	1	1	5	25	Intussusception	
Stricture	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	2	2	..	..	..	..	1	5	1	..	1	1	1	..	..	..	..	4	1	..	..	..	..	..	..	1	11	Stricture	
Hematemesis	1	..	..	..	..	..	..	1	2	..	4	..	..	..	..	..	1	1	..	..	..	..	2	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	2	1	..	..	3	9	Hematemesis	
Disease	59	8	3	2	2	5	..	1	1	2	83	1	1	2	4	5	..	..	4	2	2	..	13	2	8	5	1	..	4	3	23	1	1	10	12	..	1	..	1	3	7	36	7	2	4	4	4	..	10	31	190	Disease	
Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Pancreas	
Hepatitis	1	1	3	..	3	1	4	1	..	..	14	..	..	..	..	2	..	1	3	1	1	..	8	1	2	5	1	1	2	1	13	1	..	7	2	..	1	2	1	..	1	15	4	1	1	..	1	..	1	8	58	Hepatitis	
Jaundice	2	7	6	1	5	3	2	1	1	1	29	1	1	2	4	7	..	..	6	..	7	3	23	1	..	4	4	2	6	3	20	4	3	4	2	3	..	6	1	..	..	23	11	5	3	5	2	4	4	34	133	Jaundice	
Disease of Liver	11	13	16	2	3	5	6	3	3	3	65	4	6	4	14	7	5	4	10	6	8	16	56	4	6	5	6	..	3	9	33	2	9	9	8	14	3	21	1	3	8	78	21	12	8	7	10	6	11	75	321	Disease of Liver	
Disease of Spleen	1	..	..	..	..	..	..	1	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	5	Disease of Spleen	
Total	130	92	65	16	64	21	42	38	23	19	510	15	28	19	62	37	17	25	52	24	86	43	284	42	44	54	39	16	87	164	446	105	66	161	59	44	16	86	14	16	30	597	295	80	49	48	41	48	77	638	2537	Total	

Sporadic Diseases.

	Cleobury Mortimer.	TOTAL.	Meriden; Solihull; Alcester.	Stratford; Southam; Rugby.	Warwick.	Coventry.	Foleshill; Nuneaton; Atherstone.	TOTAL.	GRAND TOTAL.	CAUSES OF DEATH	
	81		201	202	203	204	205				
Sporadic Diseases.	.	2	1	..	..	..	2	6	16	Nephritis	Of the Urinary Organs
	.	..	..	..	..	..	..	2	14	Ischuria	
	1	3	..	..	..	..	..	4	14	Diabetes	
	.	2	..	1	..	..	1	2	16	Cystitis	
	4	4	..	1	..	..	..	7	28	Stone	
	.	..	..	..	..	..	..	1	2	Stricture	
	5	9	5	11	1	4	2	30	83	Disease	
	0	20	6	13	1	4	5	52	173	Total.	
	8	40	3	9	3	5	6	52	299	Childbed	Of the Organs of Generation
	.	..	..	..	..	..	..	1	4	Paramenia	
	.	2	..	..	..	..	..	1	6	Ovarian Dropsy	
	1	1	1	1	..	1	..	5	18	Disease	
	9	43	4	10	3	6	6	59	327	Total.	
	.	..	..	..	..	..	..	..	2	Arthritis	Of the Organs of Locomotion
	2	23	..	7	4	1	1	29	135	Rheumatism	
	1	11	4	1	2	..	3	24	109	Disease	
	3	34	4	8	6	1	4	53	246	Total.	
	.	..	1	..	..	1	1	3	7	Carbuncle	Of the Integument System
	1	2	..	..	..	..	..	..	4	Phlegmon	
	.	1	1	1	1	2	1	12	20	Ulcer	
	.	3	..	..	..	2	..	4	17	Fistula	
	.	1	..	..	..	..	1	4	11	Disease	
	1	7	2	1	1	5	3	23	59	Total.	
	5	50	11	25	20	14	2	92	587	Inflammation	Unclassified Diseases.
	2	16	1	5	1	4	1	24	120	Hæmorrhage	
	2	209	36	38	22	17	29	255	1558	Dropsy	
	4	24	3	4	5	3	4	51	205	Abscess	
	9	36	8	10	5	5	5	45	203	Mortification	
	.	2	..	..	..	1	2	5	16	Purpura	
	4	26	4	7	4	..	5	31	146	Scrofula	
	5	40	6	8	9	2	11	80	337	Carcinoma	
	1	2	..	1	2	2	1	21	46	Tumor	
	.	4	..	..	..	..	..	1	18	Gout	
	7	22	3	7	4	1	13	46	253	Atrophy	
	9	197	8	53	35	34	31	380	1453	Debility	

CAUSES OF DEATH.		GLOUCESTERSHIRE.											HEREFORDSHIRE.				SHROPSHIRE.								WORCESTERSHIRE.								STAFFORDSHIRE.									WARWICKSHIRE.								GRAND TOTAL.	CAUSES OF DEATH
		Bristol.	Clifton.	Chipping Sodbury; Thornbury; Dursley.	Tetbury; Cirencester.	Stroud.	Northleach; Stow-on-the-Wold; Winchcombe.	Cheltenham.	Gloucester.	Wheatenhurst; Westbury-on-Severn.	Newent; Tewkesbury.	TOTAL.	Ross; Ledbury.	Hereford.	Bromyard; Leominster; Weobly.	TOTAL.	Ludlow; Church Stretton; Clun.	Atcham.	Shrewsbury.	Oswestry; Ellesmere; Wem and Whitchurch.	Market Drayton; Newport.	Wellington; Madeley.	Shiffnall; Bridgenorth; Cleobury Mortimer.	TOTAL.	Tenbury; Martley; Upton-on-Severn.	Pershore; Evesham; Shipston-on-Stour.	Worcester.	Droitwich; Bromsgrove; King's Norton.	Kidderminster.	Stourbridge.	Dudley.	TOTAL.	West Bromwich.	Walsall.	Wolverhampton.	Tamworth; Lichfield; Burton-on-Trent.	Uttoxeter; Cheadle; Leek and Longnor.	Newcastle-under-Lyne.	Stoke-on-Trent; Wolstanton and Burslem.	Stone.	Stafford.	Penkridge; Seisdon.	TOTAL.	Birmingham.	Aston.	Meriden; Solihull; Alcester.	Stratford; Southam; Rugby.	Warwick.	Coventry.	Foleshill; Nuneaton; Atherstone.	TOTAL.		
		162	163	164	165	166	167	168	169	170	171		172	173	174		175	176	177	178	179	180	181		182	183	184	185	186	187	188		189	190	191	192	193	194	195	196	197	198		199	200	201	202	203	204	205				
Sporadic Diseases.	Of the Urinary Organs. Nephritis	2	..	1	..	..	..	..	..	..	..	3	..	..	1	1	..	1	..	..	..	1	..	2	..	..	2	..	..	..	1	3	..	1	..	..	..	..	..	..	..	1	3	..	1	..	..	..	2	6	16	Nephritis
	Ischuria	..	..	3	..	..	..	..	..	..	..	3	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2	1	..	..	4	1	..	..	..	..	..	6	2	..	..	..	..	..	2	14	Ischuria
	Diabetes	1	2	..	..	..	..	..	1	..	..	4	..	..	..	..	..	..	..	..	1	1	1	3	..	..	..	..	2	..	..	2	..	..	..	1	..	..	1	..	..	..	2	4	..	..	..	..	..	4	14	Diabetes
	Cystitis	..	..	..	..	1	..	..	2	..	..	3	..	1	1	2	1	1	..	..	..	..	..	2	..	..	..	1	..	..	..	1	..	..	3	1	1	..	..	..	..	6	.	..	..	1	..	..	1	2	16	Cystitis
	Stone	..	..	..	..	1	..	..	..	..	..	1	..	..	1	1	..	..	..	..	..	..	4	4	..	..	1	..	..	1	4	6	3	..	1	1	2	..	2	..	..	9	3	3	..	1	..	..	1	7	28	Stone
	Stricture	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	1	..	..	..	..	..	1	2	Stricture
	Disease	5	2	5	2	..	2	2	..	1	1	20	..	..	..	..	4	..	..	..	..	..	5	9	3	3	2	..	..	..	2	10	..	..	1	4	5	..	3	..	1	..	14	6	1	5	11	1	4	2	30	83	Disease
	Total	8	4	9	2	2	2	2	3	1	1	34	..	2	3	5	5	2	..	..	1	2	10	20	3	3	5	1	2	2	7	23	4	1	5	11	10	1	5	1	1	..	39	19	4	6	13	1	4	5	52	173	Total.
	Of the Organs of Generation. Childbed	5	6	5	3	4	2	10	3	4	..	42	5	6	8	19	9	2	1	8	3	9	8	40	8	11	4	7	4	11	15	60	8	6	11	12	7	9	23	..	7	3	86	18	8	3	9	3	5	6	52	299	Childbed
	Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..	1	..	..	..	..	..	..	2	1	..	..	..	..	..	1	4	Paramenia
	Ovarian Dropsy	..	..	1	..	..	..	..	..	..	1	2	..	..	..	..	..	2	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	2	1	..	..	..	..	..	1	6	Ovarian Dropsy
	Disease	3	..	1	1	..	..	..	..	2	..	7	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	2	2	..	..	..	..	2	..	..	..	1	..	3	1	1	1	1	..	1	..	5	18	Disease
	Total	8	6	7	4	4	2	10	3	6	..	50	5	6	8	19	9	4	1	8	3	9	9	43	8	11	4	8	4	11	17	63	9	6	12	13	10	9	23	..	8	3	93	21	9	4	10	3	6	6	59	327	Total.
	Of the Organs of Locomotion. Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	2	Arthritis
	Rheumatism	3	2	4	..	5	1	4	1	1	..	21	2	1	4	7	3	3	1	1	2	11	2	23	4	3	1	1	3	5	5	22	6	1	2	5	5	2	7	..	2	3	33	13	3	..	7	4	1	1	29	135	Rheumatism
	Disease	6	1	3	2	1	..	2	2	..	1	18	..	2	2	4	..	..	3	5	..	2	1	11	3	2	7	3	1	1	3	20	..	..	..	8	4	2	8	..	6	4	32	11	3	4	1	2	..	3	24	109	Disease
	Total	9	3	7	2	6	1	6	3	1	1	39	2	3	6	11	3	3	4	6	2	13	3	34	7	6	8	4	4	6	8	43	6	1	2	13	10	4	15	..	8	7	66	24	6	4	8	6	1	4	53	246	Total.
	Of the Integumentary System. Carbuncle	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	1	..	..	..	..	..	1	2	..	..	1	..	..	1	1	3	7	Carbuncle
	Phlegmon	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	2	..	..	..	..	..	..	..	4	Phlegmon
	Ulcer	..	1	..	..	..	..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	..	..	1	1	3	..	..	1	1	1	..	..	..	..	..	3	4	2	1	1	1	2	1	12	20	Ulcer
	Fistula	..	1	..	..	..	1	..	..	..	..	2	..	1	..	1	1	..	..	..	2	..	..	3	..	..	..	..	1	..	..	1	..	..	3	1	1	..	1	..	..	..	6	1	1	..	..	..	2	..	4	17	Fistula
	Disease	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	1	2	..	..	..	1	2	..	1	..	..	3	1	2	..	..	..	..	1	4	11	Disease
	Total	1	2	..	..	..	1	..	..	..	..	4	..	2	..	2	2	..	1	..	2	1	1	7	1	..	1	..	2	1	2	7	..	..	5	3	4	..	2	..	1	1	16	6	5	2	1	1	5	3	23	59	Total.
	Of Uncertain Seat. Inflammation	4	2	5	26	30	13	24	10	..	7	121	23	5	20	48	5	6	2	4	12	16	5	50	16	57	1	16	55	2	2	149	..	5	3	50	33	3	25	7	..	1	127	11	9	11	25	20	14	2	92	587	Inflammation
	Hæmorrhage	5	2	6	..	1	..	5	3	..	..	22	1	3	1	5	4	1	2	6	..	1	2	16	6	4	3	6	1	1	3	24	..	1	6	4	3	1	7	2	2	3	29	11	1	1	5	1	4	1	24	120	Hæmorrhage
	Dropsy	57	32	66	21	59	33	32	30	23	24	377	36	54	40	130	30	9	27	50	27	34	32	209	45	43	18	52	13	39	55	265	33	26	37	39	45	17	53	26	14	32	322	76	37	36	38	22	17	29	255	1558	Dropsy
	Abscess	10	11	1	1	3	5	4	2	..	2	39	8	4	1	13	1	..	2	8	1	8	4	24	5	2	10	7	4	2	4	34	5	4	9	3	8	1	8	..	3	3	44	26	6	3	4	5	3	4	51	205	Abscess
	Mortification	6	4	6	2	5	6	7	7	2	11	56	..	4	5	9	8	2	1	3	8	5	9	36	9	9	6	2	1	3	3	33	2	2	7	4	1	2	5	..	..	1	24	7	5	8	10	5	5	5	45	203	Mortification
	Purpura	3	..	..	1	..	..	..	1	..	..	5	..	1	..	1	..	..	..	1	1	..	..	2	..	..	..	..	..	1	..	1	..	..	..	1	..	..	..	..	..	..	2	1	1	..	..	..	1	2	5	16	Purpura
	Scrofula	11	4	5	1	2	1	1	1	1	4	31	6	9	5	20	3	2	..	7	4	6	4	26	1	1	..	2	1	2	4	11	2	1	3	5	1	..	9	..	3	3	27	7	4	4	7	4	..	5	31	146	Scrofula
	Carcinoma	20	11	4	5	10	7	8	9	3	5	82	1	8	4	13	3	2	6	13	2	9	5	40	9	12	6	11	3	1	6	48	4	5	7	15	13	3	13	3	5	6	74	33	11	6	8	9	2	11	80	337	Carcinoma
	Tumor	..	..	..	..	3	..	1	3	..	1	8	1	1	..	2	..	..	..	1	..	..	1	2	1	2	1	1	2	..	..	7	..	2	1	3	..	..	..	..	..	..	6	12	3	..	1	2	2	1	21	46	Tumor
	Gout	1	3	..	..	..	..	..	1	..	..	5	1	1	..	2	1	..	1	2	..	..	..	4	1	..	..	1	1	1	..	4	..	..	2	..	..	..	..	..	..	..	2	1	..	..	..	..	..	1	18	Gout
	Atrophy	23	29	21	1	2	2	1	..	..	2	81	..	9	5	14	6	3	..	4	..	2	7	22	1	7	9	5	..	1	11	34	..	..	1	6	9	..	30	2	8	..	56	17	1	3	7	4	1	13	46	253	Atrophy
	Debility	44	19	18	23	29	44	7	22	27	29	262	9	8	25	42	31	13	21	33	36	43	20	197	33	72	11	43	11	34	59	263	36	23	50	26	48	22	60	3	16	25	309	135	84	8	53	35	34	31	380	1453	Debility
	Malformations	3	..	..	1	..	..	1	..	..	..	5	..	1	..	1	1	1	2	..	..	..	..	4	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	2	..	4	15	Malformations
	Sudden Deaths	9	4	16	7	15	8	8	7	4	7	85	2	9	5	16	7	1	2	16	10	15	7	58	3	9	9	8	..	9	15	53	10	8	14	3	5	1	12	3	10	4	70	5	1	1	2	4	1	3	17	299	Sudden Deaths
	Total	196	121	148	89	159	119	99	96	60	92	1179	88	117	111	316	100	40	66	148	101	139	96	690	130	218	74	154	92	97	162	927	92	77	140	158	167	50	223	46	61	78	1092	342	164	82	160	111	86	107	1052	5256	Total.
	Old Age	178	90	86	82	91	70	73	82	58	79	889	94	100	154	348	121	58	91	186	79	137	111	783	114	191	72	91	60	86	108	722	89	39	73	170	122	39	106	55	32	85	810	229	97	102	125	91	77	99	820	4372	Old Age.
Violent Deaths.	Intemperance	1	2	..	..	..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	1	2	1	2	1	2	..	..	..	..	6	1	..	..	..	..	1	1	3	13	Intemperance
	Starvation	..	1	1	..	..	..	..	..	1	..	3	..	1	1	2	..	..	1	..	1	1	..	3	..	9	..	..	..	..	1	10	..	..	1	..	..	..	..	..	1	..	2	1	..	1	..	..	..	..	2	22	Starvation
	Violent Deaths	79	20	39	16	35	15	11	41	36	15	307	22	30	27	79	23	16	17	41	30	69	42	238	33	35	22	62	21	62	138	373	78	36	88	64	40	16	59	10	22	19	432	81	34	33	26	18	16	31	239	1668	Violent Deaths
	Total	80	23	40	16	35	15	11	41	37	15	313	22	31	28	81	23	16	18	41	32	70	42	242	33	44	22	62	21	63	138	383	78	37	91	65	42	16	59	10	23	19	440	83	34	34	26	18	17	32	244	1703	Total.
	Causes not specified	24	24	41	21	20	28	105	6	20	15	304	91	32	84	207	29	82	23	53	6	16	18	227	23	11	64	203	52	54	137	544	60	43	103	40	86	7	79	28	21	43	510	28	28	45	58	21	25	14	219	2011	Causes not specified.
	Total	1842	1328	987	554	952	550	869	680	419	527	8708	544	774	696	2014	718	351	568	1144	549	1029	716	5075	711	1003	805	1038	591	885	1767	6800	1075	619	1556	1309	1121	487	1920	353	377	527	9344	3359	1099	734	909	625	684	775	8185	40,126	Total.

	TOTAL.	GRAND TOTAL.	CAUSES OF DEATH.	
3	77	388	Small Pox . . .	Epidemic, Endemic, and Contagious Diseases.
	79	143	Measles	
)	208	317	Scarlatina . . .	
	71	322	Hooping Cough .	
3	54	274	Croup	
Epide	5	58	Thrush	
and	26	134	Diarrhœa . . .	
]	6	37	Dysentery . . .	
	2	12	Cholera	
	51	128	Influenza . . .	
	..	2	Ague	
	..	20	Remittent Fever .	
3	186	953	Typhus	
	8	49	Erysipelas . . .	
	..	6	Syphilis	
	..	1	Hydrophobia . .	
57	773	2844	Total.	

Violent Deaths.	Total . .	865	740	988
	Causes not specified	12	6	31
	Total . .	28	30	32
	Violent Deaths . .	28	30	29
	Starvation from want	..	..	1
	Intemperance . .	..	..	2
	Old Age . . .	126	125	110
	Total . .	109	95	152
	Sudden Deaths . .			

CAUSES OF DEATH.	LEICESTERSHIRE.						RUTLANDSHIRE		LINCOLNSHIRE.							NOTTINGHAMSHIRE.							DERBYSHIRE.							GRAND TOTAL.	CAUSES OF DEATH.	
	Lutterworth; Hinckley; Blaby.	Market Bosworth; Ashby-de-la-Zouch.	Loughborough; Barrow-on-Soar.	Leicester.	Melton Mowbray; Market Harborough; Melton Mowbray.	TOTAL.	Oakham; Uppingham.	TOTAL.	Stamford; Bourne.	Grantham; Sleaford.	Spalding; Holbeach; Boston.	Spilsby; Horncastle; Louth.	Lincoln.	Caistor; Glandford Brigg; Gainsborough.	TOTAL.	East Retford; Worksop.	Southwell; Mansfield.	Newark; Bingham.	Basford.	Radford.	Nottingham.	TOTAL.	Shardlow.	Derby.	Belper; Ashborne.	Matlock.	Chesterfield.	Hayfield and Glossop; Chapel-en-le-Frith.	TOTAL.			
	206	207	208	209	210		211		212	213	214	215	216	217		218	219	220	221	222	223		224	225	226	227	228	229				
Epidemic, Endemic, and Contagious Diseases.																																
Small Pox	13	31	43	11	..	98	2	2	1	21	53	23	29	11	138	30	11	11	18	..	3	73	..	2	23	2	48	2	77	388	Small Pox	Epidemic, Endemic, and Contagious Diseases.
Measles	2	1	6	5	3	17	..	..	5	1	5	1	5	12	29	13	..	..	1	2	2	18	..	1	12	20	41	5	79	143	Measles	
Scarlatina	28	5	6	1	5	45	..	..	..	2	7	7	4	11	31	8	3	6	3	5	8	33	4	3	37	22	139	3	208	317	Scarlatina	
Hooping Cough	12	10	14	29	5	70	13	13	6	3	49	15	5	10	88	7	12	16	6	4	35	80	7	41	11	10	..	2	71	322	Hooping Cough	
Croup	16	5	14	8	7	50	..	..	..	18	20	20	13	25	96	5	11	10	18	10	20	74	8	2	13	11	8	12	54	274	Croup	
Thrush	4	..	..	5	2	11	2	2	1	4	15	1	..	2	23	1	2	1	3	1	9	17	..	2	2	..	1	..	5	58	Thrush	
Diarrhœa	5	2	7	1	4	19	2	2	..	7	12	2	1	15	37	5	5	11	16	4	9	50	1	2	7	5	5	6	26	134	Diarrhœa	
Dysentery	1	2	2	..	..	5	1	1	1	2	1	..	..	..	4	..	2	4	6	1	8	21	1	..	1	..	1	3	6	37	Dysentery	
Cholera	..	..	..	..	..	..	2	2	..	1	..	1	1	1	4	2	1	..	..	..	1	4	..	..	1	..	..	1	2	12	Cholera	
Influenza	4	1	1	1	5	12	..	..	3	2	1	16	2	27	51	3	3	..	3	1	4	14	1	2	37	7	4	..	51	128	Influenza	
Ague	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	1	..	..	1	..	..	..	..	..	..	..	2	Ague	
Remittent Fever	..	1	..	..	..	1	..	..	2	4	6	3	1	..	16	..	..	..	3	..	..	3	..	..	..	..	..	..	..	20	Remittent Fever	
Typhus	40	34	50	70	34	228	11	11	78	31	75	73	26	56	339	21	21	37	68	12	30	189	40	42	32	13	36	23	186	953	Typhus	
Erysipelas	1	..	6	3	..	10	..	..	2	4	6	6	3	1	22	1	2	2	2	1	1	9	..	2	1	2	3	..	8	49	Erysipelas	
Syphilis	2	..	..	..	2	4	..	..	..	..	1	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	Syphilis	
Hydrophobia	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Hydrophobia	
Total	128	92	150	134	67	571	33	33	100	100	251	168	90	172	881	96	73	98	148	41	130	586	62	99	177	92	286	57	773	2844	Total.	
Of the Nervous System.																																
Cephalitis	4	3	4	7	..	18	1	1	9	3	20	3	3	6	44	6	9	3	8	3	11	40	8	3	4	2	6	3	26	120	Cephalitis	Of the Nervous System.
Hydrocephalus	7	12	11	18	13	61	3	3	13	12	16	15	7	19	82	11	19	19	25	20	41	135	7	27	31	4	22	12	103	384	Hydrocephalus	
Apoplexy	12	6	10	22	8	58	7	7	15	8	9	14	8	24	78	10	17	8	15	5	16	71	9	13	16	13	12	7	70	284	Apoplexy	
Paralysis	12	15	9	14	21	71	8	8	9	12	5	19	10	21	76	9	9	3	10	5	23	59	6	11	21	8	7	9	62	276	Paralysis	
Convulsions	93	100	104	87	38	422	31	31	52	134	170	189	42	177	764	72	96	109	105	53	122	557	48	90	132	55	63	94	482	2256	Convulsions	
Tetanus	1	..	1	1	..	3	..	..	..	4	..	1	..	1	6	..	1	..	1	..	..	2	..	..	1	..	..	..	1	12	Tetanus	
Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	2	2	..	..	..	..	..	..	..	3	Chorea	
Epilepsy	5	3	4	5	..	17	4	4	2	..	2	6	3	3	16	2	..	4	2	..	1	9	..	2	4	..	2	1	9	55	Epilepsy	
Insanity	1	1	2	1	..	5	1	1	..	..	1	1	..	5	7	..	1	..	..	..	..	1	..	1	..	..	1	..	2	16	Insanity	
Delirium Tremens	..	..	..	..	..	..	..	..	..	..	1	..	..	2	3	..	..	..	..	..	1	1	..	1	..	..	..	1	2	6	Delirium Tremens	
Disease	1	4	4	2	2	13	1	1	1	4	3	4	..	1	13	3	2	3	4	..	12	24	1	9	6	..	1	3	20	71	Disease	
Total	136	144	149	157	82	668	56	56	101	177	227	252	73	260	1090	113	154	149	170	86	229	901	79	157	215	82	114	130	777	3492	Total.	
Of the Respiratory Organs.																																
Laryngitis	..	..	..	..	..	..	..	..	..	1	1	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	Laryngitis	Of the Respiratory Organs.
Quinsey	1	..	1	..	..	2	..	..	..	..	3	..	..	..	3	..	..	..	..	1	..	1	2	1	..	..	..	3	9	Quinsey	
Bronchitis	..	..	4	2	3	9	3	3	7	10	18	14	5	18	72	3	4	10	7	..	6	30	..	4	7	2	4	3	20	134	Bronchitis	
Pleurisy	..	..	..	2	..	2	..	..	1	1	7	3	..	7	19	2	1	..	..	1	1	5	1	1	1	1	3	4	11	37	Pleurisy	
Pneumonia	44	21	41	107	30	243	14	14	20	40	101	28	15	44	248	13	37	42	41	15	77	225	25	45	43	13	44	30	200	930	Pneumonia	
Hydrothorax	8	3	14	3	10	38	2	2	7	7	11	10	7	8	50	9	9	16	4	2	4	44	12	8	16	4	8	2	50	184	Hydrothorax	
Asthma	7	11	14	36	2	70	3	3	6	8	12	16	2	13	57	6	11	7	9	6	25	64	13	17	13	9	14	11	77	271	Asthma	
Consumption	191	147	188	288	127	941	64	64	111	121	204	196	72	170	874	96	176	117	227	82	213	911	96	173	260	76	160	140	905	3695	Consumption	
Disease	13	2	4	3	11	33	..	..	7	8	8	4	7	5	39	6	10	22	1	2	16	57	4	13	13	1	4	9	44	173	Disease	
Total	264	184	266	441	183	1338	86	86	159	196	365	271	108	265	1364	135	248	214	289	109	342	1337	153	262	353	106	237	199	1310	5435	Total.	
Of the Organs of Circulation.																																
Pericarditis	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	..	1	2	..	..	..	3	..	..	..	..	1	..	1	7	Pericarditis	Of the Organs of Circulation.
Aneurism	..	..	..	1	..	1	..	..	..	1	..	..	1	1	3	..	..	1	1	..	..	2	..	..	..	..	..	..	..	6	Aneurism	
Disease	5	4	8	11	4	32	4	4	4	9	7	4	5	11	40	7	14	19	14	6	24	84	11	8	29	2	11	..	61	221	Disease	
Total	5	4	8	12	4	33	4	4	4	10	7	4	6	15	46	7	15	22	15	6	24	89	11	8	29	2	12	..	62	234	Total.	
Of the Digestive Organs.																																
Teething	1	1	23	21	6	52	..	..	4	14	21	9	8	12	68	2	19	4	19	8	14	66	1	4	15	7	6	19	52	238	Teething	Of the Digestive Organs.
Gastritis, Enteritis	23	9	23	49	9	113	8	8	8	14	23	22	4	15	86	8	25	10	11	2	22	78	13	21	18	13	17	6	88	373	Gastritis, Enteritis	
Peritonitis	1	1	..	..	..	2	..	..	2	..	1	..	..	1	4	..	..	1	2	2	..	5	1	..	..	..	..	..	1	12	Peritonitis	
Tabes Mesenterica	..	1	..	..	3	4	..	..	..	9	6	1	2	11	29	1	3	2	..	..	..	6	..	1	1	..	1	2	5	44	Tabes Mesenterica	
Worms	..	4	1	2	2	9	..	..	..	2	3	..	2	..	8	3	1	..	3	..	1	8	..	1	2	1	2	1	7	32	Worms	
Ascites	..	..	1	..	..	1	..	..	..	..	..	1	..	1	2	2	1	2	..	..	..	5	..	..	..	..	..	..	..	8	Ascites	
Ulceration	..	..	7	..	1	8	1	1	2	1	1	..	..	2	6	..	..	..	..	..	2	2	2	..	..	..	..	1	1	4	21	Ulceration	
Hernia	3	..	2	3	1	9	1	1	1	1	3	1	..	3	9	4	..	2	3	..	1	10	..	2	6	..	..	2	10	39	Hernia	
Colic or Ileus	1	4	3	1	3	12	..	..	..	1	..	2	1	2	6	1	..	1	2	1	..	5	..	2	..	2	1	..	5	28	Colic or Ileus	
Intussusception	..	2	..	3	2	7	1	1	3	2	4	1	..	2	12	..	1	2	2	..	2	7	1	..	..	1	..	..	2	29	Intussusception	
Stricture	..	1	1	..	1	3	2	2	..	1	..	..	..	..	1	1	..	1	..	..	..	2	..	..	2	..	..	1	3	11	Stricture	
Hematemesis	..	..	1	..	..	1	1	1	..	..	2	..	1	1	4	..	1	..	..	..	..	1	1	..	..	..	..	..	1	8	Hematemesis	
Disease	7	4	6	1	15	33	2	2	5	7	5	4	..	5	26	2	..	14	..	1	5	22	7	4	15	1	2	2	31	114	Disease	
Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Pancreas	
Hepatitis	..	1	2	3	..	6	1	1	1	2	5	4	..	..	12	1	2	2	2	..	5	12	..	..	2	..	1	2	5	36	Hepatitis	
Jaundice	1	3	..	7	5	16	3	3	2	2	5	2	1	5	17	5	3	..	3	1	5	17	1	3	4	2	6	..	16	69	Jaundice	
Disease of Liver	3	6	8	4	17	38	8	8	16	13	8	15	5	11	68	6	2	17	5	3	8	41	8	4	13	3	8	2	38	193	Disease of Liver	
Disease of Spleen	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Spleen	
Total	40	37	78	94	65	314	28	28	46	70	84	64	22	72	358	36	58	58	52	18	65	287	35	42	78	30	45	38	268	1255	Total.	

Sporadic Diseases.

X

RE. borough; Melton Mowbray.	Chesterfield.	Hayfield and Glossop; Chapel-en-le-Frith.	TOTAL.	GRAND TOTAL.	CAUSES OF DEATH.		
210	28	229					
..	3	..	4	9	Nephritis	Of the Urinary Organs.	Sporadic Diseases.
3	..	..	..	3	Ischuria		
5	2	..	7	18	Diabetes		
5	..	..	..	15	Cystitis		
7	3	2	6	30	Stone		
2	1	..	1	2	Stricture		
4	..	1	7	47	Disease		
..							
..	9	3	25	124	Total.		
5							
..							
..							
34	6	12	36	148	Childbed	Of the Organs of Generation.	
..	..	1	5	9	Paramenia		
2	..	..	..	4	Ovarian Dropsy		
..	..	..	3	18	Disease		
6	6	13	44	179	Total.		
	..	..	..	..	Arthritis	Of the Organs of Locomotion.	
	..	1	11	60	Rheumatism		
	3	1	16	76	Disease		
	3	2	27	136	Total.		
	..	1	1	2	Carbuncle	Of the Integumentary System.	
	..	..	..	1	Phlegmon		
	..	1	2	12	Ulcer		
	..	..	..	7	Fistula		
	1	..	1	10	Disease		
	1	2	4	32	Total.		
	9	10	94	376	Inflammation	Of Uncertain Seat.	
	1	3	14	75	Hæmorrhage		
	34	15	181	710	Dropsy		
	7	6	37	141	Abscess		
	7	3	24	104	Mortification		
	..	..	1	8	Purpura		
	..	..	14	86	Scrofula		
	9	1	40	180	Carcinoma		
	2	..	5	36	Tumor		
	1	..	1	10	Gout		
	2	28	56	178	Atrophy		
	69	22	182	893	Debility		
	..	..	1	7	Malformations		
	9	3	24	149	Sudden Deaths		

7.—NORTH MIDLAND COUNTIES—*continued.*

CAUSES OF DEATH.		LEICESTERSHIRE.						RUTLANDSHIRE.		LINCOLNSHIRE.							NOTTINGHAMSHIRE.							DERBYSHIRE.							GRAND TOTAL.	CAUSES OF DEATH.	
		Lutterworth; Hinckley; Blaby.	Market Bosworth; Ashby-de-la-Zouch.	Loughborough; Barrow-on-Soar.	Leicester.	Billesdon; Market Harborough; Melton Mowbray.	TOTAL.	Oakham; Uppingham.	TOTAL.	Stamford; Bourne.	Grantham; Sleaford.	Spalding; Holbeach; Boston.	Spilsby; Horncastle; Louth.	Lincoln.	Caistor; Glandford Brigg; Gainsborough.	TOTAL.	East Retford; Worksop.	Southwell; Mansfield.	Newark; Bingham.	Basford.	Radford.	Nottingham.	TOTAL.	Shardlow.	Derby.	Belper; Ashborne.	Matlock.	Chesterfield.	Hayfield and Glossop; Chapel-en-le-Frith.	TOTAL.			
		206	207	208	209	210		211		212	213	214	215	216	217		218	219	220	221	222	223		224	225	226	227	228	229				
Sporadic Diseases.	Of the Urinary Organs.	Nephritis	..	..	..	1	1	2	..	..	..	1	..	2	..	..	3	..	..	..	..	..	..	..	..	..	1	..	3	..	4	9	Nephritis	Of the Urinary Organs.
		Ischuria	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	2	..	..	..	..	..	..	..	3	Ischuria	
		Diabetes	2	2	1	..	..	5	..	..	..	..	..	1	..	..	1	..	3	..	2	..	..	5	1	..	4	..	2	..	7	18	Diabetes	
		Cystitis	..	..	..	3	2	5	..	..	..	2	..	..	1	1	4	2	1	1	2	..	..	6	..	..	..	..	..	..	..	15	Cystitis	
		Stone	1	3	1	1	2	8	..	..	..	..	2	..	..	3	13	1	2	..	..	..	..	3	..	..	..	1	3	2	6	30	Stone	
		Stricture	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	1	..	1	2	Stricture	
		Disease	2	1	1	1	2	7	..	..	3	1	1	2	2	3	12	3	1	13	1	..	3	21	1	4	1	..	..	1	7	47	Disease	
		Total	5	6	4	6	7	28	..	..	3	4	3	13	3	7	33	6	8	14	5	..	5	38	2	4	6	1	9	3	25	124	Total.	
	Of the Organs of Generation.	Childbed	9	13	5	7	3	37	1	1	..	10	6	9	2	8	35	6	4	6	9	5	9	39	5	4	6	3	6	12	36	148	Childbed	Of the Organs of Generation.
		Paramenia	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..	..	..	2	3	..	..	3	1	..	1	5	9	Paramenia	
		Ovarian Dropsy	..	..	..	..	..	..	..	..	1	..	1	1	..	1	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	Ovarian Dropsy	
		Disease	..	..	1	..	..	1	..	..	..	..	1	..	..	3	4	..	4	4	1	..	1	10	1	1	1	..	..	..	3	18	Disease	
		Total	9	13	6	7	3	38	1	1	1	10	8	11	2	12	44	6	9	10	10	5	12	52	6	5	10	4	6	13	44	179	Total.	
	Of the Organs of Locomotion.	Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Arthritis	Of the Organs of Locomotion.
		Rheumatism	2	2	2	2	2	10	2	2	2	2	3	2	2	8	19	5	2	4	4	..	3	18	1	..	..	3	6	..	1	11	60	Rheumatism	
		Disease	..	2	..	3	3	8	..	..	4	6	2	5	1	7	25	3	4	5	10	3	2	27	5	2	5	..	..	3	1	16	76	Disease	
		Total	2	4	2	5	5	18	2	2	6	8	5	7	3	15	44	8	6	9	14	3	5	45	6	2	8	6	3	2	27	136	Total.	
	Of the Integumentary System.	Carbuncle	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	Carbuncle	Of the Integumentary System.
		Phlegmon	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Phlegmon	
		Ulcer	..	..	..	..	1	1	1	1	..	2	..	1	..	2	5	..	..	..	1	1	1	3	..	1	..	..	..	1	2	12	Ulcer	
		Fistula	..	..	..	2	..	2	..	..	..	1	1	1	..	1	4	..	..	..	..	..	1	1	..	..	..	..	..	..	..	7	Fistula	
		Disease	1	..	..	1	..	2	..	..	..	..	1	1	..	1	3	1	1	1	..	..	1	4	..	..	..	..	1	..	1	10	Disease	
		Total	1	..	..	3	1	5	1	1	..	3	3	3	1	4	14	1	1	1	1	1	3	8	..	1	..	..	1	2	4	32	Total.	
	Of Uncertain Seat.	Inflammation	19	13	17	8	11	68	..	..	6	4	14	22	11	6	63	7	20	6	44	15	59	151	6	15	44	10	9	10	94	376	Inflammation	Of Uncertain Seat.
		Hæmorrhage	5	2	3	10	4	24	1	1	1	3	7	1	1	5	18	3	3	2	..	1	9	18	1	5	3	1	1	3	14	75	Hæmorrhage	
		Dropsy	41	26	27	35	32	161	21	21	21	29	39	38	13	35	175	37	29	20	36	13	37	172	20	30	58	24	34	15	181	710	Dropsy	
		Abscess	4	6	3	8	7	28	3	3	2	7	11	5	3	11	39	3	6	13	2	3	7	34	5	13	1	5	7	6	37	141	Abscess	
		Mortification	4	2	3	8	5	22	4	4	2	1	7	9	3	7	29	2	2	7	1	2	11	25	1	6	6	1	7	3	24	104	Mortification	
		Purpura	..	..	..	2	1	3	..	..	1	..	..	..	1	..	2	..	..	..	1	..	1	2	..	1	..	..	..	..	1	8	Purpura	
		Scrofula	2	..	4	..	2	8	2	2	6	2	7	10	3	8	36	6	3	7	8	..	2	26	3	..	6	5	..	..	14	86	Scrofula	
		Carcinoma	6	10	7	12	7	42	6	6	9	5	11	9	3	19	56	5	7	6	5	5	8	36	10	7	9	4	9	1	40	180	Carcinoma	
		Tumor	1	3	..	2	1	7	3	3	2	1	..	1	1	1	6	..	2	1	1	3	8	15	..	..	3	..	2	..	5	36	Tumor	
		Gout	..	..	..	..	..	..	..	..	1	..	2	1	..	1	5	1	..	2	..	..	1	4	..	..	..	..	1	..	1	10	Gout	
		Atrophy	3	6	4	..	11	24	1	1	6	12	12	4	1	14	49	4	6	14	13	..	11	48	7	..	19	..	2	28	56	178	Atrophy	
		Debility	20	21	78	55	40	214	19	19	18	20	94	77	29	38	276	21	49	32	56	15	29	202	17	10	52	12	69	22	182	893	Debility	
		Malformations	1	..	..	..	..	1	1	1	..	..	..	..	..	1	1	1	1	..	..	..	1	3	..	1	..	..	..	..	1	7	Malformations	
		Sudden Deaths	3	6	6	8	2	25	4	4	8	10	23	3	3	17	64	..	5	2	13	8	4	32	3	1	2	6	9	3	24	149	Sudden Deaths	
		Total	109	95	152	148	123	627	65	65	83	94	227	180	72	163	819	90	133	112	180	65	188	768	73	89	203	68	150	91	674	2953	Total.	
		Old Age	126	125	110	125	137	623	83	83	93	118	106	211	70	181	779	90	132	73	98	23	107	523	84	78	129	90	102	60	543	2551	Old Age.	
	Violent Deaths.	Intemperance	..	..	2	1	..	3	..	..	1	1	6	4	2	..	14	..	..	..	..	..	1	1	1	..	1	..	..	1	3	21	Intemperance	Violent Deaths.
		Starvation from want	..	..	1	..	..	1	..	..	..	..	1	1	1	2	5	..	2	..	..	..	1	3	..	..	1	..	..	1	2	11	Starvation from want	
		Violent Deaths	28	30	29	33	21	141	10	10	21	38	60	56	22	51	248	22	30	24	47	14	36	173	21	20	58	13	48	22	182	754	Violent Deaths	
		Total	28	30	32	34	21	145	10	10	22	39	67	61	25	53	267	22	32	24	47	14	38	177	22	20	60	13	48	24	187	786	Total.	
		Causes not specified	12	6	31	4	28	81	1	1	38	26	88	30	145	63	390	71	33	11	16	44	61	236	7	2	40	18	23	8	98	806	Causes not specified	
		Total	865	740	988	1170	726	4489	370	370	656	855	1441	1275	620	1282	6129	681	902	795	1045	415	1209	5047	540	769	1308	512	1036	627	4792	20,827	Total.	

GRAND TOTAL.	CAUSES OF DEATH.	
1907	Small Pox . . .	Epidemic, Endemic, and Contagious Diseases.
1076	Measles . . .	
548	Scarlatina . . .	
997	Hooping Cough .	
1103	Croup	
58	Thrush	
454	Diarrhœa . . .	
109	Dysentery . . .	
63	Cholera	
65	Influenza . . .	
3	Ague	
35	Remittent Fever .	
2910	Typhus	
135	Erysipelas . . .	
17	Syphilis . . .	
2	Hydrophobia . .	
9482	Total	

Sporadic Diseases.

292	Total . .	Violent Deaths.
140	Old Age	
..	Intemperance . .	
..	Starvation . . .	
89	Violent Deaths . .	
89	Total . . .	
4	Causes not specified	
2410	Total . .	

CAUSES OF DEATH.		CHESHIRE. Stockport.	Macclesfield.	Congleton; Northwich.	Nantwich.	Altrincham; Runcorn.	Great Boughton; Wirrall.	TOTAL.	LANCASHIRE. Liverpool.	West Derby.	Ormskirk.	Fylde; Garstang; Clitheroe.	Lancaster.	Ulverstone.	Burnley.	Todmorden; Haslingden.	Blackburn.	Preston.	Chorley.	Rochdale.	Bury.	Bolton.	Wigan.	Leigh; Prescott.	Warrington.	Choriton.	Manchester.	Salford.	Ashton and Oldham.	TOTAL.	GRAND TOTAL.	CAUSES OF DEATH.	
		230	231	232	233	234	235		236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256					
Epidemic, Endemic, and Contagious Diseases	Small Pox	82	7	54	9	75	52	279	110	30	62	15	28	10	32	14	48	76	4	1	26	102	109	80	13	76	538	62	192	1628	1907	Small Pox	Epidemic, Endemic, and Contagious Diseases.
	Measles	141	10	18	3	3	3	178	189	49	..	9	22	29	3	12	3	10	..	96	153	17	8	2	4	21	140	33	98	898	1076	Measles	
	Scarlatina	24	32	34	18	11	11	130	75	13	3	5	1	5	24	8	5	4	2	2	35	23	4	10	26	33	69	17	54	418	548	Scarlatina	
	Hooping Cough	18	12	9	11	3	34	87	260	34	8	22	7	1	12	7	13	62	8	5	20	43	3	15	15	55	195	47	78	910	997	Hooping Cough	
	Croup	43	16	16	19	42	32	168	103	43	26	25	20	14	17	25	72	57	16	20	49	58	35	54	14	31	105	57	94	935	1103	Croup	
	Thrush	2	4	2	..	..	2	10	11	1	..	1	..	..	..	..	2	..	..	2	..	2	1	..	..	4	9	3	12	48	58	Thrush	
	Diarrhœa	28	9	14	..	8	18	77	41	6	2	3	6	5	20	9	4	21	2	3	14	23	18	5	1	45	90	23	36	377	454	Diarrhœa	
	Dysentery	2	2	..	1	5	1	11	25	5	1	..	2	..	1	5	3	..	..	1	4	7	2	8	..	..	4	10	20	98	109	Dysentery	
	Cholera	..	2	..	..	1	1	4	7	1	..	6	..	..	1	3	3	..	5	2	2	8	..	4	..	3	2	6	6	59	63	Cholera	
	Influenza	..	6	1	..	2	2	11	4	2	..	2	3	..	1	3	7	3	5	..	1	3	1	1	..	4	1	7	6	54	65	Influenza	
	Ague	1	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	3	Ague	
	Remittent Fever	1	3	..	..	..	1	5	1	3	..	..	..	1	..	..	..	..	1	..	..	3	3	..	..	6	3	1	8	30	35	Remittent Fever	
	Typhus	138	109	59	22	52	82	462	504	69	33	55	25	29	96	66	127	46	27	66	74	129	75	82	36	77	533	94	205	2448	2910	Typhus	
	Erysipelas	11	2	2	1	4	4	24	29	8	1	6	1	..	7	1	1	6	..	3	..	8	3	3	..	3	17	4	10	111	135	Erysipelas	
	Syphilis	2	..	..	..	..	..	2	7	..	..	..	1	..	..	1	..	1	..	..	..	1	2	..	..	..	1	1	..	15	17	Syphilis	
	Hydrophobia	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	2	2	Hydrophobia	
	Total	493	214	209	84	206	243	1449	1368	264	136	149	116	94	214	154	288	286	70	201	378	427	265	264	109	358	1707	366	819	8633	9482	Total	
Of the Nervous System.	Cephalitis	10	6	6	2	5	7	36	34	12	5	4	..	2	5	31	7	3	7	8	5	8	11	13	5	10	47	7	24	248	284	Cephalitis	Of the Nervous System.
	Hydrocephalus	84	44	33	8	25	32	226	197	67	16	26	25	5	13	24	34	30	8	54	65	58	14	33	21	61	159	74	141	1125	1351	Hydrocephalus	
	Apoplexy	16	16	7	4	12	20	75	48	24	7	23	29	8	12	21	7	19	6	18	17	22	9	10	8	17	49	22	45	421	496	Apoplexy	
	Paralysis	23	16	14	11	27	27	118	69	15	8	15	16	13	5	22	19	20	5	13	18	30	17	15	12	12	69	20	53	466	584	Paralysis	
	Convulsions	287	124	153	84	113	176	937	843	234	65	62	50	22	172	149	182	153	48	184	259	292	207	159	127	202	672	282	619	4983	5920	Convulsions	
	Tetanus	..	..	..	..	1	..	1	4	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	1	..	2	1	..	10	11	Tetanus	
	Chorea	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	4	4	Chorea	
	Epilepsy	2	4	2	3	4	4	19	13	3	4	..	3	1	1	3	4	5	4	1	2	3	2	3	2	1	10	3	2	70	89	Epilepsy	
	Insanity	1	..	2	..	2	2	7	7	..	..	1	2	..	..	..	..	..	..	..	1	..	1	1	..	1	7	1	1	23	30	Insanity	
	Delirium Tremens	4	..	1	..	..	1	6	..	..	..	..	1	..	..	..	..	..	..	..	..	2	2	..	..	..	6	..	..	11	17	Delirium Tremens	
	Disease	2	..	4	1	4	6	17	15	2	1	..	5	3	..	1	2	2	2	2	2	28	3	3	2	5	8	4	6	96	113	Disease	
	Total	429	210	222	113	193	275	1442	1230	357	106	131	132	54	209	251	256	233	80	280	369	443	266	238	178	309	1030	414	891	7457	8899	Total	
Of the Respiratory Organs.	Laryngitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	2	2	Laryngitis	Of the Respiratory Organs.
	Quinsey	4	1	2	..	1	7	15	33	7	2	6	1	..	2	2	7	11	6	1	7	7	1	3	2	4	18	2	20	142	157	Quinsey	
	Bronchitis	9	4	3	2	4	6	28	23	4	5	3	..	3	..	5	1	25	2	1	2	4	8	4	1	4	50	7	18	170	198	Bronchitis	
	Pleurisy	1	5	1	..	1	2	10	12	4	4	2	6	1	6	12	10	12	5	8	7	4	4	1	3	3	10	8	15	137	147	Pleurisy	
	Pneumonia	99	79	54	14	50	70	366	617	176	14	28	35	19	35	59	53	122	18	34	74	109	55	66	27	177	569	137	236	2660	3026	Pneumonia	
	Hydrothorax	14	8	7	..	13	15	57	20	11	1	8	6	4	1	6	3	4	8	..	6	5	..	3	5	9	27	9	15	151	208	Hydrothorax	
	Asthma	77	38	20	6	11	17	169	225	24	11	12	15	8	30	33	59	44	12	36	38	75	43	30	16	40	189	96	81	1117	1286	Asthma	
	Consumption	466	305	268	125	263	315	1742	1274	368	124	169	135	55	206	218	378	325	149	338	409	385	319	318	198	352	1111	468	825	8124	9866	Consumption	
	Disease	50	6	4	2	1	3	66	15	1	3	1	1	1	2	1	..	1	2	..	4	78	5	6	1	4	25	20	26	197	263	Disease	
	Total	720	446	359	149	344	435	2453	2219	595	164	229	199	91	282	337	511	544	202	418	547	667	435	431	253	593	1999	747	1237	12,700	15,153	Total	
Of the Organs of Circulation.	Pericarditis	..	..	..	..	..	..	..	4	..	1	..	..	1	..	..	..	1	..	..	..	4	..	..	1	..	5	..	..	17	17	Pericarditis	Of the Organs of Circulation.
	Aneurism	..	..	..	2	1	..	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1	1	7	10	Aneurism	
	Disease	6	7	4	3	6	11	37	52	16	4	4	3	6	7	5	2	4	8	5	13	9	12	7	7	30	44	16	16	270	307	Disease	
	Total	6	7	4	5	7	11	40	58	16	5	4	3	7	7	5	2	5	8	5	13	13	12	7	8	30	52	17	17	294	334	Total	
Of the Digestive Organs.	Teething	70	23	8	..	13	9	123	237	13	2	9	..	1	52	29	68	51	5	21	55	102	43	19	14	94	298	102	253	1468	1591	Teething	Of the Digestive Organs.
	Gastritis, Enteritis	49	12	14	5	20	4	104	159	38	7	25	17	5	27	33	32	38	12	38	19	43	24	37	10	25	91	37	85	802	906	Gastritis, Enteritis	
	Peritonitis	1	1	..	..	..	1	3	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	5	8	Peritonitis	
	Tabes Mesenterica	..	3	4	4	..	1	12	..	1	..	5	..	..	..	1	..	..	..	..	..	..	..	..	2	..	3	7	..	..	19	31	Tabes Mesenterica	
	Worms	6	1	3	5	1	2	18	9	1	2	11	2	5	13	6	14	13	12	..	12	29	12	12	2	3	24	3	14	199	217	Worms	
	Ascites	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	3	Ascites	
	Ulceration	..	2	..	..	2	..	4	..	1	..	..	..	..	..	2	..	1	..	..	1	2	..	1	2	..	15	..	6	31	35	Ulceration	
	Hernia	1	1	..	..	..	2	4	3	3	2	2	..	2	3	4	3	3	2	11	4	4	1	1	1	7	10	1	10	77	81	Hernia	
	Colic or Ileus	1	1	3	..	..	2	7	3	..	1	3	..	1	2	..	4	3	2	..	..	5	3	5	..	5	3	3	4	47	54	Colic or Ileus	
	Intussusception	2	..	..	..	..	1	3	2	2	..	1	..	1	1	..	..	..	..	1	1	4	..	1	..	1	1	3	1	20	23	Intussusception	
	Stricture	1	..	..	..	..	..	1	..	..	..	1	..	..	1	1	..	1	..	..	..	..	1	..	2	..	..	2	..	1	10	11	Stricture	
	Hematemesis	1	..	..	..	..	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	..	5	6	Hematemesis	
	Disease	2	3	3	3	2	3	16	9	3	..	2	..	3	2	6	3	7	3	1	5	25	4	5	2	5	34	6	11	136	152	Disease	
	Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Pancreas	
	Hepatitis	3	2	2	2	7	..	16	12	5	1	3	1	..	1	7	1	2	..	2	2	1	3	6	..	2	4	1	3	57	73	Hepatitis	
	Jaundice	4	1	3	1	..	5	14	12	5	2	5	..	3	7	2	4	4	3	3	2	5	1	..	..	5	6	6	6	81	95	Jaundice	
	Disease of Liver	30	8	31	4	9	13	95	47	8	2	9	7	2	4	13	4	11	4	4	16	16	7	12	1	6	39	27	31	270	365	Disease of Liver	
	Disease of Spleen	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	Disease of Spleen	
	Total	171	58	71	24	54	43	421	495	80	20	78	27	24	112	104	133	134	43	81	117	237	98	103	33	156	538	189	429	3231	3652	Total	

Sporadic Diseases. Sporadic Diseases.

	Lancaster.		GRAND TOTAL.	CAUSES OF DEATH.		
)	240					
1		36	40	Nephritis . . .	Of the Urinary Organs.	Sporadic Diseases.
		5	10	Ischuria. . . .		
	..	38	47	Diabetes . . .		
1	..	20	22	Cystitis		
4	..	48	49	Stone		
	2	3	3	Stricture . . .		
	..	22	32	Disease		
	1					
7	4	72	203	Total.		
5	4	73	557	Childbed . . .	Of the Organs of Generation.	
		19	23	Paramenia . . .		
	..	.	1	Ovarian Dropsy .		
	..	12	21	Disease		
	..					
7	4	04	602	Total.		
		2	2	Arthritis . . .	Of the Organs of Locomotion.	
3	..	60	186	Rheumatism . .		
	2	29	146	Disease		
3	6	91	334	Total.		
		1	2	Carbuncle . . .	Of the Integumentary System.	
	..	.	..	Phlegmon . . .		
	..	20	24	Ulcer		
	..	10	12	Fistula		
	..	9	12	Disease		
	..	40	50	Total.		
		49	653	Inflammation . .	Of Uncertain Seat.	
		07	129	Hæmorrhage . .		
	1	78	1454	Dropsy		
		29	170	Abscess		
	..	14	133	Mortification . .		
		2	2	Purpura. . . .		
	..	86	119	Scrofula. . . .		
		54	195	Carcinoma . . .		
		19	20	Tumor		
		7	9	Gout		
	..	48	164	Atrophy. . . .		
	6	52	2186	Debility. . . .		
		4	7	Malformations . .		
	..	70	342	Sudden Deaths. .		

RIDING.			CAUSES OF DEATH.	
Northallerton; Thirsk; Leyburn; Richmond; Askrigg.	TOTAL.	GRAND TOTAL.		
280				
10	28	1113	Small Pox	Epidemic, Endemic, and Contagious Diseases.
..	69	1035	Measles	
11	23	254	Scarlatina	
33	114	770	Hooping Cough	
14	43	528	Croup	
..	1	74	Thrush	
7	13	210	Diarrhœa	
3	6	58	Dysentery	
..	2	59	Cholera	
10	29	78	Influenza	
1	1	4	Ague	
2	3	17	Remittent Fever	
43	100	1361	Typhus	
31	45	119	Erysipelas	
..	..	10	Syphilis	
..	..	..	Hydrophobia	
165	477	5690	Total.	

Sudden Deaths	25	41	10
Total	259	241	61
Old Age	220	134	42
Violent Deaths. Intemperance	1	2	..
Violent Deaths. Starvation	..	..	..
Violent Deaths. Violent Deaths	100	82	23
Total	101	84	23
Causes not specified	29	72	13
Total	2175	2429	447

CAUSES OF DEATH.		WEST RIDING.															EAST RIDING.							NORTH RIDING.						CAUSES OF DEATH.	
		Saddleworth; Eccleshill; Ecclesall Bierlow.	Sheffield.	Rotherham.	Wakefield.	Huddersfield.	Dewsbury.	Halifax.	Bradford.	Leeds.	Otley; Keighley.	Skipton; Sedbergh; Settle.	Pateley Bridge; Ripon; Knaresborough.	Selby; Goole; Pontefract.	Doncaster; Thorne.	TOTAL.	Howden; Skidlaugh.	Hull.	Scalcoates.	Patrington; Beverley; Driffield; Bridlington.	Pocklington; Tadcaster.	York.	TOTAL.	Easingwold; Malton; Helmsley; Pickering.	Scarborough.	Whitby; Guisborough; Stokesley.	Northallerton; Thirsk; Leyburn; Richmond; Askrigg.	TOTAL.	GRAND TOTAL.		
		257	258	259	260	261	262	263	264	265	266	267	268	269	270		271	272	273	274	275	276		277	278	279	280				
Epidemic, Endemic, and Contagious Diseases.	Small Pox	25	97	22	17	76	21	43	126	429	24	46	49	15	3	993	13	35	7	16	3	18	92	10	3	5	10	28	1113	Small Pox	Epidemic, Endemic, and Contagious Diseases.
	Measles	65	219	13	1	31	6	38	218	167	19	7	1	6	8	799	9	76	31	44	6	1	167	5	62	2	..	69	1035	Measles	
	Scarlatina	40	33	..	3	6	4	5	25	28	16	6	9	4	22	201	2	2	1	3	18	4	30	5	3	4	11	23	254	Scarlatina	
	Hooping Cough	21	34	..	9	67	31	39	58	110	34	42	23	29	10	507	10	70	22	25	9	13	149	39	27	15	33	114	770	Hooping Cough	
	Croup	27	42	19	6	45	27	35	44	71	32	10	17	15	13	403	3	9	21	22	9	18	82	12	12	5	14	43	528	Croup	
	Thrush	5	7	..	1	4	7	3	6	19	2	..	..	1	2	57	3	4	3	4	2	..	16	..	..	1	..	1	74	Thrush	
	Diarrhœa	12	29	..	13	9	9	15	26	28	8	2	4	15	5	175	5	6	3	4	1	3	22	1	1	4	7	13	210	Diarrhœa	
	Dysentery	3	2	3	2	3	..	3	7	1	5	1	6	..	1	37	4	2	8	..	..	1	15	1	..	2	3	6	58	Dysentery	
	Cholera	7	..	..	2	8	3	2	16	6	3	3	1	..	1	52	..	..	3	1	..	1	5	..	..	2	..	2	59	Cholera	
	Influenza	5	1	..	2	4	1	1	3	3	6	5	7	3	2	43	..	..	..	6	..	..	6	15	..	4	10	29	78	Influenza	
	Ague	..	..	..	..	..	..	..	1	..	2	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	1	1	4	Ague	
	Remittent Fever	1	..	..	2	..	..	4	1	2	..	..	..	..	2	12	..	..	1	..	1	..	2	..	..	1	2	3	17	Remittent Fever	
	Typhus	106	88	31	51	56	50	90	182	245	36	40	51	40	31	1097	13	38	28	34	40	11	164	30	10	17	43	100	1361	Typhus	
	Erysipelas	3	2	..	6	1	5	3	8	8	2	3	1	3	2	47	4	5	13	2	2	1	27	4	3	7	31	45	119	Erysipelas	
	Syphilis	1	..	..	..	3	..	..	1	1	2	..	..	1	..	9	..	..	1	..	..	..	1	..	..	..	..	..	10	Syphilis	
	Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Hydrophobia	
	Total	321	554	88	115	313	164	281	722	1118	191	165	169	132	102	4435	66	247	142	161	91	71	778	122	121	69	165	477	5690	Total	
Of the Nervous System.	Cephalitis	32	45	6	9	35	23	18	26	42	6	2	3	7	6	260	3	5	5	7	2	6	28	11	8	6	10	35	323	Cephalitis	Of the Nervous System.
	Hydrocephalus	77	62	16	16	89	41	87	97	162	40	10	16	26	21	760	2	32	23	24	9	24	114	15	10	15	23	63	937	Hydrocephalus	
	Apoplexy	35	19	4	15	27	13	33	33	38	19	20	22	17	15	310	17	29	14	27	9	20	116	15	10	11	14	50	476	Apoplexy	
	Paralysis	19	23	7	5	22	12	13	17	32	9	12	13	5	22	211	8	8	14	10	6	15	61	11	17	19	23	70	342	Paralysis	
	Convulsions	189	236	36	114	159	138	338	430	395	142	90	103	119	143	2632	63	114	77	155	103	119	631	93	52	93	65	303	3566	Convulsions	
	Tetanus	..	1	..	1	..	..	..	..	2	..	1	..	1	..	6	..	1	..	1	..	..	2	..	..	..	..	..	8	Tetanus	
	Chorea	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	1	..	..	..	..	..	1	..	..	..	..	..	2	Chorea	
	Epilepsy	3	4	..	11	3	..	11	10	4	8	6	9	4	4	77	1	3	9	3	1	8	25	4	2	1	1	8	110	Epilepsy	
	Insanity	..	1	2	5	1	..	4	1	1	1	..	..	1	1	18	..	1	1	..	1	..	3	..	1	1	..	2	23	Insanity	
	Delirium Tremens	..	1	1	..	1	..	1	..	3	..	..	2	1	..	10	..	1	1	3	..	1	6	..	1	..	..	1	17	Delirium Tremens	
	Disease	4	22	1	4	6	5	1	2	34	1	2	4	2	1	89	..	1	9	7	1	4	22	3	7	8	3	21	132	Disease	
	Total	359	414	73	180	343	232	506	617	713	226	143	172	183	213	4374	95	195	153	237	132	197	1009	152	108	154	139	553	5936	Total	
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	2	2	1	1	..	..	2	5	Laryngitis	Of the Respiratory Organs.
	Quinsey	3	2	..	..	3	..	6	8	4	3	3	3	1	2	38	1	1	1	1	..	..	4	..	..	..	1	1	43	Quinsey	
	Bronchitis	8	10	4	6	8	1	7	19	28	3	5	2	6	5	112	2	2	5	6	2	6	23	1	3	4	14	22	157	Bronchitis	
	Pleurisy	2	1	..	5	4	2	3	3	5	2	1	1	..	1	30	..	1	2	1	2	1	7	2	..	1	1	4	41	Pleurisy	
	Pneumonia	124	168	22	55	95	64	74	160	291	37	17	16	46	33	1202	21	53	46	28	10	36	194	24	18	17	43	102	1498	Pneumonia	
	Hydrothorax	12	4	4	7	11	6	23	9	12	5	1	5	10	11	120	3	7	6	12	7	7	42	10	2	7	14	33	195	Hydrothorax	
	Asthma	32	40	9	17	26	32	59	70	88	25	10	17	12	9	446	9	26	15	7	4	19	80	8	2	12	16	38	564	Asthma	
	Consumption	469	439	72	173	365	159	372	478	784	269	196	194	154	129	4253	49	121	106	165	113	171	725	141	61	137	211	550	5528	Consumption	
	Disease	16	25	2	9	7	6	8	8	7	1	3	1	1	7	101	2	3	1	4	2	6	18	7	6	10	12	35	154	Disease	
	Total	667	689	113	272	519	270	552	755	1219	345	236	239	230	197	6303	87	214	182	224	140	248	1095	194	93	188	312	787	8185	Total	
Of the Organs of Circulation.	Pericarditis	1	1	..	..	2	..	..	3	..	..	..	..	..	..	7	..	1	..	1	..	..	2	..	..	..	2	2	11	Pericarditis	Of the Organs of Circulation.
	Aneurism	..	..	..	1	1	..	1	..	1	..	..	..	1	..	5	..	..	1	..	..	..	1	1	..	..	..	1	7	Aneurism	
	Disease	13	12	8	7	10	5	18	28	27	10	3	12	8	9	170	17	22	16	19	5	19	98	10	5	8	14	37	305	Disease	
	Total	14	13	8	8	13	5	19	31	28	10	3	12	9	9	182	17	23	17	20	5	19	101	11	5	8	16	40	323	Total	
Of the Digestive Organs.	Teething	51	79	2	16	29	28	58	68	99	23	8	12	21	7	501	4	13	19	6	1	10	53	..	4	4	2	10	564	Teething	Of the Digestive Organs.
	Gastritis, Enteritis	39	38	9	12	35	23	44	53	51	18	10	11	16	18	377	12	6	13	17	1	14	63	9	3	6	22	40	480	Gastritis, Enteritis	
	Peritonitis	..	..	2	..	1	1	1	1	..	..	..	..	..	..	6	1	..	..	..	1	3	5	..	..	..	..	..	11	Peritonitis	
	Tabes Mesenterica	1	..	..	..	4	1	2	3	1	..	..	1	5	4	22	5	..	1	4	..	1	11	1	2	3	..	6	39	Tabes Mesenterica	
	Worms	6	2	2	9	7	5	6	22	13	8	5	1	8	3	97	..	..	1	4	2	1	8	2	1	..	8	11	116	Worms	
	Ascites	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	1	..	..	1	..	1	3	Ascites	
	Ulceration	3	2	1	..	1	..	..	1	..	..	..	..	2	..	10	1	1	..	..	..	4	6	2	1	..	2	5	21	Ulceration	
	Hernia	2	..	1	..	7	..	2	2	2	2	2	1	..	2	23	..	1	1	2	4	..	8	1	2	..	3	6	37	Hernia	
	Colic or Ileus	3	..	..	..	2	..	1	2	5	..	1	..	..	1	15	..	1	2	..	1	3	7	1	..	1	3	5	27	Colic or Ileus	
	Intussusception	..	..	..	1	..	1	1	..	..	..	..	5	2	3	13	1	4	1	..	2	..	8	1	..	..	..	1	22	Intussusception	
	Stricture	..	..	..	..	1	..	1	1	..	..	..	..	..	..	3	1	..	..	1	..	..	2	1	..	..	1	2	7	Stricture	
	Hematemesis	..	..	..	..	..	..	..	1	..	1	..	..	1	1	4	..	1	1	1	..	..	3	..	..	..	1	1	8	Hematemesis	
	Disease	8	16	1	2	5	7	12	10	12	..	3	6	9	9	100	6	3	2	3	..	3	17	14	4	9	10	37	154	Disease	
	Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Pancreas	
	Hepatitis	6	4	1	..	3	2	3	7	2	2	2	1	2	3	38	2	1	1	5	4	..	13	8	3	1	1	13	64	Hepatitis	
	Jaundice	6	6	..	3	3	3	6	8	6	2	5	6	2	3	59	1	4	5	2	3	1	16	4	..	4	5	13	88	Jaundice	
	Disease of Liver	27	23	3	10	18	13	26	22	22	7	14	16	13	10	224	2	3	5	2	3	15	30	12	3	8	13	36	290	Disease of Liver	
	Disease of Spleen	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	Disease of Spleen	
	Total	152	170	23	53	117	84	163	201	213	63	50	60	81	64	1494	36	38	53	47	22	55	251	56	23	37	71	187	1932	Total	

GRAND TOTAL.	CAUSES OF DEATH.		
22	Nephritis	Of the Urinary Organs.	Sporadic Diseases.
7	Ischuria		
24	Diabetes		
19	Cystitis		
54	Stone		
1	Stricture		
52	Disease		
179	Total.		
326	Childbed	Of the Organs of Generation.	
17	Paramenia		
3	Ovarian Dropsy		
24	Disease		
370	Total.		
4	Arthritis	Of the Organs of Locomotion.	
92	Rheumatism		
120	Disease		
216	Total.		
1	Carbuncle	Of the Integumentary System.	
..	Phlegmon		
17	Ulcer		
9	Fistula		
10	Disease		
37	Total.		
510	Inflammation	Of Uncertain Seat.	
100	Hæmorrhage		
1026	Dropsy		
134	Abscess		
91	Mortification		
1	Purpura		
56	Scrofula		
221	Carcinoma		
34	Tumor		
5	Gout		
184	Atrophy		
1338	Debility		
6	Malformations		
294	Sudden Deaths		

CAUSES OF DEATH.		WEST RIDING.															EAST RIDING.							NORTH RIDING.						CAUSES OF DEATH.		
		Saddleworth; Eccleshill; Eccleshill Bierlow.	Sheffield.	Rotherham.	Wakefield.	Huddersfield.	Dewsbury.	Halifax.	Bradford.	Leeds.	Otley; Keighley.	Skipton; Sedbergh; Settle.	Pateley Bridge; Ripon; Knaresborough.	Selby; Goole; Pontefract.	Doncaster; Thorne.	TOTAL.	Howden; Stirlaugh.	Hull.	Scalcoates.	Patrington; Beverley; Driffield; Bridlington.	Pocklington; Tadcaster.	York.	TOTAL.	Easingwold; Malton; Helmsley; Pickering.	Scarborough.	Whitby; Guisborough; Stokesley.	Northallerton; Thirsk; Leyburn; Richmond; Askrigg.	TOTAL.	GRAND TOTAL.			
		257	258	259	260	261	262	263	264	265	266	267	268	269	270		271	272	273	274	275	276		277	278	279	280					
Sporadic Diseases.	Of the Urinary Organs.	Nephritis	..	2	..	2	..	..	2	..	1	2	1	..	1	2	13	1	1	1	1	..	1	5	..	1	1	2	4	22	Nephritis	Of the Urinary Organs.	Sporadic Diseases.
		Ischuria	1	1	..	1	1	..	..	..	..	1	1	..	..	6	..	..	..	..	..	1	1	..	..	..	..	..	7	Ischuria			
		Diabetes	1	1	..	..	1	1	1	4	1	1	2	2	2	..	17	..	..	..	..	1	1	2	1	..	1	3	5	24	Diabetes			
		Cystitis	3	3	..	1	1	..	2	..	1	1	..	..	..	4	16	..	..	..	..	..	1	1	..	..	..	2	2	19	Cystitis			
		Stone	4	2	..	1	3	3	3	7	5	2	2	3	2	2	39	..	..	3	3	1	1	8	..	2	1	4	7	54	Stone			
		Stricture	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	1	Stricture			
		Disease	2	3	1	..	3	..	6	1	3	1	2	..	2	5	29	1	1	3	3	1	1	10	3	2	4	4	13	52	Disease			
		Total	11	12	1	5	9	4	14	12	11	7	8	6	7	13	120	2	5	7	5	4	5	28	4	5	7	15	31	179	Total.			
	Of the Organs of Generation.	Childbed	21	29	1	11	17	17	33	33	39	9	10	10	12	11	253	1	9	12	7	4	6	39	6	3	12	13	34	326	Childbed	Of the Organs of Generation.		
		Paramenia	..	..	..	1	2	..	..	6	..	..	2	1	1	..	13	..	..	..	1	..	..	1	3	..	..	..	3	17	Paramenia			
		Ovarian Dropsy	..	..	..	..	..	..	..	1	..	1	..	..	..	..	2	..	..	..	..	..	..	..	1	..	..	..	1	3	Ovarian Dropsy			
		Disease	..	2	..	1	2	..	3	3	4	1	..	..	2	1	19	1	..	1	..	..	..	2	1	..	..	2	3	24	Disease			
		Total	21	31	1	13	21	17	36	43	43	11	12	11	15	12	287	2	9	13	8	4	6	42	11	3	12	15	41	370	Total.			
	Of the Organs of Locomotion.	Arthritis	..	..	..	..	..	..	1	2	..	..	..	..	..	..	3	1	..	..	..	..	..	1	..	..	..	..	..	4	Arthritis	Of the Organs of Locomotion.		
		Rheumatism	7	4	..	..	5	3	7	8	7	5	1	4	4	3	58	..	8	3	4	..	4	19	4	2	6	3	15	92	Rheumatism			
		Disease	9	9	1	3	9	5	10	14	9	7	4	6	6	1	93	2	2	1	..	..	4	9	4	1	5	8	18	120	Disease			
		Total	16	13	1	3	14	8	18	24	16	12	5	10	10	4	154	3	10	4	4	..	8	29	8	3	11	11	33	216	Total.			
	Of the Integumentary System.	Carbuncle	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Carbuncle	Of the Integumentary System.		
		Phlegmon	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Phlegmon			
		Ulcer	2	1	..	1	2	2	..	2	..	..	1	1	1	..	13	..	..	..	1	..	..	1	1	..	..	2	3	17	Ulcer			
		Fistula	2	1	..	1	..	..	1	1	1	..	..	..	1	..	8	..	..	..	..	..	1	1	..	..	..	..	..	9	Fistula			
		Disease	1	..	..	..	1	..	2	..	1	1	2	..	..	..	8	..	..	..	..	..	..	..	..	1	1	..	2	10	Disease			
		Total	5	2	..	2	3	2	3	3	3	1	3	1	2	..	30	..	..	..	1	..	1	2	1	1	1	2	5	37	Total.			
	Of Uncertain Seat.	Inflammation	23	33	11	4	58	22	8	53	73	14	26	17	4	11	357	..	38	13	18	11	24	104	15	3	6	25	49	510	Inflammation	Of Uncertain Seat.		
		Hæmorrhage	8	1	..	6	8	2	11	8	4	3	3	3	5	5	67	2	6	2	3	2	5	20	3	1	4	5	13	100	Hæmorrhage			
		Dropsy	66	53	9	42	70	34	100	97	117	57	47	42	35	27	796	13	25	30	22	16	27	133	31	8	24	34	97	1026	Dropsy			
		Abscess	9	9	..	6	6	3	9	8	12	..	7	6	9	6	90	..	6	4	12	2	8	32	3	2	1	6	12	134	Abscess			
		Mortification	2	1	1	4	5	1	5	3	11	..	2	3	5	3	46	1	9	6	3	..	3	22	8	3	2	10	23	91	Mortification			
		Purpura	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	1	Purpura			
		Scrofula	3	2	1	1	9	1	3	5	3	2	1	4	1	..	36	2	1	3	1	2	..	9	4	1	3	3	11	56	Scrofula			
		Carcinoma	14	14	4	11	5	7	18	6	18	6	10	6	9	10	138	3	6	11	13	9	5	47	7	4	5	20	36	221	Carcinoma			
		Tumor	4	2	1	1	2	1	..	7	4	1	..	2	..	2	27	..	..	..	1	..	2	3	2	..	1	1	4	34	Tumor			
		Gout	..	..	..	1	2	1	..	..	..	..	..	..	..	..	4	..	..	..	..	..	..	..	..	1	..	..	1	5	Gout			
		Atrophy	..	48	3	2	6	3	1	..	1	..	..	11	8	12	95	15	17	11	10	6	1	60	12	2	1	14	29	184	Atrophy			
		Debility	107	35	15	66	104	51	79	134	145	71	66	34	82	24	1013	14	42	30	30	28	30	174	53	11	41	46	151	1338	Debility			
		Malformations	..	2	..	..	..	..	..	..	1	..	..	..	..	..	3	..	..	..	..	..	..	..	..	1	1	1	3	6	Malformations			
		Sudden Deaths	23	41	16	10	7	6	4	11	31	6	5	9	12	19	200	5	11	7	12	5	9	49	20	7	7	11	45	294	Sudden Deaths			
		Total	259	241	61	154	282	132	238	332	420	160	167	137	170	119	2872	55	161	117	126	81	114	654	158	44	96	176	474	4000	Total.			
		Old Age	220	134	42	124	113	110	114	190	285	92	139	191	155	113	2022	48	109	87	185	76	123	628	160	51	109	220	540	3190	Old Age.			
Violent Deaths.		Intemperance	1	2	..	..	3	1	1	1	1	..	..	1	1	..	12	..	2	..	2	1	1	6	..	..	..	..	..	18	Intemperance	Violent Deaths.		
		Starvation	..	..	..	..	1	..	..	1	..	..	..	1	1	..	5	..	..	..	..	1	1	2	..	..	1	..	1	8	Starvation			
		Violent Deaths	100	82	23	46	58	27	75	107	131	36	20	21	60	31	817	17	31	22	39	22	24	155	24	17	28	34	103	1075	Violent Deaths			
		Total	101	84	23	46	62	28	76	109	132	36	21	23	61	32	834	17	33	22	41	24	26	163	24	17	29	34	104	1101	Total.			
		Causes not specified	29	72	13	7	38	99	78	54	88	115	30	61	30	11	716	4	16	14	57	17	3	111	20	..	38	99	157	984	Causes not specified.			
		Total	2175	2429	447	982	1847	1146	2098	3093	4289	1269	982	1092	1085	889	23,823	432	1060	811	1116	596	876	4891	921	474	759	1275	3429	32,143	Total.			

GRAND TOTAL.	CAUSES OF DEATH.	
693	Small Pox . . .	Epidemic, Endemic, and Contagious Diseases.
202	Measles . . .	
215	Scarlatina . . .	
541	Hooping Cough .	
249	Croup	
5	Thrush	
133	Diarrhœa . . .	
34	Dysentery . . .	
12	Cholera	
49	Influenza . . .	
2	Ague	
15	Remittent Fever .	
704	Typhus	
81	Erysipelas . . .	
3	Syphilis. . . .	
.	Hydrophobia . .	
2938	Total.	

13	Total . .	Violent Deaths.
	Causes not specified	
	Total . .	
	Violent Deaths .	Intemperance . . Starvation . .
1	Old Age . . .	
1	Total . .	
	Sudden Deaths .	

CAUSES OF DEATH.		DURHAM.								NORTHUMBERLAND.							CUMBERLAND.							WEST-MORELAND.		GRAND TOTAL.	CAUSES OF DEATH.		
		Darlington; Stockton and Sedgefield; Easington.	Durham and Lanchester.	Auckland; Teesdale; Wear dale.	Houghton-le-Spring; Chester-le-Street.	Sunderland.	South Shields.	Gateshead.	TOTAL.	Tynemouth.	Newcastle-on-Tyne.	Castle Ward; Hexham.	Morpeth; Rothbury; Alnwick; Belford.	Berwick-on-Tweed.	Glendale; Bellingham; Haltwhistle.	TOTAL.	Brampton; Longtown.	Carlisle.	Wigton.	Cockermouth.	Whitehaven.	Bootle; Alston and Garrigill; Penrith.	TOTAL.	East Ward; West Ward; Kendal.	TOTAL.				
		281	282	283	284	285	286	287		288	289	290	291	292	293		294	295	296	297	298	299		300					
Epidemic, Endemic, and Contagious Diseases.	Small Pox	104	21	56	11	59	40	25	316	53	45	15	34	..	2	149	6	75	7	52	38	10	188	40	40	693	Small Pox	Epidemic, Endemic, and Contagious Diseases.	
	Measles	27	4	87	7	3	4	7	139	2	42	..	1	..	1	46	..	..	1	1	4	5	11	6	6	202	Measles		
	Scarlatina	5	5	3	5	7	12	20	57	30	24	13	44	2	3	116	5	2	8	16	6	..	37	5	5	215	Scarlatina		
	Hooping Cough	44	19	51	12	124	31	23	304	33	54	7	7	3	9	113	12	12	3	20	12	24	83	41	41	541	Hooping Cough		
	Croup	20	4	9	6	10	6	13	68	16	24	4	22	17	6	89	9	8	13	11	16	13	70	22	22	249	Croup		
	Thrush	..	..	..	1	..	..	..	1	..	..	..	..	1	..	1	..	..	2	1	..	..	3	..	..	5	Thrush		
	Diarrhœa	3	..	3	3	1	1	1	12	2	39	2	2	13	4	62	3	2	6	28	9	5	53	6	6	133	Diarrhœa		
	Dysentery	..	..	..	1	..	..	4	5	4	9	1	2	1	2	19	..	..	1	2	..	1	4	6	6	34	Dysentery		
	Cholera	1	1	..	..	3	..	..	5	1	..	1	1	..	..	3	..	..	..	3	1	..	4	..	..	12	Cholera		
	Influenza	3	2	5	..	1	..	..	11	5	..	1	4	4	4	18	1	1	..	1	1	9	13	7	7	49	Influenza		
	Ague	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	1	1	2	Ague		
	Remittent Fever	..	1	..	1	3	1	1	7	2	4	..	1	..	..	7	..	..	..	1	..	..	1	..	..	15	Remittent Fever		
	Typhus	46	25	48	25	93	26	27	290	51	69	38	46	26	20	250	9	51	12	22	18	16	128	36	36	704	Typhus		
	Erysipelas	16	..	15	..	10	..	1	42	4	10	2	8	2	1	27	..	1	..	4	1	3	9	3	3	81	Erysipelas		
	Syphilis	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	2	..	..	2	..	..	3	Syphilis		
	Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Hydrophobia		
	Total	269	82	277	72	314	121	122	1,257	204	320	84	172	70	52	902	45	152	53	164	106	86	606	173	173	2938	Total.		
Sporadic Diseases. Of the Nervous System.	Cephalitis	5	4	2	3	3	6	2	25	7	13	9	2	2	..	33	2	2	2	8	..	4	18	4	4	80	Cephalitis	Of the Nervous System.	Sporadic Diseases.
	Hydrocephalus	49	19	35	20	62	23	48	256	45	83	26	26	5	7	192	6	15	3	16	15	20	75	30	30	553	Hydrocephalus		
	Apoplexy	20	6	15	10	16	2	19	88	31	41	13	21	9	6	121	9	8	6	15	6	6	50	25	25	284	Apoplexy		
	Paralysis	14	10	20	11	25	11	14	105	28	37	19	21	20	7	132	3	12	7	19	8	5	54	23	23	314	Paralysis		
	Convulsions	170	63	94	25	120	79	80	631	66	80	24	13	11	1	195	1	7	4	27	11	12	62	66	66	954	Convulsions		
	Tetanus	1	..	..	..	..	..	..	1	..	2	..	1	3	1	7	1	..	1	..	..	1	3	..	..	11	Tetanus		
	Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Chorea		
	Epilepsy	2	1	3	1	..	1	2	10	3	3	..	2	2	2	12	..	1	2	4	..	..	7	4	4	33	Epilepsy		
	Insanity	4	..	..	..	1	..	..	5	1	2	1	..	..	1	5	..	1	..	..	..	..	1	..	..	11	Insanity		
	Delirium Tremens	1	1	..	..	1	..	..	3	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	4	Delirium Tremens		
	Disease	2	3	5	..	2	..	2	14	2	4	..	2	1	2	11	1	..	..	1	2	4	8	2	2	35	Disease		
	Total	268	107	174	70	230	122	167	1,138	183	265	92	88	54	27	709	23	46	25	90	42	52	278	154	154	2279	Total.		
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	..	2	..	..	..	..	..	2	..	..	..	..	..	2	2	1	..	..	..	..	..	1	..	..	5	Laryngitis	Of the Respiratory Organs.	Sporadic Diseases.
	Quinsey	3	..	2	2	1	..	..	8	..	4	1	1	..	..	6	2	3	2	2	..	2	11	3	3	28	Quinsey		
	Bronchitis	4	..	1	4	6	2	2	19	7	15	5	4	5	3	39	..	13	..	3	3	1	20	7	7	85	Bronchitis		
	Pleurisy	1	..	2	1	2	..	3	9	..	4	3	..	..	1	8	3	4	2	7	2	3	21	3	3	41	Pleurisy		
	Pneumonia	72	16	39	22	123	55	35	362	78	123	44	26	14	2	287	5	22	3	28	4	13	75	33	33	757	Pneumonia		
	Hydrothorax	6	7	6	8	8	9	14	58	13	14	6	18	11	5	67	..	4	1	9	2	3	19	15	15	159	Hydrothorax		
	Asthma	16	4	9	9	19	11	24	92	21	47	9	5	14	3	99	1	16	6	19	14	7	63	12	12	266	Asthma		
	Consumption	191	65	192	85	196	131	147	1007	135	244	151	106	22	57	715	101	130	65	102	84	80	562	248	248	2532	Consumption		
	Disease	4	2	4	2	5	1	1	19	6	9	..	3	1	..	19	..	..	..	1	..	6	7	4	4	49	Disease		
	Total	297	96	255	133	360	209	226	1,576	260	460	219	163	67	73	1242	113	192	79	171	109	115	779	325	325	3922	Total.		
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	..	..	..	..	1	..	..	1	..	..	..	..	1	1	2	..	..	..	1	..	..	1	..	..	4	Pericarditis	Of the Organs of Circulation.	Sporadic Diseases.
	Aneurism	..	..	..	..	2	..	..	2	1	..	1	1	..	1	3	..	..	..	..	..	..	..	..	..	5	Aneurism		
	Disease	7	6	4	3	19	4	7	50	20	12	12	12	8	3	67	1	2	1	5	2	4	15	7	7	139	Disease		
	Total	7	6	4	3	22	4	7	53	21	12	13	12	10	4	72	1	2	1	6	2	4	16	7	7	148	Total.		
Sporadic Diseases. Of the Digestive Organs.	Teething	..	2	..	..	20	5	9	36	10	50	..	5	5	..	70	1	6	6	6	3	..	22	2	2	130	Teething	Of the Digestive Organs.	Sporadic Diseases.
	Gastritis, Enteritis	23	9	6	6	53	10	15	122	33	75	34	13	5	16	176	7	38	4	15	4	6	74	20	20	392	Gastritis, Enteritis		
	Peritonitis	..	..	1	..	..	..	..	1	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	2	Peritonitis		
	Tabes Mesenterica	..	..	..	..	2	..	..	2	5	4	1	..	..	..	10	..	..	..	1	..	5	6	..	..	18	Tabes Mesenterica		
	Worms	2	1	3	1	1	..	3	11	8	6	6	2	..	4	26	3	6	4	2	1	1	17	2	2	56	Worms		
	Ascites	..	..	..	..	2	..	..	2	..	..	1	..	..	..	1	..	..	..	..	..	..	..	1	1	4	Ascites		
	Ulceration	1	..	..	..	1	2	..	4	2	1	..	..	..	1	4	..	..	..	..	..	1	1	..	..	9	Ulceration		
	Hernia	2	2	..	1	2	2	5	14	2	1	2	2	..	..	7	..	1	..	1	..	1	3	..	..	24	Hernia		
	Colic or Ileus	1	..	..	1	1	..	..	3	..	2	..	5	1	1	9	..	..	..	1	..	1	2	1	1	15	Colic or Ileus		
	Intussusception	..	..	..	..	..	..	..	..	2	..	..	..	1	1	4	..	..	..	..	..	..	..	..	..	4	Intussusception		
	Stricture	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Stricture		
	Hematemesis	..	..	..	..	..	..	..	..	4	2	..	..	1	..	7	..	..	..	..	..	..	..	1	1	8	Hematemesis		
	Disease	2	2	2	1	3	2	2	14	7	2	5	5	1	1	21	1	1	2	2	1	5	12	3	3	50	Disease		
	Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Pancreas		
	Hepatitis	1	2	..	..	..	1	1	5	4	2	1	1	..	..	8	..	2	..	2	..	..	4	3	3	20	Hepatitis		
	Jaundice	3	..	2	3	2	..	3	13	3	6	..	1	1	2	13	..	..	3	2	1	1	7	1	1	34	Jaundice		
	Disease of Liver	6	9	4	7	14	5	1	46	8	12	3	5	2	1	31	3	3	4	5	2	4	21	12	12	110	Disease of Liver		
	Disease of Spleen	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Spleen		
	Total	41	27	18	20	102	27	39	274	88	163	53	40	17	27	388	15	57	23	37	12	25	169	46	46	877	Total.		

CAUSES OF DEATH.

ephritis . . .	Of the Urinary Organs.	Sporadic Diseases.
churia. . . .		
iabetes . . .		
ystitis		
one		
ricture . . .		
isease		
otal.		
ıildbed . . .	Of the Organs of Generation.	
ıramenia . . .		
varian Dropsy. .		
sease		
otal.		
thritis . . .	Of the Organs of Locomotion.	
ıeumatism . .		
sease		
tal.		
rbuncle . . .	Of the Integumentary System.	
legmon . . .		
cer		
stula		
sease		
tal.		
lammation . .	Of Uncertain Seat.	
emorrhage . .		
opsy		
scess		
ortification . .		
rpura. . . .		
ofula		
rcinoma . . .		
mor		
ut		
ophy. . . .		
bility. . . .		
lformations . .		

CAUSES OF DEATH.		DURHAM.								NORTHUMBERLAND.							CUMBERLAND.							WEST-MORELAND.		GRAND TOTAL.	CAUSES OF DEATH.		
		Darlington; Stockton and Sedgefield; Easington.	Durham and Lanchester.	Auckland; Teesdale; Weardale.	Houghton-le-Spring; Chester-le-Street.	Sunderland.	South Shields.	Gateshead.	TOTAL.	Tynemouth.	Newcastle-on-Tyne.	Castle Ward; Hexham.	Morpeth; Rothbury; Alnwick; Belford.	Berwick-on-Tweed.	Glendale; Bellingham; Haltwhistle.	TOTAL.	Brampton; Longtown.	Carlisle.	Wigton.	Cockermouth.	Whitehaven.	Bootle; Alston and Garrigill; Penrith.	TOTAL.	East Ward; West Ward; Kendal.	TOTAL.				
		281	282	283	284	285	286	287		288	289	290	291	292	293		294	295	296	297	298	299		300					
Sporadic Diseases.	Of the Urinary Organs. Nephritis	..	..	..	..	..	..	..	..	1	..	..	1	..	1	3	1	..	..	..	..	1	2	..	..	5	Nephritis	Of the Urinary Organs.	Sporadic Diseases.
	Ischuria	..	2	1	..	..	1	..	4	..	..	..	..	..	1	1	..	..	..	..	..	..	..	2	2	7	Ischuria		
	Diabetes	..	..	1	..	..	..	1	2	3	1	..	1	..	1	6	1	1	..	2	..	1	5	..	..	13	Diabetes		
	Cystitis	..	1	1	..	1	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	Cystitis		
	Stone	..	2	4	3	..	..	2	11	2	1	4	2	1	1	11	..	..	1	1	..	1	3	..	..	25	Stone		
	Stricture	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	1	Stricture		
	Disease	2	..	1	1	2	2	..	8	3	2	..	2	..	1	8	..	..	..	1	..	..	1	1	1	18	Disease		
	Total	2	5	8	4	3	3	3	28	9	4	4	6	1	5	29	2	1	1	5	..	3	12	3	3	72	Total.		
	Of the Organs of Generation. Childbed	10	8	11	9	11	9	13	71	10	15	5	8	..	2	40	1	8	5	2	4	6	26	13	13	150	Childbed	Of the Organs of Generation.	
	Paramenia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	1	2	Paramenia		
	Ovarian Dropsy	..	..	..	..	1	..	..	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	2	Ovarian Dropsy		
	Disease	..	1	..	..	2	..	..	3	1	2	..	..	..	..	3	..	2	..	..	..	..	2	..	..	8	Disease		
	Total	10	9	11	9	14	9	13	75	12	17	5	8	..	2	44	1	10	5	3	4	6	29	14	14	162	Total.		
	Of the Organs of Locomotion. Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	Arthritis	Of the Organs of Locomotion.	
	Rheumatism	6	..	5	3	3	..	1	18	6	..	2	4	..	1	13	..	1	2	..	..	5	8	6	6	45	Rheumatism		
	Disease	6	2	5	3	2	..	5	23	4	10	4	..	1	..	19	..	1	..	1	2	2	6	2	2	50	Disease		
	Total	12	2	10	6	5	..	6	41	10	10	6	4	1	1	32	..	2	2	1	2	8	15	8	8	96	Total.		
	Of the Integumentary System. Carbuncle	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Carbuncle	Of the Integumentary System.	
	Phlegmon	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Phlegmon		
	Ulcer	..	..	1	..	..	..	..	1	..	5	..	..	2	1	8	1	..	..	2	1	..	4	1	1	14	Ulcer		
	Fistula	..	1	..	..	..	..	..	1	..	1	..	..	..	1	2	1	..	..	1	..	1	3	..	..	6	Fistula		
	Disease	..	..	..	..	1	..	1	2	..	1	..	..	1	1	3	..	1	..	1	..	..	2	..	..	7	Disease		
	Total	..	1	1	..	2	..	1	5	..	7	..	..	3	3	13	2	1	..	4	1	1	9	1	1	28	Total.		
	Of Uncertain Seat. Inflammation	45	37	48	16	47	18	50	261	10	17	15	18	..	8	68	12	3	13	12	33	10	83	16	16	428	Inflammation	Of Uncertain Seat.	
	Hæmorrhage	7	4	4	1	2	2	6	26	3	7	3	3	1	2	19	2	3	3	5	1	2	16	5	5	66	Hæmorrhage		
	Dropsy	30	13	25	19	42	7	28	164	33	82	33	18	7	12	185	9	24	16	42	32	14	137	39	39	525	Dropsy		
	Abscess	5	4	1	1	5	2	..	18	3	14	2	2	1	1	23	..	..	..	4	1	1	6	4	4	51	Abscess		
	Mortification	5	..	1	1	4	2	2	15	3	3	2	1	4	..	13	1	2	..	..	2	..	5	3	3	36	Mortification		
	Purpura	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	1	Purpura		
	Scrofula	2	..	3	..	5	2	..	12	2	2	4	2	1	..	11	1	2	..	4	..	2	9	2	2	34	Scrofula		
	Carcinoma	10	1	4	4	13	4	1	37	12	9	6	7	5	6	45	3	4	7	7	4	4	29	9	9	120	Carcinoma		
	Tumor	1	..	..	..	..	2	1	4	1	1	..	1	..	..	3	..	..	..	..	..	..	..	..	..	7	Tumor		
	Gout	1	..	..	..	..	..	..	1	..	..	1	..	..	..	1	..	..	1	..	..	..	1	..	..	3	Gout		
	Atrophy	2	2	..	..	1	..	..	5	..	12	..	3	..	2	17	..	3	..	2	..	4	9	17	17	48	Atrophy		
	Debility	40	47	36	56	122	30	79	410	49	82	61	34	17	33	276	51	49	42	39	13	28	222	60	60	968	Debility		
	Malformations	..	..	..	..	..	..	..	..	..	..	2	1	1	1	5	..	..	..	..	..	..	..	..	..	5	Malformations		
	Sudden Deaths	9	3	5	3	4	2	1	27	5	4	4	3	2	..	18	2	18	3	5	6	1	35	11	11	91	Sudden Deaths		
	Total	157	111	127	101	245	71	168	980	121	233	133	93	40	65	685	81	108	85	120	92	66	552	166	166	2383	Total.		
	Old Age	172	139	144	86	115	127	95	878	115	157	101	122	67	57	619	75	90	92	86	43	80	466	198	198	2161	Old Age.		
	Violent Deaths. Intemperance	2	1	1	..	..	..	..	4	..	..	..	..	..	..	..	..	2	..	1	..	..	3	..	..	7	Intemperance	Violent Deaths.	
	Starvation	2	1	1	..	..	..	..	4	1	1	..	..	..	1	3	..	1	..	..	3	..	4	3	3	14	Starvation		
	Violent Deaths	92	34	38	40	46	36	15	301	77	83	20	25	21	9	235	10	24	15	47	77	17	190	39	39	765	Violent Deaths		
	Total	96	36	40	40	46	36	15	309	78	84	20	25	21	10	238	10	27	15	48	80	17	197	42	42	786	Total.		
	Causes not specified	56	54	34	139	21	7	19	330	11	97	58	61	1	66	294	36	167	61	49	204	29	546	76	76	1246	Causes not specified		
	Total	1387	675	1103	683	1479	736	881	6944	1112	1829	788	794	352	392	5267	404	*855	442	784	697	492	3674	1213	1213	17,098	Total.		

* Registration was suspended about 82 days in Carlisle.

CAUSES OF DEATH.		GRAND TOTAL.	TOTAL.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	1900	575
	Measles	252	4
	Scarlatina	1161	189
	Hooping Cough	699	210
	Croup	323	72
	Thrush	16	1
	Diarrhœa	71	27
	Dysentery	13	6
	Cholera	15	6
	Influenza	34	18
	Ague	3	1
	Remittent Fever	5	1
	Typhus	1440	471
	Erysipelas	25	6
	Syphilis	6	..
	Hydrophobia	1	..
Violent Deaths.	Intemperance	..	..
	Starvation	..	..
	Violent Deaths	27	96
	Total	27	99
	Causes not specified	9	107
	Total	739	1709
	Old Age	97	8
	Total	112	1
	Sudden Deaths	5	
	Malformations	..	

CAUSES OF DEATH.		MONMOUTH.				SOUTH WALES.											NORTH WALES.											GRAND TOTAL.	CAUSES OF DEATH.	
		Monmouth; Chepstow.	Abergavenny; Pontypool.	Newport.	TOTAL.	Merthyr Tydfil.	Cardiff; Bridgend and Cowbridge; Neath.	Swansea.	Llanelly; Llanthlofawr; Llandovery.	Carmarthen.	Narberth; Pembroke.	Haverfordwest.	Cardigan; Aberayron.	Aberystwith.	Tregaron; Lampeter; Newcastle-in-Emlyn.	Builth; Brecknock; Crickhowell.	Presteigne; Knighton; Rhayader.	TOTAL.	Newtown and Llanidloes; Montgomery.	Llanfyllin; Machynlleth.	Dolgelly; Corwen; Bala; Festiniog.	Pwllheli; Carnarvon.	Bangor and Beaumaris; Conway.	Laurwst; St. Asaph; Ruthin.	Wrexham.	Holywell.	Anglesey.	TOTAL.			
		301	302	303		304	305	306	307	308	309	310	311	312	313	314	315		316	317	318	319	320	321	322	323	324				
Epidemic, Endemic, and Contagious Diseases.	Small Pox	40	195	86	321	268	112	93	70	69	94	146	16	2	22	97	15	1004	36	2	28	74	47	87	99	159	43	575	1900	Small Pox	Epidemic, Endemic, and Contagious Diseases.
	Measles	13	34	2	49	35	23	56	48	2	1	..	5	..	2	13	14	199	1	..	..	..	2	..	1	..	..	4	252	Measles	
	Scarlatina	2	52	50	104	178	200	37	163	22	7	7	20	59	62	108	5	868	28	50	71	..	3	1	2	..	34	189	1161	Scarlatina	
	Hooping Cough	10	57	24	91	84	94	13	21	24	22	9	43	6	56	16	10	398	..	..	2	27	60	27	16	55	23	210	699	Hooping Cough	
	Croup	10	12	9	31	24	19	9	21	32	30	17	23	16	7	10	12	220	21	15	2	5	1	7	10	10	1	72	323	Croup	
	Thrush	2	2	1	5	..	4	2	..	..	1	1	..	..	1	..	1	10	1	..	..	..	..	..	..	..	..	1	16	Thrush	
	Diarrhœa	6	1	3	10	4	14	2	5	1	1	5	..	..	..	2	..	34	5	1	1	5	5	5	1	2	2	27	71	Diarrhœa	
	Dysentery	..	..	1	1	2	1	..	..	1	1	1	..	..	..	..	..	6	1	..	3	..	..	..	1	..	1	6	13	Dysentery	
	Cholera	..	2	..	2	..	2	..	1	..	1	..	..	2	..	..	1	7	..	..	..	..	..	..	..	5	1	6	15	Cholera	
	Influenza	4	..	1	5	..	3	..	1	..	1	..	1	2	..	2	1	11	..	2	6	2	2	2	..	..	4	18	34	Influenza	
	Ague	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	2	1	..	..	..	..	..	..	..	..	1	3	Ague	
	Remittent Fever	..	..	..	..	..	1	..	2	..	..	..	..	..	..	..	1	4	..	..	..	..	..	..	1	..	..	..	1	5	Remittent Fever	
	Typhus	42	135	47	224	95	144	55	91	41	40	40	51	65	44	66	13	745	56	52	73	78	18	57	68	34	35	471	1440	Typhus	
	Erysipelas	..	3	1	4	3	2	..	2	..	1	4	1	..	..	1	1	15	2	..	..	..	..	2	..	2	..	6	25	Erysipelas	
	Syphilis	..	3	..	3	1	..	..	..	..	..	..	..	..	..	..	2	3	..	..	..	..	..	..	..	..	..	..	6	Syphilis	
	Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	1	Hydrophobia	
	Total	129	496	225	850	694	619	267	427	192	200	230	160	152	194	315	77	3527	152	122	186	191	138	189	198	267	144	1587	5964	Total	
Of the Nervous System.	Cephalitis	5	8	4	17	2	6	2	..	..	1	1	..	..	1	3	..	16	1	1	1	..	..	4	5	2	..	14	47	Cephalitis	Of the Nervous System.
	Hydrocephalus	7	14	2	23	5	16	10	2	2	2	6	..	2	2	6	4	57	3	..	1	5	..	5	16	6	2	38	118	Hydrocephalus	
	Apoplexy	9	7	7	23	2	13	7	13	11	7	5	4	3	..	21	13	99	9	4	6	7	4	25	7	6	18	85	208	Apoplexy	
	Paralysis	16	17	13	46	16	21	9	11	8	12	11	13	7	10	40	8	166	19	8	22	31	8	28	12	27	24	179	391	Paralysis	
	Convulsions	68	298	59	425	173	152	72	71	85	25	36	25	16	27	102	36	820	106	29	72	148	127	131	107	106	124	950	2195	Convulsions	
	Tetanus	..	..	..	..	1	..	..	1	..	1	..	..	..	..	..	..	3	..	..	..	1	..	1	1	..	..	3	6	Tetanus	
	Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	Chorea	
	Epilepsy	4	2	3	9	1	6	..	1	2	1	..	1	2	4	..	..	18	4	1	2	4	4	4	2	3	3	27	54	Epilepsy	
	Insanity	2	3	..	5	1	1	..	..	..	..	..	..	2	..	..	..	4	..	1	1	..	..	1	..	..	..	4	12	Insanity	
	Delirium Tremens	1	..	..	1	..	1	1	..	1	..	..	..	..	..	..	..	3	..	..	..	..	1	2	..	..	..	7	7	Delirium Tremens	
	Disease	..	1	..	1	..	4	..	1	1	..	4	1	..	..	3	..	14	..	..	..	..	1	1	1	1	3	7	22	Disease	
	Total	112	350	88	550	201	220	101	100	110	49	63	44	32	44	175	61	1200	142	44	105	196	145	202	152	151	174	1312	3061	Total	
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	Laryngitis	Sporadic Diseases. Of the Respiratory Organs.
	Quinsey	..	2	2	4	..	1	..	1	1	1	1	..	..	..	3	1	9	3	..	..	..	1	..	1	1	..	7	19	Quinsey	
	Bronchitis	3	8	7	18	9	4	9	3	2	1	..	..	1	1	10	..	40	2	3	10	9	5	2	3	9	1	44	102	Bronchitis	
	Pleurisy	..	2	2	4	2	5	..	3	4	3	1	1	1	..	1	3	24	..	2	..	1	..	..	..	3	..	6	34	Pleurisy	
	Pneumonia	54	83	46	183	24	36	15	10	2	8	4	..	1	4	20	5	129	22	11	3	5	2	11	25	21	2	102	414	Pneumonia	
	Hydrothorax	3	..	1	4	4	8	3	..	2	5	4	..	4	2	4	7	43	6	..	..	2	..	4	5	3	..	20	67	Hydrothorax	
	Asthma	9	10	14	33	11	22	7	16	21	11	10	12	5	11	11	6	143	16	4	7	37	8	10	20	10	13	125	301	Asthma	
	Consumption	118	256	107	481	204	233	150	210	168	123	105	119	56	137	231	98	1831	194	123	131	120	98	187	171	115	88	1227	3542	Consumption	
	Disease	7	6	2	15	3	3	3	2	1	1	..	..	..	..	2	2	17	3	..	..	..	4	3	4	8	..	22	54	Disease	
	Total	194	367	181	742	258	312	187	245	201	153	125	132	68	155	282	122	2240	246	143	151	174	118	217	229	170	104	1552	4534	Total	
Of the Organs of Circulation.	Pericarditis	..	..	..	..	1	1	..	..	..	..	..	..	..	..	1	..	3	3	..	..	..	..	..	..	..	..	3	6	Pericarditis	Of the Organs of Circulation.
	Aneurism	1	..	1	2	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	1	..	1	4	Aneurism	
	Disease	13	5	4	22	1	11	7	1	4	..	..	..	2	..	2	..	28	1	..	..	3	..	8	3	2	1	18	68	Disease	
	Total	14	5	5	24	2	12	7	1	4	..	..	..	2	..	4	..	32	4	..	..	3	..	8	3	3	1	22	78	Total	
Of the Digestive Organs.	Teething	3	1	..	4	9	9	2	..	..	..	..	..	..	..	1	1	22	..	..	..	..	1	..	1	..	..	2	28	Teething	Of the Digestive Organs.
	Gastritis, Enteritis	8	18	13	39	3	17	10	6	3	10	17	2	3	..	10	11	92	18	3	..	2	..	16	5	9	2	55	186	Gastritis, Enteritis	
	Peritonitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	2	1	..	..	..	..	..	..	..	3	4	Peritonitis	
	Tabes Mesenterica	1	4	1	6	14	4	1	..	..	..	3	..	..	1	1	2	26	..	1	..	..	..	..	2	..	..	3	35	Tabes Mesenterica	
	Worms	4	..	1	5	2	8	6	4	4	5	2	7	6	14	2	9	69	9	2	1	..	2	..	..	..	1	15	89	Worms	
	Ascites	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	1	..	1	2	Ascites	
	Ulceration	2	1	..	3	..	1	..	1	..	..	..	..	..	1	..	..	3	..	..	..	..	..	..	1	1	..	2	8	Ulceration	
	Hernia	..	2	3	5	..	6	..	1	2	1	2	1	1	..	..	..	14	2	1	..	..	2	1	..	1	..	7	26	Hernia	
	Colic or Ileus	1	1	2	4	2	3	1	9	8	..	..	8	..	3	3	2	44	3	2	9	10	6	3	..	..	2	35	83	Colic or Ileus	
	Intussusception	..	1	1	2	1	2	..	..	..	1	..	..	..	1	..	..	5	2	..	..	1	..	1	..	..	..	4	11	Intussusception	
	Stricture	..	..	..	..	..	..	1	..	..	..	1	..	..	..	1	..	3	..	..	..	..	..	1	..	..	..	1	4	Stricture	
	Hematemesis	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	1	1	..	..	2	3	Hematemesis	
	Disease	2	3	..	5	2	9	1	2	3	..	1	..	..	2	2	..	22	..	1	3	6	4	1	1	5	1	22	49	Disease	
	Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Disease of Pancreas	
	Hepatitis	2	3	1	6	4	1	..	..	1	..	..	..	..	..	1	2	9	1	1	..	2	1	..	1	..	..	6	21	Hepatitis	
	Jaundice	3	2	1	6	4	2	4	4	1	1	1	..	..	4	5	..	26	..	..	..	1	..	2	..	..	..	3	35	Jaundice	
	Disease of Liver	8	3	4	15	3	16	6	3	1	1	1	1	1	..	6	3	42	9	..	3	2	4	3	4	9	1	35	92	Disease of Liver	
	Disease of Spleen	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	2	2	Disease of Spleen	
	Total	34	39	27	100	44	78	32	30	23	19	28	19	12	31	33	31	380	46	13	17	24	20	29	16	26	7	198	678	Total	

TOTAL.	GRAND TOTAL.	CAUSES OF DEATH.		
.	6	Nephritis . . .	Of the Urinary Organs.	Sporadic Diseases.
1	7	Ischuria. . . .		
.	..	Diabetes . . .		
1	3	Cystitis		
20	40	Stone		
.	1	Stricture. . . .		
3	14	Disease		
25	71	Total.		
56	184	Childbed . . .	Of the Organs of Generation.	
3	5	Paramenia . . .		
.	..	Ovarian Dropsy .		
6	11	Disease		
65	200	Total.		
.	1	Arthritis . . .	Of the Organs of Locomotion.	
33	63	Rheumatism . .		
11	27	Disease		
44	91	Total.		
1	3	Carbuncle . . .	Of the Integumentary System.	
.	..	Phlegmon . . .		
2	6	Ulcer		
1	4	Fistula		
.	5	Disease		
4	18	Total.		
11	63	Inflammation . .	Of Uncertain Seat.	
19	58	Hæmorrhage . .		
92	715	Dropsy		
9	34	Abscess		
9	55	Mortification . .		
2	3	Purpura. . . .		
35	117	Scrofula. . . .		
57	151	Carcinoma . . .		
.	4	Tumor		
2	9	Gout		
18	83	Atrophy. . . .		
		Debility. . . .		

			North-Western Counties.	Yorkshire.	Northern Counties.	Monmouth and Wales.	TOTAL.
			8	9	10	11	
		9	40	22	5	6	157
		3	10	7	7	7	70
	33	18	47	24	13	..	207
	02	15	22	19	3	3	128
	215	30	49	54	25	40	320
	541	2	3	1	1	1	59
	249	7	32	52	18	14	710
	5						
	133	4	203	179	72	71	1651
	34						
	12						
	49						
	2	8	557	326	150	184	2811
	15	9	23	17	2	5	69
	704	4	1	3	2	..	45
	81	8	21	24	8	11	338
	3						
	..	9	602	370	162	200	3263
	2938						

Of the Digestive Organs.	Teething
	Gastritis, Enteritis
	Peritonitis
	Tabes Mesenterica
	Worms
	Ascites
	Ulceration
	Hernia
	Colic or Ileus
	Intussusception
	Stricture
	Hematamesis
	Disease
	Disease of Pancreas
	Hepatitis
	Jaundice
	Disease of Liver
	Disease of Spleen
	Total

CAUSES OF DEATH.		MONMOUTH.				SOUTH WALES.												NORTH WALES.										GRAND TOTAL.	CAUSES OF DEATH.	
		Monmouth; Chepstow.	Abergavenny; Pontypool.	Newport.	TOTAL.	Merthyr Tydfil.	Cardiff; Bridgend and Cowbridge; Neath.	Swansea.	Llanelly; Llandilofawr; Llandovery.	Carmarthen.	Narberth; Pembroke.	Haverfordwest.	Cardigan; Aberayron.	Aberystwith.	Tregaron; Lampeter; Newcastle-in-Emlyn.	Builth; Brecknock; Crickhowell.	Presteigne; Knighton; Rhayader.	TOTAL.	Newtown and Llanidloes; Montgomery.	Llanfyllin; Machynlleth.	Dolgelly; Corwen; Bala; Festiniog.	Pwllheli; Carnarvon.	Bangor and Beaumaris; Conway.	Lanrwst; St. Asaph; Ruthin.	Wrexham.	Holywell.	Anglesey.	TOTAL.			
		301	302	303		304	305	306	307	308	309	310	311	312	313	314	315		316	317	318	319	320	321	322	323	324				
Sporadic Diseases.	Of the Urinary Organs. Nephritis	1	..	..	1	..	1	..	1	1	..	1	..	1	..	..	..	5	..	..	..	..	..	..	..	..	..	..	6	Nephritis	Of the Urinary Organs.
	Ischuria	2	..	..	2	1	1	..	1	..	..	..	..	1	..	..	..	4	..	..	1	..	..	..	..	..	..	1	7	Ischuria	
	Diabetes	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Diabetes	
	Cystitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	..	..	..	1	..	..	..	..	..	1	3	Cystitis	
	Stone	..	4	..	4	1	3	..	2	..	1	1	1	..	1	3	3	16	..	..	11	5	2	..	..	..	2	20	40	Stone	
	Stricture	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	Stricture	
	Disease	1	..	..	1	1	3	1	..	1	..	..	..	..	2	2	..	10	1	1	..	..	..	..	..	1	..	3	14	Disease	
	Total	4	4	1	9	3	8	1	4	2	1	2	1	2	3	5	5	37	1	1	12	6	2	..	..	1	2	25	71	Total.	
	Of the Organs of Generation. Childbed	4	15	6	25	16	12	8	12	5	11	5	8	4	7	11	4	103	5	7	6	7	5	10	10	5	1	56	184	Childbed	Of the Organs of Generation.
	Paramenia	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	2	..	..	..	..	1	..	..	2	..	3	5	Paramenia	
	Ovarian Dropsy	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	Ovarian Dropsy	
	Disease	..	2	..	2	1	1	..	..	..	1	..	..	..	..	..	..	3	..	..	..	1	..	..	4	1	..	6	11	Disease	
	Total	4	17	6	27	17	13	8	12	6	12	5	8	4	8	11	4	108	5	7	6	8	6	10	14	8	1	65	200	Total.	
	Of the Organs of Locomotion. Arthritis	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	Arthritis	Of the Organs of Locomotion.
	Rheumatism	..	3	1	4	2	2	1	1	4	1	..	1	1	6	3	4	26	5	4	8	2	3	3	2	2	4	33	63	Rheumatism	
	Disease	3	..	3	6	..	..	..	3	2	..	1	..	1	1	1	1	10	4	1	..	..	..	..	1	4	1	11	27	Disease	
	Total	3	3	4	10	2	2	1	4	6	2	1	1	2	7	4	5	37	9	5	8	2	3	3	3	6	5	44	91	Total.	
	Of the Integumentary System. Carbuncle	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	2	..	..	..	..	..	..	1	..	..	1	3	Carbuncle	Of the Integumentary System.
	Phlegmon	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Phlegmon	
	Ulcer	..	..	..	..	2	..	..	..	..	..	..	..	..	..	1	1	4	1	..	..	..	..	..	..	1	..	2	6	Ulcer	
	Fistula	..	..	..	..	..	..	..	..	..	..	2	..	1	..	..	..	3	1	..	..	..	..	..	..	..	..	1	4	Fistula	
	Disease	..	..	1	1	..	..	2	2	..	..	..	..	..	..	..	..	4	..	..	..	..	..	..	..	..	..	..	5	Disease	
	Total	..	..	1	1	2	1	2	2	..	..	3	..	1	..	1	1	13	2	..	..	..	..	..	1	1	..	4	18	Total.	
	Of Uncertain Seat. Inflammation	4	5	2	12	1	2	2	2	2	5	1	..	..	..	18	7	40	3	..	1	..	..	2	4	1	..	11	63	Inflammation	Of Uncertain Seat.
	Hæmorrhage	1	3	1	5	3	8	3	1	2	4	1	2	3	3	2	2	34	3	1	1	3	2	3	3	1	2	19	58	Hæmorrhage	
	Dropsy	45	[illegible]	18	111	37	54	24	38	35	33	44	29	21	37	48	12	412	17	16	17	27	12	36	31	16	20	192	715	Dropsy	
	Abscess	2	[illegible]	2	6	3	5	2	1	..	1	1	..	3	2	..	1	19	3	..	..	5	..	1	..	..	..	9	34	Abscess	
	Mortification	7	[illegible]	1	11	2	7	2	5	4	..	3	1	1	..	5	5	35	2	..	1	1	1	3	1	..	..	9	55	Mortification	
	Purpura	..	[illegible]	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	1	1	..	..	..	..	..	..	..	2	3	Purpura	
	Scrofula	6	3	3	12	5	13	4	11	8	3	..	2	1	16	3	4	70	6	6	6	..	3	6	4	3	1	35	117	Scrofula	
	Carcinoma	9	8	3	20	3	14	6	5	4	6	10	7	3	9	4	3	74	6	2	8	10	8	10	3	7	3	57	151	Carcinoma	
	Tumor	..	..	..	..	..	..	1	..	..	1	..	..	1	..	..	1	4	..	..	..	..	..	..	..	..	..	..	4	Tumor	
	Gout	1	..	1	2	..	1	..	..	1	2	..	1	..	..	..	..	5	..	..	..	..	..	2	..	..	..	2	9	Gout	
	Atrophy	9	..	..	9	2	44	3	1	2	..	..	..	..	1	..	3	56	..	1	..	..	4	6	..	7	..	18	83	Atrophy	
	Debility	23	7	23	103	47	44	17	22	11	54	23	39	12	33	91	27	420	52	15	17	25	8	26	15	8	19	185	708	Debility	
	Malformations	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	3	Malformations	
	Sudden Deaths	5	1	3	19	6	8	2	5	4	8	2	6	5	5	6	5	62	6	3	5	11	6	11	10	10	2	64	145	Sudden Deaths	
	Total	112	142	57	311	109	201	66	92	73	117	85	87	50	106	177	70	1233	99	45	56	82	44	106	71	54	47	604	2148	Total.	
	Old Age	97	80	32	209	49	152	61	70	68	100	94	92	49	70	134	113	1052	150	117	139	95	97	168	119	39	114	1038	2299	Old Age.	
	Violent Deaths. Intemperance	..	..	2	2	..	1	..	..	..	..	..	..	..	..	1	..	2	..	..	..	..	..	..	..	..	..	..	4	Intemperance	Violent Deaths.
	Starvation	..	3	..	3	2	..	..	..	..	..	..	..	..	..	..	..	2	1	..	..	1	1	..	..	..	..	3	8	Starvation	
	Violent Deaths	27	96	35	158	47	71	32	39	17	27	20	11	14	10	44	13	345	22	18	22	31	22	14	34	32	21	216	719	Violent Deaths	
	Total	27	99	37	163	49	72	32	39	17	27	20	11	14	10	45	13	349	23	18	23	32	22	14	34	32	21	219	731	Total.	
	Causes not specified	9	107	52	168	86	108	9	78	13	51	48	13	3	26	128	45	608	22	55	28	30	8	14	5	139	25	326	1102	Causes not specified	
	Total	739	1709	716	3164	1516	1798	774	1104	715	731	704	568	391	654	1314	547	10816	901	570	731	843	603	960	845	897	645	6995	20,975	Total.	

CAUSES OF DEATH.		Metropolis.	South-Eastern Counties.	South Midland Counties.	Eastern Counties.	South-Western Counties.	Western Counties.	North Midland Counties.	North-Western Counties.	Yorkshire.	Northern Counties.	Monmouth and Wales.	TOTAL.
		1	2	3	4	5	6	7	8	9	10	11	
Population, in Thousands		1885	1467	1126	1084	1743	1873	1094	1976	1535	773	998	15,554
Epidemic, Endemic, and Contagious Diseases.	Small Pox	3817	1129	928	911	1819	1663	388	1907	1113	693	1900	16,268
	Measles	588	469	325	199	1199	1026	143	1076	1035	202	252	6514
	Scarlatina	1524	667	255	200	367	294	317	548	254	215	1161	5802
	Hooping Cough	2083	663	447	430	1047	1108	322	997	770	541	699	9107
	Croup	354	347	250	188	419	428	274	1103	528	249	323	4463
	Thrush	289	87	131	212	83	77	58	58	74	5	16	1090
	Diarrhœa	393	182	174	135	275	321	134	454	210	133	71	2482
	Dysentery	105	84	26	39	80	42	37	109	58	34	13	627
	Cholera	15	17	26	13	18	81	12	63	59	12	15	331
	Influenza	63	100	60	65	96	68	128	65	78	49	34	806
	Ague	8	3	5	2	8	4	2	3	4	2	3	44
	Remittent Fever	24	25	11	15	9	6	20	35	17	15	5	182
	Typhus	4078	1368	1315	1212	1634	1800	953	2910	1361	704	1440	18,775
	Erysipelas	405	111	51	78	75	74	49	135	119	81	25	1203
	Syphilis	41	23	10	11	12	20	6	17	10	3	6	159
	Hydrophobia	12	2	..	..	4	2	1	2	..	..	1	24
	Total	13,799	5277	4014	3710	7145	7014	2844	9482	5690	2938	5964	67,877
Sporadic Diseases. — Of the Nervous System.	Cephalitis	535	178	130	98	181	193	129	284	323	80	47	2178
	Hydrocephalus	1769	700	395	266	603	596	384	1351	937	553	118	7672
	Apoplexy	987	708	447	386	698	656	284	496	476	284	208	5630
	Paralysis	737	447	379	327	569	609	276	584	342	314	391	4975
	Convulsions	3419	1820	1276	834	1427	2380	2256	5920	3566	954	2195	26,047
	Tetanus	19	13	15	9	17	8	12	11	8	11	6	129
	Chorea	6	..	1	1	2	4	3	4	2	..	1	24
	Epilepsy	207	116	128	68	111	122	55	89	110	33	54	1093
	Insanity	73	57	27	27	37	54	16	30	23	11	12	367
	Delirium Tremens	49	17	22	11	19	13	6	17	17	4	7	182
	Disease	308	198	101	86	172	169	71	113	132	35	22	1407
	Total	8109	4254	2921	2113	3836	4804	3492	8899	5936	2279	3061	49,704
Sporadic Diseases. — Of the Respiratory Organs.	Laryngitis	20	20	7	14	12	11	2	2	5	5	1	99
	Quinsey	64	21	18	20	18	35	9	157	43	28	19	432
	Bronchitis	453	239	111	148	212	228	134	198	157	85	102	2067
	Pleurisy	71	53	35	26	37	60	37	147	41	41	34	582
	Pneumonia	3744	1508	1014	916	1746	2446	930	3026	1498	757	414	17,999
	Hydrothorax	285	276	253	141	258	280	184	208	195	159	67	2306
	Asthma	1413	270	148	152	360	714	271	1286	564	216	301	5745
	Consumption	7687	5037	4372	3944	5805	7017	3695	9866	5528	2532	3542	59,025
	Disease	551	348	174	198	216	388	173	263	154	49	54	2568
	Total	14,288	7772	6132	5559	8664	11,179	5435	15,153	8185	3922	4534	90,823
Sporadic Diseases. — Of the Organs of Circulation.	Pericarditis	16	12	14	10	16	11	7	17	11	4	6	124
	Aneurism	24	17	6	10	11	19	6	10	7	5	4	119
	Disease	780	365	240	173	306	415	221	307	305	139	68	3319
	Total	820	394	260	193	333	445	234	334	323	148	78	3562
Sporadic Diseases. — Of the Digestive Organs.	Teething	763	226	184	116	179	385	238	1591	564	130	28	4404
	Gastritis, Enteritis	881	490	394	300	552	1107	373	906	480	392	186	6061
	Peritonitis	65	19	10	6	17	14	12	8	11	2	4	168
	Tabes Mesenterica	174	106	83	70	71	53	44	31	39	18	35	724
	Worms	11	18	38	29	59	84	32	217	116	56	89	749
	Ascites	15	7	6	4	8	3	8	3	3	4	2	63
	Ulceration	51	33	21	7	25	25	21	35	21	9	8	256
	Hernia	100	46	22	31	48	53	39	81	37	24	26	507
	Colic or Ileus	96	111	43	38	63	61	28	54	27	15	83	619
	Intussusception	41	20	12	18	33	25	29	23	22	4	11	238
	Stricture	17	13	12	12	12	11	11	11	7	1	4	111
	Hematemesis	19	14	9	9	18	9	8	6	8	8	3	111
	Disease	195	153	97	66	165	190	114	152	154	50	49	1385
	Disease of Pancreas	3	..	..	..	..	..	..	..	..	..	..	3
	Hepatitis	48	49	31	11	38	58	36	73	64	20	21	449
	Jaundice	99	59	67	81	81	133	69	95	88	34	35	841
	Disease of Liver	383	247	252	138	199	321	193	365	290	110	92	2590
	Disease of Spleen	7	4	1	2	4	5	..	1	1	..	2	27
	Total	2968	1615	1282	938	1572	2537	1255	3652	1932	877	678	19,306

CAUSES OF DEATH.		Metropolis.	South-Eastern Counties.	South Midland Counties.	Eastern Counties.	South-Western Counties.	Western Counties.	North Midland Counties.	North-Western Counties.	Yorkshire.	Northern Counties.	Monmouth and Wales.	TOTAL.
		1	2	3	4	5	6	7	8	9	10	11	
Sporadic Diseases. — Of the Urinary Organs.	Nephritis	29	8	2	8	12	16	9	40	22	5	6	157
	Ischuria	1	3	3	6	9	14	3	10	7	7	7	70
	Diabetes	23	24	10	25	9	14	18	47	24	13	..	207
	Cystitis	7	9	12	7	15	16	15	22	19	3	3	128
	Stone	20	22	15	17	20	28	30	49	54	25	40	320
	Stricture	32	13	..	3	1	2	2	3	1	1	1	59
	Disease	125	117	66	71	85	83	47	32	52	18	14	710
	Total	237	196	108	137	151	173	124	203	179	72	71	1651
Sporadic Diseases. — Of the Organs of Generation.	Childbed	403	197	182	148	217	299	148	557	326	150	184	2811
	Paramenia	3	..	1	4	1	4	9	23	17	2	5	69
	Ovarian Dropsy	14	3	3	4	5	6	4	1	3	2	..	45
	Disease	121	46	21	28	22	18	18	21	24	8	11	338
	Total	541	246	207	184	245	327	179	602	370	162	200	3263
Sporadic Diseases. — Of the Organs of Locomotion.	Arthritis	2	1	1	1	1	2	..	2	4	1	1	16
	Rheumatism	184	83	53	48	81	135	60	186	92	45	63	1030
	Disease	211	96	92	52	77	109	76	146	120	50	27	1056
	Total	397	180	146	101	159	246	136	334	216	96	91	2102
Sporadic Diseases. — Of the Integumentary System.	Carbuncle	4	4	3	1	7	7	2	2	1	1	3	35
	Phlegmon	8	1	1	..	1	4	1	..	..	..	..	16
	Ulcer	22	15	12	7	13	20	12	24	17	14	6	162
	Fistula	20	9	5	2	9	17	7	12	9	6	4	100
	Disease	22	12	3	9	6	11	10	12	10	7	5	107
	Total	76	41	24	19	36	59	32	50	37	28	18	420
Sporadic Diseases. — Of Uncertain Seat.	Inflammation	943	588	702	650	316	587	376	653	510	428	63	5816
	Hæmorrhage	190	151	76	90	163	120	75	129	100	66	58	1218
	Dropsy	1768	1258	995	692	1641	1558	710	1454	1026	525	715	12,342
	Abscess	194	175	135	74	165	205	141	170	134	51	34	1478
	Mortification	225	144	105	108	139	203	104	133	91	36	55	1343
	Purpura	9	8	2	2	6	16	8	2	1	1	3	58
	Scrofula	71	117	117	109	147	146	86	119	56	34	117	1119
	Carcinoma	285	283	203	173	300	337	180	195	221	120	151	2448
	Tumor	71	50	31	20	54	46	36	20	34	7	4	373
	Gout	69	34	12	9	29	18	10	9	5	3	9	207
	Atrophy	210	166	190	241	301	253	178	164	184	48	83	2018
	Debility	598	1019	1252	881	1338	1453	893	2186	1338	968	708	12,634
	Malformations	43	21	18	24	17	15	7	7	6	5	3	166
	Sudden Deaths	632	193	356	165	346	299	149	342	294	91	145	3012
	Total	5308	4207	4194	3238	4962	5256	2953	5583	4000	2383	2148	44,232
Old Age		4111	3616	2938	2837	4088	4372	2551	3401	3190	2161	2299	35,564
Violent Deaths.	Intemperance	21	11	12	6	12	13	21	36	18	7	4	161
	Starvation	29	11	20	7	14	22	11	23	8	14	8	167
	Violent Deaths	1327	971	641	559	1367	1668	754	1881	1075	765	719	11,727
	Total	1377	993	673	572	1393	1703	786	1940	1101	786	731	12,055
Causes not specified		667	971	993	1187	972	2011	806	1031	984	1246	1102	11,970
Total		52,698	29,762	23,892	20,788	33,556	40,126	20,827	50,664	32,143	17,098	20,975	342,529

June.	July, August, September.			October, November, December.		
s.	92 Days.			92 Days.		
Total.	Males.	Females	Total.	Males.	Females	Total.
9	4	1	5	3	1	4
..	..	1	1	..	..	..
4	1	..	1	5	1	6
3	1	..	1	2	..	2
5	7	2	9	3	..	3
3	8	2	10	8	2	10
40	22	4	26	26	4	30
64	43	10	53	47	8	55
108	..	73	73	..	108	108
1	..	1	1	..	..	..
3	..	3	3	..	5	5
33	1	31	32	..	36	36
145	1	108	109	..	149	149
1	1	..	1	..	..	..
47	19	20	39	30	21	51
60	30	27	57	18	26	44
108	50	47	97	48	47	95
1	..	..	..	..	1	1
2	1	1	2	..	..	..
9	..	1	1	..	1	1
6	4	..	4	3	..	3
7	2	1	3	3	3	6
25	7	3	10	6	5	11
224	79	91	170	97	112	209
50	25	21	46	32	13	45
427	185	190	375	202	263	465
57	26	24	50	34	18	52
50	22	13	35	26	30	56
3	2	..	2	3	1	4
18	10	8	18	10	6	16
48	11	64	75	14	57	71
13	4	11	15	5	18	23
16	12	2	14	12	6	18
47	26	28	54	26	17	43
153	64	77	141	83	69	152
13	7	3	10	4	5	9
165	55	50	105	87	59	146
1284	528	582	1110	635	674	1309

TABLE (R.) of the DEATHS of MALES and FEMALES from different DISEASES in the METROPOLIS, during the four Quarters of the Year 1838.

CAUSES OF DEATH.		January, February, March. 90 Days.			April, May, June. 91 Days.			July, August, September. 92 Days.			October, November, December. 92 Days.		
		Males.	Females	Total.	Males.	Females	Total.	Males.	Females	Total.	Males.	Females	Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	409	344	753	597	548	1145	573	488	1061	451	407	858
	Measles	96	77	173	37	59	96	53	41	94	124	101	225
	Scarlatina	105	102	207	130	142	272	197	211	408	315	322	637
	Hooping Cough	435	514	949	274	318	592	105	145	250	134	158	292
	Croup	45	50	95	44	52	96	40	30	70	52	41	93
	Thrush	24	28	52	35	31	66	61	51	112	28	31	59
	Diarrhœa	47	41	88	40	30	70	93	74	167	39	29	68
	Dysentery	16	11	27	14	7	21	14	19	33	12	12	24
	Cholera	2	1	3	..	..	..	5	2	7	3	2	5
	Influenza	13	18	31	11	7	18	1	2	3	4	7	11
	Ague	1	2	3	..	1	1	..	..	..	4	..	4
	Remittent Fever	2	1	3	4	4	8	3	4	7	2	4	6
	Typhus	675	610	1285	585	591	1176	425	404	829	398	390	788
	Erysipelas	57	49	106	57	48	105	43	45	88	61	45	106
	Syphilis	12	3	15	4	5	9	6	3	9	2	6	8
	Hydrophobia	2	..	2	1	..	1	3	..	3	2	4	6
	Total	1941	1851	3792	1833	1843	3676	1622	1519	3141	1631	1559	3190
Sporadic Diseases. Of the Nervous System.	Cephalitis	71	57	128	85	57	142	71	52	123	80	62	142
	Hydrocephalus	283	196	479	269	211	480	229	188	417	211	182	393
	Apoplexy	148	151	299	140	101	241	110	91	201	127	119	246
	Paralysis	107	127	234	85	96	181	61	74	135	100	87	187
	Convulsions	495	419	914	449	385	834	492	420	912	415	344	759
	Tetanus	2	1	3	1	2	3	4	2	6	6	1	7
	Chorea	1	1	2	..	2	2	..	2	2	..	..	..
	Epilepsy	42	33	75	18	22	40	17	25	42	27	23	50
	Insanity	13	16	29	11	7	18	6	4	10	7	9	16
	Delirium Tremens	6	..	6	12	2	14	8	1	9	20	..	20
	Disease	46	40	86	47	35	82	33	34	67	37	36	73
	Total	1214	1041	2255	1117	920	2037	1031	893	1924	1030	863	1893
Sporadic Diseases. Of the Respiratory Organs.	Laryngitis	3	4	7	2	1	3	5	2	7	1	2	3
	Quinsey	11	7	18	7	5	12	7	6	13	8	13	21
	Bronchitis	96	89	185	57	45	102	42	25	67	57	42	99
	Pleurisy	15	16	31	14	10	24	4	1	5	1	10	11
	Pneumonia	801	682	1483	398	346	744	239	234	473	567	477	1044
	Hydrothorax	47	43	90	41	32	73	20	23	43	46	33	79
	Asthma	400	360	760	136	89	225	67	30	97	186	145	331
	Consumption	1048	896	1944	1137	972	2109	968	937	1905	904	825	1729
	Disease	105	92	197	77	40	117	55	40	95	79	63	142
	Total	2526	2189	4715	1869	1540	3409	1407	1298	2705	1849	1610	3459
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	4	2	6	2	..	2	..	2	2	1	5	6
	Aneurism	8	..	8	6	..	6	5	..	5	4	1	5
	Disease	132	127	259	88	63	151	87	83	170	109	91	200
	Total	144	129	273	96	63	159	92	85	177	114	97	211
Sporadic Diseases. Of the Digestive Organs.	Teething	86	80	166	81	72	153	117	111	228	97	119	216
	Gastritis, Enteritis	90	85	175	106	97	203	124	151	275	110	118	228
	Peritonitis	3	5	8	3	14	17	6	17	23	10	7	17
	Tabes Mesenterica	17	17	34	23	22	45	30	28	58	17	20	37
	Worms	1	3	4	1	..	1	1	1	2	1	3	4
	Ascites	2	..	2	2	2	4	3	2	5	3	1	4
	Ulceration	6	7	13	7	8	15	6	3	9	5	9	14
	Hernia	14	11	25	16	8	24	19	13	32	6	13	19
	Colic or Ileus	18	9	27	14	10	24	13	7	20	10	15	25
	Intussusception	4	1	5	5	3	8	10	4	14	9	5	14
	Stricture	..	6	6	2	4	6	1	..	1	2	2	4
	Hematamesis	3	2	5	3	1	4	2	2	4	3	3	6
	Disease	18	23	41	29	22	51	26	28	54	21	28	49
	Disease of Pancreas	1	..	1	..	..	..	..	..	..	1	1	2
	Hepatitis	4	6	10	8	6	14	4	8	12	3	9	12
	Jaundice	10	12	22	11	17	28	13	11	24	11	14	25
	Disease of Liver	47	54	101	54	45	99	32	43	75	63	47	110
	Disease of Spleen	1	1	2	..	..	..	..	..	..	2	1	3
	Total	325	322	647	365	331	695	407	429	836	374	415	789

CAUSES OF DEATH.		January, February, March. 90 Days.			April, May, June. 91 Days.			July, August, September. 92 Days.			October, November, December. 92 Days.		
		Males.	Females	Total.	Males.	Females	Total.	Males.	Females	Total.	Males.	Females	Total.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	8	3	11	5	4	9	4	1	5	3	1	4
	Ischuria	..	..	..	..	..	..	..	1	1	..	..	..
	Diabetes	9	3	12	4	..	4	1	..	1	5	1	6
	Cystitis	1	..	1	1	2	3	1	..	1	2	..	2
	Stone	3	..	3	5	..	5	7	2	9	3	..	3
	Stricture	8	1	9	3	..	3	8	2	10	8	2	10
	Disease	23	6	29	31	9	40	22	4	26	26	4	30
	Total	52	13	65	49	15	64	43	10	53	47	8	55
Sporadic Diseases. Of the Organs of Generation.	Childbed	..	114	114	..	108	108	..	73	73	..	108	108
	Paramenia	..	1	1	..	1	1	..	1	1	..	..	..
	Ovarian Dropsy	..	3	3	..	3	3	..	3	3	..	5	5
	Disease	..	20	20	..	33	33	1	31	32	..	36	36
	Total	..	138	138	..	145	145	1	108	109	..	149	149
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	..	..	..	..	1	1	1	..	1	..	..	..
	Rheumatism	26	21	47	29	18	47	19	20	39	30	21	51
	Disease	30	20	50	34	26	60	30	27	57	18	26	44
	Total	56	41	97	63	45	108	50	47	97	48	47	95
Sporadic Diseases. Of the Integumentary System.	Carbuncle	1	1	2	..	1	1	..	..	..	..	1	1
	Phlegmon	3	1	4	2	..	2	1	1	2	..	..	..
	Ulcer	4	7	11	4	5	9	..	1	1	..	1	1
	Fistula	6	1	7	3	3	6	4	..	4	3	..	3
	Disease	5	1	6	6	1	7	2	1	3	3	3	6
	Total	19	11	30	15	10	25	7	3	10	6	5	11
Sporadic Diseases. Of Uncertain Seat.	Inflammation	178	162	340	120	104	224	79	91	170	97	112	209
	Hæmorrhage	32	17	49	34	16	50	25	21	46	32	13	45
	Dropsy	192	309	501	186	241	427	185	190	375	202	263	465
	Abscess	22	13	35	29	28	57	26	24	50	34	18	52
	Mortification	46	38	84	22	28	50	22	13	35	26	30	56
	Purpura	..	..	..	3	..	3	2	..	2	3	1	4
	Scrofula	7	12	19	12	6	18	10	8	18	10	6	16
	Carcinoma	18	73	91	8	40	48	11	64	75	14	57	71
	Tumor	7	13	20	4	9	13	4	11	15	5	18	23
	Gout	15	6	21	9	7	16	12	2	14	12	6	18
	Atrophy	38	28	66	27	20	47	26	28	54	26	17	43
	Debility	78	74	152	81	72	153	64	77	141	83	69	152
	Malformations	6	5	11	9	4	13	7	3	10	4	5	9
	Sudden Deaths	122	94	216	96	69	165	55	50	105	87	59	146
	Total	761	844	1605	640	641	1284	528	582	1110	635	674	1309
	Old Age	557	826	1383	418	551	969	332	446	778	387	594	981
Violent Deaths.	Intemperance	4	2	6	4	1	5	4	2	6	2	2	4
	Starvation by Want	7	3	10	6	3	9	3	1	4	5	1	6
	Violent Deaths	213	145	358	247	100	347	246	70	316	204	102	306
	Total	224	150	374	257	104	361	253	73	326	211	105	316
	Causes not specified	148	89	237	107	69	176	73	58	131	76	47	123
	Total	7967	7644	15,611	6829	6280	13,109	5846	5551	11,397	6408	6173	12,581

TABLE (S).

Of the CAUSES of DEATH registered in the Districts of DEVONSHIRE and CORNWALL, in the four Quarters of the Year 1838.

TABLE (T).

Of the CAUSES of DEATH Registered in the four Quarters of the Year 1838, in the Districts of Wellington, Madeley, Dudley, West Bromwich, Walsall, Wolverhampton, Auckland, Teesdale, Weardale, Houghton-le-Spring, Chester-le-Street, Sunderland, South Shields, Gateshead, Tynemouth, Newcastle-on-Tyne, Castle Ward, Hexham, Abergavenny, Pont-y-Pool, and Merthyr Tydfil.

TABLE (S).

DISEASES.		Devonshire. Quarters. 1st.	2nd.	3rd.	4th.	Cornwall. Quarters. 1st.	2nd.	3rd.	4th.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	140	95	115	110	22	37	36	40
	Measles	118	80	61	28	3	16	24	125
	Scarlatina	54	20	13	11	32	36	56	33
	Hooping Cough	83	97	50	82	123	170	86	112
	Croup	49	35	23	41	22	37	12	13
	Thrush	2	4	6	7	3	5	3	1
	Diarrhœa	15	11	24	23	12	8	12	8
	Dysentery	2	4	6	5	1	3	2	1
	Cholera	..	1	2	2	..	..	3	1
	Influenza	4	11	4	..	2	3	..	..
	Ague	..	..	2	..	1	..	..	..
	Remittent Fever	..	1	1	..	2	..	..	..
	Typhus	150	127	118	122	77	61	65	83
	Erysipelas	6	2	6	7	2	2	2	1
	Syphilis	2	..	..	3	..	1	..	1
	Hydrophobia	..	..	..	..	..	..	..	1
	Total	625	488	431	441	302	379	301	420
Sporadic Diseases. Of the Nervous System.	Cephalitis	21	14	7	12	8	7	12	8
	Hydrocephalus	60	64	45	52	25	28	24	22
	Apoplexy	78	61	46	59	34	25	28	27
	Paralysis	51	42	35	52	31	35	21	23
	Convulsions	122	144	90	105	65	56	42	57
	Tetanus	..	1	2	4	1	..	..	1
	Chorea	..	..	..	..	..	..	1	..
	Epilepsy	9	4	3	4	5	3	1	9
	Insanity	1	5	2	2	..	2	1	..
	Delirium Tremens	..	2	2	..	..	..	..	2
	Disease	11	10	7	8	7	7	7	6
	Total	723	747	495	546	469	441	377	449
Sporadic Diseases. Of the Respiratory Organs.	Quinsey	1	..	..	2	1	..	2	2
	Bronchitis	15	14	8	12	10	6	1	3
	Pleurisy	1	3	3	4	6	6	1	..
	Pneumonia	206	161	64	133	93	85	59	105
	Hydrothorax	18	22	19	18	8	8	7	8
	Asthma	42	24	9	27	13	12	4	8
	Consumption	419	508	382	340	334	317	299	320
	Disease	21	11	8	7	4	7	4	3
	Total	723	747	495	546	469	441	377	449
Sporadic Diseases. Of the Organs of Circulation.	Pericarditis	..	..	..	3	..	..	1	..
	Aneurism	..	2	..	..	..	1	..	1
	Disease	36	20	17	34	7	10	6	16
	Total	36	22	17	37	7	11	7	17
Sporadic Diseases. Of the Digestive Organs.	Teething	20	16	11	11	7	2	..	..
	Gastritis, Enteritis	47	32	35	39	28	18	33	27
	Peritonitis	4	1	2	1	..	..	..	1
	Tabes Mesenterica	3	5	5	2	1	..	1	4
	Worms	4	4	10	6	4	4	3	1
Intestinal Canal.	Ascites	..	..	..	3	..	..	..	..
	Ulceration	3	3	2	2	..	1	..	1
	Hernia	2	2	3	5	3	..	2	2
	Colic or Ileus	2	5	3	4	7	6	4	2
	Intussusception	3	..	3	3	1	2	..	1
	Stricture	1	1	1	1	..	3	..	..
	Hematamesis	..	1	..	2	..	..	2	2
	Disease	12	14	13	9	4	7	4	6
Pancreas.	Disease	..	..	..	..	..	..	..	..
Liver.	Hepatitis	7	4	4	1	1	1	1	1
	Jaundice	5	2	7	10	3	1	3	4
	Disease	18	10	22	16	6	6	1	6
Spleen.	Disease	1	2	..	1	..	..	..	..
	Total	132	102	121	116	65	51	54	58

DISEASES.		Devonshire. Quarters. 1st.	2nd.	3rd.	4th.	Cornwall. Quarters. 1st.	2nd.	3rd.	4th.
Sporadic Diseases. Of the Urinary Organs.	Nephritis	3	2	..	1	..	2	..	..
	Ischuria	1	..	2	..	..	..	..	..
	Diabetes	1	..	1	2	1	..	..	..
	Cystitis	1	1	1	3	..	..	1	2
	Stone	2	..	1	2	2	..	1	..
	Stricture	..	..	..	..	..	..	..	..
	Disease	7	6	8	9	2	4	3	1
	Total	15	9	13	17	5	6	5	3
Sporadic Diseases. Of the Organs of Generation.	Childbed	28	9	16	15	19	13	10	17
	Paramenia	..	..	..	..	..	..	..	..
	Ovarian Dropsy	1	2	1	..	..	..	..	..
	Disease	2	2	1	2	1	..	1	1
	Total	31	13	18	17	20	13	11	18
Sporadic Diseases. Of the Organs of Locomotion.	Arthritis	..	..	..	..	..	..	..	..
	Rheumatism	8	5	2	4	6	4	6	4
	Disease	10	6	6	6	4	1	2	..
	Total	18	11	8	10	10	5	8	4
Sporadic Diseases. Of the Integumentary System.	Carbuncle	1	..	..	1	1	..	..	1
	Phlegmon	..	..	..	1	..	..	..	..
	Ulcer	..	5	1	..	1	..	2	2
	Fistula	..	5	1	..	..	..	..	..
	Disease	1	..	..	..	..	..	1	..
	Total	2	10	2	2	2	..	3	3
Sporadic Diseases. Of Uncertain Seat.	Hæmorrhage	5	19	9	11	9	4	4	8
	Dropsy	161	120	97	136	52	77	53	58
	Abscess	16	8	7	14	6	4	8	10
	Mortification	15	5	10	6	8	5	4	4
	Purpura	..	1	1	..	..	..	1	..
	Scrofula	5	6	6	5	4	4	5	7
	Carcinoma	22	33	31	23	7	5	6	12
	Tumor	5	15	4	6	2	2	1	2
	Gout	7	2	1	2	2	..	2	..
	Atrophy	10	19	20	19	4	1	5	3
	Debility	37	92	87	99	34	65	102	87
	Malformations	1	4	1	..	1	..	..	..
	Sudden Deaths	22	11	20	33	17	7	12	24
	Total	347	377	322	392	165	199	218	239
	Old Age	438	286	210	306	223	152	124	147
Deaths ascribed to external Causes, or to Violence.	Intemperance	1	2	2	..	..	1	..	1
	Starvation	..	3	..	1	..	..	..	..
	Violent Deaths	99	89	75	133	83	75	88	72
	Total	100	94	77	134	83	76	88	73
	Causes not specified	78	67	51	55	73	32	21	26
	Total	2898	2573	2004	2371	1600	1528	1354	1612

POPULATION.

	1831.
Devonshire	494,478
Cornwall	300,938

TABLE (T).—MINING DISTRICTS.

DISEASES.			QUARTERS. 1st.	2nd.	3rd.	4th.
Sporadic Diseases.	Epidemic, Endemic, and Contagious Diseases.	Small Pox	463	293	131	140
		Measles	165	112	63	116
		Sarlatina	193	81	31	79
		Hooping Cough	226	289	134	79
		Croup	90	59	41	40
		Thrush	4	5	7	3
		Diarrhœa	37	41	53	41
		Dysentery	7	2	8	7
		Cholera	3	4	1	..
		Influenza	12	9	..	4
		Ague	..	1	..	..
		Remittent Fever	3	5	1	3
		Typhus	333	233	153	210
		Erysipelas	16	17	4	17
		Syphilis	2	1	2	1
		Hydrophobia	..	..	..	..
		Total	1554	1152	629	740
	Of the Nervous System.	Cephalitis	23	24	18	13
		Hydrocephalus	118	110	86	99
		Apoplexy	58	56	46	61
		Paralysis	79	45	65	55
		Convulsions	450	406	291	312
		Tetanus	1	..	1	3
		Chorea	..	..	..	..
		Epilepsy	8	4	9	7
		Insanity	2	1	3	4
		Delirium Tremens	..	1	2	..
		Disease	6	8	6	3
		Total	745	655	527	557
	Of the Respiratory Organs.	Laryngitis	1	..	..	..
		Quinsey	2	6	4	9
		Bronchitis	36	22	8	21
		Pleurisy	6	10	4	5
		Pneumonia	358	264	164	208
		Hydrothorax	34	30	23	21
		Asthma	120	79	35	89
		Consumption	667	775	653	524
		Disease	16	13	9	11
		Total	1240	1199	900	888
	Of the Organs of Circulation.	Pericarditis	..	..	1	2
		Aneurism	3	1	1	1
		Disease	41	29	27	31
		Total	44	30	29	34
	Of the Digestive Organs. — Intestinal Canal.	Teething	65	54	53	76
		Gastritis, Enteritis	153	132	127	126
		Peritonitis	1	1	..	1
		Tabes Mesenterica	10	9	14	3
		Worms	19	25	13	15
		Ascites	1	1	..	2
		Ulceration	5	1	2	1
		Hernia	6	5	5	5
		Colic or Ileus	1	4	2	3
		Intussusception	3	3	..	2
		Stricture	4	..	1	..
		Hematemesis	2	..	2	2
		Disease	12	12	10	12
	Of the Digestive Organs. — Pancreas	Disease	..	..	..	..
	Of the Digestive Organs. — Liver	Hepatitis	7	7	3	9
		Jaundice	11	12	9	14
		Disease	29	17	27	24
	Of the Digestive Organs. — Spleen	Disease	..	..	..	..
			329	283	268	295
Sporadic Diseases.	Of the Urinary Organs.	Nephritis	1	..	2	1
		Ischuria	1	..	2	1
		Diabetes	4	..	1	2
		Cystitis	1	..	..	4
		Stone	4	11	9	5
		Stricture	1	..	..	..
		Disease	2	4	6	2
		Total	14	15	20	15
	Of the Organs of Generation.	Childbed	42	46	37	38
		Paramenia	..	1	..	1
		Ovarian Dropsy	..	1	1	..
		Disease	2	3	2	3
		Total	44	51	40	42
	Of the Organs of Locomotion.	Arthritis	..	..	..	..
		Rheumatism	14	15	7	14
		Disease	10	9	9	10
		Total	24	24	16	24
	Of the Integumentary System.	Carbuncle	..	..	1	..
		Phlegmon	..	1	..	..
		Ulcer	3	4	..	4
		Fistula	..	1	3	..
		Disease	3	1	..	..
		Total	6	7	4	4
	Of Uncertain Seat.	Inflammation	84	84	29	57
		Hæmorrhage	13	11	11	10
		Dropsy	152	176	113	98
		Abscess	18	19	12	14
		Mortification	15	14	7	6
		Purpura	..	..	..	..
		Scrofula	7	16	11	8
		Carcinoma	22	26	20	27
		Tumor	..	..	5	3
		Gout	..	2	1	..
		Atrophy	10	6	6	7
		Debility	134	224	226	246
		Malformation	..	..	2	1
		Sudden Deaths	19	29	20	39
		Total	474	607	463	516
	Old Age		436	377	314	388
	Deaths ascribed to external Causes, or to Violence.	Intemperance	1	..	1	2
		Starvation	5	1	..	4
		Violent Deaths	244	195	177	291
		Total	250	196	178	297
	Causes not specified		298	231	200	209
		Total	5458	4827	3588	4009

STATISTICAL NOSOLOGY.

(Re-printed, with slight modifications, from the First Report, in which the classification is explained.)

The names retained in the Abstract are printed in small Roman capitals; the names which it is recommended should be used in the Registers are in the *first column*, and all the diseases reduced under the same head in the Abstract are connected by a brace. In different circumstances, and in other countries, it would be necessary to have a distinct head for yellow fever, plague, &c.; but it will be found that, if they occurred, they produced so few deaths as scarcely to affect the high mortality from typhus in England. They have been distinguished in the notes. The same remark applies to other heads, including distinct diseases.

Fatal Diseases.

		Synonymes, Provincial terms, &c.
Epidemic, Endemic, and Contagious Diseases.	Small-Pox	Variola.
	Chicken-Pox	Varicella. — Swine-pox, water-pox, hives. (1)
	Measles	Rubeola.
	Scarlatina	Rosalia. Scarlet fever.
	Putrid sore throat	Cynanche maligna. Ulcerated sore throat.
	Hooping-Cough	Pertussis. Chin-cough.
	Croup	Cynanche Trachealis.
	Thrush	Aphthae. Flox, frox, frost, white mouth, lily.
	Diarrhœa	Looseness, purging, bowel complaint.
	Dysentery	Dysenteria. Flux, bloody flux.
	Cholera	Cholera biliosa. Cholera infantum.
	Asiatic Cholera	Cholera epidemica.
	Influenza	Catarrhus epidemicus.
	Ague	Intermittent fever. Febris intermittens.
	Remittent Fever	Febris remittens.
	Puerperal fever	Under childbed.
	Mumps	Cynanche parotidea.
	Typhus*	Febris typhoides. — Low fever, jail fever.
	Synochus	Inflammatory fever.
	Miliaria	Miliary fever.
	Gastric fever	Febris gastrica. — Brain fever
	Nervous fever	Febris nervosa.
	Bilious fever	Febris biliosa.
	Yellow fever	Typhus icterodes.
	Plague	Pestis.
	Glanders. Formerly with scrofula.	
	Erysipelas	St. Anthony's fire.
	Syphilis	Lues venerea.
	Hydrophobia.	

* Scorbutus purpura, scrofula, purulent ophthalmia, rheumatic fever, pellagra, cretinism, elephantiasis, Barbadoes leg, beribery, yaws, leprosy, malignant, pustule, ergotism, hospital gangrene, when they occur in England, appear only to occur sporadically.

Sporadic Diseases

		Synonymes, Provincial terms, &c.
Of the Nervous System and Senses. — Brain, Spinal Marrow, Nerves, Eyes, Ears.	Cephalitis	Inflammation of the brain. Phrenitis.
	Meningitis	Inflammation of the membranes of the brain.
	Tubercular meningitis	Idem with tubercle.
	Myelitis	Inflammation of the spinal marrow.
	Hydrocephalus	Dropsy on the brain. Water in the head.
	Convulsions	Convulsio, spasmi. Fit. (2)
	Apoplexy	Apoplexia. Apoplectic fit.
	Paralysis	Palsy. Paralytic fit. Hemiplegia, paraplegia.
	Tetanus	Locked jaw. Trismus.
	Chorea	St. Vitus's dance.
	Epilepsy	Falling sickness. Epilepsia. Fit.
	Hysteria	Hysteric fits. Cramp, spasms.
	Catalepsy.	
	Mania	Insanity. — Madness.
	Monomania	Melancholy.
	Dementia	Demence.
	Idiocy	Idiotismus.
	Delirium Tremens	Delirium with trembling.
	Ophthalmia	Inflammation of the eye.
	Purulent ophthalmia.	Ophthalmia purulenta.
	Iritis	Inflammation of the iris.
	Otitis	Inflammation of the ear.
	Neuralgia	Tic douloureux.
	Disease (softening, abscess, tumor, atrophy, &c.) of the brain, spinal marrow, nerves, eyes, or ears. Morbus cerebri, cerebelli, medullæ spinalis, nervorum, oculorum vel aurium.*	
Of the Organs of Respiration. — Larynx, Windpipe, Air tubes, Lungs, Pleura.	Quinsey	Cynanche tonsillaris.
	Laryngitis	Inflammation of the larnyx.
	Bronchitis	Inflammation of the air tubes. Catarrh. Coryza.
	Pneumonia	Inflammation of the lungs. (3) Pneumonitis.
	Pleurisy	Pleuritis. Inflammation of the pleura.
	Hydrothorax	Dropsy of the pleura.
	Pneumothorax	Air between the pleura.
	Asthma	Emphysema.
	Hæmoptysis	Spitting of blood. (4)
	Phthisis	Consumption. Decline. (5)
	Disease (ulcer, abcess, &c.) of the larynx, air tubes, lungs, or pleura, Morbus laryngis, bronchi, pulmonum.	
	Nasal polypus	Polypus narium.
Of the Organs of Circulation. — Heart, Arteries, Veins, Lymphatics.	Pericarditis	Inflammation of the pericardium.
	Endocarditis	Inflammation of the internal membrane of the heart.
	Carditis	Inflammation of the heart's substance.
	Aneurism	Aneurismus.
	Ossification of the valves of the heart, or arteries.	Ossificatio.
	Rupture of the heart, &c.	Laceratio.
	Syncope	Fainting.
	Angina pectoris.	
	Phlebitis	Inflammation of the veins.
	Atrophy of the heart, &c.	
	Hypertrophy of the left ventricle, &c.	
	Hydropericardium	Dropsy of the pericardium.
	Disease of the heart, arteries, veins, or lymphatics. Morbus cordis, arteriarum, venarum.	

* In all cases of this kind the nature of the disease, if known, as well as the part affected, should be stated in the Registers.

Synonymes, Provincial terms, &c.

Sporadic Diseases

Of the Digestive Organs.

Mouth, Œsophagus, Stomach, Small Intestines, Colon, Rectum.

- Teething . . . . Dentitio.
- Salivation . . . . Under disease.
- Gastritis . . . . Inflammation of the internal membranes of the stomach.
- Enteritis . . . . ——————————— the bowels.
- Peritonitis . . . Inflammation of the peritoneum. (6)
- Tubercular peritonitis ——————————— with tubercles.
- Tabes Mesenterica . Mesenteric disease.
- Worms . . . . Vermes. } Worm fever, infantile remittent
- Tape worm . . . Tænia. } fever.
- Ascites . . . . Dropsy of the peritoneum.
- Intussusceptio . . Introversion of the bowels.
- Ileus or Colic . . Iliac passion, constipation, colic.
- Colica pictonum . . Painters' colic.
- Stricture of the œsophagus, rectum, &c.
- Hematemesis. . . Vomiting of blood.
- Hernia . . . . Rupture.
- Ulceration of the stomach, &c. Ulcus.
- Disease of the stomach and intestinal canal. Morbus ventriculi vel intestinorum.
- Dyspepsia. . . . Indigestion.
- Pyrosis . . . . Water brash.
- Piles . . . . . Hæmorrhoids.

Pancreas.

- Disease (inflammation, &c.) of the pancreas. Morbus pancreaticus.

Liver, Gall Bladder.

- Hepatitis. . . . Inflammation of the liver.
- Jaundice . . . . Icterus.
- Disease (abscess, enlargment, &c.) of the liver. Morbus hepaticus.
- Cirrhosis . . . . Drunkard's liver. Nutmeg liver.
- Gall stones . . . Chololithus.

Spleen.

- Splenitis . . . . Inflammation of the spleen.
- Disease (enlargment, &c.) of the spleen.

Of the Urinary Organs.

Kidneys, Ureters, Bladder, Urethra.

- Nephritis . . . Inflammation of the kidneys.
- Ischuria . . . . Stoppage of the urine.
- Diabetes . . . . Diabetes mellitus. Sugar in the urine.
- Cystitis . . . . Inflammation of the bladder.
- Stone . . . . . Lithia. Calculus.
- Stricture of the Urethra. Ischuria urethralis.
- Strangury . . . . Stranguria.
- Disease of the kidneys or bladder. Morbus renum vesicae.
- Granular disease . . Bright's disease.
- Hæmaturia . . . Bloody urine.
- Catarrh of the bladder Catarrhus Vesicae.

Of the Organs of Generation.

- Childbed. . . . Partus.
- Miscarriage . . . Abortus.
- Difficult labour.
- Extra-uterine fetation.
- Rupture of the uterus, &c.
- Flooding . . . . Hæmorrhagia
- Puerperal convulsions.
- Puerperal fever . . Phlebitis (?)
- Phlegmasia dolens . Crural phlebitis (?)
- Paramenia . . . Mismenstruation. Turn of life.
- Chlorosis . . . . Green sickness.
- Ovarian Dropsy. . Hydrops ovarii.
- Disease (in the male) of the testis, prostrate gland, &c. Morbus testis, &c.
- Orchitis . . . . Inflammation of the testis.
- Paraphimosis.
- Disease (in the female) of the uterus, ovaries, or vagina. Morbus uteri, &c.
- Polypus uteri.
- Imflammation of the breast. Abscess of the breast.

Synonymes, Provincial terms, &c.

Sporadic Diseases.

Of the Organs of Locomotion.

Joints, Bones, Ligaments, Tendons, Muscles.

- Arthritis . . . Inflammation of the joints.
- Periostitis. . . . Inflammation of the periosteum.
- Rheumatism . . . Rheumatic fever.
- Chronic Rheumatism Rheumatismus chronicus.
- Disease of the joints, bones, ligaments, tendons, or muscles. Morbus articulorum, ossium, &c.
- Brittleness of the bones. Fragilitas ossium.
- Softening of the bones Mollities ossium.
- Caries . . . . . Ulceration of bone.
- Necrosis. Death of bone.
- Lumbar abscess . . Abscessus psoae.
- White swelling . . Scrofulous inflammation of the joints.

Of the Integumentary System.

Skin, Cellular Tissue.

- Carbuncle . . . Carbunculus.
- Phlegmon . . . Inflammation of the cellular tissue.
- Whitlow . . . . Paronychia.
- Ulcer . . . . Ulcus.
- Fistula.
- Disease of the skin . Morbus cutaneus.
- Leprosy . . . . Lepra.
- Noli me tangere.
- Pompholyx.
- Impetigo.
- Scald head.
- Elephantiasis, &c. &c.

Of Uncertain Seat. (8).

- Scorbutus. . . . Scurvy. (7)
- Hæmorrhage (from*—) Bleeding. Hæmorrhagia.
- Epistaxis . . . . Bleeding at the nose.
- Œdema . . . . Dropsy of the extremities, &c.
- Dropsy . . . . General dropsy. Hydrops.
- Abscess of the brain, &c. } (Under Disease of brain, &c.)
- ,, liver. }
- Mortification of the foot, &c. . . . Gangræna.
- Dry gangrene . . Gangræna senilis.
- Hospital gangrene . Gangræna nosocomialis.
- Purpura . . . . Purples.
- Spontaneous combustion. Catacausis.
- Carcinoma (of the breast, &c.) Cancer.
- Scirrhus . . . . . .
- Fungus hæmatodes . . .
- Melanoma . . . . . .
- Tumor (the part should be specified).
- Scrofula . . . . King's evil.
- Bronchocele . . . Wen.
- Rickets . . . . Rachitis.
- Cachexia.
- Gout . . . . . Podagra.
- Atrophy . . . . Wasting, Atrophia, Marasmus.
- Debility . . . . Debilitas.
- Malformation . . Pseudomorphica.
- Cyanosis . . . . Blue disease.
- Imperforate anus. . Anus imperforatus
- Spina bifida, &c. . .

Old Age . . . . . Senectus, Natural Decay.

Deaths, ascribed to external Causes or to Violence. (9)
- Violent Deaths.
- Intemperance.
- Starvation.

See the synonymes of starvation, p. 76; "want of the mother's milk," and similar terms expressive of the want of proper food in infants are classed under this head.

* The part from which the hæmorrhage takes place should be stated in the registers.

(1) *Hives* is a synonyme of varicella; but in some of the northern counties it is understood to signify inflammation *or* mesenteric disease. Bowel hives, heart hives, also occur. Hives should not be employed in the registers.

(2) *Fit.*—This is an objectionable term; it is indiscriminately applied to epilepsy, convulsions, and apoplexy, in different parts of the country.

(3) *Inflammation of the chest* is an indefinite term.

(4) *Hœmoptysis* is sometimes improperly Registered "Rupture of a blood-vessel."

(5) *Decline* is improperly used in some districts.

(6) *Inflammation of the bowels* is an objectionable term, as it does not distinguish peritonitis from enteritis. Some writers incorrectly apply "enteritis," to inflammation of the part of the peritoneum over the bowels.

(7) *Scurvy* is improperly applied to several cutaneous diseases.

(8) *Inflammation, abscess, tumour, &c.*, occur in the tables. The *part affected* has not been named in many of these cases, although in inflammation the omission renders the term almost unintelligible. *Sudden death* has been used in the Abstract as a general head for all the vague verdicts of coroners' inquests.

(9) *Deaths by Violence.*—Coroners' inquests are held in all cases that fall under this head; and the Registration Act directs the Registrar to make the entry according to "the finding of the jury."

In order to render the Register as correct as possible, it is desirable that the cause of death should be directly certified in every instance by the medical attendant, who might either leave the certificate with the informant, or give it upon application to the Registrar. When the medical attendant is the informant, he will of course sign the register, as directed by the Act. The certificates of the cause of death might be in one of the subjoined forms, which present examples of some of the more complicated cases. The duration of the fatal disease should be stated, *when known*, in hours, days, or years, which would supersede the words "sudden," &c., and in the end furnish many highly important results. The Registrar should insert the terms corresponding to those in italics in the column of the register headed "Cause of Death."

Edward Davies, aged 11, died of *Typhus, terminating in pneumonia after* 15 *days' illness.** (Signed) * The primary and secondary diseases should be specified in the Registers.
Thomas Williams, aged 70, died of *Apoplexy (second attack, of* 1 *day's duration) with effusion of blood into the ventricles of the brain.* (Signed)
Mary White, aged 40, died of *Carcinoma of the breast of* 2 *years' continuance.** (Signed) * The *nature* of the disease, and the *parts* affected should be specified in cases of this kind.

TABLES OF MORTALITY FOR THE METROPOLIS,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the Weeks ending Saturday the 11th January to Saturday the 23rd May 1840, inclusive.

(*Re-printed from the Weekly Tables published at the General Register Office.*)

The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Ague. Remittent Fever.
(2) Tetanus. Chorea.
(3) Laryngitis.
(4) Hypertrophy.
(5) Intussusception.
(6) Stricture of Œsophagus. Hematemesis. Disease of Pancreas.
(7) Diseases of Spleen.
(8) Ischuria. Cystitis.
(9) Paramenia.
(10) Arthritis.
(11) Carbuncle. Phlegmon.
(12) Purpura.

NOTE.—Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within* and *without* the Walls, the City and Liberties of Westminster, the *Out-Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith (Chapelry); St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population, as enumerated in 1831, was 1,594,890.

The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the Weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been 1-27th part more numerous. Decimals were employed only when less than one death occurred Weekly.

Age of 3 not stated, 1838. When the age was not known the case was only inserted in the total; hence this column is sometimes one or two more than the sum of the three columns preceding.

Deaths Registered in the Weeks ending Saturday the 11th Jan. 18th Jan.

CAUSES OF DEATH.		11th Jan. 0 to 15	11th Jan. 15 to 60	11th Jan. 60 & upwards.	11th Jan. Total.	18th Jan. 0 to 15	18th Jan. 15 to 60	18th Jan. 60 & upwards.	18th Jan. Total.	25th Jan. 0 to 15	25th Jan. 15 to 60	25th Jan. 60 & upwards.	25th Jan. Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	5	3		8	3	..	..	3	5	3	..	8
	Measles	18	..	..	18	20	..	..	20	10	..	..	10
	Scarlatina	48	..	..	48	47	4	..	51	44	1	..	45
	Hooping Cough	15	2	..	17	20	1	..	21	36	1	..	37
	Croup	7	..	..	7	5	..	..	5	8	..	..	8
	Thrush	7	..	..	7	4	..	..	4	3	..	..	3
	Diarrhœa	2	1	1	4	2	2	1	5	5	..	1	6
	Dysentery	..	..	..	..	..	1	..	1	..	2	..	2
	Cholera	..	..	..	..	..	..	..	..	..	..	..	..
	Influenza	..	..	..	..	2	1	..	3	2	1	..	3
	Typhus (1)	7	13	5	25	9	9	9	27	9	17	4	30
	Erysipelas	5	4	..	9	2	..	1	3	1	3	1	5
	Syphilis	..	1	..	1	..	1	..	1	..	..	..	..
	Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..
		114	24	6	144	114	19	11	144	123	28	6	157
Diseases of the Brain, Nerves, and Senses.	Cephalitis	7	2	..	9	6	5	..	11		1	..	12
	Hydrocephalus	31	1	3	35	35	1	..	36	30	..	1	31
	Apoplexy	1	10	12	23	1	4	8	13	..	11	15	26
	Paralysis	1	3	9	13	1	6	14	21	..	9	10	19
	Convulsions	61	..	3	64	55	1	..	56	52	1	1	54
	Epilepsy	2	..	1	3	1	2	..	3	2	..	1	3
	Insanity	..	..	2	2	..	1	1	2	..	..	..	..
	Delirium Tremens	..	1	..	1	..	1	..	1	..	3	..	3
	Dis. of Brain, &c. (2)	4	5	2	11	8	5	3	16	3	5	..	8
		107	22	32	161	107	26	26	159	98	30	28	156
Diseases of the Lungs, and other Organs of Respiration.	Quinsey	1	..	..	1	1	1	..	2	1	..	..	1
	Bronchitis	2	2	4	8	..	4	3	7	4	5	13	22
	Pleurisy	1	1	..	2	..	1	..	1	..	..	..	..
	Pneumonia	58	18	3	79	57	23	10	90	49	13	7	69
	Hydrothorax	1	8	5	14	2	8	6	16	5	2	4	11
	Asthma	..	34	11	45	1	32	33	66	..	25	29	54
	Consumption	24	108	8	140	17	137	12	166	18	97	12	127
	Dis. of Lungs, &c. (3)	3	11	4	18	6	13	6	25	6	5	7	18
		90	182	35	307	84	219	70	373	83	147	72	302
Diseases of the Heart and Blood-vessels.	Pericarditis	..	..	..	..	1	1	..	2	..	1	..	1
	Aneurism	..	..	..	..	..	..	..	..	..	..	..	..
	Dis. of Heart, &c. (4)	2	9	2	13	3	14	11	28	2	13	6	21
		2	9	2	13	4	15	11	30	2	14	6	22
Diseases of the Stomach, Liver, and other Organs of Digestion.	Teething	17	..	..	17	18	..	..	18	16	..	..	16
	Gastritis—Enteritis	5	4	3	12	6	8	1	15	5	7	1	13
	Peritonitis	..	1	..	1	..	..	..	..	..	1	..	1
	Tabes Mesenterica	3	1	..	4	3	..	..	3	2	..	..	2
	Ascites	..	..	..	..	..	2	..	2	..	2	1	3
	Ulceration	1	1	..	2	..	..	..	..	..	3	..	3
	Hernia	..	3	..	3	..	1	1	2	..	1	2	3
	Colic or Ileus (5)	3	..	2	5	..	..	..	..	1	..	..	1
	Dis. of Stomach, &c. (6)	4	1	5	10	1	3	1	5	2	3	1	6
	Hepatitis	..	..	1	1	..	1	..	1	..	1	1	2
	Jaundice	..	..	..	..	..	3	..	3	..	..	1	1
	Dis. of Liver, &c. (7)	1	4	2	7	..	1	1	2	..	1	2	3
		34	15	13	62	28	19	4	51	26	19	9	54
Diseases of the Kidneys, &c.	Nephritis	..	..	..	..	..	..	..	..	..	..	..	..
	Diabetes	..	..	..	..	..	..	..	..	..	1	..	1
	Stone	..	..	..	..	..	..	..	..	1	..	1	2
	Stricture	..	..	1	1	..	..	..	..	..	2	..	2
	Dis. of Kidneys, &c. (8)	..	3	1	4	..	3	..	3	..	1	1	2
		..	3	2	5	..	3	..	3	1	4	2	7

25th Jan. 1st Feb. 8th Feb. 15th Feb. 22nd Feb. and 29th Feb. 1840.

1st Feb. 0 to 15	1st Feb. 15 to 60	1st Feb. 60 & upwards.	1st Feb. Total.	8th Feb. 0 to 15	8th Feb. 15 to 60	8th Feb. 60 & upwards.	8th Feb. Total.	15th Feb. 0 to 15	15th Feb. 15 to 60	15th Feb. 60 & upwards.	15th Feb. Total.	22nd Feb. 0 to 15	22nd Feb. 15 to 60	22nd Feb. 60 & upwards.	22nd Feb. Total.	29th Feb. 0 to 15	29th Feb. 15 to 60	29th Feb. 60 & upwards.	29th Feb. Total.
8	4	..	12	3	2	..	5	5	1	..	6	8	1	..	9	4	..	..	4
17	..	..	17	16	..	..	16	13	..	..	13	11	1	..	12	11	..	..	11
30	1	..	31	30	3	..	33	42	4	..	46	42	2	..	44	43	2	..	45
30	..	..	30	15	..	..	15	20	..	..	20	22	..	..	22	27	..	..	27
3	..	..	3	5	..	..	5	4	1	..	5	6	..	..	6	11	..	..	11
8	..	..	8	4	..	..	4	9	..	..	9	5	..	1	6	5	..	..	5
4	1	1	6	2	3	1	6	5	..	1	6	1	..	2	3	3	1	1	5
2	..	..	2	1	..	..	1	..	2	..	2	..	1	1	2	..	1	..	1
..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3	..	..	3	..	..	..	..	..	..	..	..	1	1	2	4	..	..	..	..
8	15	4	28	5	21	5	31	7	18	4	30	4	13	3	20	4	13	4	21
2	2	..	4	3	..	..	3	1	2	..	3	1	..	..	1	2	2	1	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
115	23	6	145	84	29	6	119	106	28	5	140	101	19	9	129	110	20	6	136
8	2	..	10	4	4	1	9	17	2	..	19	6	3	2	11	6	3	..	9
32	1	..	33	34	1	..	35	25	1	..	26	29	2	..	31	40	2	..	42
1	10	8	19	5	10	10	25	..	10	8	18	2	8	4	14	2	12	9	23
..	3	7	10	1	7	9	17	..	2	11	13	..	9	11	20	..	3	10	13
44	..	..	44	57	..	..	57	52	..	..	52	47	1	..	48	56	..	..	56
..	2	1	3	1	5	1	7	1	1	1	3	1	5	5	11	..	5	..	5
..	..	1	1	..	..	1	1	..	..	..	..	..	..	..	..	..	4	..	4
..	2	..	2	..	..	..	..	..	..	..	..	..	1	..	1	..	1	1	2
4	6	1	11	5	..	2	7	4	9	..	13	2	4	..	6	7	2	..	9
89	26	18	133	107	27	24	158	99	25	20	144	87	33	22	142	111	32	20	163
..	2	..	2	..	..	..	..	2	..	..	2	..	..	..	..	..	..	..	..
1	5	2	8	2	6	6	14	1	7	6	14	..	4	4	8	2	4	5	11
..	2	..	2	2	2	..	4	..	1	..	1	..	..	..	..	..	1	1	2
46	11	7	64	47	8	3	58	44	10	1	55	43	10	4	57	39	18	2	59
1	..	..	1	..	1	3	4	2	..	2	4	2	6	2	10	2	3	1	6
..	18	27	45	..	10	19	29	..	15	20	35	..	21	18	39	..	23	16	39
30	101	8	139	36	96	7	139	27	104	10	141	31	110	10	151	30	102	7	139
4	5	6	15	4	5	4	13	1	8	2	11	3	6	2	11	1	6	7	14
82	144	50	276	91	128	42	261	77	145	41	263	79	157	40	276	74	157	39	270
..	1	..	1	..	1	..	1	..	..	..	..	..	1	..	1	..	..	..	..
..	1	..	1	..	1	..	1	..	..	..	..	..	1	..	1	..	..	..	..
1	10	5	16	1	14	5	20	2	12	6	20	4	11	1	16	3	16	5	24
1	12	5	18	1	16	5	22	2	12	6	20	4	13	1	18	3	16	5	24
11	..	..	11	12	..	..	12	18	..	..	18	13	..	..	13	16	..	..	16
5	4	2	11	7	5	3	15	6	6	2	14	9	4	1	14	3	5	..	8
..	..	..	..	..	..	..	..	2	2	..	4	..	1	..	1	..	1	..	1
5	..	..	5	..	..	..	..	3	..	..	3	7	..	..	7	2	1	..	3
..	..	..	..	..	1	..	1	..	..	1	1	..	..	..	..	..	2	..	2
..	1	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	1	1	2	..	..	..	..	..	3	..	3	..	..	1	1
..	..	1	1	..	..	2	2	1	1	..	2	1	..	1	2	..	1	..	1
2	2	1	5	1	4	..	5	3	3	..	6	4	3	4	11	..	1	..	1
..	1	1	2	..	..	..	..	..	1	..	1	..	1	..	1	..	1	..	1
..	..	1	1	1	..	..	1	1	1	1	3	1	1	1	3	..	1	1	2
2	3	2	7	..	2	3	5	1	3	2	6	2	3	3	8	..	2	3	5
25	11	9	46	21	13	9	43	35	17	6	58	37	16	10	63	21	15	5	41
..	1	1	2	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	1	..	..	1	1	1	..	2	3	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	2	2	..	3	1	4	1	..	2	3	1	..	1	2	..	2	2	4
..	1	5	6	..	4	2	6	2	..	4	6	1	..	1	2	..	3	2	5

Deaths Registered in the Weeks ending Saturday the 11th Jan. 18th Jan.

CAUSES OF DEATH.		11th Jan. 0 to 15	11th Jan. 15 to 60	11th Jan. 60 & upwards.	11th Jan. Total.	18th Jan. 0 to 15	18th Jan. 15 to 60	18th Jan. 60 & upwards.	18th Jan. Total.	25th Jan. 0 to 15	25th Jan. 15 to 60	25th Jan. 60 & upwards.	25th Jan. Total.
Childbed, Diseases of the Uterus, &c.	Childbed	..	2	..	2	..	6	..	6	..	7	..	7
	Ovarian Dropsy	..	..	..	..	..	..	..	..	..	..	..	..
	Dis. of Uterus, &c. (9)	..	2	1	3	..	1	..	1	..	2	..	2
		..	4	1	5	..	7	..	7	..	9	..	9
Diseases of the Joints, Muscles, &c.	Rheumatism	1	4	..	5	1	..	..	1	..	..	1	1
	Dis. of Joints, &c. (10)	1	2	..	3	1	3	3	7	2	3	1	6
		2	6	..	8	2	3	3	8	2	3	2	7
Diseases of the Skin, &c.	Ulcer	..	..	..	..	1	..	1	2	..	..	1	1
	Fistula	..	..	..	..	..	..	..	..	..	1	..	1
	Dis. of Skin, &c. (11)	1	..	..	1	..	..	..	..	1	1	..	2
		1	..	..	1	1	..	1	2	1	2	1	4
Diseases of Uncertain Seat.	Inflammation	5	1	1	7	1	3	1	5	3	2	..	5
	Hæmorrhage	..	2	..	2	..	2	..	2	..	1	1	2
	Dropsy	6	18	14	38	3	21	15	39	4	19	9	32
	Abscess	2	1	..	3	2	..	..	2	..	2	..	2
	Mortification	1	1	6	8	1	1	1	3	2	..	1	3
	Scrofula (12)	1	..	..	1	4	..	..	4	1	1	..	2
	Carcinoma	..	5	7	12	..	3	1	4	2	4	3	9
	Tumor	..	1	..	1	..	1	1	2	..	..	..	..
	Gout	..	..	1	1	..	..	..	..	..	..	..	..
	Atrophy	2	..	..	2	1	..	..	1	7	1	1	9
	Debility	20	1	3	24	18	2	4	24	11	1	5	17
	Malformations	1	..	..	1	..	..	..	..	..	..	..	..
	Sudden Deaths	3	9	1	13	5	7	4	17	6	4	5	15
		41	39	33	113	35	40	27	103	36	35	25	96
Old Age, or Natural Decay		..	4	101	105	..	2	89	91	..	..	76	76
Deaths by Violence, Privation, or Intemperance.	Intemperance	..	..	..	..	..	..	..	..	..	..	..	..
	Privation	1	1	..	2	..	..	..	..	..	1	..	1
	Violent Deaths	10	20	3	34	17	8	1	26	10	9	2	21
		11	21	3	36	17	8	1	26	10	9	2	21
Causes not specified		2	3	1	6	.		..	..	2	2	1	5
Deaths from all Causes		404	332	230	967	392	361	244	997	384	302	230	916
Average Weekly Deaths (1838)		466	352	192	..	466	352	192	..	466	352	192	..

West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin-in-the-Fields; St. James . . . . . }
North Districts. . . . St. Mary-le-bone; St. Pancras; Islington; Hackney . . . . . .
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London . . . . }
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George-in-the-East; Stepney; Poplar . . . . . }
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich }

Total . . . .

Total . . { Males . . . Females . . }

25th Jan. 1st Feb. 8th Feb. 15th Feb. 22nd Feb. and 29th Feb. 1840—*continued.*

CAUSES OF DEATH.		1st Feb. 0 to 15	1st Feb. 15 to 60	1st Feb. 60 & upwards.	1st Feb. Total.	8th Feb. 0 to 15	8th Feb. 15 to 60	8th Feb. 60 & upwards.	8th Feb. Total.	15th Feb. 0 to 15	15th Feb. 15 to 60	15th Feb. 60 & upwards.	15th Feb. Total.	22nd Feb. 0 to 15	22nd Feb. 15 to 60	22nd Feb. 60 & upwards.	22nd Feb. Total.	29th Feb. 0 to 15	29th Feb. 15 to 60	29th Feb. 60 & upwards.	29th Feb. Total.
Childbed, Diseases of the Uterus, &c.	Childbed	..	11	..	11	..	2	..	2	..	7	..	7	..	6	..	6	..	4	..	4
	Ovarian Dropsy	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Dis. of Uterus, &c. (9)	..	2	..	2	..	1	..	1	..	1	..	1	..	1	..	1	..	2	1	3
		..	13	..	13	..	3	..	3	..	8	..	8	..	7	..	7	..	6	1	7
Diseases of the Joints, Muscles, &c.	Rheumatism	1	2	1	4	..	3	..	3	1	5	..	6	..	..	1	1	..	5	..	5
	Dis. of Joints, &c. (10)	2	1	1	4	..	2	..	2	2	2	..	4	..	4	..	4	1	2	..	3
		3	3	2	8	..	5	..	5	3	7	..	10	..	4	1	5	1	7	..	8
Diseases of the Skin, &c.	Ulcer	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	1	1
	Fistula	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..
	Dis. of Skin, &c. (11)	..	..	..	..	2	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..
		..	..	..	..	2	2	..	4	..	..	..	..	..	..	..	..	..	..	1	1
Diseases of Uncertain Seat.	Inflammation	6	3	1	10	5	..	..	5	3	..	2	5	4	2	..	6	1	2	1	4
	Hæmorrhage	1	3	1	5	..	2	..	2	..	..	..	..	1	4	..	5	..	3	..	3
	Dropsy	4	21	11	36	4	11	4	19	3	14	14	31	3	27	13	43	7	24	12	43
	Abscess	2	..	..	2	3	..	2	5	2	1	1	4	1	1	1	3	2	4	1	7
	Mortification	1	1	2	4	2	2	2	6	..	..	4	4	..	1	4	5	..	1	4	5
	Scrofula (12)	..	..	..	..	5	..	..	5	2	..	..	2	2	2	1	5	1	..	..	1
	Carcinoma	..	6	..	6	..	9	3	12	..	6	3	9	..	4	2	6	..	7	2	9
	Tumor	..	..	..	..	..	..	1	1	..	..	1	1	..	..	1	1	..	3	..	3
	Gout	..	1	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	3	3
	Atrophy	..	..	..	..	..	1	1	2	4	..	..	4	5	1	..	6	5	..	1	6
	Debility	17	1	5	23	12	4	7	23	10	1	6	17	12	2	8	22	16	4	6	26
	Malformations	..	..	..	..	4	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..
	Sudden Deaths	8	9	5	22	2	7	5	14	4	3	6	13	1	10	6	17	10	5	3	18
		39	45	25	109	37	37	25	99	28	25	37	90	29	54	36	119	42	53	33	128
Old Age, or Natural Decay		..	..	61	61	..	1	77	78	..	1	53	54	..	..	65	65	..	1	94	95
Deaths by Violence, Privation, or Intemperance.	Intemperance	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
	Privation	..	1	..	1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..
	Violent Deaths	3	12	..	15	3	12	4	19	2	12	1	15	6	14	4	26	12	19	4	35
		3	13	..	16	3	12	4	19	3	12	1	16	6	14	4	26	12	20	4	36
Causes not specified		3	..	1	4	..	1	..	1	1	2	1	4	1	2	..	3	1	..	1	2
Deaths from all Causes		360	291	182	835	346	278	194	818	356	282	174	813	345	319	189	855	375	330	211	916
Average Weekly Deaths (1838)		466	352	192	..	466	352	192	..	466	352	192	..	466	352	192	..	466	352	192	..

DEATHS IN THE WEEK ENDING,

11th Jan.	18th Jan.	25th Jan.	1st Feb.	8th Feb.	15th Feb.	22nd Feb.	29th Feb.
149	160	122	108	125	98	121	138
171	170	163	157	152	145	141	192
199	230	182	187	157	172	184	170
225	216	207	200	167	190	199	171
223	221	242	183	217	208	210	245
967	997	916	835	818	813	855	916
465	507	477	434	420	393	426	478
502	490	439	401	398	420	429	438

Deaths Registered in the Weeks ending Saturday the 7th March, 14th March, 21st March, 28th March, 4th April, 11th April, 18th April, and 25th April, 1840.

CAUSES OF DEATH.	7th March.				14th March.				21st March.			
	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.
Epidemic, Endemic, and Contagious Diseases. — Small Pox	7	2	..	9	7	1	..	8	11	2	..	13
Measles	15	..	..	15	19	..	..	19	14	..	..	14
Scarlatina	34	2	..	36	23	1	..	24	45	2	..	47
Hooping Cough	26	..	..	26	17	..	..	17	25	..	1	26
Croup	8	1	..	9	10	..	..	10	8	..	..	8
Thrush	8	..	..	8	2	..	..	2	3	..	..	3
Diarrhœa	3	..	..	3	3	2	1	6	1	2	2	5
Dysentery	..	..	..	..	..	1	..	1	..	..	..	..
Cholera	..	..	..	..	..	..	..	..	..	..	..	..
Influenza	..	1	..	1	..	..	2	2	3	..	..	3
Typhus (1)	6	17	3	26	8	10	8	26	14	11	4	29
Erysipelas	..	4	1	5	..	..	3	3	..	3	..	3
Syphilis	..	1	..	1	1	1	..	2	..	1	..	1
Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..
	107	28	4	139	90	16	14	120	124	21	7	152
Diseases of the Brain, Nerves, and Senses. — Cephalitis	9	3	..	12	7	2	..	9	8	4	1	13
Hydrocephalus	40	5	..	45	34	1	..	35	33	..	..	33
Apoplexy	..	8	11	19	3	4	10	17	2	12	6	20
Paralysis	1	7	4	12	..	8	18	26	1	2	6	9
Convulsions	68	..	..	68	59	1	2	62	59	..	..	59
Epilepsy	1	6	2	9	1	3	1	5	2	1	..	3
Insanity	1	1	..	2	..	3	1	4	..	1	..	1
Delirium Tremens	..	1	..	1	..	1	..	1	..	3	..	3
Dis. of Brain, &c. (2)	5	3	2	10	2	6	3	11	4	4	2	10
	125	34	19	178	106	29	35	170	109	27	15	151
Diseases of the Lungs, and other Organs of Respiration. — Quinsey	2	3	..	5	2	..	..	2	..	1	..	1
Bronchitis	2	9	8	19	5	8	4	17	1	10	1	12
Pleurisy	1	..	1	2	..	..	..	..	..	1	..	1
Pneumonia	51	18	6	76	41	12	11	64	49	24	12	85
Hydrothorax	1	..	9	10	..	5	2	7	1	6	5	12
Asthma	..	20	25	45	..	25	26	51	..	17	24	41
Consumption	27	102	7	136	20	116	12	148	28	128	7	163
Dis. of Lungs, &c. (3)	2	10	6	18	5	8	6	19	2	12	3	17
	86	162	62	311	73	174	61	308	81	199	52	332
Diseases of the Heart and Blood-vessels. — Pericarditis	..	2	..	2	..	..	..	..	..	..	..	..
Aneurism	..	..	..	..	..	..	1	1	..	1	..	1
Dis. of Heart, &c. (4)	2	3	4	9	1	15	4	20	..	8	5	13
	2	5	4	11	1	15	5	21	..	9	5	14
Diseases of the Stomach, Liver, and other Organs of Digestion. — Teething	20	..	..	20	8	..	..	8	9	..	..	9
Gastritis—Enteritis	9	5	3	17	15	4	2	21	1	4	1	6
Peritonitis	..	2	1	3	..	2	1	3	..	..	..	..
Tabes Mesenterica	6	..	..	6	3	..	1	4	7	2	..	9
Ascites	1	..	..	1	..	..	..	..	..	..	..	..
Ulceration	3	..	1	4	..	..	..	..	..	1	1	2
Hernia	..	1	1	2	..	2	..	2	2	..	2	4
Colic or Ileus (5)	..	..	1	1	1	3	..	4	..	1	..	1
Dis. of Stomach, &c. (6)	..	3	..	3	2	4	..	6	2	1	2	5
Hepatitis	2	..	..	2	..	..	..	..	..	1	1	2
Jaundice	1	1	..	2	2	..	1	3	..	1	1	2
Dis. of Liver, &c. (7)	1	8	1	10	1	3	..	4	1	5	2	8
	43	20	8	71	32	18	5	55	22	16	10	48
Diseases of the Kidneys, &c. — Nephritis	..	..	..	..	..	..	..	..	..	..	..	..
Diabetes	..	..	..	..	..	..	..	..	..	1	..	1
Stone	1	..	1	2	..	..	..	..	..	..	..	..
Stricture	..	1	..	1	..	..	..	..	..	..	..	..
Dis. of Kidneys, &c. (8)	..	1	2	3	..	3	..	3	..	1	3	4
	1	2	3	6	..	3	..	3	..	2	3	5

CAUSES OF DEATH.	28th March.				4th April.				11th April.				18th April.				25th April.			
	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.
Epidemic, Endemic, and Contagious Diseases. — Small Pox	12	..	..	12	5	2	..	7	8	3	..	11	6	..	..	6	5	1	..	6
Measles	15	..	..	15	14	..	..	14	13	..	..	13	20	1	..	21	20	..	..	20
Scarlatina	25	1	2	28	42	3	..	45	31	3	..	34	30	5	1	36	32	3	1	36
Hooping Cough	17	..	..	17	16	..	..	16	17	..	..	17	30	..	..	30	33	..	..	33
Croup	11	..	..	11	8	..	..	8	9	..	..	9	5	..	..	5	9	..	..	9
Thrush	2	..	..	2	4	..	..	4	1	..	..	1	3	..	..	3	2	..	..	2
Diarrhœa	..	..	..	..	1	..	1	2	2	..	..	2	..	..	..	..	3	1	1	5
Dysentery	..	2	..	2	..	1	..	1	..	1	..	1	..	1	..	1	..	..	..	..
Cholera	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
Influenza	..	..	1	1	1	..	..	1	..	1	1	2	..	..	..	..	..	..	..	..
Typhus (1)	7	7	1	15	12	17	1	30	6	12	5	23	8	18	5	31	12	16	2	30
Erysipelas	1	2	1	4	3	4	2	9	1	4	2	7	1	3	1	5	2	4	..	6
Syphilis	..	..	..	..	..	1	..	1	..	1	..	1	..	..	..	..	..	..	..	..
Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	90	12	5	107	107	28	4	139	88	25	8	121	103	28	7	138	118	25	4	147
Diseases of the Brain, Nerves, and Senses. — Cephalitis	6	3	..	9	8	2	1	11	8	1	..	9	8	..	2	10	5	2	..	7
Hydrocephalus	33	..	..	33	33	3	..	36	36	..	..	36	41	..	..	41	46	..	..	46
Apoplexy	1	7	6	14	3	7	13	23	..	13	5	18	..	5	7	12	1	6	10	17
Paralysis	..	6	8	14	..	11	13	24	2	7	9	18	..	7	7	14	..	5	6	11
Convulsions	57	2	1	60	50	1	..	51	56	..	..	56	74	..	..	74	65	..	..	65
Epilepsy	..	3	..	3	2	4	..	6	..	5	..	5	..	5	1	6	..	3	1	4
Insanity	..	3	..	3	..	2	1	3	..	..	..	..	..	..	..	..	..	1	..	1
Delirium Tremens	..	1	..	1	..	2	..	2	..	..	..	..	..	3	..	3	..	..	1	1
Dis. of Brain, &c. (2)	3	3	2	9	6	6	1	13	2	2	..	4	4	1	1	6	5	6	2	13
	100	28	17	146	102	38	29	169	104	28	14	146	127	21	18	166	122	23	20	165
Diseases of the Lungs, and other Organs of Respiration. — Quinsey	..	..	..	..	3	1	1	5	1	1	..	2	1	..	..	1	..	..	..	..
Bronchitis	4	6	6	16	3	6	2	11	1	2	4	7	8	4	3	15	5	6	3	14
Pleurisy	1	2	..	3	1	2	..	3	..	1	1	2	..	..	1	1	..	..	..	..
Pneumonia	49	16	6	71	60	19	6	85	54	11	3	68	49	12	13	74	59	16	3	78
Hydrothorax	1	3	1	5	2	2	2	6	..	3	..	3	..	2	1	3	1	2	1	4
Asthma	1	14	20	35	..	21	14	35	..	11	12	23	..	20	13	33	..	11	9	20
Consumption	25	122	3	151	26	111	8	145	34	116	9	159	32	111	6	149	24	109	11	144
Dis. of Lungs, &c. (3)	9	7	6	22	2	14	4	20	1	12	4	17	2	8	3	13	3	6	5	14
	90	170	42	303	97	176	37	310	91	157	33	281	92	157	40	289	92	150	32	274
Diseases of the Heart and Blood-vessels. — Pericarditis	..	1	..	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..
Aneurism	..	..	..	..	..	1	..	1	..	1	1	2	..	..	..	..	..	2	..	2
Dis. of Heart, &c. (4)	1	11	3	15	1	11	7	19	2	16	4	22	1	13	6	20	1	10	6	17
	1	12	3	16	1	12	7	20	2	18	5	25	1	13	6	20	1	12	6	19
Diseases of the Stomach, Liver, and other Organs of Digestion. — Teething	14	..	..	14	13	..	..	13	14	..	..	14	21	..	..	21	15	..	..	15
Gastritis—Enteritis	13	3	4	20	4	7	..	11	11	4	1	16	2	7	2	11	7	2	2	11
Peritonitis	..	3	..	3	..	1	..	1	..	..	3	3	..	2	..	2	..	1	..	1
Tabes Mesenterica	5	..	..	5	4	..	..	4	6	..	..	6	3	1	..	4	5	..	..	5
Ascites	..	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2
Ulceration	..	1	..	1	1	1	1	3	..	..	..	..	..	..	..	..	..	..	1	1
Hernia	..	2	..	2	..	2	1	3	..	1	1	2	..	..	..	..	..	2	3	5
Colic or Ileus (5)	2	1	..	3	..	..	..	..	..	1	1	2	..	1	..	1	1	1	..	2
Dis. of Stomach, &c. (6)	..	1	2	3	..	..	2	2	1	4	2	7	3	5	1	9	..	1	2	3
Hepatitis	..	1	..	1	..	..	..	..	..	..	..	..	..	2	..	2	..	..	..	..
Jaundice	..	..	1	1	1	2	..	3	2	..	..	2	2	1	..	3	..	2	..	2
Dis. of Liver, &c. (7)	2	7	3	12	..	2	2	4	1	7	1	9	1	..	1	2	3	5	2	10
	36	19	12	67	23	15	6	44	35	16	9	60	32	19	4	55	31	15	11	57
Diseases of the Kidneys, &c. — Nephritis	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..
Diabetes	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Stone	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..	1
Stricture	..	..	2	2	..	..	..	..	..	..	2	2	..	..	..	..	..	..	..	..
Dis. of Kidneys, &c. (8)	..	2	2	4	..	1	1	2	..	3	..	3	..	..	1	1	..	3	..	3
	..	2	4	6	..	1	1	2	..	3	2	5	..	1	2	3	..	4	..	4

Deaths Registered in the Weeks ending Saturday the 7th March, 14th March, 21st March, 28th March, 4th April, 11th April, 18th April, and 25th April, 1840.

CAUSES OF DEATH.	7th March.				14th March.				21st March.			
	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.
Childbed, Diseases of the Uterus, &c. — Childbed	..	10	..	10	..	8	..	8	..	10	..	10
Ovarian Dropsy	..	..	..	..	..	..	..	..	..	..	..	..
Dis. of Uterus, &c. (9)	..	..	1	1	..	1	..	1	..	3	..	3
	..	10	1	11	..	9	..	9	..	13	..	13
Diseases of the Joints, Muscles, &c. — Rheumatism	..	2	..	2	..	1	1	2	1	2	..	3
Dis. of Joints, &c. (10)	2	2	..	4	1	1	..	2	..	1	..	1
	2	4	..	6	1	2	1	4	1	3	..	4
Diseases of the Skin, &c. — Ulcer	..	..	..	..	..	..	..	..	..	..	..	..
Fistula	..	..	..	..	..	..	..	..	..	..	..	..
Dis. of Skin, &c. (11)	..	..	..	..	1	..	..	1	2	1	..	3
	..	..	..	..	1	..	..	1	2	1	..	3
Diseases of Uncertain Seat. — Inflammation	5	2	..	7	6	3	2	11	5	1	..	6
Hæmorrhage	..	2	1	3	..	1	..	1	1	1	1	3
Dropsy	2	14	19	35	4	27	16	47	3	19	17	39
Abscess	..	2	1	3	2	3	1	6	2	6	..	8
Mortification	1	1	7	9	1	3	3	7	1	3	5	9
Scrofula (12)	..	2	..	2	..	1	..	1	2	2	..	4
Carcinoma	..	4	1	5	..	2	4	6	..	..	3	3
Tumor	..	1	..	1	..	..	1	1	..	..	2	2
Gout	..	1	..	1	..	..	2	2	..	1	..	1
Atrophy	5	..	1	6	4	1	..	5	6	1	2	9
Debility	10	2	13	25	8	1	7	16	16	2	3	21
Malformations	..	..	..	..	1	..	..	1	2	..	..	2
Sudden Deaths	6	6	5	17	1	6	4	11	5	4	5	14
	29	37	48	114	27	48	40	115	43	40	38	121
Old Age, or Natural Decay	..	3	81	84	..	..	75	75	..	..	71	71
Deaths by Violence, Privation, or Intemperance. — Intemperance	..	..	..	..	..	..	..	..	..	..	..	..
Privation	..	1	..	1	..	..	..	..	..	..	..	..
Violent Deaths	12	13	8	33	8	11	6	25	11	15	1	27
	12	14	8	34	8	11	6	25	11	15	1	27
Causes not Specified	1	2	1	4	..	1	1	2	3	2	..	5
Deaths from all Causes	408	321	239	969	339	326	243	908	396	348	202	946
Average Weekly Deaths (1838)	466	352	192	..	466	352	192	..	466	352	192	..

CAUSES OF DEATH.	28th March.				4th April.				11th April.				18th April.				25th April.			
	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.
Childbed, Diseases of the Uterus, &c. — Childbed	..	11	..	11	..	5	..	5	..	6	..	6	..	5	..	5	..	7	..	7
Ovarian Dropsy	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Dis. of Uterus, &c. (9)	..	1	1	2	..	5	1	6	..	..	..	..	..	1	..	1	..	2	..	2
	..	13	1	14	..	10	1	11	..	6	..	6	..	6	..	6	..	9	..	9
Diseases of the Joints, Muscles, &c. — Rheumatism	1	1	3	5	..	4	..	4	..	2	1	3	..	1	1	2	..	4	..	4
Dis. of Joints, &c. (10)	1	2	..	3	..	1	1	2	4	..	..	4	2	3	..	5	2	2	..	4
	2	3	3	8	..	5	1	6	4	2	1	7	2	4	1	7	2	6	..	8
Diseases of the Skin, &c. — Ulcer	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Fistula	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..	1	..	..	1	1
Dis. of Skin, &c. (11)	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
	1	..	..	1	..	..	..	..	..	..	1	1	..	1	..	1	1	..	1	2
Diseases of Uncertain Seat. — Inflammation	6	..	1	7	7	2	2	11	5	1	..	6	3	1	..	4	3	4	..	7
Hæmorrhage	..	3	1	4	..	1	1	2	1	2	..	3	..	4	..	4	1	2	1	4
Dropsy	4	17	10	31	2	22	19	43	6	16	8	30	7	15	10	32	6	17	13	36
Abscess	1	2	1	4	1	1	..	2	2	1	1	4	2	5	..	7	1	1	1	3
Mortification	..	2	4	6	1	3	4	8	..	2	3	5	1	2	4	7	..	3	3	6
Scrofula (12)	..	2	..	2	1	2	..	3	2	1	1	4	..	2	..	2	1	1	..	2
Carcinoma	..	3	4	7	..	4	3	7	1	8	1	10	..	5	4	9	..	..	5	5
Tumor	..	..	1	1	..	..	1	1	..	1	..	1	1	1	1	3	1	..	1	2
Gout	..	..	1	1	..	1	..	1	..	..	2	2	..	..	1	1	..	..	1	1
Atrophy	4	..	..	4	6	1	..	7	2	1	..	3	2	..	..	2	4	1	..	5
Debility	11	1	9	22	21	..	12	33	7	..	2	9	11	3	4	18	12	2	4	18
Malformations	..	..	..	..	..	..	..	..	1	..	..	1	2	..	..	2	1	..	..	1
Sudden Deaths	4	5	4	13	6	14	7	27	2	6	1	9	4	1	1	6	3	9	4	16
	30	35	36	102	45	51	49	145	29	39	19	87	33	39	25	97	33	40	33	106
Old Age, or Natural Decay	..	2	80	82	..	..	78	78	..	3	82	85	..	3	65	68	..	..	67	67
Deaths by Violence, Privation, or Intemperance. — Intemperance	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..
Privation	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Violent Deaths	8	12	4	24	12	22	9	48	12	11	2	25	6	18	7	31	7	19	2	28
	8	12	4	24	12	22	9	48	12	11	2	25	6	19	7	32	7	19	2	28
Causes not Specified	3	2	..	5	..	3	1	4	1	1	..	2	3	..	..	3	1	1	..	2
Deaths from all Causes	361	310	207	881	387	361	223	976	366	309	176	851	399	311	175	885	408	304	176	888
Average Weekly Deaths (1838)	466	352	192	..	466	352	192	..	466	352	192	..	466	352	192	..	466	352	192	..

West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin-in-the-Fields; St. James . . . . . .

North Districts. . . . St. Mary-le-bone; St. Pancras; Islington; Hackney . . . .

Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London . . . .

East Districts. . . { Shoreditch; Bethnal Green; Whitechapel; St. George-in-the-East; Stepney; Poplar . . . . . .

South Districts. . { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich

Total . . .

Total . . { Males . . Females .

DEATHS IN THE WEEK ENDING,

7th March.	14th Mar.	21st Mar.	28th Mar.	4th April.	11th April.	18th April.	25th April.
135	155	140	151	158	134	144	144
179	162	185	173	180	162	189	160
210	175	175	180	189	155	151	174
205	202	194	169	203	178	190	186
240	214	252	208	246	222	211	224
969	908	946	881	976	851	885	888
518	462	471	459	501	439	467	462
451	446	475	422	475	412	418	426

Deaths Registered in the Weeks ending Saturday the 2nd May, 9th May, 16th May, and 23rd May, 1840.

CAUSES OF DEATH.		2nd May.				9th May.				16th May.				23rd May.			
		0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.
Epidemic, Endemic, and Contagious Diseases.	Small Pox	13	2	..	15	10	3	..	13	15	3	..	18	14	1		
	Measles	21	..	..	21	19	..	..	19	17	..	..	17	18	..		
	Scarlatina	31	4	..	35	38	4	..	42	42	3	1	46	31	4		
	Hooping Cough	26	..	..	26	25	..	..	25	25	..	..	25	11	..		
	Croup	9	..	..	9	7	..	..	7	9	..	..	9	8	..		
	Thrush	9	..	..	9	4	..	..	4	4	..	..	4	2	1		
	Diarrhœa	1	1	2	4	3	..	3	6	2	..	..	2	2	..		
	Dysentery	..	..	..	..	..	..	..	..	1	..	..	1	..	..		
	Cholera	..	..	..	..	..	..	..	..	..	..	..	..	1	..		
	Influenza	1	..	1	2	..	..	..	..	..	..	..	..	..	..		
	Typhus (1)	8	12	5	25	13	18	10	41	9	15	4	28	10	11		
	Erysipelas	1	3	1	5	..	1	4	5	3	2	2	7	..	4		
	Syphilis	..	..	..	..	..	..	..	..	..	..	..	..	1	..		
	Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..		
		120	22	9	151	119	26	17	162	127	23	7	157	98	21		
Diseases of the Brain, Nerves, and Senses.	Cephalitis	10	4	..	14	15	2	2	19	13	2	..	15	11	1		
	Hydrocephalus	30	..	2	32	31	2	5	38	35	2	..	37	38	1		
	Apoplexy	..	4	8	12	..	8	12	20	2	4	11	17	..	7		
	Paralysis	..	10	13	23	..	4	..	4	..	11	7	18	..	5		
	Convulsions	40	1	..	41	50	..	..	50	53	1	..	54	43	..		
	Epilepsy	..	4	2	6	..	5	1	6	..	2	1	3	..	1		
	Insanity	..	..	..	..	..	1	..	1	..	1	..	1	..	2		
	Delirium Tremens	..	1	..	1	..	4	..	4	..	2	..	2	..	1		
	Dis. of Brain, &c. (2)	2	2	1	5	3	3	..	6	3	2	..	5	6	1		
		82	26	26	134	99	29	20	148	106	27	19	152	98	19		
Diseases of the Lungs, and other Organs of Respiration.	Quinsey	2	1	1	4	..	..	..	..	4	..	1	5	..	..		
	Bronchitis	1	5	2	8	1	5	4	10	..	3	5	8	1	2		
	Pleurisy	..	1	..	1	..	3	1	4	..	..	1	1	..	1		
	Pneumonia	71	16	5	92	44	15	7	66	52	10	5	67	41	8		
	Hydrothorax	1	1	3	5	1	3	1	5	2	1	2	5	1	1		
	Asthma	..	10	5	15	..	10	6	16	..	11	6	17	..	8		
	Consumption	24	99	8	131	31	114	3	148	22	96	5	123	25	97		
	Dis. of Lungs, &c. (3)	2	6	2	10	4	4	5	13	5	7	..	12	3	5		
		101	139	26	266	81	154	27	262	85	128	25	238	71	122		
Diseases of the Heart and Blood-vessels.	Pericarditis	..	1	..	1	..	..	..	..	..	..	..	..	..	1		
	Aneurism	..	2	..	2	..	..	..	..	..	..	..	..	..	..		
	Dis. of Heart, &c. (4)	2	10	3	15	1	9	2	12	1	12	2	16	2	13		
		2	13	3	18	1	9	2	12	1	12	2	16	2	14		
Diseases of the Stomach, Liver, and other Organs of Digestion.	Teething	18	..	..	18	21	..	..	21	17	..	..	17	15	..		
	Gastritis—Enteritis	5	7	1	13	6	2	2	10	7	11	2	20	11	5		
	Peritonitis	1	2	..	3	..	..	..	..	..	..	..	..	..	1		
	Tabes Mesenterica	6	1	..	7	4	..	..	4	5	..	..	5	5	..		
	Ascites	..	..	..	..	..	..	..	..	..	1	1	2	..	1		
	Ulceration	..	1	..	1	..	1	..	1	..	..	1	1	..	..		
	Hernia	..	2	1	3	..	..	1	1	..	..	1	1	1	4		
	Colic or Ileus (5)	..	..	..	..	..	1	2	3	..	..	1	1	1	1		
	Dis. of Stomach, &c. (6)	1	8	..	9	1	..	2	3	3	6	1	10	3	..		
	Hepatitis	..	1	..	1	..	..	..	..	..	..	..	..	..	..		
	Jaundice	..	1	..	1	..	..	2	2	..	..	..	..	..	..		
	Dis. of Liver, &c. (7)	1	5	..	6	1	1	2	4	1	5	3	9	..	6		
		32	28	2	62	33	5	11	49	33	23	10	66	36	18		
Diseases of the Kidneys, &c.	Nephritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..		
	Diabetes	..	1	..	1	..	..	..	..	..	1	1	2	..	1		
	Stone	..	..	2	2	..	..	..	..	..	1	..	1	..	..		
	Stricture	..	..	..	..	..	..	..	..	..	..	..	..	..	..		
	Dis. of Kidneys, &c. (8)	..	4	1	5	..	3	..	3	..	3	..	3	..	1		
		..	5	3	8	..	3	..	3	..	5	1	6	..	2		

Deaths Registered in the Weeks ending Saturday 2nd May, 9th May, 16th May, and 23rd May, 1840. *continued.*

CAUSES OF DEATH.		2nd May.				9th May.				16th May.				23rd May.			
		0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.	0 to 15	15 to 60	60 & upwards.	Total.
Childbed, Diseases of the Uterus, &c.	Childbed	..	7	..	7	..	5	..	5	..	4	..	4	..	4	..	4
	Ovarian Dropsy	..	..	..	..	..	..	..	..	..	2	..	2	..	..	..	..
	Dis. of Uterus, &c. (9)	..	1	1	2	..	..	..	..	..	1	..	1	..	1	..	1
		..	8	1	9	..	5	..	5	..	7	..	7	..	5	..	5
Diseases of the Joints, Muscles, &c.	Rheumatism	..	1	1	2	..	2	..	2	..	3	..	3	..	5	1	6
	Dis. of Joints, &c. (10)	..	1	..	1	1	..	1	2	2	4	1	7	3	3	..	6
		..	2	1	3	1	2	1	4	2	7	1	10	3	8	1	12
Diseases of the Skin, &c.	Ulcer	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Fistula	..	..	..	..	..	..	..	..	..	2	..	2	..	..	1	1
	Dis. of Skin, &c. (11)	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..
		..	..	..	..	..	..	..	..	1	2	..	3	..	..	1	1
Diseases of Uncertain Seat.	Inflammation	4	3	1	8	3	3	..	6	3	2	..	5	4	2	1	7
	Hæmorrhage	..	5	..	5	..	3	2	5	2	2	1	5	..	4	..	4
	Dropsy	3	15	11	29	6	14	11	31	7	16	14	37	2	15	8	25
	Abscess	3	4	..	7	2	5	1	8	..	8	.	8	3	4	..	7
	Mortification	..	..	2	2	..	5	3	8	2	..	2	4	2	3	3	8
	Scrofula (12)	2	1	1	4	2	..	1	3	1	.	..	1	..	..	..	..
	Carcinoma	..	5	1	6	..	7	1	8	..	7	5	12	..	3	3	6
	Tumor	..	..	..	..	..	1	1	2	..	1	..	1	1	1	1	3
	Gout	..	1	1	2	..	..	..	..	..	1	..	1	..	..	1	1
	Atrophy	7	..	1	8	4	..	1	5	2	..	..	2	4	..	1	5
	Debility	11	1	5	17	11	4	3	18	14	5	8	27	13	2	6	21
	Malformations	..	..	..	..	..	..	..	..	2	..	..	2	..	..	..	..
	Sudden Deaths	5	7	4	16	2	3	1	7	4	8	3	15	6	5	4	15
		35	42	27	104	30	45	25	101	37	50	33	120	35	39	28	102
Old Age, or Natural Decay		..	2	66	68	..	..	58	58	..	..	62	62	..	2	47	49
Deaths by Violence, Privation, or Intemperance.	Intemperance	..	1	..	1	..	1	..	1	..	..	..	..	..	..	..	..
	Privation	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..
	Violent Deaths	7	13	4	25	2	17	1	21	2	10	3	15	1	14	1	17
		7	14	4	26	2	19	1	23	2	10	3	15	1	14	1	17
Causes not specified		1	3	..	4	1	1	1	3	..	1	..	1	..	..	..	..
Deaths from all Causes		380	304	168	853	367	298	163	830	394	295	163	853	344	264	146	756
Average Weekly Deaths, 1838		466	352	192	..	466	352	192	..	466	352	192	..	466	352	192	..

		Deaths in the Week Ending,			
		2nd May.	9th May.	16th May.	23rd May.
West Districts	Kensington; St. George, Hanover Square; Westminster; St. Martin-in-the-Fields; St. James	140	136	148	114
North Districts	St. Mary-le-bone; St. Pancras; Islington; Hackney	165	149	148	151
Central Districts	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke,	170	167	158	145
East Districts	Shoreditch; Bethnal Green; Whitechapel; St. George-in-the-East; Stepney; Poplar	151	155	182	152
South Districts	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	227	223	217	194
	Total	853	830	853	756
Total	Males	459	418	435	423
	Females	394	412	418	333

Average Weekly Deaths, 1838.

AVERAGE WEEKLY DEATHS, 1838.			AVERAGE WEEKLY DEATHS, 1838.		
Causes of Death.			Causes of Death.		
Epidemic, Endemic, and Contagious Diseases.	Small Pox	73	Diseases of the Kidneys, &c.	Nephritis	·5
	Measles	11		Diabetes	·4
	Scarlatina	29		Stone	·4
	Hooping Cough	40		Stricture	·6
	Croup	7		Dis. of Kidneys, &c. (8)	3
	Thrush	6			5
	Diarrhœa	8			
	Dysentery	2	Childbed, Diseases of the Uterus, &c.	Childbed	8
	Cholera	·3		Ovarian Dropsy	·3
	Influenza	1		Dis. of Uterus, &c. (9)	2
	Typhus (1)	78			10
	Erysipelas	8			
	Syphilis	1	Diseases of the Joints, Muscles, &c.	Rheumatism	4
	Hydrophobia	·2		Dis. of Joints, &c. (10)	4
		265			8
Diseases of the Brain, Nerves, and Senses.	Cephalitis	10			
	Hydrocephalus	34	Diseases of the Skin, &c. (11)	Ulcer	·4
	Apoplexy	19		Fistula	·4
	Paralysis	14		Dis. of Skin, &c.	·4
	Convulsions	67			1
	Epilepsy	4			
	Insanity	1	Diseases of Uncertain Seat.	Inflammation	18
	Delirium Tremens	1		Hæmorrhage	4
	Dis. of Brain, &c. (2)	6		Dropsy	34
		156		Abscess	4
				Mortification	4
Diseases of the Lungs, and other Organs of Respiration.	Quinsey	2		Scrofula (12)	1
	Bronchitis	8		Carcinoma	6
	Pleurisy	2		Tumor	1
	Pneumonia	71		Gout	1
	Hydrothorax	6		Atrophy	4
	Asthma	28		Debility	12
	Consumption	146		Malformations	1
	Dis. of Lungs, &c. (3)	10		Sudden Deaths	12
		275			102
Diseases of the Heart and Bloodvessels.	Pericarditis	·3	Old Age, or Natural Decay		79
	Aneurism	·5	Deaths by Violence, Privation, or Intemperance.	Intemperance	·4
	Dis. of Heart, &c. (4)	15		Privation	·6
		16		Violent Deaths	25
					26
Diseases of the Stomach, Liver, and other Organs of Digestion.	Teething	15	Causes not Specified		13
	Gastritis—Enteritis	17	Deaths from all Causes		..
	Peritonitis	1	Average Weekly Deaths		1013
	Tabes Mesenterica	3			
	Ascites	·4			
	Ulceration	1			
	Hernia	2			
	Colic or Ileus (5)	4			
	Dis. of Stomach, &c. (6)	4			
	Hepatitis	1			
	Jaundice	2			
	Dis. of Liver, &c. (7)	7			
		57			

Average Weekly Deaths, 1838.

		Average Weekly Deaths, 1838.
West Districts	Kensington; St. George, Hanover Square; Westminster; St. Martin-in-the-Fields; St. James	156
North Districts	St. Mary-le-bone; St. Pancras; Islington; Hackney	172
Central Districts	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	208
East Districts	Shoreditch; Bethnal Green; Whitechapel; St. George-in-the-East; Stepney; Poplar	239
South Districts	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	238
	Total	1013
Total	Males	520
	Females	493

LONDON:
Printed by W. Clowes and Sons, 14, Charing Cross,
For Her Majesty's Stationery Office.