

ONLY

TS
-UP
ST


STATISTICS
BACK-UP

BRITISH LIBRARY
OF POLITICAL AND
ECONOMIC SCIENCE



LONDON SCHOOL OF
ECONOMICS AND
POLITICAL SCIENCE
10, PORTUGAL STREET,
LONDON WC2A 2HD
Tel. 01-405 7686

STATISTICS
BACK-UP



42
R7

FIFTY-SEVENTH
ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

(1894.)

Presented to both Houses of Parliament by Command of Her Majesty.



LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY EYRE AND SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.

And to be purchased, either directly or through any Bookseller, from
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C., and
32, ABINGDON STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & Co., 12, HANOVER STREET, EDINBURGH, and
90, WEST NILE STREET, GLASGOW; or
HODGES, FIGGIS, & Co., LIMITED, 104, GRAFTON STREET, DUBLIN.

1895.

[C.—7768.] Price 1s. 5d.

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1894.

REPORT:—	PAGE
POPULATION. Natural and estimated increase	v
MARRIAGES. Marriage-rate; Relation between Marriage Rate and commercial activity; Forms of Marriage; Increase of Jewish Marriages; Previous Civil Condition of Persons married; Ages at Marriage; Signature in Marriage Register; Buildings registered for the Solemnization of Marriages; Certified Places of Worship	v-viii
BIRTHS. Number and Rates; Lowest recorded Birth-rate; Sex; Illegitimate Births	viii-ix
DEATHS. General death-rate; County death-rates; Sex; Ages; Infantile Mortality; Urban and Rural Mortality; Registered Causes of Death; Changes of Classification; Zymotic or Specific Febrile Diseases; Mortality from Small-pox, Scarlet Fever, Enteric Fever, and Diphtheria; Epidemic Influenza; Diarrhœal Complaints, low mortality; Hydrophobia; Puerperal Fever; Parasitic, Dietetic, Constitutional, Developmental, and Local Diseases; Deaths from Violence; Ill-defined and Un-specified Causes; Certification of Causes of Death	ix-xviii
OFFENCES AGAINST THE REGISTRATION ACTS	xvi
PROGRESS OF REGISTRATION. Aggregate Number of NAMES on the REGISTERS; NUMBER OF SEARCHES in the Registers and of CERTIFICATES granted at the CENTRAL OFFICE; FEES received	xvi
ARMY AND NAVY. STRENGTH and MORTALITY of the ARMY at HOME and ABROAD; STRENGTH and MORTALITY of the NAVY	xvii
BIRTHS and DEATHS of BRITISH SUBJECTS at SEA. MARINE REGISTER BOOK; MORTALITY of MERCANTILE MARINE; DEATHS among PASSENGERS	xvii
INTERNATIONAL VITAL STATISTICS	xviii
METEOROLOGY; Remarks by James Glaisher, Esq., F.R.S.	xix-xxi
PRELIMINARY TABLES	xxii-cxiii
ABSTRACTS:—	
BIRTHS (distinguishing Legitimate and Illegitimate), DEATHS, and MARRIAGES Registered in England, and in its Registration Divisions, Counties, and Districts; and BIRTHS and DEATHS in sub-districts	1-63
MARRIAGES, Analysis of, in Registration Divisions and Counties; distinguishing the mode of Solemnization, the number in each quarter of the year, the Previous Civil Condition of Persons married, those not of Full Age, and the Signatures in the Marriage Register	64-67
AGES of Persons married, distinguishing those of Bachelors, Spinsters, Widowers, Widows	68-70
DEATHS of Males and Females in Public Institutions.	71-94
DEATHS of Males and Females at different Age-periods, in REGISTRATION DIVISIONS and COUNTIES	95-105
4 87620. Wt. 10058.	a 2

ABSTRACTS— <i>continued.</i>	PAGE
CAUSES of DEATH of Males and Females at different Periods of Life in ENGLAND	107-121
CAUSES of DEATH of Males and Females at different Periods of Life in LONDON	122-135
CAUSES of DEATH of Males and Females in each REGISTRATION COUNTY	136-159
DEATHS from VARIOUS DISEASES and GROUPS of DISEASES, and INQUEST CASES, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS	160-192
DEATHS from ACCIDENT and NEGLIGENCE in ENGLAND, distinguishing SEX, AGE, and CAUSE or CHARACTER of ACCIDENT	193-199
DEATHS from SUICIDE in ENGLAND, distinguishing SEX, AGE, and METHOD	200-201
DEATHS from MURDER in ENGLAND, distinguishing SEX, AGE, and METHOD	202-203
DEATHS from MANSLAUGHTER in ENGLAND, distinguishing SEX, AGE, and METHOD	204-205
INDEXES of REGISTRATION DISTRICTS, SUB-DISTRICTS, and of certain TOWNS, referring to Numbers used in the several TABLES of ABSTRACTS	206-221
GENERAL INDEX to REPORT and TABLES	222-231

REPORT

TO

The Right Honourable HENRY CHAPLIN, M.P.,
President of the Local Government Board, &c. &c.

(1894.)

SIR,

I HAVE the honour to submit to you the following report on the marriages, births, and deaths registered in England and Wales during the year 1894.

POPULATION.

The population of England and Wales, as enumerated on 6th April 1891, consisted of 29,002,525 persons. The natural increase, by excess of births over deaths, from the beginning of April 1891 to the middle of the year 1894 amounted to 1,121,145, and this would raise the population to 30,123,670 at the latter date. In the absence of precise information regarding emigration and immigration the estimated populations published in the Annual Reports are based on the assumption that the rate of increase which had prevailed in the intercensal period immediately preceding has since been maintained. Estimated by this method the population in the middle of the year 1894 was 30,060,763, including 14,565,660 males, and 15,495,103 females (Table 1). It is on this population that the rates for 1894 in the present report have been calculated.

MARRIAGES.

The number of marriages registered in the year 1894 was 226,449, corresponding to a rate of 15.1 persons married per 1000 living. This is a slight recovery from the very low rate of 1893, which had been 14.7, and also on the average rate (14.9) in the ten years 1884-93. The lowest marriage-rates in registration counties during 1894 were 10.5 in Rutlandshire, 11.6 in Middlesex, 11.9 in Huntingdonshire, 12.1 in Westmorland, 12.2 in Hertfordshire, 12.3 in Buckinghamshire, and 12.4 in Surrey and in Essex; the highest rates were 15.6 in Staffordshire, 15.7 in Warwickshire, 15.8 in Nottinghamshire and in Monmouthshire, 15.9 in the West and East Ridings of Yorkshire, 16.2 in Lancashire, 16.7 in South Wales, and 17.0 in London. Speaking generally, the counties which had shown the highest or the lowest average marriage rates in the ten years 1884-93 occupied similar positions respectively in the scale of marriage-rates in 1894.

The recovery in the general marriage-rate was accompanied by a slight fall in the value of British exports, but this fall did not exceed two per cent. of their value in 1893. The price of wheat, however, fell no less than 13.3 per cent. below that of 1893, which had been the lowest price on record.

TABLE A.—MARRIAGE-RATE, VALUE OF BRITISH EXPORTS and IMPORTS, PRICE OF WHEAT, and amount cleared at the London Bankers' Clearing House, 1860-94.*

YEARS.	Marriage-rate.	Value per Head of Population of United Kingdom.			Average Price of Wheat per Quarter.	Amount cleared at the Bankers' Clearing House per Head of Population.
		Exports of British Produce.	Imports.	Total Exports and Imports.		
Cols.	1.	2.	3.	4.	5.	6.
		£ s. d.	£ s. d.	£ s. d.	s. d.	£
1860	17.1	4 14 5	7 6 4	13 0 8	53 3	—
1861	16.3	4 6 4	7 10 1	13 0 3	55 4	—
1862	16.1	4 4 10	7 14 4	13 8 0	55 5	—
1863	16.8	4 19 6	8 8 11	15 2 7	44 9	—
1864	17.2	5 8 1	9 5 3	16 8 7	40 2	—
1865	17.5	5 10 10	9 1 2	16 7 5	41 10	—
1866	17.5	6 5 4	9 15 11	17 14 5	49 11	—
1867	16.5	5 19 0	9 1 0	16 9 6	64 5	—
1868	16.1	5 17 1	9 12 1	17 0 6	63 9	158
1869	15.9	6 2 8	9 10 9	17 3 9	48 2	162
1870	16.1	6 7 8	9 14 1	17 10 3	46 10	174
1871	16.7	7 1 5	10 9 10	19 9 6	56 8	210
1872	17.4	8 0 10	11 2 7	21 0 0	57 0	255
1873	17.6	7 18 7	11 10 10	21 4 2	58 8	264
1874	17.0	7 7 5	11 7 9	20 11 0	55 8	249
1875	16.7	6 16 2	11 7 10	19 19 4	45 2	235
1876	16.5	6 0 11	11 6 1	19 0 10	46 2	203
1877	15.7	5 18 6	11 15 0	19 5 5	56 9	203
1878	15.2	5 13 8	10 17 5	18 2 1	46 5	200
1879	14.4	5 11 9	10 11 9	17 16 10	43 10	195
1880	14.9	6 8 11	11 17 8	20 3 3	44 4	222
1881	15.1	6 14 0	11 7 4	19 17 5	45 4	244
1882	15.5	6 17 2	11 14 7	20 8 10	45 1	236
1883	15.5	6 15 4	12 0 10	20 13 2	41 7	223
1884	15.1	6 10 6	10 18 4	19 4 1	35 8	215
1885	14.5	5 18 4	10 6 0	17 16 9	32 10	202
1886	14.2	5 17 2	9 12 8	17 0 10	31 0	214
1887	14.4	6 1 3	9 17 11	17 11 7	32 6	218
1888	14.4	6 7 2	10 10 2	18 12 1	31 10	247
1889	15.0	6 13 11	11 10 0	19 19 9	29 9	268
1890	15.5	7 0 7	11 4 5	19 19 7	31 11	271
1891	15.6	6 10 10	11 10 5	19 14 0	37 0	235
1892	15.4	5 19 2	11 2 5	18 15 6	30 3	220
1893	14.7	5 13 6	10 10 7	17 14 9	26 4	213
1894	15.1	5 11 3	10 10 7	17 11 9	22 10	211

* The figures in the marriage-rate column are not strictly comparable with those in columns 2, 3, and 4, inasmuch as the former relate only to England and Wales, whilst the latter relate to the whole of the United Kingdom. The figures relating to exports and imports and to the price of wheat, and those showing the amount cleared at the London Bankers' Clearing House, are derived from the Board of Trade Statistical Abstracts.

Forms of Marriage.—Of the marriages contracted in 1894, 155,352, or 686 per 1000, were celebrated according to the rites of the Established Church, and 71,097, or 314 per 1000, otherwise. In the preceding five years, the mean proportions had been 698 and 302. Compared with the proportions in these five years, the proportion of marriages amongst Roman Catholics remained practically stationary in 1894, whilst that amongst other Christian non-conforming bodies rose from an average of 117, to 119 per 1000. The increased proportion of Jewish marriages, referred to in recent reports, was practically maintained in 1894, the proportion being 5.0 per 1000, as compared with a proportion of 5.1 per 1000 in 1893, and a mean proportion of 4.5 in the preceding five years.

First marriages; Re-marriages, &c.—Of each 1000 men married during the year 1894, 889 were bachelors and 111 widowers; of each 1000 women married, 923 were spinsters and 77 widows. The proportion of re-marriages, as compared with that of first marriages, has declined almost continuously from the year 1876 to the present date. The proportions of widowers and of widows who re-married in 1894 were in both cases the lowest on record (Table 9). The number of persons married in 1894 who were described in the marriage register as having been previously divorced, and who in the above proportions are included among the bachelors and spinsters, was 232, of whom 116 were men and 116 were women. This total exceeded that in any of the preceding nine years, in which the numbers had ranged from 150 to 201. Of the 116 divorced men who married in 1894, 86 married spinsters, 26 married widows, and 4 married divorced women. Of the 116 divorced women who married 92 married bachelors, 20 married widowers, and 4 married divorced men.

Ages at Marriage.—In regard to 5234, or 2.3 per cent., of the 226,449 marriages, the age of one or the other of the contracting parties was omitted from the register. Of the remaining 221,215 couples, whose ages were stated, the mean ages were 28.41 years for men and 26.15 years for women. The mean age of the bachelors who married was 26.54, and of the spinsters 24.99 years; the mean age of the widowers who re-married was 44.13, and of the widows 40.49 years. The figures for 1894 show the first notable break in the increase of the mean age at marriage which has been going on for several years. Compared with the mean ages in 1893 the mean ages of bachelors and spinsters at marriage showed a decrease of .01 and .05 of a year, and the mean ages of widowers and widows a decrease of .48 and .15 of a year respectively. The following Table shows the mean ages at marriage in each of the ten years 1885-94.

TABLE B.—MEAN AGES at MARRIAGE.

Year.	Men.	Bachelors.	Widowers.	Women.	Spinsters.	Widows.
1885	28.15	26.08	43.64	25.86	24.58	40.01
1886	28.21	26.15	43.79	25.90	24.65	40.14
1887	28.21	26.21	43.71	25.92	24.67	40.29
1888	28.29	26.31	43.79	25.97	24.75	40.20
1889	28.23	26.30	43.98	25.95	24.74	40.36
1890	28.32	26.38	44.23	26.03	24.81	40.52
1891	28.37	26.44	44.30	26.08	24.87	40.43
1892	28.46	26.48	44.51	26.19	24.98	40.54
1893	28.51	26.55	44.61	26.23	25.04	40.64
1894	28.41	26.54	44.13	26.15	24.99	40.49

The slight decrease in the ages at marriage of bachelors and spinsters was not accompanied by any increase in the proportions of under-age marriages; among males the marriages under-age showed a further decline, whilst among females they stood at the same figure as in 1893, which is lower than that in any other year since 1857 (Table 9). The registration counties which showed the highest proportions of under-age marriages among men in 1894 were Northamptonshire, Bedfordshire, Staffordshire, Leicestershire, Nottinghamshire, Derbyshire, and the West Riding of Yorkshire. These seven counties had also shown the highest average proportions during the ten years 1884-93, and were among the eight counties with the highest proportions in 1893.

The registration counties which showed the highest proportions of under-age marriages among women in 1894 were Staffordshire, Leicestershire, Nottinghamshire, Derbyshire, the West and East Ridings of Yorkshire, Durham, Northumberland, and Monmouthshire; and these counties, with the omission of Northumberland and the addition of the North Riding of Yorkshire, had also shown the highest average proportions in the ten years 1884-93.

It is generally true that the counties which had shown low proportions of under-age marriages in recent previous years also showed low proportions in 1894; but with respect to these the correspondence is less close than in the case of counties with high proportions of such marriages.

Signature in Marriage Register.—The men who signed the marriage register with marks instead of with their names were in the proportion of 46 per 1000, while the similarly illiterate women reached 54 per thousand. In 14 out of every 1000 marriages both bridegroom and bride signed with marks. As compared with the figures for 1893, the proportion of men who signed with marks showed a diminution in 1894 equal to 8.0 per cent., and that of women, a diminution equal to 5.3 per cent.

Buildings registered for the Solemnization of Marriages.—At the end of the year 1894 there were 15,166 churches or chapels belonging to the Established Church, in which marriages could be solemnized, showing an increase of 44 upon the number at the end of 1893. There were also 11,429 buildings licensed for marriage by rites other than those of the Established Church, showing an increase of 1.6 per cent. on the numbers on the register at the end of the previous year. (Table 6.)

Certified Places of Worship.—The number of buildings certified in the course of the year for religious worship under the provisions of the Acts 15 & 16 Vict. c. 36. and 18 & 19 Vict. c. 81. and recorded in the official register was 491, while 422 buildings were removed from the register on proof of disuse; the number standing on the register at the end of the year was 28,287. A revision of the register was commenced in 1894, and at the end of the year had been completed for 37 registration districts. The result of this revision was to remove from the register 289 out of 1624 chapels which these 37 districts had contained. The revision will be continued until the disused places of worship in the whole of the 632 registration districts in England and Wales shall have been expunged.

10-01	38-32	38-32	40-30	40-30	51-02	7881
11-01	38-32	38-32	40-30	40-30	51-02	7881
12-01	38-32	38-32	40-30	40-30	51-02	7881
13-01	38-32	38-32	40-30	40-30	51-02	7881
14-01	38-32	38-32	40-30	40-30	51-02	7881
15-01	38-32	38-32	40-30	40-30	51-02	7881
16-01	38-32	38-32	40-30	40-30	51-02	7881
17-01	38-32	38-32	40-30	40-30	51-02	7881
18-01	38-32	38-32	40-30	40-30	51-02	7881
19-01	38-32	38-32	40-30	40-30	51-02	7881
20-01	38-32	38-32	40-30	40-30	51-02	7881

BIRTHS.

The births registered during the year numbered 890,289, and were in the proportion of 29.6 only per 1000 persons living; this rate being the lowest on record. The birth-rate in 1894 showed a deficit of 2.0 per 1000 below the mean rate in the decennium immediately preceding. The lowest birth-rates were 23.5 in Westmorland and in Rutlandshire, 24.4 in

Surrey, 24.7 in Sussex and in Huntingdonshire, and 25.3 in Devonshire. The counties with the highest rates were Nottinghamshire and Derbyshire, 31.7, South Wales 33.1, Monmouthshire 33.7, Staffordshire 35.0, and Durham 35.2. (Table 11.)

Sex.—The births of males were 453,016 in number, and the births of females 437,273, the former bearing to the latter the proportion of 1036 to 1000, against an average proportion of 1037 to 1000 in the preceding decennium.

In registration counties the lowest proportions of male to female births were 985 in Huntingdonshire, 1000 in Rutlandshire, 1004 in Cumberland, 1006 in Warwickshire, 1009 in the North Riding of Yorkshire, and 1010 in Herefordshire; the highest proportions were 1059 in Devonshire, 1061 in Shropshire, 1066 in Suffolk, 1071 in Lincolnshire, 1075 in Cambridgehire, and 1083 in the East Riding of Yorkshire.

Illegitimate Births.—The infants registered as born out of wedlock numbered 38,343; they were in the proportion of 43 per 1000 births, and of 1.3 per 1000 of the population, these proportions being almost identical with the corresponding figures for the three years, 1891-93, which had been lower than any previously recorded. (Table 3.) In registration counties the lowest proportions of illegitimate to total births were 29 in Middlesex and in Essex, 32 in Monmouthshire, 34 in Warwickshire, 36 in Somersetshire, and 36 in South Wales; the highest proportions were 62 per 1000 in Bedfordshire, 66 in North Wales and in Shropshire, 68 in Norfolk, 69 in Cumberland, and 76 in Herefordshire.

DEATHS.

The deaths registered in England and Wales in 1894 were 498,827 in number, and in the proportion of 16.6 per 1000 of the population; the average rate in the ten years immediately preceding having been 19.2. The death-rate in 1894 was considerably lower than that in any previous year on record, the nearest approaches to so low a rate having been 18.9 in the year 1881, 18.1 in 1888, and 18.2 in 1889. In these three years only previous to 1894 had the rate of mortality in England and Wales been below 19.0 in a thousand.

In registration counties the lowest death-rates in 1894 were 12.5 in Rutlandshire, 13.2 in Middlesex, 13.3 in Surrey, 13.8 in Buckinghamshire, and 13.9 in Sussex and in Westmorland; the highest rates being 17.7 in South Wales, 17.8 in Cornwall, 17.9 in Herefordshire and in Durham, 18.0 in North Wales, and 18.6 in Lancashire. (Table 11.)

Sex.—The 498,827 deaths included 256,015 of males and 242,812 of females. The death-rate amongst males was therefore equal to 17.6, and that amongst females to 15.7, per 1000 living of the corresponding sex. Out of equal numbers living there were 1121 deaths of males to 1000 deaths of females, as compared with an average proportion of 1122 to 1000 in the ten years 1884-93. (Table 3.)

Ages.—On reference to Tables 12 and 13 it will be seen that the death-rates in the several age-groups had decreased almost continuously for several years until 1888 and 1889; that the mortality in every age-group had increased in 1890; and that this increase had been generally maintained during the following three years, 1891-93. In the last four annual reports these excessive death-rates are shown to have been mainly due to epidemic influenza and its complications.

In the year 1894 the death-rates at the several age-groups were not only considerably lower than the mean rates in the previous four years, but were also lower than even the exceptionally low rates of 1888 and 1889.

Since 1856 only two age-groups (males aged 45-55 and 55-65) have at any time shown death-rates lower than those attained at the same ages in 1894. At all ages of both sexes under 45 and above 75 the death-rates in 1894 were the lowest on record. If, however, the average rates in the five years 1890-94 be compared with those in the two years 1888-89, it will be seen that, with very few exceptions, the low rates in 1894 have failed to reduce the average rates in the five-year period to the figures at which they stood in 1888-89.

	MALES.			FEMALES.		
	Mean Rates.		Increase (+) or Decrease (-) in 1890-94.	Mean Rates.		Increase (+) or Decrease (-) in 1890-94.
	1888-89.	1890-94.		1888-89.	1890-94.	
All Ages	19.25	20.04	+ .79	17.10	17.82	+ .72
0-	59.75	61.82	+2.07	49.95	51.96	+2.01
5-	4.70	4.68	- .02	4.70	4.68	- .02
10-	2.65	2.62	- .03	2.85	2.78	- .07
15-	3.95	4.10	+ .15	3.95	4.06	+ .11
20-	5.25	5.44	+ .19	5.00	4.96	- .04
25-	7.05	7.42	+ .37	6.70	6.86	+ .16
35-	11.50	12.52	+1.02	9.85	10.54	+ .69
45-	18.65	20.34	+1.69	14.40	15.52	+1.12
55-	33.90	36.90	+3.00	27.65	29.94	+2.29
65-	70.05	72.94	+2.89	59.40	63.26	+3.86
75-	141.70	149.50	+7.80	128.25	134.62	+6.37
85 and upwards	301.65	292.82*	-8.83	265.20	264.02	-1.18

Infantile Mortality.—The proportion of deaths of infants under one year of age to registered births in 1894 was 137 per 1000, and was lower by 10 per 1000 than the decennial average rate. With one exception, namely, that of the year 1888, when the rate was 136, infantile mortality was lower in 1894 than in any of the previous ten years.

Urban and Rural Mortality.—The death-rates in 1894 in the districts taken to represent the urban and the rural parts of the country were the lowest yet recorded (Tables 28-29). The rate in the urban districts was 17.1, or more than 15 per cent. below the mean rate during the preceding ten years. The rate in the rural districts was 15.6, and was lower than the decennial average by nearly 11 per cent. The death-rate in the urban compared with that in the rural population was in the ratio of 110 to 100, against an average of 115 to 100 in the ten years 1884-93.

REGISTERED CAUSES OF DEATH.

Changes of Classification.—In the year 1881 a new system of classification of causes of death, based on the nomenclature of diseases prepared by the Royal College of Physicians, was adopted in these Annual Reports. The change involved many important modifications of our Tables, and in arranging the details of Tables 17 to 22 of the present Report the figures published in the Reports prior to 1881 have been as far as practicable corrected so as to be, for the most part, comparable with the figures for subsequent years. There still remain, however a few

instances in which no satisfactory adjustment has been practicable for the years 1875-80. In order to explain, as fully as possible, the apparent discrepancies between the old Tables and the new, the following expedient has been adopted. Every heading in Tables 17-22 which is affected by a change of classification is marked either with an asterisk or with a dagger, or with both. An asterisk denotes a change or changes in respect of which full correction has actually been carried out; a dagger denotes a change or changes in respect of which no correction, or only partial correction, has been practicable. All the headings thus affected are inserted in alphabetical order in a numbered list of diseases which has been printed as an Appendix to Tables 17-22 (see pp. lxxiv-lxxix), and reference numbers have been added indicating the several changes of classification. An asterisk or dagger following a series of reference numbers in a bracket must be understood as applying to each of these numbers. A reference without an asterisk or dagger indicates a disease which was shown separately in the *Extended List* of the old Reports, but was classified in the *Shorter List* under the same heading as that which now includes it.*

The deaths registered in 1894 and in the ten previous years, when distributed to the several classes by their assigned causes, were equivalent to the rates shown in the following table:—

TABLE C.—ANNUAL RATE OF MORTALITY, PER 1,000,000 LIVING, FROM THE SEVERAL CLASSES OF DISEASES.

Year.	All Causes.	Zymotic Diseases.	Parasitic Diseases.	Dietetic Diseases.	Constitutional Diseases.	Developmental Diseases.	Local Diseases.	Violence.	Ill-defined and not specified Causes.
1884	19,664	3,116	39	58	3,431	1,586	9,618	656	1,160
1885	19,205	2,531	30	60	3,310	1,614	10,007	634	1,019
1886	19,522	2,679	36	61	3,370	1,638	10,040	634	1,064
1887	19,074	2,702	30	64	3,213	1,578	9,867	652	968
1888	18,112	2,133	25	63	3,166	1,569	9,643	622	891
1889	18,221	2,456	24	67	3,223	1,556	9,394	614	893
1890	19,548	2,541	24	81	3,374	1,611	10,364	653	900
1891	20,217	2,706	23	83	3,339	1,690	10,807	670	899
1892	18,982	2,785	21	79	3,168	1,624	9,801	651	853
1893	19,170	3,165	20	88	3,210	1,593	9,536	675	883
Mean 1884-93	19,171	2,681	27	70	3,280	1,605	9,908	646	954
1894	16,594	2,257	15	71	3,015	1,462	8,427	638	709
Deaths 1894	498,827	67,849	455	2,149	90,645	43,950	253,323	19,173	21,283

* As an example, the heading Cancer is marked * † in Tables 17-22. Turning to Cancer in the Appendix (p. lxxiv.), the references 45, 81, 138, (77, 113),* 41† are found. These denote that the diseases numbered 45, 81, and 138 in the Appendix were shown separately in the "Extended List of the old Reports," but in the "Shorter List" and in the present classification are included under Cancer; that the heading Cancer is also affected by changes for which corrections have been made respecting the diseases numbered 77 and 113; and by changes for which corrections could not be made respecting the disease numbered 41.

Zymotic or Specific Febrile Diseases.—The deaths registered in 1894 and ascribed to this class of disease numbered 67,849, and corresponded to a rate of 2257 in a million of the population. The zymotic rate in 1894 was the lowest hitherto recorded, with the exception of that in the year 1888, which had been 2133. Compared with the average rates in the previous ten years, the mortality from every one of the zymotic diseases, except diphtheria and influenza, showed a decline.

Small-pox.—The deaths from small-pox in 1894 numbered 820, and were equal to a rate of 27 per million of the population, as against 49 per million, the rate obtaining in the previous year. Of the 820 persons whose deaths were recorded in 1894, only 153 or 19 per cent. were described as vaccinated; 176 or 21 per cent. were described as unvaccinated, whilst with respect to the remaining 60 per cent. no sufficient statement, as to vaccination appeared in the certificates. In addition to the above, 108 deaths were ascribed to chicken-pox, and 50 deaths to "effects of vaccination." Thus, in the year 1894, the total number of deaths either certainly or possibly caused by variola, and of deaths alleged to have been caused by measures taken to prevent that disease, was 978, or 33 per million persons living.

Measles.—The deaths from measles were 11,757, and corresponded to a rate of 391 per million of the population; a rate which, although it exceeded the low rate of 1893, was below the decennial average by 65 per million. The facts for 1894, unlike those of the previous year, show a serious increase in the mortality from measles in London, the rate having risen from 384 in the year 1893, to 757 in the year under present notice. The 1894 rate in the remainder of England and Wales did not exceed 329, and was considerably lower than that of 1893. No death from measles was reported from Rutlandshire, and the rate was below 100 per million in Buckinghamshire, Huntingdonshire, Cornwall, Lincolnshire, Westmorland, and North Wales. The highest rates were 403 in the West Riding of Yorkshire, 417 in Essex, 434 in Somersetshire, 498 in Leicestershire, 540 in Northamptonshire, 544 in Worcestershire, 608 in Warwickshire, 701 in Durham, and, as already stated, 757 in London.

Scarlet fever.—The deaths from scarlet fever numbered 5032, and were equal to a rate of 167 per million living. This is the lowest scarlet fever rate on record, the nearest approaches to so low a rate being 171 in the year 1891, and 190 in the following year. The mean rate of mortality from this disease in the ten years 1884-93 was 243. The year 1894 is the tenth consecutive year in which the deaths from scarlet fever in England and Wales have been fewer than 8000, the average number of deaths in these ten years having been 6284, and the average rate of mortality having been 220 per million. In the year under notice, the highest county rates from scarlet fever were 189 in Leicestershire, 190 in Staffordshire, 194 in London (which is, however, raised to 224 after addition of the deaths of Londoners occurring in the Metropolitan Asylum Hospitals outside London), 204 in Nottinghamshire, 236 in Cumberland, 244 in Cornwall, and 300 in Lancashire. Five of these counties were among the counties with highest rates in the year 1893 also, whilst the death-rate from scarlet fever in Lancashire has been in excess of that of the whole country in every year since 1882.

Of 961 deaths from scarlet fever of London residents, which during 1894 were registered in London and the Metropolitan Asylum Hospitals situated outside London, 717, or 75 per cent., occurred in Public Institutions, showing a further increase upon the proportions recorded in the years

1892 and 1893. The reports of the Metropolitan Asylums Board show that the mortality among cases treated in their hospitals was equal to 5.92 per cent. in 1894, as compared with an average of 8.03 per cent. in the seven years 1887-93.

Enteric (Typhoid) Fever.—4,781 deaths were attributed to enteric fever in the year under notice, being equal to a rate of 159 per million. With the exception of the rate in the year 1892, which had been only 137 per million, the rate in 1894 was the lowest on record. The average rate in the ten years 1884-93 had been 184 per million. The decline in enteric fever mortality has been general throughout the country; only two counties, Buckinghamshire and Devonshire, having experienced a higher death-rate in 1894 than in 1893. In four counties only, Surrey, Hampshire, Warwickshire, and Durham, has the 1894 rate exceeded the local averages for the previous ten years. In 1894 the counties with highest enteric fever death-rates were South Wales 164, Essex, the West and North Ridings of Yorkshire, and Northumberland 169, Hampshire 179, Nottinghamshire 223, Lancashire 256, and Durham 354. The above are the only counties in which enteric fever mortality exceeded the average rate in England and Wales.

Diphtheria.—8,774 deaths were referred to diphtheria during the year under notice. These deaths were equal to a rate of 292 per million, which, although slightly lower than the death-rate in 1893, was higher than that in any other year since 1863. The rate of diphtheria mortality in 1894 was 53 per cent. in excess of the average rate in the ten years 1884-93. Taking diphtheria and "croup" together, the deaths in 1894 amounted to 10,516, or 350 per million of the population, against 389 per million in 1893.

As had also been the case in the previous year, the rates of diphtheria mortality in 1894 were lower than the mean rate in England and Wales in 34 counties; the eleven counties with highest rates being London, 624; Kent, 380; Middlesex, 334; Bedfordshire, 306; Cambridgeshire, 390; Essex, 596; Suffolk, 370; Norfolk, 394; Wiltshire, 319; Shropshire, 347; and Leicestershire, 584. Of these eleven counties six were among the counties showing the highest rates in 1893 also. The rate in these eleven counties was equal in 1894 to 524 per million, whilst that in the remaining 34 counties of England and Wales did not exceed 196 per million.

Whooping-cough.—The deaths from whooping-cough were 12,354 in number, and were equal to a rate of 411 per million living; this rate shows an increase upon the very low rate of 1893. In 15 counties, namely, in London, Sussex, Essex, Wiltshire, Dorsetshire, Herefordshire, Worcestershire, Warwickshire, Leicestershire, Rutlandshire, Derbyshire, the North Riding of Yorkshire, Durham, Cumberland, and North Wales the 1894 rate was below the rate in the year immediately preceding. In 24 counties the rate in 1894 exceeded not only the rate in 1893, but also the average in the ten years 1884-93.

Influenza.—In the year 1894 there was a still further reduction in the mortality directly attributed to influenza, as compared with that of the preceding year, the deaths numbering 6625, or 220 per million living, as against 574, 534, and 325 per million in the years 1891-2-3 respectively. By far the heaviest mortality from influenza during 1894 was in the southern group of counties, where the rate was equal to 339 per million

living, or nearly double that either in the Metropolitan area or in the Northern Counties, where it was respectively 167 and 175 per million. Taking the year 1889 as a standard for comparison* according to the practice adopted in recent reports, it appears that, whereas on the one hand there was in 1894 a decline in the combined mortality from influenza and respiratory diseases in the Metropolitan area and in the Northern Counties, equal to 4.8 and 9.1 per cent. respectively, there was, on the other hand, a marked increase in the Southern Counties, amounting to not less than 14.3 per cent.

On reference to the last column of Table D. it will be seen that, during the five-year influenza period 1890-94, the excess has been greatest in this Southern group of counties, where it was 37 per cent. In the Metropolitan area it was 32 per cent., whilst in the Northern group it was 18 per cent. only.

TABLE D.—MORTALITY per Million living, attributed to INFLUENZA and DISEASES of the RESPIRATORY ORGANS, in the Six Years 1889-94.

	Rate per Million living in each Year.						To each 100 Deaths in 1889 the mean Number in 1890-94.	
	1889.	1890.	1891.	1892.	1893.	1894.		Mean 1890-4.
London (Division I.) - -	3683	5059	5851	5062	4914	3507	4879	132
Southern Counties (Divisions II.-V.)	2445	3168	3687	4160	2955	2794	3353	137
Northern Counties (Divisions VI.-XI.)	3844	4819	5678	4516	4170	3496	4536	118
England and Wales -	3425	4386	5139	4494	3932	3298	4250	124

Diarrhæal diseases (diarrhœa, dysentery, and cholera) accounted for 10,763 deaths during the year under notice, these deaths being in the proportion of 358 per million living, against an average proportion of 691 in the ten years 1884-93. The rate in 1894 was the lowest recorded since the year 1847, the two nearest approaches to so low a rate having been 460 in 1879 and 463 in 1888. In Hertfordshire, Buckinghamshire, Huntingdonshire, Suffolk, Wiltshire, Dorsetshire, and Rutlandshire, the diarrhœa rates ranged from 138 to 184 per million; whilst they reached 424 per million in Nottinghamshire and in Cheshire, 440 in Durham, 461 in Warwickshire, 471 in Staffordshire, 575 in Lancashire, and 624 in Leicestershire.

Hydrophobia was the certified cause of 13 deaths during the year under notice. This is the largest number recorded in any year since 1889, when the deaths numbered 30, the deaths in the four intervening years having been 8, 7, 6, and 4 respectively. Of these 13 deaths, 6 took place in Lancashire, 3 in the West Riding of Yorkshire, and 1 each in London, Middlesex, Derbyshire, and Cheshire.

Puerperal fever caused 2167 deaths, and other accidents of childbirth 2608 deaths. These 4775 deaths corresponded to a mortality of 5.36 per 1000 births, a lower rate than that recorded in either of the two preceding years.

* The year 1889 was adopted in the 55th Annual Report, p. xv, as a standard for comparison, both because it may be regarded as a year of approximately normal mortality and because it immediately preceded the first outbreak of influenza.

Parasitic Diseases.—The deaths returned as due to parasitic diseases numbered 455, of which 339 were attributed to thrush, and the remainder to "other parasitic diseases," such as worms, hydatids, &c. The deaths from parasitic diseases were fewer in 1894 than in any previous year on record.

Dietetic Diseases.—The deaths referred to dietetic diseases numbered 2149, being equal to a rate of 71 per million living, and almost corresponding with the rate (70 per million) in the preceding decennium. The deaths directly ascribed to intemperance numbered 1842, and were equal to 61 per million. This rate, although lower than that in any of the four preceding years, was higher than the rate in any year prior to 1890. (Tables 17-22.)

Constitutional Diseases.—90,645 deaths, or 3015 per million of the population, were referred to constitutional diseases during 1894, the average rate in the previous decennium having been 3280. Cancer accounted for 21,422 deaths, or 713 per million living; this is a slight increase on the rate in 1893, which had been the highest on record. The deaths from phthisis were 41,641, and corresponded to a rate of 1385 per million, which is the lowest rate on record. Diabetes was the certified cause of 2037 deaths, or 68 per million living. This rate differed but slightly from the rates recorded in the two preceding years.

Developmental Diseases.—43,950 deaths, or 1462 per million of the population, were returned as due to developmental diseases. To old age 24,517 deaths were referred; the mortality thus returned was equal to 816 per million living, and showed a further decline from the rates in recent years. Premature birth was the assigned cause of 15,837 deaths, or 17.79 per 1000 children born. From the year 1884 down to the end of 1893 there had been a continuous increase in the mortality from premature birth, but in 1894 the proportion showed a decline, and was below that recorded in either of the three preceding years.

Local Diseases.—253,323 deaths or 50.8 per cent. of the total deaths were certified to be due to local diseases. The mortality from this class, which was equal to 8427 per million living, showed a further decline from the rates of the preceding three years, and was considerably below the average in the preceding ten years. (Table C.) The deaths from diseases of the respiratory system (exclusive of croup), numbered 90,770, and were equal to a rate of 3020 per million living, against an average rate of 3717 per million in the decennium 1884-93. Diseases of the nervous system, exclusive of convulsions, caused 43,510 deaths, and corresponded to a rate of 1447 per million, which is the lowest rate on record. Diseases of the circulatory system caused 46,820 deaths, corresponding to a mortality of 1556 per million. This rate is lower than that in any previous year since 1884, and also below the mean rate in the decennium 1884-93. The deaths from diseases of the urinary system numbered 12,944, and were equal to a rate of 431 per million living, as compared with 449 the mean rate in the ten years immediately preceding.

Violence.—The deaths in 1894 referred to accident or negligence numbered 16,128, and were equal to a rate of 537 per million living or 17 per million less than the decennial average rate. The deaths attributed to suicide were 2,729, and were in the proportion of 91 per million living, which is the highest rate on record. To homicide 298 deaths were referred, the rate of mortality being 10 per million. In 171 of these 298 cases the verdict was murder, and in 127, manslaughter. There were 18 executions in the course of the year.

Ill-defined and Not-specified Causes.—The cause of death in 21,283 cases, or 4·3 per cent. of the total deaths, was so unsatisfactorily stated as to be useless for purposes of scientific classification—the average proportion in the ten years 1884–93 had been 5·0 per cent. The recent progressive decrease in the proportion of ill-defined causes of death is due in great measure to the practice maintained in this office ever since 1881 of issuing inquiries by letter to medical practitioners concerning doubtful or obscure certificates of causes of death. The number of such inquiries in 1894 was 5,062, the result being the transference of a large number of deaths from indefinite to definite headings; for example, 517 deaths were removed from vague headings, such as tumour, or disease of the brain, liver, ovaries, stomach, uterus, &c. and referred to malignant disease; 70 were similarly referred to syphilis, whilst 211 deaths removed from headings such as pyæmia, peritonitis, pelvic abscess, &c. were referred to puerperal fever and other accidents of childbirth.

Certification of Causes of Death.—Of the 498,827 deaths registered during the year 1894, the causes of 454,895, or 91·2 per cent., were certified by registered medical practitioners, and the causes of 31,436, or 6·3 per cent., by coroners after inquest, while the causes of the remaining 12,496 deaths, or 2·5 per cent., were not certified. The 12,496 uncertified cases included deaths of infants who had been attended only by midwives, and those of persons attended by unregistered practitioners, as well as those of persons who had received no medical attendance of any kind in their last illness. In registration counties the proportions per cent. of uncertified deaths ranged from 0·8 in Monmouthshire, 0·9 in London and in Middlesex, and 1·1 in Wiltshire, to 4·2 in Dorsetshire, 4·3 in Warwickshire, 4·5 in Kent, 5·1 in Herefordshire and in Westmorland, and 5·6 in North Wales.

OFFENCES AGAINST THE REGISTRATION ACTS.

In 1894, 21 persons, on prosecution by order of the Registrar-General, were convicted of different offences against the Registration Acts, as under:—

For failing to comply with requisitions to register	-	3
For giving false information for registration	-	6
For making or giving false certificates of cause of death	-	5
For making false certificates or declarations of still-birth	-	3
For procuring burial of deceased children as still-born	-	2
For burial without authority or notice to Registrar	-	1
For burying two bodies in one coffin without notice	-	1
		21

PROGRESS OF REGISTRATION.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased in the year 1894 by 1,842,014, this addition raising the aggregate number of names in the indexes, which at the end of 1894 embraced a period of 57½ years, to 88,895,471. The number of searches during 1894 in the various registers was 54,285, or 3343 more than the number in 1892, which is the highest previous number on record. The number of certificates

issued was 35,210, showing a decrease of 1093 from the number in 1893. The fees received for searches and certificates in 1894, and paid into Her Majesty's Exchequer, amounted to 7,172*l.* 10*s.*, or 250*l.* 15*s.* more than the amount in 1892, which is the highest previous amount on record. (Table 30.)

A list of the various public registers and records lodged in the General Register Office, Somerset House, was published in the 34th Annual Report, pages xxi–xxii.

MORTALITY IN THE ARMY.*

The average strength of the Army at home and abroad in 1894 was 219,121, and the deaths were 1871, the rate of mortality thus being 8·5 per 1000, against 9·1 and 8·3 in the preceding two years. The mortality in the Army abroad was 12·6 per 1000, against an average of 12·3 per 1000 in the three years 1891–93; while that in the Army at home was 4·2 per 1000, against an average of 5·2 per 1000 in the same three years. (Table 33.)

MORTALITY IN THE NAVY.†

The average force afloat in 1894 was 64,840. The deaths were 374, being in the proportion of 5·76 per 1000 of the strength. Of the 374 deaths, 263 were due to disease, and 111 to violence; the death-rate from disease was therefore 4·05 per 1000, and that from violence 1·71 per 1000. Of the 111 deaths from violence 48 resulted from drowning, 3 from heatstroke, 52 from other accidental causes, and 8 from suicide.

BIRTHS AND DEATHS OF BRITISH SUBJECTS AT SEA.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874, commanding officers of ships trading to or from British ports are required, under penalty, to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of England, Scotland, and Ireland. Similar returns are furnished by persons having charge of Her Majesty's Ships directly to the Registrars-General of Births and Deaths. These returns of births and deaths at sea constitute the "Marine Register Book." So far as can be judged by the entries, which are not always very precise, the births in the year 1894 included 17, and the deaths 1080, persons of English origin, while 13 and 198 others respectively were indefinitely described as of "British" origin.

Mercantile Marine.—The Registrar-General of Shipping and Seamen reports that the number of masters and seamen afloat during the year 1894 in vessels belonging to the mercantile marine of the United Kingdom (including the islands in the British seas), and registered under the Merchant Shipping Acts, was 240,458, being 516 less than in the preceding year. The reported deaths numbered 3266, showing a rate of 13·5 per 1000 of the strength. This rate was 0·1 per 1000 below the mean rate in the five years 1889–93, but was 0·4 above the rate in 1893, which is the lowest on record. (Table 35.)

Among *passengers* on board merchant vessels at sea 55 births and 334 deaths were reported in 1894; the births were 23, and the deaths 86, below the numbers recorded in the preceding year. (Table 36.)

* Based upon returns furnished by the Commander-in-Chief.

† Based upon returns furnished by the Director-General of the Medical Department of the Navy.

INTERNATIONAL VITAL STATISTICS.

In Tables 43-60 will be found international statistics concerning the marriages, births, and deaths, in most of the European States.

A comparison of the death-rates in recent years shows that, as in England and Wales, so also in Scotland, Denmark, the German Empire, Prussia, the Netherlands, and Belgium, the rate in 1894 was not only much lower than it had been in 1893, but was either the lowest on record or the lowest in any recent year. On the other hand, the death-rates in Ireland, Norway, and Switzerland showed a slight advance on the respective rates in the previous year.

I have the honour to be,
Sir,
Your faithful Servant,

BRYDGES P. HENNIKER,

General Register Office, Somerset House, Registrar-General,
5th December, 1895.

REMARKS ON THE METEOROLOGY OF THE YEAR 1894.*

BY JAMES GLAISHER, ESQ., F.R.S., &c.

The following remarks, both with regard to atmospheric pressure and temperature, are based on observations made near London, but they may be taken as having a general application.

Atmospheric Pressure.—The readings of the barometer were generally above their averages till January 15th, being as much as 0.57 in. above on January 3rd, the mean daily excess for the 15 days was 0.08 in.; from January 16th to February 1st it was below, the mean daily deficiency being 0.16 in.; from February 2nd to the 22nd it was generally above, the mean daily excess being 0.16 in.; from February 23rd to March 16th it was generally below, being particularly so on the 13th of March, when it was as much as 0.76 in. below, and on several other days during this period the readings were more than half an inch below their averages, the mean daily deficiency for the 22 days ending March 16th being 0.26 in.; from March 17th to April 10th it was above its average, the mean daily excess being 0.18 in.; from April 11th to May 11th it was generally below, the mean daily deficiency for these 31 days being 0.07 in.; from May 12th to the 25th it was above, the mean daily excess being 0.15 in.; from May 26th to June 12th it was below, the mean daily deficiency being 0.17 in.; from June 13th to July 8th it was generally above, the mean daily excess being 0.15 in.; from July 9th to the 23rd it was below, being particularly so on the 11th and 12th, when it was as much as 0.60 in., and 0.54 in. respectively below, the mean daily deficiency for the 15 days ending July 23rd being 0.24 in.; from July 24th to the 31st it was above, the mean daily excess being 0.05 in.; from August 1st to the 26th it was generally below its average, the mean daily deficiency being 0.07 in.; from August 27th to September 21st it was generally above, the mean daily excess being 0.12 in.; from September 22nd to the 26th it was below, the mean daily deficiency being 0.15 in.; from September 27th to October 17th it was above, being particularly so on September 30th and October 1st and 2nd, the mean daily excess for these 3 days being 0.57 in., and the mean daily excess for the 21 days ending October 17th being 0.32 in.; from October 18th to November 15th it was generally below, being particularly so on October 25th, and November 12th and 14th, when it was as much as 0.73 in., 0.94 in., and 0.81 in. respectively below; and on several other days during this period the readings were more than half an inch below their averages, the mean daily deficiency for the 29 days being 0.28 in.; from November 16th to December 28th it was generally above, being on several days more than half an inch in excess, the mean daily excess for these 43 days being 0.21 in.; and from December 29th to the 31st it was below, being as much as 0.70 in. below on both the 29th and 30th; the mean daily deficiency for the 3 days ending December 31st being 0.60 in.

The highest reading of the barometer at the height of 159 feet above the sea was 30.480 ins. on December 27th; and the lowest was 28.620 ins. on November 12th. The yearly range was 1.860 in.

Temperature.—The temperature of the air was below its average from January 1st to the 9th; the weather during this period was bitterly cold, being exceptionally severe from the 4th to the 7th, the mean daily deficiency for these 4 days being 17°.5; and the mean daily deficiency for the 9 days ending January 9th was 11°.5; from January 10th to February 12th it was generally above its average, being on several days as much as

* For Meteorological Tables, see pp. lx-lxv.

9° and 10° above, and on February 7th as much as 13°·1 in excess of its average; the mean daily excess for the 34 days being 5°·1; from February 13th to the 23rd it was generally below, the mean daily deficiency being 3°·6; from February 24th to April 18th it was generally above, being particularly so from April 8th to the 11th, the mean daily excess for these four days was 12°; and the mean daily excess for the 54 days ending April 18th being 3°·7; from April 19th to the 22nd it was below, the mean daily deficiency being 3°·3; from April 23rd to the 30th it was above, the mean daily excess being 1°·8; from May 1st to the 13th it was generally below, the mean daily deficiency being 0°·8; from May 14th to the 18th it was warm and above its average, the mean daily excess being 3°·8; from May 19th to June 20th the weather was cold and the temperature below its average, being particularly so on 23th, 21st, 22nd, 27th, and 28th of May, when it was as much as 11°·5, 11°·6, 11°·8, 10°·2, and 10° respectively below; the mean daily deficiency for the 33 days ending June 20th being 4°·4; from June 21st to July 7th it was above, the mean daily excess being 2°·9; from July 8th to the 24th it was below, the mean daily deficiency being 3°·3; from July 25th to the 31st it was above, the mean daily excess being 1°·8; from August 1st to October 9th it was generally below, the mean daily deficiency for these 70 days being 2°·2; from October 10th to the 13th it was above, the mean daily excess being 4°·2; from October 14th to the 23rd it was below, being as much as 8°·7 below on the 17th; the mean daily deficiency being 4°·8; from October 24th to November 20th it was warm, and above its average, being particularly so on the 1st, 2nd, and 3rd of November, when it was as much as 11°·4, 10°·6, and 10°·6 respectively above, and on several other days during this period was as much as 7° and 8° above its average; the mean daily excess for the 28 days ending November 20th being 5°·8; from November 21st to December 6th it was generally below, the mean daily deficiency being 1°·5; from December 7th to the 29th it was generally above, being as much as 10°·6, 9°·8, and 8°·7 above on the 14th, 24th, and 25th respectively; the mean daily excess for the 23 days ending December 29th being 4°·6; and on December 30th and 31st it was below its average, the mean daily deficiency being 5°·1.

The highest temperatures of the air were at Camden Square 88°·2; at Salisbury 87°·0, and at Carlisle 86°·4; and the lowest were at Halifax 3°·0; at Barnet 4°·0; and at Croydon 6°·5.

Rainfall.—The fall of rain was above its average in both January and February, and below its average in March; the total fall in the three months at Greenwich was 5·40 ins., or 0·46 in. above the average. The fall of rain was below its average in both April and May, and above in June; the total fall in the three months at Greenwich was 5·00 ins., or 0·72 in. below the average. The fall of rain was above its average in both July and August, and below in September; the total fall in the three months at Greenwich was 7·54 ins., or 0·25 in. above the average. The fall of rain was above its average in both October and November, and below in December; the total fall in the three months at Greenwich was 8·94 ins., or 1·85 in. above the average.

The heaviest falls of rain at our stations were at Stonyhurst 50·32 ins., at Bath 46·30 ins., and at Truro 44·16 ins.

The least falls were at Nottingham 20·25 ins., at Cambridge 22·69 ins., and at Royston 22·77 ins.

The greatest number of days of rain were at Guernsey 239, at Nottingham 229, and at Stonyhurst 224.

The smallest number of rainy days were at Halifax Public Library 158, at Barnet 164, and at Oxford 165.

Thunderstorms occurred on 61 days at the different stations during the year; of these 15 were in July, 11 in April, 7 in each of the months of May, August, and September, 4 in October, 3 in November, 2 in both January and June, and one in each of the months of February, March, and December.

Thunder was heard but lightning was not seen on 79 days during the year; of these 19 were in July, 13 in May, 12 in April, 11 in August, 7 in June, 5 in September, 4 in November, 3 in October, 2 in March, and one in each of the months of January, February, and December.

Lightning was seen but thunder was not heard on 44 days during the year; of these 9 were in April, 7 in October, 6 in both May and November, 5 in both August and September, 3 in July, and one in each of the months of January, June, and December.

Solar halos were seen on 56 days during the year; of these 11 were in May, 6 in each of the months of February, March, April, and June, 5 in both August and November, 3 in both July and December, 2 in both January and September, and one in October.

Lunar halos were seen on 29 days during the year; of these 6 were in April, 5 in November, 4 in both January and December, 3 in both February and May, 2 in March, and one in both August and September.

Aurora Borealis was seen on 10 days during the year; of these 4 were in February, 2 in both March and July, and one in both April and December.

Snow fell on 46 days during the year; of these 18 were in January, 10 in February, 8 in May, 5 in March, 3 in December, and one in both April and June.

Hail fell on 87 days during the year; of these 14 were in January, 13 in May, 11 in February, 9 in both March and April, 8 in both November and December, 6 in October, 3 in September, and 2 in each of the months of June, July, and August.

Fog prevailed on 141 days during the year; of these 20 were in October, 18 in March, 16 in November, 14 in both September and December, 12 in April, 10 in both February and June, 9 in January, 8 in August, 6 in July, and 4 in May.

TABLE 1.—United Kingdom: Population of its several portions estimated to the the British Seas, and of the portions of the Army,

YEAR.	UNITED KINGDOM. AREA 77,483,866 ACRES.			ENGLAND AND WALES. AREA 37,317,885 ACRES.		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1845	27,776,364	13,582,614	14,193,750	16,739,136	8,195,776	8,543,360
1846	28,002,094	13,694,941	14,307,153	16,944,092	8,298,360	8,645,732
1847	27,972,537	13,675,994	14,296,543	17,150,018	8,400,820	8,749,198
1848	27,820,088	13,593,648	14,226,440	17,356,882	8,503,116	8,853,766
1849	27,669,579	13,512,837	14,156,742	17,564,656	8,605,212	8,959,444
1850	27,523,694	13,436,128	14,087,566	17,773,324	8,707,074	9,066,250
1851	27,393,337	13,369,095	14,024,242	17,982,849	8,808,662	9,174,187
1852	27,448,257	13,394,542	14,053,715	18,193,206	8,909,938	9,283,268
1853	27,542,588	13,441,288	14,101,300	18,404,368	9,010,866	9,393,502
1854	27,658,704	13,496,584	14,162,120	18,616,310	9,111,410	9,504,900
1855	27,821,730	13,574,202	14,247,528	18,829,000	9,211,528	9,617,472
1856	28,011,034	13,661,616	14,349,418	19,042,412	9,311,182	9,731,230
1857	28,188,280	13,739,458	14,448,822	19,256,516	9,410,334	9,846,182
1858	28,389,770	13,828,357	14,561,413	19,471,291	9,508,949	9,962,342
1859	28,590,224	13,915,802	14,674,422	19,686,701	9,606,982	10,079,719
1860	28,778,411	13,997,137	14,781,274	19,902,713	9,704,394	10,198,319
1861	28,977,133	14,086,431	14,890,702	20,119,314	9,801,152	10,318,162
1862	29,243,610	14,218,788	15,024,822	20,371,013	9,923,272	10,447,741
1863	29,470,969	14,329,606	15,141,363	20,625,855	10,046,909	10,578,946
1864	29,680,437	14,431,943	15,248,494	20,883,889	10,172,089	10,711,800
1865	29,925,177	14,552,746	15,372,431	21,145,151	10,298,826	10,846,325
1866	30,147,755	14,656,115	15,491,640	21,409,684	10,427,146	10,982,538
1867	30,409,132	14,781,924	15,627,208	21,677,525	10,557,066	11,120,459
1868	30,689,977	14,917,163	15,772,814	21,948,713	10,688,600	11,260,113
1869	30,978,278	15,056,678	15,921,600	22,223,299	10,821,775	11,401,524
1870	31,256,535	15,189,549	16,066,986	22,501,316	10,956,608	11,544,708
1871	31,555,694	15,331,177	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,183	15,485,219	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,550	15,630,140	16,547,410	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,994	16,138,194	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,941	16,325,250	17,250,691	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,302,557	16,687,367	17,615,190	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,577	17,938,899	26,046,142	12,673,435	13,372,707
1882	35,206,617	17,122,482	18,084,135	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,225	18,212,496	26,626,949	12,944,923	13,682,026
1884	35,724,231	17,367,248	18,356,983	26,922,192	13,082,837	13,839,355
1885	36,015,601	17,505,358	18,510,243	27,220,706	13,222,216	13,998,490
1886	36,313,582	17,646,573	18,667,009	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,256	18,969,015	28,136,258	13,649,314	14,486,944
1889	37,178,929	18,052,088	19,126,841	28,448,239	13,794,721	14,653,518
1890	37,484,764	18,196,143	19,288,621	28,763,673	13,941,671	14,822,002
1891	37,797,013	18,345,463	19,451,550	29,082,585	14,091,692	14,990,893
1892	38,106,675	18,497,780	19,608,895	29,405,054	14,247,943	15,157,111
1893	38,440,371	18,661,731	19,778,640	29,731,100	14,405,925	15,325,175
1894	38,786,053	18,832,977	19,953,076	30,060,763	14,565,660	15,495,103

middle of each of the Years 1845-94, exclusive of the Population of the Islands in Navy, and Merchant Service Abroad.

YEAR.	SCOTLAND.* AREA 19,459,725 ACRES.			IRELAND.* AREA 20,706,256 ACRES.		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1845	2,742,167	1,303,795	1,438,372	8,295,061	4,083,043	4,212,018
1846	2,770,154	1,317,792	1,452,362	8,287,848	4,078,789	4,209,059
1847	2,797,245	1,331,236	1,466,009	8,025,274	3,943,938	4,081,336
1848	2,823,406	1,344,105	1,479,301	7,639,800	3,746,427	3,893,373
1849	2,848,609	1,356,381	1,492,228	7,256,314	3,551,244	3,705,070
1850	2,872,821	1,368,045	1,504,776	6,877,549	3,361,009	3,516,540
1851	2,896,015	1,379,080	1,516,935	6,514,473	3,181,353	3,333,120
1852	2,918,162	1,389,469	1,528,693	6,336,889	3,095,135	3,241,754
1853	2,939,236	1,399,196	1,540,040	6,198,984	3,031,226	3,167,758
1854	2,959,211	1,408,246	1,550,965	6,083,183	2,976,928	3,106,255
1855	2,978,065	1,416,606	1,561,459	6,014,665	2,946,068	3,068,597
1856	2,995,771	1,424,261	1,571,510	5,972,851	2,926,173	3,046,678
1857	3,012,310	1,431,200	1,581,110	5,919,454	2,897,924	3,021,530
1858	3,027,665	1,437,414	1,590,251	5,890,814	2,881,994	3,008,820
1859	3,041,812	1,442,890	1,598,922	5,861,711	2,865,930	2,995,781
1860	3,054,738	1,447,622	1,607,116	5,820,960	2,845,121	2,975,839
1861	3,069,404	1,453,496	1,615,908	5,788,415	2,831,783	2,956,632
1862	3,097,009	1,463,180	1,633,829	5,775,588	2,827,336	2,948,252
1863	3,126,879	1,483,003	1,643,876	5,718,235	2,799,689	2,918,546
1864	3,156,021	1,497,988	1,658,033	5,640,527	2,761,866	2,878,661
1865	3,185,437	1,513,120	1,672,317	5,594,589	2,740,800	2,853,789
1866	3,215,129	1,528,404	1,686,725	5,522,942	2,700,565	2,822,377
1867	3,245,098	1,543,843	1,701,255	5,486,509	2,681,015	2,805,494
1868	3,275,350	1,559,438	1,715,912	5,465,914	2,669,125	2,796,789
1869	3,305,885	1,575,190	1,730,695	5,449,094	2,659,713	2,789,381
1870	3,336,707	1,591,101	1,745,606	5,418,512	2,641,840	2,776,672
1871	3,368,921	1,607,775	1,761,146	5,398,179	2,630,782	2,767,397
1872	3,404,798	1,626,461	1,778,337	5,372,890	2,616,263	2,756,627
1873	3,441,056	1,645,361	1,795,695	5,327,938	2,590,385	2,737,553
1874	3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316
1875	3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220
1876	3,552,183	1,703,388	1,848,795	5,277,544	2,572,287	2,705,257
1877	3,590,022	1,723,180	1,866,842	5,286,380	2,579,274	2,707,106
1878	3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318
1879	3,665,443	1,762,787	1,902,656	5,265,625	2,574,705	2,690,920
1880	3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157
1881	3,742,564	1,802,923	1,939,641	5,145,770	2,519,219	2,626,551
1882	3,770,657	1,816,785	1,953,872	5,101,018	2,497,237	2,603,781
1883	3,798,961	1,830,754	1,968,207	5,023,811	2,461,548	2,562,263
1884	3,827,478	1,844,830	1,982,648	4,974,561	2,439,581	2,534,980
1885	3,856,307	1,859,014	1,997,293	4,938,588	2,424,128	2,514,460
1886	3,885,155	1,873,308	2,011,847	4,905,895	2,410,186	2,495,709
1887	3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680
1888	3,943,701	1,902,225	2,041,476	4,801,312	2,360,717	2,440,595
1889	3,973,305	1,916,851	2,056,454	4,757,385	2,340,516	2,416,869
1890	4,003,132	1,931,589	2,071,543	4,717,959	2,322,883	2,395,076
1891	4,033,180	1,946,440	2,086,740	4,681,248	2,307,331	2,373,917
1892	4,063,452	1,961,401	2,102,051	4,638,169	2,288,436	2,349,733
1893	4,093,959	1,976,487	2,117,472	4,615,312	2,279,319	2,335,993
1894	4,124,691	1,991,684	2,133,007	4,600,599	2,275,633	2,324,966

* The Estimates of Population for Scotland and Ireland have been supplied by the Registrars-General for those parts of the United Kingdom.

TABLE 2.—ENGLAND AND WALES.—Marriages, Births, and Deaths, 1845-94.

YEAR.	MAR-RIAGES.	BIRTHS.					DEATHS.		
		Total.	Males.	Females.	Le-gitimate.	Ille-gitimate.	Persons.	Males.	Females.
1845	143,743	543,521	278,418	265,103	505,280	38,241	349,366	177,529	171,837
1846	145,664	572,625	293,146	279,479	534,096	38,529	390,315	198,325	191,990
1847	135,845	539,965	275,658	264,307	503,840	36,125	423,304	214,375	208,929
1848	138,230	563,059	288,346	274,713	526,312	36,747	399,833	202,965	196,868
1849	141,883	578,159	295,158	283,001	538,825	39,334	440,839	221,801	219,038
1850	152,744	593,422	302,834	290,588	553,116	40,306	368,995	186,491	182,504
1851	154,206	615,865	314,968	300,897	573,865	42,000	395,396	200,500	194,896
1852	158,782	624,012	319,050	304,962	581,530	42,482	407,135	207,042	200,093
1853	164,520	612,391	313,756	298,635	572,628	39,763	421,097	214,720	206,377
1854	159,727	634,405	324,069	310,336	593,664	40,741	437,905	222,422	215,483
1855	152,113	635,043	323,960	311,083	594,260	40,783	425,703	216,587	209,116
1856	159,337	657,453	335,541	321,912	614,802	42,651	390,506	198,875	191,631
1857	159,097	663,071	339,998	323,073	620,069	43,002	419,315	212,356	207,459
1858	156,070	655,481	334,989	320,492	612,176	43,305	440,656	227,220	222,436
1859	167,723	689,881	352,662	337,219	645,130	44,751	440,781	223,576	217,205
1860	170,156	684,048	349,799	334,249	640,355	43,693	422,721	215,238	207,483
1861	163,706	696,406	355,972	340,434	652,249	44,157	435,114	222,281	212,833
1862	164,030	712,684	363,534	349,150	667,462	45,222	436,566	222,622	213,944
1863	173,510	727,417	372,019	355,398	680,276	47,141	473,837	242,203	231,634
1864	180,387	740,275	377,719	362,556	692,827	47,448	495,531	253,619	241,912
1865	185,474	748,069	381,444	366,625	701,484	46,585	490,909	252,218	238,691
1866	187,776	753,870	384,955	368,915	708,369	45,501	500,689	256,402	244,287
1867	179,154	768,349	392,224	376,125	723,163	45,186	471,073	242,588	228,485
1868	176,962	786,858	400,383	386,475	740,520	46,338	480,622	247,107	233,515
1869	176,970	773,381	394,570	378,811	728,690	44,691	494,828	254,863	239,965
1870	181,655	792,787	404,305	388,482	748,050	44,737	515,329	265,586	249,743
1871	190,112	797,428	405,605	391,823	752,653	44,775	514,879	265,563	249,316
1872	201,267	825,907	421,307	404,600	781,141	44,766	492,265	255,135	237,130
1873	205,615	829,778	422,757	407,021	786,617	43,161	492,520	254,985	237,535
1874	202,010	854,956	435,179	419,777	811,853	43,103	526,632	272,178	254,454
1875	201,212	850,607	434,225	416,382	809,794	40,813	546,453	282,202	264,251
1876	201,874	887,968	452,278	435,690	846,374	41,594	510,315	265,076	245,239
1877	194,352	888,200	451,896	436,304	846,045	42,155	500,496	260,567	239,929
1878	190,054	891,906	455,048	436,858	849,806	42,100	539,872	278,772	261,100
1879	182,082	880,389	447,914	432,475	838,200	42,189	526,255	271,496	254,759
1880	191,965	881,643	448,709	432,934	839,101	42,542	528,624	273,442	255,182
1881	197,290	883,642	450,180	433,462	840,522	43,120	491,935	253,605	238,330
1882	204,405	889,014	452,752	436,262	845,859	43,155	516,654	265,767	250,887
1883	206,384	890,722	453,076	437,646	848,076	42,646	522,997	269,262	253,735
1884	204,301	906,750	462,481	444,269	864,083	42,667	530,828	273,522	257,306
1885	197,745	894,270	455,809	438,461	851,477	42,793	522,750	268,305	254,445
1886	196,071	903,760	460,368	443,392	860,922	42,838	537,276	275,874	261,402
1887	200,518	886,331	451,603	434,728	844,197	42,134	530,758	272,137	258,621
1888	203,821	879,868	447,172	432,696	839,138	40,730	510,971	263,294	247,677
1889	213,865	885,944	451,218	434,726	845,317	40,627	518,353	266,102	252,251
1890	223,023	869,937	442,070	427,867	831,525	38,412	562,248	290,448	271,800
1891	226,526	914,157	465,660	448,497	875,376	38,781	587,925	302,494	285,431
1892	227,135	897,957	456,622	441,335	860,376	37,581	559,634	286,062	273,622
1893	218,689	914,572	465,711	448,861	875,684	38,858	569,958	291,889	278,069
1894	226,449	890,289	453,016	437,273	851,946	38,343	498,827	256,015	242,812

TABLE 3.—ENGLAND.—Annual Marriage-, Birth-, and Death-rates, 1845-94.

YEAR.	MAR-RIAGES.	BIRTHS.					DEATHS.					YEAR.
		Persons Married to 1000 Living.	Births to 1000 Living.			Illegi-timate Births in 1000 Births.	Births of Males to 1000 Births of Females.	Deaths to 1000 Living.			Deaths of Males to 1000 Deaths of Females, in equal Numbers Living.	
			Total.	Legi-timate.	Illegi-timate.			Persons.	Males.	Females.		
1845	17.2	32.5	30.2	2.3	70	1050	20.9	21.7	20.1	1077	1845	
1846	17.2	33.8	31.5	2.3	67	1049	23.0	23.9	22.2	1076	1846	
1847	15.8	31.5	29.4	2.1	67	1043	24.7	25.5	23.9	1069	1847	
1848	15.9	32.4	30.3	2.1	65	1050	23.0	23.8	22.2	1074	1848	
1849	16.2	32.9	30.7	2.2	63	1043	25.1	25.8	24.4	1054	1849	
1850	17.2	33.4	31.1	2.3	68	1042	20.8	21.4	20.1	1064	1850	
1851	17.2	34.2	31.9	2.3	68	1047	22.0	22.8	21.2	1072	1851	
1852	17.4	34.2	31.9	2.3	68	1046	22.3	23.2	21.5	1078	1852	
1853	17.9	33.3	31.1	2.2	65	1051	22.9	23.8	22.0	1085	1853	
1854	17.2	34.1	31.9	2.2	64	1044	23.5	24.4	22.7	1077	1854	
1855	16.2	33.7	31.5	2.2	64	1041	22.6	23.5	21.7	1081	1855	
1856	16.7	34.4	32.2	2.2	65	1042	20.5	21.3	19.6	1085	1856	
1857	16.5	34.4	32.2	2.2	65	1052	21.8	22.6	21.1	1071	1857	
1858	16.0	33.7	31.5	2.2	66	1045	23.1	23.9	22.3	1070	1858	
1859	17.0	35.0	32.7	2.3	65	1046	22.4	23.3	21.5	1080	1859	
1860	17.1	34.3	32.1	2.2	64	1047	21.2	22.1	20.3	1090	1860	
1861	16.3	34.6	32.4	2.2	63	1046	21.6	22.7	20.6	1099	1861	
1862	16.1	35.0	32.8	2.2	63	1041	21.4	22.4	20.5	1095	1862	
1863	16.8	35.3	33.0	2.3	65	1047	23.0	24.1	21.9	1101	1863	
1864	17.2	35.4	33.1	2.3	64	1042	23.7	24.9	22.5	1104	1864	
1865	17.5	35.4	33.2	2.2	62	1040	23.2	24.5	22.0	1113	1865	
1866	17.5	35.2	33.1	2.1	60	1043	23.4	24.6	22.2	1106	1866	
1867	16.5	35.4	33.3	2.1	59	1043	21.7	23.0	20.5	1118	1867	
1868	16.1	35.8	33.7	2.1	59	1036	21.8	23.1	20.7	1115	1868	
1869	15.9	34.8	32.8	2.0	58	1042	22.3	23.6	21.0	1119	1869	
1870	16.1	35.2	33.2	2.0	56	1041	22.9	24.2	21.6	1121	1870	
1871	16.7	35.0	33.0	2.0	56	1035	22.6	23.9	21.3	1123	1871	
1872	17.4	35.6	33.7	1.9	54	1041	21.3	22.6	19.9	1134	1872	
1873	17.6	35.4	33.6	1.8	52	1039	21.0	22.4	19.8	1132	1873	
1874	17.0	36.0	34.2	1.8	50	1037	22.2	23.6	20.9	1128	1874	
1875	16.7	35.4	33.7	1.7	48	1043	22.7	24.1	21.4	1126	1875	
1876	16.5	36.3	34.6	1.7	47	1038	20.9	22.3	19.6	1140	1876	
1877	15.7	36.0	34.3	1.7	47	1036	20.3	21.7	18.9	1145	1877	
1878	15.2	35.6	33.9	1.7	47	1042	21.6	22.9	20.3	1126	1878	
1879	14.4	34.7	33.0	1.7	48	1036	20.7	22.0	19.6	1124	1879	
1880	14.9	34.2	32.6	1.6	48	1036	20.5	21.8	19.3	1130	1880	
1881	15.1	33.9	32.2	1.7	49	1039	18.9	20.0	17.8	1123	1881	
1882	15.5	33.8	32.2	1.6	49	1038	19.6	20.7	18.5	1119	1882	
1883	15.5	33.5	31.9	1.6	48	1035	19.6	20.8	18.5	1122	1883	
1884	15.1	33.6	32.0	1.6	47	1041	19.7	20.9	18.5	1125	1884	
1885	14.5	32.9	31.3	1.6	48	1040	19.2	20.3	18.2	1116	1885	
1886	14.2	32.8	31.2	1.6	47	1038	19.5	20.6	18.5	1119	1886	
1887	14.4	31.9	30.4	1.5	48	1039	19.1	20.2	18.1	1116	1887	
1888	14.4	31.2	29.8	1.4	46	1033	18.1	19.2	17.0	1128	1888	
1889	15.0	31.1	29.7	1.4	46	1038	18.2	19.3	17.2	1121	1889	
1890	15.5	30.2	28.9	1.3	44	1033	19.5	20.8	18.3	1136	1890	
1891	15.6	31.4	30.1	1.3	42	1038	20.2	21.5	19.0	1123	1891	
1892	15.4	30.5	29.2	1.3	42	1035	19.0	20.0	18.0	1111	1892	
1893	14.7	30.8	29.5	1.3	42	1038	19.2	20.3	18.1	1117	1893	
1894	15.1	29.6	28.3	1.3	43	1036	16.6	17.6	15.7	1121	1894	

TABLE 4.—ENGLAND.—Annual Marriage-, Birth-, and Death-rates, in Groups of Years, 1838-94.

PERIOD.	MAR-RIAGES. Persons Married to 1,000 Living.	BIRTHS.					DEATHS.			
		Births to 1000 Living.			Illegitimate Births in 1000 Births.	Births of Males to 1,000 Births of Females.	Deaths to 1000 Living.			Deaths of Males to 1,000 Deaths of Females, in equal Numbers Living.
		Total.	Legitimate.	Illegitimate.			Per-sons.	Males.	Fe-males.	
1838-94 -	16.1	33.6	31.9*	1.9*	56*	1042	21.4	22.4	20.4	1103
1841-50 -	16.1	32.6	—	—	—	1049	22.4	23.1	21.6	1070
1851-60 -	16.9	34.1	31.9	2.2	65	1046	22.2	23.1	21.4	1079
1861-70 -	16.6	35.2	33.1	2.2	61	1042	22.5	23.7	21.4	1109
1871-80 -	16.2	35.4	33.7	1.8	50	1038	21.4	22.7	20.1	1131
1881-90 -	14.9	32.5	31.0	1.5	47	1037	19.1	20.3	18.1	1123
1838-40 -	15.6	31.3	—	—	—	1048	22.4	23.3	21.5	1084
1841-45 -	15.7	32.3	—	—	—	1052	21.4	22.2	20.6	1073
1846-50 -	16.5	32.8	30.6	2.2	67	1045	23.3	24.1	22.6	1087
1851-55 -	17.2	33.9	31.7	2.2	66	1046	22.7	23.5	21.8	1079
1856-60 -	16.7	34.4	32.1	2.2	65	1046	21.8	22.6	21.0	1079
1861-65 -	16.8	35.1	32.9	2.2	63	1043	22.6	23.7	21.5	1102
1866-70 -	16.4	35.3	33.2	2.1	58	1041	22.4	23.7	21.2	1116
1871-75 -	17.1	35.5	33.6	1.8	52	1039	22.0	23.3	20.7	1129
1876-80 -	15.3	35.4	33.7	1.7	47	1038	20.8	22.1	19.5	1133
1881-85 -	15.1	33.5	31.9	1.6	48	1039	19.4	20.5	18.3	1121
1886-90 -	14.7	31.4	30.0	1.4	46	1036	18.9	20.0	17.8	1124

* For the period 1845-94 only.

TABLE 5.—ENGLAND.—Annual Marriage-, Birth-, and Death-rates in each Quarter; in Groups of Years, 1838-94, and in each Year, 1885-94.

PERIOD.	PERSONS MARRIED TO 1000 LIVING.				BIRTHS TO 1000 LIVING.				DEATHS TO 1000 LIVING.			
	Quarter ending				Quarter ending				Quarter ending			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838-94 -	13.2	16.3	15.6	19.0	34.9	34.6	32.6	32.3	23.9	21.0	19.6	21.1
1841-50 -	13.3	16.4	15.2	19.2	34.2	33.7	31.2	31.2	24.7	22.0	21.0	21.7
1851-60 -	14.1	17.1	16.3	20.1	35.8	35.5	32.8	32.5	24.7	22.1	20.3	21.9
1861-70 -	13.8	16.9	16.2	19.6	36.6	36.3	34.0	33.9	25.2	21.8	21.0	22.1
1871-80 -	13.4	16.5	15.8	19.2	36.6	36.1	34.6	34.5	23.7	20.9	19.6	21.3
1881-90 -	11.9	15.4	14.9	17.6	33.4	33.2	31.9	31.5	21.6	18.7	17.3	19.1
1885 -	11.7	15.3	14.4	16.6	34.6	32.7	31.9	32.3	22.0	19.5	16.7	18.7
1886 -	11.6	14.7	14.0	16.7	33.9	33.7	32.3	31.4	23.1	18.3	18.1	18.7
1887 -	11.3	15.2	14.2	16.9	31.9	32.6	31.8	31.1	20.9	18.5	17.9	19.1
1888 -	11.5	14.7	14.6	17.0	31.9	31.9	30.3	30.6	21.4	17.8	15.2	18.1
1889 -	11.7	15.7	15.0	17.7	31.4	32.1	30.7	30.4	19.9	17.5	17.1	18.4
1890 -	11.5	16.5	15.8	18.2	31.8	30.7	30.5	28.1	23.3	17.9	16.9	20.1
1891 -	13.7	14.5	16.0	18.0	32.0	33.0	30.6	30.1	22.0	23.7	15.9	19.3
1892 -	11.7	16.4	15.7	17.8	30.0	31.7	30.9	29.3	24.9	18.0	15.7	17.4
1893 -	11.0	15.9	15.6	16.3	31.5	31.7	30.7	29.2	19.7	18.0	19.2	19.9
1894 -	12.9	14.3	15.9	17.2	30.9	29.5	28.5	29.6	20.0	15.8	14.2	16.5

TABLE 6.—ENGLAND.—Churches and Chapels of the Established Church, and other Registered Buildings for Solemnization of Marriage, 31st December, 1894.

REGISTRATION COUNTY.	ALL RELIGIOUS DENOMI-NATIONS.	Other Religious Denominations.																					
		ESTABLISHED CHURCH.	ALL OTHER RELIGIOUS DENOMINATIONS.	Presbyterians.	Congregationalists.	Baptists.	Roman Catholics.	Unitarians.	Wesleyan Methodists.												Calvinistic Methodists.	Bible Christians.	All Others.
									Original Connexion.	New Connexion.	Primitive Metho-dists.	United Methodist Free Church.	Other Wesleyan Methodists.	Calvinistic Methodists.	Bible Christians.	All Others.							
ENGLAND.	26,595	15,166	11,429	381	2,466	2,082	1,045	156	2,279	180	924	502	39	620	136	619							
I.—LONDON.																							
London - - - - -	1,295	601	694	45	157	156	75	16	89	5	25	22	-	9	5	90							
II.—SOUTH EASTERN.																							
Surrey - - - - -	397	229	168	7	44	43	21	2	29	-	9	1	-	-	-	12							
Kent - - - - -	766	494	272	6	63	78	23	3	60	-	15	3	-	1	6	14							
Sussex - - - - -	602	402	200	7	57	45	23	4	30	-	7	1	-	3	4	19							
Hampshire - - - - -	673	436	237	6	63	46	19	4	45	-	18	6	-	-	12	18							
Berkshire - - - - -	373	268	105	3	19	27	12	1	20	-	16	1	-	-	1	5							
III.—SOUTH MIDLAND.																							
Middlesex - - - - -	301	141	160	8	41	41	18	1	25	-	6	-	-	-	2	18							
Hertfordshire - - - - -	295	190	105	1	43	30	5	1	16	-	2	-	-	-	7	7							
Buckinghamshire - - - - -	283	196	87	-	17	35	3	-	19	-	2	-	-	-	5	2							
Oxfordshire - - - - -	340	265	75	1	19	19	9	-	17	-	4	4	-	-	2	2							
Northamptonshire - - - - -	457	317	140	-	37	49	7	1	25	-	6	6	3	-	6	6							
Huntingdonshire - - - - -	120	80	40	-	5	21	2	-	8	-	-	-	-	-	4	4							
Bedfordshire - - - - -	223	139	84	-	13	32	3	-	25	-	6	-	-	-	5	5							
Cambridgeshire - - - - -	298	194	104	1	20	41	3	-	20	-	13	2	-	-	4	4							
IV.—EASTERN.																							
Essex - - - - -	665	433	232	3	91	37	19	2	40	-	12	3	1	-	-	24							
Suffolk - - - - -	669	509	160	3	51	48	10	1	23	-	15	2	-	-	7	7							
Norfolk - - - - -	867	705	162	2	26	42	9	3	27	-	32	15	-	-	6	6							
V.—SOUTH WESTERN.																							
Wiltshire - - - - -	492	331	161	1	44	52	7	-	24	-	19	2	-	-	11	11							
Dorsetshire - - - - -	385	296	89	-	29	9	10	3	25	-	10	-	-	-	2	2							
Devonshire - - - - -	848	544	304	10	71	54	20	3	66	-	4	6	1	2	32	35							
Cornwall - - - - -	441	255	186	-	23	8	9	-	78	1	4	30	-	-	31	2							
Somersetshire - - - - -	848	561	287	3	73	52	16	4	78	-	13	15	-	-	13	20							
VI.—WEST MIDLAND.																							
Gloucestershire - - - - -	646	409	237	5	67	59	13	1	42	1	8	10	-	3	2	26							
Herefordshire - - - - -	289	227	62	-	10	13	3	-	9	1	15	-	-	-	9	9							
Shropshire - - - - -	463	316	147	2	43	15	13	-	24	3	30	5	1	6	5	5							
Staffordshire - - - - -	681	358	323	7	46	31	43	5	98	28	44	10	-	-	11	11							
Worcestershire - - - - -	360	254	106	3	18	21	14	2	19	3	12	2	-	-	12	12							
Warwickshire - - - - -	528	319	209	4	49	48	31	8	37	3	8	6	-	2	-	13							
VII.—NORTH MIDLAND.																							
Leicestershire - - - - -	479	298	181	2	29	54	15	2	40	2	22	6	-	-	9	9							
Rutlandshire - - - - -	70	57	13	-	3	5	1	-	2	-	1	-	-	-	1	1							
Lincolnshire - - - - -	871	657	214	1	26	36	13	3	64	1	45	19	-	-	6	6							
Nottinghamshire - - - - -	450	287	163	1	23	34	10	3	41	8	19	16	-	-	8	8							
Derbyshire - - - - -	427	208	219	4	38	23	18	3	54	5	36	30	-	-	8	8							
VIII.—NORTH WESTERN.																							
Cheshire - - - - -	588	255	333	27	57	27	28	7	93	10	47	13	2	12	-	10							
Lancashire - - - - -	2,222	778	1,444	66	242	157	263	31	287	33	98	103	26	26	6	106							
IX.—YORK.																							
West Riding - - - - -	1,689	692	997	8	176	115	69	16	296	53	112	108	4	-	2	38							
East Riding (with York) - - - - -	388	248	140	5	23	10	13	1	45	3	29	6	1	-	-	4							
North Riding - - - - -	419	265	154	5	24	10	20	3	55	-	32	4	-	-	1	1							
X.—NORTHERN.																							
Durham - - - - -	548	263	285	28	27	18	53	4	64	13	52	13	-	1	-	7							
Northumberland - - - - -	385	179	206	74	13	8	31	-	31	6	23	13	-	-	3	4							
Cumberland - - - - -	288	178	110	18	17	4	15	1	27	-	15	4	-	-	1	8							
Westmorland - - - - -	123	84	39	2	8	4	2	-	13	-	5	2	-	-	-	3							
X.—WELSH.																							
Monmouthshire - - - - -	365	169	196	1	48	82	15	-	15	-	10	-	-	-	3	4							
South Wales - - - - -	1,661	679	982	5	337	279	26	17	58	-	13	-	-	-	6	9							
North Wales - - - - -	1,017	400	617	6	136	64	13	-	76	1	10	-	-	-	4	4							

TABLE 7.—ENGLAND.—Marriages.—Manner of Solemnization, 1845-94.

YEAR.	OF 1000 MARRIAGES.											
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.					
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.		Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
								Roman Catholics.	Other Christian Denominations.			
1845	0.1	111	646	12	132	901	99	20	49	0.5	1.3	23
1846	0.1	118	638	13	127	896	104	21	52	0.5	1.5	29
1847	0.1	126	625	14	125	890	110	22	55	0.6	1.4	31
1848	0.1	122	626	16	115	879	121	26	58	0.5	1.3	35
1849	0.1	118	639	18	93	868	132	30	61	0.4	1.6	39
1850	0.1	114	645	21	77	857	143	37	63	0.5	1.7	41
1851	0.1	115	644	22	68	849	151	43	62	0.4	1.7	44
1852	0.1	123	670	23	27	843	157	47	63	0.4	1.6	45
1853	0.1	125	664	23	27	839	161	51	62	0.5	1.8	46
1854	0.1	132	658	24	26	840	160	49	61	0.3	1.8	48
1855	0.1	134	655	25	26	840	160	48	61	0.4	1.5	49
1856	0.1	134	655	25	25	839	161	47	60	0.5	2.0	51
1857	0.1	134	641	24	25	824	176	46	67	0.4	2.0	61
1858	0.1	127	644	24	26	821	179	43	70	0.5	1.4	64
1859	0.1	121	643	25	23	812	188	46	75	0.4	1.9	65
1860	0.1	122	638	25	22	807	193	46	79	0.4	1.8	66
1861	0.1	123	628	25	22	798	202	48	80	0.4	1.6	72
1862	0.1	119	627	24	21	791	209	45	84	0.4	1.8	78
1863	0.1	111	632	25	20	788	212	47	84	0.3	1.8	79
1864	0.1	110	629	24	19	782	218	48	87	0.3	1.9	81
1865	0.1	112	629	22	19	782	218	47	89	0.3	1.9	80
1866	0.1	108	630	23	17	778	222	48	91	0.3	1.6	81
1867	0.1	108	628	22	17	775	225	44	95	0.4	1.8	84
1868	0.1	103	627	23	16	769	231	42	97	0.4	1.7	90
1869	0.1	98	627	23	15	763	237	41	99	0.3	1.9	95
1870	0.1	94	634	22	10	760	240	41	99	0.3	2.0	98
1871	0.1	89	642	22	8	761	239	40	100	0.3	2.1	97
1872	0.1	85	645	21	6	757	243	42	100	0.2	2.1	99
1873	0.1	85	642	20	5	752	248	40	102	0.4	2.4	103
1874	0.1	87	637	19	4	747	253	40	105	0.2	2.3	105
1875	0.1	87	635	18	4	744	256	42	107	0.3	2.4	104
1876	0.2	87	630	18	3	738	262	42	110	0.3	2.3	107
1877	0.1	84	627	18	4	733	267	43	112	0.4	2.2	109
1878	0.1	82	623	18	3	726	274	42	113	0.3	2.7	116
1879	0.2	78	624	18	3	723	277	41	113	0.3	2.5	120
1880	0.2	73	623	18	3	717	283	43	111	0.3	2.4	126
1881	0.3	68	626	18	3	715	285	45	111	0.3	2.5	126
1882	0.4	65	631	17	2	715	285	45	111	0.3	2.5	126
1883	0.3	63	629	18	2	712	288	44	113	0.3	2.6	128
1884	0.3	60	628	17	2	707	293	43	116	0.3	2.9	131
1885	0.3	58	630	17	3	708	292	41	118	0.2	3.2	130
1886	0.2	56	632	17	2	707	293	42	117	0.2	3.4	130
1887	0.1	53	629	17	2	701	299	43	116	0.3	3.2	136
1888	0.1	51	632	16	2	701	299	42	116	0.3	3.9	137
1889	0.1	43	632	16	2	698	302	42	116	0.3	4.1	140
1890	0.1	47	637	15	2	701	299	43	115	0.3	4.0	137
1891	0.1	46	637	14	2	699	301	42	118	0.3	4.6	136
1892	0.1	45	637	14	2	698	302	40	118	0.3	4.6	139
1893	0.1	44	634	13	1	692	308	41	118	0.4	5.1	143
1894	0.1	41	630	13	2	686	314	42	119	0.3	5.0	148

TABLE 8.—ENGLAND.—Marriages.—Manner of Solemnization, in Counties, 1894.

REGISTRATION COUNTY.	OF 1000 MARRIAGES.												
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.			Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
								Roman Catholics.	Other Christian Denominations.				
ENGLAND.	0.1	41	630	13	2	686	314	42	119	0.3	5.0	148	
I.—LONDON.													
London	0.3	48	710	0	1	759	241	37	42	0.4	21.5	140	
II.—SOUTH EASTERN.													
Surrey	-	39	705	2	3	749	251	23	77	0.3	-	151	
Kent	-	27	705	10	2	744	256	15	122	-	0.2	119	
Sussex	0.3	37	732	3	2	774	226	16	82	0.3	0.8	127	
Hampshire	-	42	670	10	-	726	274	18	93	0.2	0.4	162	
Berkshire	0.5	37	752	-	-	792	208	8	83	-	-	117	
III.—SOUTH MIDLAND.													
Middlesex	0.3	49	748	1	1	799	201	16	86	-	0.3	99	
Hertfordshire	-	17	795	2	2	816	184	4	117	-	-	63	
Buckinghamshire	-	23	761	1	2	787	213	5	131	-	-	77	
Oxfordshire	0.8	41	752	3	6	803	197	14	80	0.8	-	102	
Northamptonshire	-	21	676	3	13	713	287	6	133	-	-	148	
Huntingdonshire	-	20	800	-	3	823	177	-	102	-	-	75	
Bedfordshire	-	24	743	6	3	776	224	1	129	-	-	94	
Cambridgeshire	-	26	770	-	1	797	203	6	116	-	-	81	
IV.—EASTERN.													
Essex	-	32	762	2	6	802	198	20	86	0.8	-	91	
Suffolk	-	33	717	3	9	762	238	5	123	-	-	110	
Norfolk	-	33	723	1	5	762	238	8	99	0.6	-	130	
V.—SOUTH WESTERN.													
Wiltshire	0.6	26	685	1	3	716	284	5	159	-	-	120	
Dorsetshire	-	35	724	8	1	768	232	8	123	-	-	101	
Devonshire	-	57	521	4	4	586	414	12	142	-	0.4	260	
Cornwall	-	54	457	1	2	514	486	3	262	1.0	-	220	
Somersetshire	-	48	691	4	6	749	251	5	150	-	-	96	
VI.—WEST MIDLAND.													
Gloucestershire	0.2	40	661	3	2	706	294	8	113	0.2	0.7	172	
Herefordshire	-	56	678	4	8	746	254	7	94	2.7	-	150	
Shropshire	-	56	669	12	5	742	258	12	127	-	-	119	
Staffordshire	-	26	739	7	1	773	227	32	90	-	0.3	105	
Worcestershire	-	32	768	3	2	805	195	17	71	-	-	107	
Warwickshire	0.2	21	756	6	2	785	215	29	59	0.8	3.8	122	
VII.—NORTH MIDLAND.													
Leicestershire	-	18	683	7	1	709	291	19	131	-	0.3	141	
Rutlandshire	-	35	834	-	9	878	122	9	61	-	-	52	
Lincolnshire	-	30	737	3	2	772	228	8	160	-	0.3	60	
Nottinghamshire	-	31	647	1	1	680	320	12	106	0.3	1.4	200	
Derbyshire	-	49	656	6	0	711	289	21	166	0.3	-	102	
VIII.—NORTH WESTERN.													
Cheshire	0.2	62	603	11	0	677	323	57	158	0.2	-	108	
Lancashire	0.0	47	548	38	1	634	366	113	150	0.2	4.5	98	
IX.—YORK.													
West Riding	-	22	687	20	1	730	270	38	136	0.3	4.0	92	
East Riding (with York)	-	56	645	2	2	705	295	33	112	0.6	5.2	144	
North Riding	-	68	592	4	1	665	335	66	121	0.4	1.2	146	
X.—NORTHERN.													
Durham	-	33	443	43	0	519	481	79	115	0.4	1.2	285	
Northumberland	0.2	54	473	12	1	540	460	71	123	-	2.0	264	
Cumberland	0.6	109	453	51	-	613	387	69	120	0.6	-	197	
Westmorland	-	114	675	15	2	806	194	7	94	2.5	-	90	
XI.—WELSH.													
Monmouthshire	-	28	397	7	4	436	564	41	205	-	1.3	317	
South Wales	-	47	251	13	0	311	689	30	241	-	1.6	416	
North Wales	-	56	220	12	2	290	710	14	360	-	-	336	

NOTE.—A cipher indicates that the number of marriages was too small to show a rate of one per 1000. When no marriages occurred, — is inserted.

TABLE 9.—ENGLAND.—First Marriages, Re-Marriages, Marriages of Minors, and Signatures by Mark, 1845-94.

YEAR.	IN 1000 MARRIAGES.								
	FIRST MARRIAGES.		RE-MARRIAGES.		UNDER 21 YEARS.		SIGNED BY MARK.		
	Bachelors.	Spinners.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both.
1845	874	914	126	86	44	135	332	496	-
1846	874	917	126	83	43	137	326	482	-
1847	871	915	129	85	41	133	312	455	240
1848	862	911	133	89	44	141	312	454	239
1849	862	911	138	89	47	149	310	459	-
1850	855	907	145	93	49	151	311	462	-
1851	860	910	140	90	50	157	308	453	235
1852	865	911	135	89	54	170	305	446	231
1853	864	910	136	90	56	178	304	439	227
1854	864	910	136	90	58	180	300	427	221
1855	856	905	144	95	55	179	295	412	211
1856	861	906	139	94	57	183	288	402	202
1857	862	909	138	91	56	181	277	388	192
1858	858	908	142	92	59	184	270	376	184
1859	859	909	141	91	62	191	267	376	182
1860	861	910	139	90	63	194	255	362	170
1861	860	909	140	91	64	195	246	347	161
1862	863	910	137	90	65	198	237	332	153
1863	865	912	135	88	66	199	238	331	153
1864	862	909	138	91	66	201	233	324	147
1865	861	908	139	92	67	201	225	312	141
1866	861	906	139	94	67	200	216	300	134
1867	857	904	143	96	69	202	211	288	127
1868	860	906	140	94	72	210	201	278	119
1869	860	905	140	95	72	214	199	276	117
1870	864	904	136	96	75	216	198	273	116
1871	861	903	139	97	79	220	194	268	113
1872	863	901	137	99	80	223	194	263	111
1873	863	899	137	101	82	224	188	254	106
1874	863	898	137	102	84	227	179	242	98
1875	859	898	141	102	83	222	172	232	93
1876	859	897	141	103	83	220	163	221	86
1877	862	901	138	99	81	220	153	209	79
1878	864	902	136	98	78	216	146	198	73
1879	865	905	135	95	74	214	138	185	67
1880	869	905	131	95	73	215	140	186	68
1881	872	908	128	92	72	214	135	177	64
1882	875	912	125	88	76	220	132	171	62
1883	876	911	124	89	74	218	126	155	55
1884	874	911	126	89	73	213	117	142	43
1885	873	912	127	88	70	210	107	129	43
1886	876	914	124	83	67	206	96	115	37
1887	878	916	122	84	65	202	91	106	34
1888	881	917	119	83	63	199	83	97	29
1889	885	919	115	81	61	199	78	90	27
1890	885	919	115	81	60	195	72	83	24
1891	886	919	114	81	59	190	64	73	21
1892	884	918	116	82	59	187	56	66	19
1893	886	920	114	80	56	181	50	57	16
1894	888	923	111	77	55	181	46	54	14

TABLE 10.—ENGLAND.—Marriages, Marriages of Minors, and Signatures by Mark in Counties, 1884-1893, and 1894.

REGISTRATION COUNTY.	Persons Married in 1000 Living.		IN 1000 MARRIAGES.								
	Average of Ten Years, 1884-93.	1894.	Under 21 Years.				Signed by Mark.				
			Average of Ten Years, 1884-93.		1894.		Average of Ten Years, 1884-93.		1894.		
			Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Both.
ENGLAND - - - - -	14.9	15.1	63	198	55	181	81	96	46	54	14
I.—LONDON.											
London - - - - -	17.3	17.0	53	185	47	168	46	60	30	42	11
II.—SOUTH EASTERN.											
Surrey - - - - -	12.5	12.4	37	141	34	117	48	31	27	15	3
Kent - - - - -	13.3	13.3	45	194	49	166	66	46	34	27	8
Sussex - - - - -	12.7	13.4	48	153	45	128	63	30	48	17	5
Hampshire - - - - -	14.5	14.4	37	172	32	155	60	38	35	26	6
Berkshire - - - - -	12.9	13.4	43	147	27	131	83	47	44	21	8
III.—SOUTH MIDLAND.											
Middlesex - - - - -	11.1	11.6	46	164	47	155	56	43	36	23	6
Hertfordshire - - - - -	11.0	12.2	72	172	51	146	132	86	60	41	15
Buckinghamshire - - - - -	12.3	12.3	76	196	44	153	116	73	51	23	8
Oxfordshire - - - - -	12.8	12.5	48	157	45	128	87	50	47	25	9
Northamptonshire - - - - -	14.2	14.7	90	211	69	189	77	66	36	30	7
Huntingdonshire - - - - -	12.8	11.9	69	183	27	171	115	64	79	27	10
Bedfordshire - - - - -	13.3	13.9	116	200	77	166	115	119	60	59	23
Cambridgeshire - - - - -	13.2	13.2	73	207	60	177	130	79	74	44	18
IV.—EASTERN.											
Essex - - - - -	12.3	12.4	59	213	44	197	87	60	47	34	9
Suffolk - - - - -	13.0	13.2	68	198	55	161	142	79	76	54	20
Norfolk - - - - -	13.5	13.4	75	201	59	174	126	78	67	37	12
V.—SOUTH WESTERN.											
Wiltshire - - - - -	12.8	13.1	53	154	36	137	94	54	46	23	7
Dorsetshire - - - - -	13.6	13.5	52	147	40	130	93	48	55	25	8
Devonshire - - - - -	15.0	14.5	39	134	36	120	59	60	31	30	6
Cornwall - - - - -	13.3	13.3	48	144	44	131	130	123	82	70	23
Somersetshire - - - - -	13.3	12.9	65	153	53	132	101	77	58	44	16
VI.—WEST MIDLAND.											
Gloucestershire - - - - -	15.3	15.5	72	173	58	157	84	77	49	45	13
Herefordshire - - - - -	12.4	13.5	31	126	24	134	124	69	57	21	9
Shropshire - - - - -	12.4	13.4	32	131	32	117	117	95	61	58	17
Staffordshire - - - - -	15.2	15.6	89	250	76	224	128	154	66	79	23
Worcestershire - - - - -	14.0	14.2	67	179	53	150	105	115	56	56	20
Warwickshire - - - - -	15.4	15.7	72	209	63	189	86	112	46	58	14
VII.—NORTH MIDLAND.											
Leicestershire - - - - -	14.6	15.2	103	227	82	199	65	80	42	41	12
Rutlandshire - - - - -	11.5	10.5	25	131	26	87	64	27	61	17	9
Lincolnshire - - - - -	13.9	15.1	44	193	44	178	79	60	41	40	10
Nottinghamshire - - - - -	15.6	15.8	103	270	92	254	86	98	52	47	14
Derbyshire - - - - -	14.4	15.2	77	248	74	246	79	82	45	43	13
VIII.—NORTH WESTERN.											
Cheshire - - - - -	13.8	13.6	60	172	48	154	76	96	39	52	10
Lancashire - - - - -	16.0	16.2	74	204	62	182	79	135	46	74	17
IX.—YORK.											
West Riding (with York) - - - - -	15.6	15.9	77	228	67	212	84	124	52	74	24
East Riding (with York) - - - - -	15.8	15.9	61	234	57	210	64	78	29	44	6
North Riding - - - - -	13.4	14.1	54	221	40	195	84	88	48	52	11
X.—NORTHERN.											
Durham - - - - -	15.1	15.3	67	284	65	266	103	140	52	70	15
Northumberland - - - - -	15.8	15.4	45	207	44	211	62	92	34	51	7
Cumberland - - - - -	13.4	12.8	47	177	54	167	71	95	36	45	9
Westmorland - - - - -	12.6	12.1	38	122	27	92	28	37	17	22	2
XI.—WELSH.											
Monmouthshire - - - - -	15.8	15.8	70	244	64	241	159	164	84	84	24
South Wales - - - - -	15.9	16.7	59	197	57	198	120	175	63	89	22
North Wales - - - - -	12.8	14.0	29	103	21	91	134	154	83	85	24

TABLE 11.—ENGLAND.—Birth- and Death-rates in Counties, 1884-93, and 1894.

REGISTRATION COUNTY.	Births to 1000 Living.		Illegitimate Births to 1000 Births.		Males Born to 1000 Females Born.		Deaths to 1000 Living.				Deaths of Children under one year to 1000 Births.	
	Ten Years 1884 to 1893.	1894.	Ten Years 1884 to 1893.	1894.	Ten Years 1884 to 1893.	1894.	Ten Years 1884 to 1893.		1894.		Ten Years 1884 to 1893.	1894.
							Persons.	Persons.	Males.	Females.		
ENGLAND - - -	31.6	29.6	45	43	1037	1036	19.2	16.6	17.6	15.7	147	137
I.—LONDON.												
London* - - -	32.2	30.2	38	38	1037	1035	20.3	17.4	18.9	16.1	154	143
II.—SOUTH EASTERN.												
Surrey - - -	27.3	24.4	41	38	1047	1054	15.5	13.8	14.6	12.2	113	107
Kent - - -	29.4	26.5	42	39	1034	1013	16.5	14.6	15.3	14.0	121	114
Sussex - - -	26.3	24.7	54	53	1049	1047	15.8	13.9	15.1	13.0	112	104
Hampshire - - -	28.7	26.4	41	39	1038	1048	16.8	14.6	15.8	13.5	117	106
Berkshire - - -	28.6	25.8	47	50	1039	1050	16.3	14.2	15.0	13.5	109	103
III.—SOUTH MIDLAND.												
Middlesex - - -	31.3	27.2	32	29	1041	1014	16.0	13.2	14.3	12.3	130	125
Hertfordshire - - -	28.0	25.9	50	54	1032	1035	16.8	14.5	15.5	13.5	109	99
Buckinghamshire - - -	29.7	27.2	47	49	1029	1058	16.6	13.8	14.2	13.3	115	108
Oxfordshire - - -	28.8	25.4	51	57	1046	1054	16.9	14.2	15.0	13.5	116	101
Northamptonshire - - -	30.9	28.8	43	39	1027	1038	17.1	15.3	16.0	14.7	135	125
Huntingdonshire - - -	27.4	24.7	50	59	1027	985	16.6	14.6	14.9	14.3	110	108
Bedfordshire - - -	29.4	26.8	60	62	1047	1038	17.1	14.8	15.9	13.8	129	115
Cambridgeshire - - -	28.6	26.2	53	49	1044	1075	17.3	15.7	16.8	14.7	124	116
IV.—EASTERN.												
Essex - - -	32.9	30.3	31	29	1033	1023	17.0	14.4	15.0	13.8	130	118
Suffolk - - -	30.1	27.8	56	54	1039	1066	17.5	15.4	16.1	14.7	117	106
Norfolk - - -	29.9	27.2	69	68	1042	1021	18.3	16.9	17.6	16.3	138	137
V.—SOUTH WESTERN.												
Wiltshire - - -	28.6	26.1	45	43	1031	1049	16.9	15.4	16.0	14.9	104	103
Dorsetshire - - -	27.4	26.1	46	44	1041	1058	16.2	14.6	15.0	14.1	99	88
Devonshire - - -	27.7	25.3	44	39	1045	1059	18.5	17.4	18.5	16.3	124	134
Cornwall - - -	28.0	26.7	57	52	1059	1038	19.1	17.8	18.8	17.0	141	139
Somersetshire - - -	28.6	27.3	39	36	1039	1050	17.4	15.8	16.9	14.9	113	117
VI.—WEST MIDLAND.												
Gloucestershire - - -	29.0	26.7	42	38	1027	1033	18.1	16.1	17.4	15.0	127	129
Herefordshire - - -	26.9	26.2	72	76	1013	1010	17.7	17.9	18.7	17.1	113	114
Shropshire - - -	27.9	27.4	79	66	1040	1061	17.5	16.7	17.7	15.8	118	119
Staffordshire - - -	35.8	35.0	47	46	1032	1055	20.0	17.5	18.5	16.6	162	156
Worcestershire - - -	30.3	29.0	46	43	1028	1049	17.2	14.9	16.2	13.7	140	125
Warwickshire - - -	32.2	30.4	39	34	1028	1006	19.3	17.4	18.8	16.2	155	151
VII.—NORTH MIDLAND.												
Leicestershire - - -	33.0	30.9	45	44	1035	1016	18.5	15.6	16.8	14.4	169	148
Rutlandshire - - -	26.0	23.5	52	43	1045	1000	16.3	12.5	14.0	10.9	113	127
Lincolnshire - - -	29.5	27.8	57	57	1042	1071	17.6	15.7	16.4	14.9	137	130
Nottinghamshire - - -	34.7	31.7	56	56	1034	1022	19.0	16.3	17.2	15.5	155	150
Derbyshire - - -	32.8	31.7	46	45	1038	1042	18.0	15.3	15.9	14.7	140	128
VIII.—NORTH WESTERN.												
Cheshire - - -	31.0	29.5	48	46	1051	1054	19.0	16.4	17.4	15.5	149	137
Lancashire - - -	33.6	30.9	44	41	1035	1025	22.5	18.6	19.6	17.6	172	154
IX.—YORK.												
West Riding - - -	31.6	30.0	49	45	1029	1035	20.2	16.8	17.8	15.8	161	144
East Riding (with York) - - -	32.1	30.7	56	53	1040	1083	19.3	16.5	17.5	15.5	154	134
North Riding - - -	31.8	28.3	60	59	1037	1009	18.2	15.6	16.0	15.2	140	127
X.—NORTHERN.												
Durham - - -	37.1	35.2	40	38	1042	1040	19.9	17.9	18.2	17.6	157	150
Northumberland - - -	33.8	31.6	48	44	1042	1026	19.9	17.2	17.5	16.8	148	142
Cumberland - - -	32.1	29.0	74	69	1064	1004	18.1	15.4	15.9	15.0	127	113
Westmorland - - -	27.5	23.5	68	54	1022	1052	15.6	13.9	15.1	12.7	103	108
XI.—WELSH.												
Monmouthshire - - -	35.0	33.7	36	32	1043	1054	20.0	17.0	17.5	16.6	146	142
South Wales - - -	33.8	33.1	40	36	1044	1047	19.7	17.7	18.4	17.0	149	148
North Wales - - -	27.3	27.2	70	66	1058	1033	18.9	18.0	18.6	17.4	122	123

* See note to Table 25.

TABLE 12.—ENGLAND.—Deaths from various Causes to a Million Deaths from All Causes, 1894.

CAUSE OF DEATH.	Proportional Number.	CAUSE OF DEATH.	Proportional Number.	CAUSE OF DEATH.	Proportional Number.
ALL CAUSES - - -	1,000,000	Inflammation of Brain or its Membranes - - -	13818	Acute Nephritis - - -	3813
Small-pox - - -	1644	Apoplexy - - -	32270	Bright's Disease - - -	15097
Chicken-pox - - -	217	Softening of Brain - - -	5230	Uremia - - -	834
Measles - - -	23569	Hemiplegia, Brain Paralysis	13005	Suppression of Urine - - -	184
Epidemic Rose Rash - - -	104	Paralysis Agitans - - -	513	Calculus - - -	491
Scarlet Fever - - -	10088	Insanity, General Paralysis	6062	Hæmaturia - - -	190
Typhus - - -	231	of Insane - - -	245	Diseases of Bladder and of Prostate - - -	4041
Relapsing Fever - - -	14	Chorea - - -	5122	Other Diseases of Urinary System - - -	1297
Influenza - - -	13281	Epilepsy - - -	36337		
Whooping-cough - - -	24766	Convulsions - - -	988		
Mumps - - -	122	Laryngismus Stridulus - - -	56	Ovarian Disease - - -	872
Diphtheria - - -	17589	Idiopathic Tetanus - - -	4170	Diseases of Uterus and Vagina - - -	1471
Cerebro-spinal Fever - - -	46	Paraplegia, Diseases of Spinal Cord - - -	5745	Disorders of Menstruation - - -	152
Simple and Ill-defined Fever	407	Other Diseases of Nervous System - - -	14	Pelvic Abscess - - -	122
Enteric Fever - - -	9584			Perineal Abscess - - -	50
Other Miasmatic Diseases - - -	14			Diseases of Testes, Penis, Scrotum, &c. - - -	130
Cholera - - -	501	Otitis, Otorrhœa - - -	1469		
Diarrhœa, Dysentery - - -	21075	Epistaxis and Diseases of Nose - - -	176	Abortion, Miscarriage - - -	321
Remittent Fever - - -	36	Ophthalmia and Diseases of Eye - - -	130	Puerperal Mania - - -	152
Ague - - -	140			Puerperal Convulsions - - -	702
Hydrophobia - - -	23	Endocarditis, Valvular Disease - - -	18674	Placenta Prævia, Flooding - - -	1564
Glanders - - -	4	Pericarditis - - -	1217	Phlegmasia Dolens - - -	180
Anthrax, Splenic Fever - - -	20	Hypertrophy of Heart - - -	437	Other Accidents of Childbirth - - -	2309
Cow-pox and other Effects of Vaccination - - -	100	Angina Pectoris - - -	1295		
Syphilis - - -	4031	Syncope - - -	3135	Caries, Necrosis - - -	1872
Gonorrhœa, Stricture of Urethra - - -	646	Aneurism - - -	1706	Arthritis, Ostitis, Periostitis - - -	555
Phagedæna - - -	88	Senile Gangrene - - -	2568	Other Diseases of Organs of Locomotion - - -	986
Erysipelas - - -	2712	Embolism, Thrombosis - - -	2225		
Pyæmia, Septicæmia - - -	615	Phlebitis - - -	251		
Puerperal Fever - - -	4344	Varicose Veins - - -	198	Carbuncle - - -	237
		Other Diseases of Circulatory System - - -	62154	Phlegmon, Cellulitis - - -	742
				Lupus - - -	124
Thrush - - -	680	Laryngitis - - -	2791	Ulcer, Bed sore - - -	1127
Other Diseases from Vegetable Parasites - - -	6	Croup - - -	3492	Eczema - - -	774
Hydatid Disease - - -	104	Other Diseases of Larynx and Trachea - - -	267	Pemphigus - - -	245
Other Diseases from Animal parasites - - -	122	Emphysema, Asthma - - -	4310	Other Diseases of Integumentary System - - -	415
Starvation, Want of Breast-milk - - -	569	Bronchitis - - -	98944		
Scurvy - - -	46	Pneumonia - - -	65307		
Intem- perance (Chronic Alcoholism, Delirium Tremens)	2941	Pleurisy - - -	2949		
	752	Other Diseases of Respiratory System - - -	7399		
Rheumatic Fever, Rheumatism of Heart - - -	5304	Stomatitis (Dis. of Mouth)- Dentition - - -	1038		
Rheumatism - - -	1602	Sore Throat, Quinsy - - -	7123	In Mines and Quarries - - -	2249
Gout - - -	1133	Dyspepsia - - -	1197	Vehicles and Horses - - -	4811
Rickets - - -	2466	Hæmatemesis - - -	439	Ships Boats and Docks (not drowning) - - -	439
Cancer - - -	42945	Melæna - - -	200	Building Operations - - -	399
Tabes Mesenterica - - -	11553	Diseases of Stomach - - -	8678	Machinery - - -	467
Tubercular Meningitis (Acute Hydrocephalus) - - -	12720	Enteritis - - -	11920	Weapons and Implements - - -	303
Phthisis - - -	83478	Ulceration of Intestine - - -	678	Burns and Scalds - - -	4392
Other Forms of Tuberculosis, Scrofula - - -	11130	Ileus, Obstruction of Intestine - - -	4144	Poison, Poisonous Vapours - - -	1179
Purpura, Hæmorrhagic Diathesis - - -	740	Stricture or Strangulation of Intestine - - -	287	Drowning - - -	5190
Anæmia, Chlorosis, Leucocythæmia - - -	3248	Intussusception of Intestine - - -	802	Suffocation - - -	4172
Diabetes Mellitus - - -	4084	Hernia - - -	2440	Falls - - -	4813
Other Constitutional Diseases - - -	1315	Fistula - - -	128	Weather Agencies - - -	369
Premature Birth - - -	31748	Peritonitis - - -	4194	Otherwise, or not stated - - -	3548
Atelectasis - - -	1943	Ascites - - -	269		
Cyanosis - - -	2197	Gallstones - - -	900	Homicide - - -	597
Spina Bifida - - -	1263	Cirrhosis of Liver - - -	6962	Suicide - - -	5471
Imperforate Anus - - -	395	Other Diseases of Liver - - -	6956	Execution - - -	36
Cleft Palate, Harelip - - -	433	Other Diseases of Digestive System - - -	1225		
Other Congenital Defects - - -	978	Diseases of Spleen - - -	150	Dropsy - - -	381
Old Age - - -	49149	Diseases of Lymphatic System - - -	543	Debility, Atrophy, Inanition - - -	36648
		Diseases of Thyroid Body - - -	391	Mortification - - -	78
		Diseases of Supra-Renal Capsules - - -	307	Tumour - - -	253
				Abscess - - -	884
				Hæmorrhage - - -</	

TABLE 13.—ENGLAND.—Annual Death-rates at Twelve Groups of Ages, 1845-94.*—Males.

YEAR.	DEATHS TO 1000 LIVING MALES.												
	AGES.												
	ALL AGES.	0-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwds.
1845	21.7	66.5	8.2	4.6	6.6	9.1	9.2	12.1	17.0	29.6	64.7	143.7	308.4
1846	23.9	77.4	8.2	5.1	7.3	10.0	10.2	12.8	17.8	31.1	67.4	150.4	328.9
1847	25.5	76.0	9.7	5.5	8.0	10.8	11.0	14.5	20.5	36.5	77.1	173.6	364.6
1848	23.8	73.6	10.4	5.3	7.2	10.0	10.2	13.1	18.4	32.4	67.7	149.2	309.5
1849	25.8	75.0	11.2	6.5	8.0	11.1	12.4	15.9	22.4	36.4	72.4	151.7	304.7
1850	21.4	66.8	8.1	4.7	6.2	8.2	8.8	11.7	17.0	29.7	63.1	140.1	289.7
1851	22.8	72.9	8.7	4.9	6.8	8.8	9.5	12.4	17.7	30.2	64.1	140.6	288.6
1852	23.2	74.6	9.0	5.2	6.9	9.2	9.7	12.3	17.9	30.4	62.8	141.7	292.7
1853	23.8	73.0	8.5	5.1	7.2	9.6	10.3	13.2	19.3	32.4	69.1	159.8	328.3
1854	24.4	77.3	9.4	5.5	7.3	9.7	10.5	13.6	19.3	31.8	66.5	149.2	296.0
1855	23.5	71.5	8.2	5.0	6.7	8.9	9.8	12.8	18.6	32.8	70.7	162.9	349.2
1856	21.3	67.0	7.2	4.5	6.4	8.4	9.1	11.8	16.6	29.0	60.6	130.7	283.4
1857	22.6	72.2	7.8	4.7	6.4	8.4	9.2	12.0	17.3	29.9	63.3	143.9	306.1
1858	23.9	76.5	10.5	5.0	6.8	8.7	9.3	12.3	17.7	30.9	66.2	147.0	323.5
1859	23.3	74.7	9.2	4.8	6.4	8.4	9.2	12.3	17.8	30.8	64.2	140.2	298.9
1860	22.1	67.3	6.8	4.1	6.1	8.2	9.0	12.4	17.8	31.5	67.3	151.2	314.9
1861	22.7	71.8	6.7	4.3	6.4	8.3	9.2	12.3	17.6	30.9	65.4	146.5	315.7
1862	22.4	69.8	7.7	4.4	6.2	8.2	9.2	12.4	18.1	31.3	63.3	139.9	296.7
1863	24.1	77.8	10.3	5.0	6.4	8.5	9.4	12.8	18.2	31.7	63.9	139.4	309.7
1864	24.9	75.8	9.8	4.9	6.5	9.1	10.3	14.3	20.1	35.2	70.3	151.4	334.4
1865	24.5	75.0	8.1	4.7	6.4	9.2	10.6	14.2	20.5	34.7	68.6	151.8	325.6
1866	24.6	74.9	7.8	4.6	6.5	9.2	10.9	14.7	20.9	34.7	68.9	150.6	323.5
1867	23.0	69.3	6.5	4.0	6.0	8.4	10.0	13.6	19.1	33.5	68.3	152.5	332.4
1868	23.1	72.8	7.8	4.2	5.9	8.0	9.7	13.2	18.9	31.9	63.8	139.1	282.4
1869	23.6	72.5	8.3	4.3	5.7	7.9	9.9	13.5	19.3	33.3	68.4	149.1	308.9
1870	24.2	75.0	8.9	4.5	5.9	8.0	10.1	13.8	19.6	33.9	69.6	152.1	320.7
1871	23.9	71.7	8.3	4.4	6.4	9.2	11.1	14.4	20.0	33.9	67.5	145.2	312.8
1872	22.6	67.6	7.0	4.1	6.0	8.7	10.3	14.0	19.4	32.5	65.5	140.3	292.0
1873	22.4	66.4	6.0	3.7	5.3	7.5	9.5	13.6	19.8	34.1	70.9	150.6	324.9
1874	23.6	71.8	7.4	3.9	5.3	7.5	9.6	14.3	20.9	35.8	71.4	146.4	322.8
1875	24.1	71.9	6.9	3.8	5.6	7.6	9.7	15.0	21.5	37.7	74.7	165.0	363.8
1876	22.3	67.6	6.3	3.5	5.3	7.3	9.3	13.8	19.9	34.3	67.2	145.8	302.6
1877	21.7	63.9	6.1	3.5	4.9	7.0	9.1	13.7	19.7	31.7	68.2	145.8	324.9
1878	22.9	71.2	6.6	3.6	4.9	6.8	8.8	13.6	20.0	35.1	69.5	154.8	353.9
1879	22.0	63.3	6.3	3.3	4.7	6.4	8.6	13.3	20.4	36.8	74.0	168.7	365.5
1880	21.8	69.2	6.4	3.3	4.5	6.1	7.9	12.5	19.1	33.7	68.1	145.8	310.9
1881	20.0	56.5	5.8	3.2	4.5	6.1	8.3	13.0	19.3	34.0	67.7	144.8	293.5
1882	20.7	63.4	6.3	3.2	4.6	5.9	8.2	12.6	19.0	33.8	66.2	139.3	287.1
1883	20.8	61.0	6.2	3.3	4.7	6.2	8.3	13.0	19.7	35.1	70.1	149.1	302.2
1884	20.9	64.9	5.8	3.2	4.5	6.0	8.0	12.7	19.4	33.5	63.3	142.2	290.1
1885	20.3	60.6	5.1	2.9	4.3	5.8	8.0	12.6	19.3	34.4	71.3	151.5	316.2
1886	20.6	64.5	4.8	2.8	4.3	5.7	7.6	12.1	19.2	34.7	72.8	153.4	339.1
1887	20.2	62.5	5.1	2.9	4.2	5.4	7.3	11.9	18.7	35.0	72.1	149.4	310.1
1888	19.2	57.7	4.7	2.7	4.0	5.4	7.1	11.7	19.0	34.4	71.6	144.5	304.7
1889	19.3	61.8	4.7	2.6	3.9	5.1	7.0	11.3	18.3	33.4	68.5	138.9	298.6
1890	20.8	63.0	5.0	2.8	4.3	5.7	8.0	13.2	21.7	38.6	75.3	153.8	316.5
1891	21.5	64.5	4.7	2.6	4.2	5.7	7.9	13.5	22.4	41.1	81.2	168.0	327.1
1892	20.0	61.9	4.7	2.6	4.0	5.2	7.1	12.2	19.9	36.8	75.4	154.9	305.1
1893	20.3	64.7	4.9	2.8	4.3	5.5	7.4	12.7	20.1	36.0	70.8	143.0	272.4
1894	17.6	55.0	4.1	2.3	3.7	5.1	6.7	11.0	17.6	32.0	62.0	128.3	243.0

* The populations used (see Table 1,) are deduced from the rates of increase observed, and are distributed in the several groups of ages according to the proportions found to prevail at the Censuses of 1841, 1851, 1861, 1871, 1881, and 1891.

TABLE 14.—ENGLAND.—Annual Death-rates at Twelve Groups of Ages, 1845-94.*—Females.

YEAR.	DEATHS TO 1000 LIVING FEMALES.												
	AGES.												
	ALL AGES.	0-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwds.
1845	20.1	56.5	7.8	4.9	7.6	8.6	9.8	12.0	14.7	26.6	58.4	130.2	282.9
1846	22.2	66.7	8.0	5.5	8.0	9.3	10.4	12.5	15.7	27.8	61.3	137.8	314.6
1847	23.9	65.7	9.4	5.9	8.4	9.9	11.7	14.4	18.1	32.3	69.6	159.9	333.0
1848	22.2	63.8	9.8	5.7	8.0	9.4	10.8	13.1	16.0	28.5	60.3	135.6	285.3
1849	24.4	64.8	10.9	6.6	9.0	10.9	13.4	16.4	20.2	33.6	65.7	140.3	288.3
1850	20.1	57.4	8.1	4.9	7.2	8.3	9.8	11.9	14.9	26.3	56.9	126.9	263.2
1851	21.2	63.0	8.6	5.3	7.5	8.8	9.9	12.1	15.4	26.8	58.3	128.3	273.6
1852	21.5	64.1	8.8	5.4	7.8	8.7	10.2	12.3	15.3	26.5	56.6	131.9	283.0
1853	22.0	63.2	8.1	5.4	8.1	9.0	10.6	12.6	16.0	28.3	60.8	141.8	303.2
1854	22.7	67.5	9.2	5.6	7.9	9.2	11.0	13.4	16.7	28.3	59.2	134.3	277.8
1855	21.7	61.3	8.0	4.9	7.5	8.7	10.0	12.6	15.6	29.1	63.3	149.3	322.4
1856	19.6	58.4	7.3	4.5	6.9	8.0	9.3	11.6	14.2	24.8	53.0	120.8	248.7
1857	21.1	63.5	7.7	4.6	7.1	8.4	9.5	11.8	14.8	26.7	53.5	132.6	290.5
1858	22.3	67.2	10.4	5.3	7.4	8.7	9.8	12.1	14.9	27.0	60.6	139.1	305.4
1859	21.5	65.0	9.4	5.2	7.2	8.3	9.8	12.0	15.2	26.3	57.6	130.1	282.9
1860	20.3	57.2	6.9	4.4	6.7	7.8	9.5	11.8	15.0	27.5	60.6	136.7	301.3
1861	20.6	62.0	6.8	4.4	7.0	8.1	9.5	11.4	14.7	26.9	57.3	131.2	274.6
1862	20.5	60.3	7.4	4.6	6.8	7.8	9.4	11.7	14.8	26.9	57.7	128.7	274.9
1863	21.9	67.5	9.9	5.2	6.8	8.1	9.7	12.0	14.9	27.1	56.7	129.1	290.2
1864	22.5	65.3	9.4	5.1	7.0	8.4	10.3	12.6	16.5	29.8	63.4	141.1	302.3
1865	22.0	65.1	7.8	4.6	6.8	8.5	10.2	12.6	16.6	28.8	60.4	138.4	296.7
1866	22.2	65.6	7.2	4.5	6.9	8.6	10.5	13.2	16.9	29.3	61.3	139.8	295.7
1867	20.5	59.6	6.1	3.9	6.4	7.8	9.5	12.0	15.6	27.5	59.5	139.4	287.3
1868	20.7	63.9	7.4	4.1	6.3	7.7	9.4	11.5	14.9	26.4	55.0	125.8	261.5
1869	21.0	63.0	7.8	4.3	6.1	7.3	9.3	11.7	15.7	27.6	59.2	135.4	277.1
1870	21.6	64.2	8.3	4.5	6.4	7.6	9.5	11.9	15.8	28.8	60.6	140.2	290.3
1871	21.3	62.4	7.5	4.5	6.6	8.2	9.7	12.2	15.9	28.5	60.4	133.6	276.4
1872	19.9	55.5	6.5	4.0	6.2	7.6	9.3	11.8	15.1	26.6	56.6	124.7	239.0
1873	19.8	56.4	5.6	3.6	5.5	6.8	8.6	11.4	15.6	28.3	61.9	135.2	303.5
1874	20.9	61.4	7.1	3.9	5.7	7.3	9.2	12.2	15.9	29.2	61.6	134.0	290.0
1875	21.4	61.2	6.4	3.8	5.7	7.3	9.3	12.4	17.0	31.1	65.7	148.8	330.3
1876	19.6	57.3	5.9	3.6	5.2	6.7	8.3	11.7	15.4	27.9	58.4	128.7	287.0
1877	18.9	53.6	5.6	3.6	5.1	6.3	8.2	11.3	15.3	27.7	58.9	129.1	291.6
1878	20.3	61.1	6.1	3.6	5.2	6.3	8.0	11.3	15.4	29.2	61.7	140.5	312.7
1879	19.6	52.9	5.8	3.4	4.9	6.0	8.0	11.3	16.0	30.7	66.6	150.2	328.7
1880	19.3	59.2	6.0	3.3	4.8	5.9	7.6	10.6	14.7	27.5	58.2	129.1	274.9
1881	17.8	48.0	5.7	3.2	4.7	6.0	7.9	11.0	14.9	28.0	58.4	126.4	263.8
1882	18.5	54.4	6.0	3.3	4.7	5.9	7.9	11.0	15.0	27.6	56.9	124.1	256.0
1883	18.5	51.1	5.8	3.4	4.9	6.1	8.1	11.1	15.6	28.8	60.2	134.2	277.0
1884	18.5	54.9	5.8	3.4	4.7	5.9	7.8	10.9	15.3	27.5	57.7	126.8	247.4
1885	18.2	51.0	5.1	3.1	4.5	5.7	7.7	10.8	15.				

TABLE 15.—ENGLAND.—Annual Death-rates at Twelve Age-periods in Groups of Years, 1838-94.*—Males and Females.

PERIOD.	AGES.												
	ALL AGES.	0-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwds.
DEATHS TO 1000 LIVING.													
MALES.													
1838 to 1894.	22.4	69.1	7.5	4.2	5.9	7.9	9.2	13.0	19.0	33.3	68.2	147.8	311.5
1841-50	23.1	71.2	9.2	5.1	7.1	9.5	9.9	12.9	18.2	31.8	67.5	148.3	312.3
1851-60	23.1	72.7	8.5	4.9	6.7	8.8	9.6	12.5	18.0	31.0	65.5	146.7	308.2
1861-70	23.7	73.5	8.2	4.5	6.2	8.5	9.9	18.5	19.2	33.1	67.1	147.2	315.0
1871-80	22.7	68.5	6.7	3.7	5.3	7.4	9.4	13.8	20.1	34.9	69.7	150.8	327.4
1881-90	20.3	61.6	5.4	3.0	4.3	5.7	7.8	12.4	19.4	34.7	70.4	146.6	305.8
1838-40	23.3	72.6	9.7	5.3	7.3	9.5	10.2	12.9	18.2	32.1	65.8	144.0	306.2
1841-45	22.2	68.7	8.8	4.8	6.8	9.0	9.4	12.2	17.2	30.3	65.5	143.7	305.1
1846-50	24.1	73.8	9.5	5.4	7.3	10.0	10.5	13.6	19.2	33.2	69.5	153.0	319.5
1851-55	23.5	73.9	8.8	5.1	7.0	9.2	10.0	12.9	18.6	31.5	66.6	150.8	311.0
1856-60	22.6	71.5	8.3	4.6	6.4	8.4	9.2	12.2	17.4	30.4	64.3	142.6	305.4
1861-65	23.7	74.0	8.5	4.7	6.4	8.7	9.7	13.2	18.9	32.8	66.3	145.8	316.4
1866-70	23.7	72.9	7.9	4.3	6.0	8.3	10.1	13.8	19.6	33.5	67.8	148.7	313.6
1871-75	23.3	69.9	7.1	4.0	5.7	8.1	10.0	14.3	20.3	34.8	70.0	149.5	323.3
1876-80	22.1	67.0	6.3	3.4	4.9	6.7	8.7	13.4	19.8	34.9	69.4	152.2	331.6
1881-85	20.5	61.3	5.8	3.2	4.5	6.0	8.2	12.8	19.3	34.2	68.7	145.4	297.8
1886-90	20.0	61.9	4.9	2.8	4.1	5.5	7.4	12.0	19.4	35.2	72.1	147.9	313.8
FEMALES.													
1838 to 1894.	20.4	59.2	7.3	4.3	6.3	7.5	9.1	11.8	15.5	28.2	60.1	134.0	284.6
1841-50	21.6	61.1	8.9	5.4	7.9	9.1	10.6	12.9	16.1	28.4	60.9	135.9	293.3
1851-60	21.4	63.0	8.4	5.1	7.4	8.6	10.0	12.2	15.3	27.1	58.9	134.5	288.9
1861-70	21.4	63.7	7.8	4.5	6.7	8.0	9.7	12.1	15.6	27.9	59.1	134.9	285.1
1871-80	20.1	58.4	6.3	3.7	5.5	6.8	8.6	11.6	15.6	28.7	61.0	135.4	296.4
1881-90	18.1	52.0	5.3	3.1	4.4	5.5	7.4	10.6	15.1	23.5	60.4	130.6	270.8
1838-40	21.5	62.4	9.4	5.8	8.3	9.1	10.3	12.7	15.8	28.1	57.3	130.0	278.4
1841-45	20.6	58.6	8.6	5.2	7.7	8.6	9.9	12.2	15.1	27.2	59.1	131.8	288.6
1846-50	22.6	63.7	9.2	5.7	8.1	9.6	11.2	13.7	17.0	29.7	62.8	140.1	297.9
1851-55	21.8	63.8	8.5	5.3	7.8	8.9	10.3	12.6	15.8	27.8	59.6	137.1	292.0
1856-60	21.0	62.3	8.3	4.8	7.1	8.2	9.6	11.9	14.8	26.5	58.1	131.9	285.8
1861-65	21.5	64.1	8.3	4.8	6.9	8.2	9.8	12.1	15.5	27.9	59.1	133.7	287.7
1866-70	21.2	63.3	7.4	4.3	6.4	7.8	9.6	12.1	15.8	27.9	59.1	136.1	282.4
1871-75	20.7	60.0	6.6	4.0	5.9	7.4	9.2	12.0	15.9	28.7	61.2	135.3	293.8
1876-80	19.5	56.8	5.9	3.5	5.0	6.2	8.0	11.2	15.4	28.6	60.8	135.5	299.0
1881-85	18.3	51.9	5.7	3.3	4.7	5.9	7.9	11.0	15.2	28.1	59.0	128.9	265.4
1886-90	17.8	52.0	4.9	2.9	4.1	5.2	6.9	10.3	15.0	28.8	61.7	132.3	276.2

* See Note to Table 13.

TABLE 16.—ENGLAND.—Death-rates per 1000 living, at Twelve Groups of Ages in Registration Counties, 1894.

REGISTRATION COUNTY.	ALL AGES.	0-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwds.
		ENGLAND	16.6	50.7	4.2	2.4	3.7	4.8	6.4	10.2	15.6	28.5	57.3
I.—LONDON.													
No. 1 London	17.4	60.6	5.2	2.3	3.3	4.2	6.3	11.3	18.2	30.5	57.1	114.5	205.6
II.—SOUTH EASTERN.													
2 Surrey	13.3	34.9	3.4	2.2	2.8	3.9	5.3	8.1	14.2	25.4	52.4	114.3	221.2
3 Kent	14.6	37.5	4.3	2.5	3.6	4.8	6.3	9.0	12.8	23.7	49.3	119.2	212.8
4 Sussex	13.9	35.3	3.3	1.7	3.1	4.2	5.3	8.7	12.7	23.1	46.0	119.1	223.3
5 Hampshire	14.6	35.3	3.6	2.2	3.8	5.1	6.6	9.5	13.9	24.8	47.7	113.1	247.5
6 Berkshire	14.2	33.3	2.7	1.6	3.6	4.3	5.4	7.8	13.5	24.0	52.7	116.6	248.3
III.—SOUTH MIDLAND.													
7 Middlesex	13.2	41.5	3.7	2.2	2.5	3.2	4.5	8.2	13.2	23.1	48.9	106.1	189.8
8 Hertfordshire	14.5	31.6	3.5	1.9	4.0	4.2	5.5	8.4	12.4	25.1	50.7	127.5	191.8
9 Buckinghamshire	13.8	33.7	2.1	1.4	3.1	2.0	5.5	6.4	10.3	24.1	51.6	116.5	232.0
10 Oxfordshire	14.2	31.0	3.4	2.7	3.1	3.8	4.7	8.8	12.1	19.8	53.9	118.8	242.6
11 Northamptonshire	15.3	44.4	3.6	2.2	3.2	5.0	5.3	7.5	12.0	24.2	53.2	124.6	219.6
12 Huntingdonshire	14.6	35.3	2.6	2.3	1.4	4.3	4.0	6.7	11.5	23.3	44.7	92.1	260.4
13 Bedfordshire	14.8	39.1	3.6	2.1	2.6	4.2	5.8	6.6	11.8	22.9	50.4	131.6	264.2
14 Cambridgeshire	15.7	39.0	3.5	2.0	3.1	5.3	6.8	8.6	10.4	23.3	45.4	117.2	239.7
IV.—EASTERN.													
15 Essex	14.4	41.7	4.1	2.1	3.4	3.8	5.2	8.5	12.7	24.4	47.5	112.1	227.7
16 Suffolk	15.4	35.9	4.1	2.5	3.4	4.9	5.1	8.6	10.8	20.2	48.7	114.7	220.3
17 Norfolk	16.9	43.1	4.2	2.5	3.6	5.4	5.3	8.0	12.4	23.0	49.7	116.8	249.5
V.—SOUTH WESTERN.													
18 Wiltshire	15.4	31.9	3.3	2.1	3.5	4.3	5.3	8.2	13.4	24.6	56.6	132.3	249.6
19 Dorsetshire	14.6	29.4	3.2	2.2	4.1	3.9	5.5	8.6	11.6	23.0	49.5	113.3	269.0
20 Devonshire	17.4	47.9	3.7	2.5	4.1	5.0	6.5	8.9	12.7	24.5	54.3	120.4	230.5
21 Cornwall	17.8	46.7	4.5	3.0	4.1	4.9	6.3	7.8	12.2	26.3	55.8	127.3	256.0
22 Somersetshire	15.8	40.6	2.9	1.9	3.3	4.0	6.1	8.7	13.3	25.5	50.5	116.0	205.1
VI.—WEST MIDLAND.													
23 Gloucestershire	16.1	43.9	3.2	2.4	3.1	4.8	6.8	9.9	13.0	27.3	53.7	117.9	218.4
24 Herefordshire	17.9	37.2	3.9	2.9	3.6	6.0	6.9	8.9	14.5	29.9	58.5	128.3	262.0
25 Shropshire	16.7	40.4	4.2	2.1	3.8	4.7	6.5	8.9	12.5	23.9	53.3	132.5	274.9
26 Staffordshire	17.5	58.6	3.7	2.1	3.4	4.7	6.7	10.1	15.8	30.3	63.5	124.4	228.1
27 Worcestershire	14.9	45.0	2.7	2.0	3.0	4.0	5.2	8.5	13.2	24.2	53.9	126.0	204.0
28 Warwickshire	17.4	58.1	3.9	2.3	3.5	4.8	7.1	11.4	16.5	29.5	57.2	113.5	247.0
VII.—NORTH MIDLAND.													
29 Leicestershire	15.6	52.6	4.9	2.2	3.8	4.1	5.0	8.2	12.2	21.8	47.2	114.7	237.4
30 Rutlandshire	12.5	33.8	1.2	0.8	2.1	7.2	4.5	4.3	8.1	16.9	44.1	96.0	219.2
31 Lincolnshire	15.7	41.7	3.4	2.3	3.8	5.2	5.7	8.7	12.5	22.8	47.9	115.7	226.9
32 Nottinghamshire	16.3	53.6	3.5	2.1	3.6	4.6	6.0	9.4	13.1	25.3	53.5	120.4	245.8
33 Derbyshire	15.3	46.1	3.3	2.3	3.2	5.1	5.9	8.7	13.0	25.5	60.7	135.4	307.9
VIII.—NORTH WESTERN.													
34 Cheshire	16.4	50.2	3.8	2.1	3.3	5.0	6.8	10.1	15.6	31.3	63.9	129.0	224.2
35 Lancashire	18.6	59.9	4.9	2.8	4.0	5.5	7.5	12.9	20.5	38.0	74.4	139.5	219.2
IX.—YORK.													
36 West Riding	16.8	55.6	4.1	2.4	4.1	4.6	6.1	10.0	16.2	32.1	67.4	139.0	250.4
37 East Riding (with York)	16.5	47.9	3.9	2.5	3.8	4.5	6.5	10.3	15.7	27.1	58.3	118.1	267.8
38 North Riding	15.6	43.0	3.4	2.2	3.9	5.7	6.7	10.0	14.5	23.4	53.3	128.3	192.6
X.—NORTHERN.													
39 Durham	17.9	58.2	4.9	3.1	4.7	6.0	7.3	10.2	15.2	30.7	63.3	133.0	234.3
40 Northumberland	17.2	51.9	4.6	2.8	5.0	5.4	7.6	10.7	16.5	30.3	62.3	120.2	226.1
41 Cumberland	15.4	38.0	3.6	2.5	3.5	4.7	6.3	9.3	13.7	28.4	64.6	139.1	217.8
42 Westmorland	13.9	31.0	3.3	3.4	2.9	4.5	4.0	6.9	12.3	23.9	48.3	129.6	365.9
XI.—WELSH.													
43 Monmouthshire	17.0	55.0	3.9	2.0	3.3	4.8	6.2	10.1	15.4	29.9	60.3	112.1	176.6
44 South Wales	17.7	55.											

TABLE 17 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Persons.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
PARASITIC DISEASES.																				
Thrush	1283	1242	1134	1420	927	1276	808	723	845	853	692	810	655	539	554	558	534	479	434	339
Other Dis. from Vegetable Parasites*	16	7	13	9	11	6	8	12	4	4	4	6	6	7	4	5	2	3	9	3
Hydatid Disease	43	31	51	59	51	60	51	59	53	59	46	58	47	54	47	53	46	48	58	52
Other Dis. from Animal Parasites*	168	166	161	172	168	181	152	175	137	133	87	116	116	109	102	86	76	87	76	61
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk*	566	480	653	707	606	705	468	465	470	301	269	247	301	308	310	284	331	334	418	284
Scurvy†	—	—	—	—	—	—	23	15	10	6	19	17	22	20	22	21	20	20	18	23
Intemp. { Chronic Alcoholism	654	658	734	777	655	676	847	1004	904	916	940	1045	1102	1125	1202	1563	1502	1542	1709	1467
{ Delirium Tremens	489	462	412	339	273	274	366	319	379	353	394	347	340	326	364	474	553	429	465	375
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism } of Heart*	1817	1591	1504	1426	1356	1902	2429	2590	2357	2714	2912	2530	2650	2697	2258	2418	2547	2523	3085	2646
Rheumatism*†	2227	2049	2070	1994	2059	1452	967	930	1015	873	868	867	981	942	897	938	1067	1029	878	799
Gout†	598	605	659	593	682	644	497	522	524	535	587	524	573	558	545	604	653	600	619	565
Rickets	196	254	347	514	490	554	465	493	529	607	608	788	660	842	960	1124	1244	1321	1245	1230
Cancer*†	11300	11492	12016	12553	12689	13165	13542	14057	14614	15198	15560	16243	17113	17506	18654	19433	20117	20353	21135	21422
Tabes Mesenterica	8617	7769	7812	8703	7617	9536	7402	8246	7683	8367	6825	8265	7634	6774	7645	7632	7301	7135	7867	5763
Tubercular Meningitis (Acute } Hydrocephalus)†	7694	7546	7881	8460	8158	8514	7176	6959	6986	7124	6874	7073	6581	6743	6647	6889	7180	6691	6725	6345
Phthisis	52943	51775	51353	52856	51272	48201	47541	48715	50053	49325	48175	47872	44935	44248	44738	48366	46515	43323	43632	41641
Other Forms of Tuberculosis, } Scrofula*	2721	2700	3121	3094	2950	3327	3785	4040	4268	4592	4284	4865	4971	4917	5205	5443	5911	5866	5518	5552
Purpura, Hæmorrhagic Diathesis*†	273	300	336	316	316	300	318	373	338	351	307	327	303	299	375	294	378	316	361	369
Anæmia, Chlorosis, Leucocythæmia*	507	576	745	793	845	994	971	1113	1062	1027	1102	1267	1315	1479	1432	1389	1558	1549	1524	1620
Diabetes Mellitus	940	910	1006	1057	1048	1059	1237	1253	1369	1475	1524	1634	1750	1773	1754	1863	1930	2011	2082	2037
Other and undefined Constitu- } tional Diseases*†	1	1	—	6	5	1	379	393	405	434	457	496	538	554	557	637	707	703	718	656
DEVELOPMENTAL DISEASES.																				
Premature Births	11685	11446	11618	12002	11929	12266	12048	12434	12872	13076	12904	13642	14088	14063	14439	15208	16451	16577	17263	15837
Atelectasis†	—	—	—	—	—	—	628	690	602	543	674	667	707	825	745	757	922	939	986	969
Cyanosis	698	782	844	879	953	1013	917	945	924	947	1066	1037	885	885	963	943	942	1072	983	1096
Spina Bifida	547	628	653	636	599	621	621	647	596	627	639	607	655	611	609	569	632	644	637	630
Imperforate Anus	163	149	208	195	190	211	194	205	209	288	192	185	181	171	188	161	198	182	175	197
Cleft Palate, Harelip	117	117	140	190	183	176	195	189	208	198	190	200	192	197	205	180	218	203	227	216
Other Congenital Defects*	282	228	246	257	247	254	269	268	203	249	288	314	294	345	311	400	376	402	560	488
Old Age	28514	25461	26078	27483	29525	25893	26372	25765	28096	26879	27971	28451	26931	27196	26659	28102	29417	27866	26528	24517

* See note *, p. xxxviii.

† See note †, p. xxxviii.

x

TABLE 18 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Persons.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
PARASITIC DISEASES.																				
Thrush	53	51	46	57	37	49	31	27	32	32	25	29	24	19	19	19	18	16	15	11
Other Dis. from Vegetable Parasites*	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hydatid Disease	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Other Dis. from Animal Parasites*	7	7	7	7	7	7	6	7	5	5	3	4	4	4	4	3	3	3	3	2
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk*	24	20	26	28	24	27	18	18	18	11	10	9	11	11	11	10	11	11	14	9
Scurvy†	—	—	—	—	—	—	1	1	0	0	1	1	1	1	1	1	1	1	1	1
Intemp. { Chronic Alcoholism	27	27	30	31	26	26	33	38	34	34	35	38	40	40	42	54	52	52	57	49
{ Delirium Tremens	20	19	17	14	11	11	14	12	14	13	14	13	12	12	13	16	19	15	16	12
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism } of Heart*	76	65	61	57	53	74	93	98	89	101	107	92	95	96	79	84	88	86	104	88
Rheumatism*†	93	84	84	80	81	56	37	35	38	32	32	32	35	33	32	33	37	35	30	27
Gout†	25	25	27	24	27	25	19	20	20	20	22	19	21	20	19	21	22	20	21	19
Rickets	8	10	14	21	19	21	18	19	20	22	22	29	24	30	34	39	43	45	42	41
Cancer*†	470	470	486	501	500	511	520	534	549	563	572	590	615	621	656	676	692	690	711	713
Tabes Mesenterica	358	318	316	348	300	370	284	313	289	310	251	300	253	240	269	265	251	242	265	192
Tubercular Meningitis (Acute } Hydrocephalus)†	320	309	319	338	322	330	276	264	262	264	253	257	236	239	234	240	247	227	226	211
Phthisis	2202	2119	2079	2111	2021	1869	1825	1850	1880	1827	1770	1739	1615	1568	1573	1682	1599	1468	1468	1385
Other Forms of Tuberculosis, } Scrofula*	113	110	126	124	116	129	145	153	160	170	157	177	179	174	183	189	203	199	186	185
Purpura, Hæmorrhagic Diathesis*†	11	12	14	13	13	12	12	14	13	13	11	12	11	11	13	10	13	11	12	12
Anæmia, Chlorosis, Leucocythæmia*	21	24	30	32	33	39	37	42	40	38	40	46	47	52	50	48	54	53	51	54
Diabetes Mellitus	39	37	41	42	41	41	47	48	51	55	56	59	63	63	62	65	66	68	70	68
Other and undefined Constitu- } tional Diseases*†	0	0	—	0	0	0	15	15	15	16	17	18	19	20	20	22	24	24	24	22
DEVELOPMENTAL DISEASES.																				
Premature Births	486	468	470	480	470	476	463	472	483	484	474	495	506	498	508	529	566	562	581	527
Atelectasis†	—	—	—	—	—	—	24	26	23	20	25	24	25	29	26	26	32	32	33	32
Cyanosis	29	32	34	35	38	39	35	36	35	35	39	38	32	31	34	33	38	37	33	36
Spina Bifida	23	26	26	25	24	24	24	25	22	23	23	22	24	22	21	20	22	22	21	21
Imperforate Anus	7	6	8	8	7	8	7	8	8	11	7	7	7	6	7	6	7	6	6	7
Cleft Palate, Harelip	5	5	6	8	7	7	7	7	8	7	7	7	7	7	7	6	7	7	8	7
Other Congenital Defects*	12	9	10	10	10	10	10	10	8	9	11	11	11	12	11	14	13	14	19	16
Old Age	1186	1042	1056	1098	1164	1001	1013	978	1055	990	1028	1034	968	964	930	977	1011	944	892	816

* See note *, p. xxxviii.

† See note †, p. xxxviii.

xi

TABLE 17 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Persons.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes*†	6399	6275	6455	6950	6882	7740	7306	8122	8490	8625	8526	9309	8924	8689	8561	9030	8455	7832	8108	6893
Apoplexy†	13317	13215	13283	13911	14205	14287	13352	13493	14442	14737	15289	16085	15951	16127	15926	16870	17861	17128	16949	16097
Softening of Brain	3101	2893	3023	3251	3442	3285	3235	3249	3142	3264	3385	3472	3461	3264	3299	3464	3275	3123	3023	2609
Hemiplegia, Brain Paralysis*†	12736	11890	11836	12028	12593	11773	10046	10035	10142	9455	9271	9434	9164	8886	8497	8713	8551	7941	7548	6487
Paralysis Agitans*	114	104	101	110	142	131	182	137	153	169	224	209	152	200	213	259	299	258	267	256
Insanity, General Paralysis of Insane†	987	933	1501	1833	1730	1683	2493	2367	2988	2865	2704	2367	2473	2591	2750	2666	2795	2678	2961	3024
Chorea	105	76	82	88	104	84	106	109	103	113	146	104	106	106	95	106	134	109	127	122
Epilepsy*	2914	2839	2926	2918	2976	2721	2774	2693	3134	3136	3164	3164	2984	2900	2915	3045	3054	2809	2811	2555
Convulsions	26061	25408	24147	24700	23853	23503	22200	23021	22677	23056	22002	22873	21659	20764	21505	21535	22222	20687	20856	18126
Laryngismus Stridulus	604	647	865	850	926	754	687	702	836	709	729	709	692	757	680	653	802	711	604	493
Idiopathic Tetanus†	32	37	27	21	28	33	61	47	51	42	42	51	42	51	50	39	47	45	32	28
Paraplegia, Dis. of Spinal Cord*†	614	666	611	688	712	796	1398	1543	1495	1573	1709	1922	1845	1895	1899	2001	2139	2037	2035	2080
Other and undefined Diseases of Brain or Nervous System*†	3666	3236	3258	3288	3288	2985	3910	4309	4690	4502	4429	4318	4470	4519	3913	3338	3383	3138	3438	2866
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhoea	129	133	220	267	243	282	359	453	343	391	415	400	408	516	509	589	567	614	771	733
Epistaxis and Dis. of Nose	72	41	58	69	57	71	73	70	89	78	69	89	93	88	82	72	85	86	95	88
Ophthalmia and Dis. of Eye	39	34	46	41	47	61	60	59	50	60	60	70	82	68	73	53	48	55	64	65
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease*†	255	274	236	238	234	284	5369	5509	5901	6238	6770	7088	7339	7616	7662	8356	9238	8772	9130	9315
Pericarditis*	522	397	472	396	486	434	399	415	456	448	480	476	515	567	431	636	668	608	662	607
Hypertrophy of Heart	547	522	523	532	472	461	365	328	391	386	372	339	299	343	305	280	341	300	255	218
Angina Pectoris	415	397	452	467	507	523	511	558	567	632	606	575	608	694	678	662	727	650	639	646
Syncope	1531	1617	1998	2022	2259	2262	1214	1292	1281	1691	1411	1563	1837	1713	1861	2487	2656	1884	1618	1564
Aneurism	733	799	820	811	788	832	779	791	758	834	853	874	755	782	824	833	750	810	855	851
Senile Gangrene	693	634	565	681	753	622	741	740	1175	1211	1366	1474	1430	1455	1424	1433	1568	1408	1239	1281
Embolism, Thrombosis	215	254	388	462	578	593	615	645	640	714	801	873	956	1043	1072	993	1050	1023	1144	1110
Phlebitis	134	108	99	120	115	118	127	130	128	138	157	120	181	126	130	148	164	169	170	125
Varicose Veins*	49	64	95	81	94	88	75	104	83	86	91	84	88	93	101	89	107	110	111	99
Other and undefined Diseases of Heart or Circulatory System*†	28232	27630	29338	30445	32186	29266	25487	25726	27852	28289	31004	31866	32363	33389	32862	34627	35816	33914	32635	31004

* See note *, p. xxxviii.

† See note †, p. xxxviii.

‡ Exclusive of cases in which "Tetanus" was stated to be the result of injury.

TABLE 18 (continued).—ENGLAND.—Annual Death-rates, from Various Causes, to a Million Persons living, 1875-94.—Persons.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes*†	266	257	261	278	271	300	281	308	319	319	313	338	321	308	301	314	291	266	273	229
Apoplexy†	554	541	538	556	560	554	513	512	542	546	562	584	573	571	560	587	614	581	570	535
Softening of Brain	129	118	122	130	136	127	124	123	118	121	124	126	124	116	116	120	113	106	102	87
Hemiplegia, Brain Paralysis*†	530	491	479	480	496	457	386	381	381	350	341	343	329	315	299	303	294	269	254	216
Paralysis Agitans*	5	4	4	4	5	5	7	5	6	6	8	8	5	7	7	9	10	9	9	9
Insanity, General Paralysis of Insane†	41	38	61	73	68	65	96	90	112	106	99	86	89	92	97	93	96	91	100	101
Chorea	4	3	3	4	4	3	4	4	4	4	5	4	4	4	3	4	5	4	4	4
Epilepsy*	121	116	118	117	117	106	107	102	118	116	116	115	107	103	102	106	105	95	95	85
Convulsions	1084	1040	978	987	940	912	852	874	852	854	808	831	778	736	756	749	763	701	701	603
Laryngismus Stridulus	25	26	35	34	37	29	26	27	31	28	27	26	25	27	24	23	28	24	20	16
Idiopathic Tetanus†	1	2	1	1	1	1	2	2	2	2	2	2	2	2	2	1	2	2	1	1
Paraplegia, Dis. of Spinal Cord*†	26	27	25	27	28	31	54	59	56	58	63	70	66	67	67	70	74	69	68	69
Other and undefined Diseases of Brain or Nervous System*†	152	132	132	131	130	116	150	164	176	167	163	157	161	160	137	116	116	106	116	95
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhoea	5	5	9	11	10	11	14	17	13	14	15	15	15	18	18	20	19	21	26	24
Epistaxis and Dis. of Nose	3	2	2	3	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Ophthalmia and Dis. of Eye	2	1	2	2	2	2	2	2	2	2	2	3	3	2	3	2	2	2	2	2
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease*†	11	11	10	10	9	11	206	209	222	231	240	258	264	270	260	290	318	297	307	310
Pericarditis*	22	16	10	16	19	17	15	16	17	17	18	17	19	20	15	22	23	21	22	20
Hypertrophy of Heart	23	21	21	21	19	18	14	12	15	14	14	12	11	12	11	10	12	10	9	7
Angina Pectoris	17	16	18	19	20	20	20	21	21	23	22	21	22	25	24	23	25	22	22	21
Syncope	64	66	81	81	80	88	47	49	48	63	52	32	27	28	20	29	26	27	29	28
Aneurism	30	33	33	32	31	32	30	30	28	31	31	32	31	32	30	31	30	27	29	28
Senile Gangrene	29	26	23	27	30	24	28	28	44	45	50	54	51	52	50	50	54	48	42	43
Embolism, Thrombosis	10	10	16	18	23	23	24	24	24	20	29	32	34	37	38	35	36	35	37	37
Phlebitis	6	4	4	5	5	5	5	5	5	5	6	4	7	4	5	5	6	6	6	4
Varicose Veins*	2	3	4	3	4	3	3	4	3	3	3	3	3	3	4	3	4	4	4	3
Other and undefined Diseases of Heart or Circulatory System*†	1174	1131	1188	1216	1269	1135	979	977	1046	1048	1139	1158	1163	1183	1155	1204	1231	1150	1098	1031

* See note *, p. xxxviii.

† See note †, page xxxviii.

‡ See note on preceding page.

TABLE 17 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Persons.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis*	1494	1224	970	1014	1077	1022	1160	1444	1499	1650	1597	1440	1605	1590	1438	1556	1402	1400	1651	1392
Croup	4542	4204	3910	4061	3574	3571	3594	4609	4591	4748	4235	3685	3979	3632	3241	3145	2638	2235	2102	1742
Other Dis. of Larynx and Trachea*	77	49	33	29	67	55	223	234	218	235	159	174	183	198	181	172	137	166	154	133
Emphysema, Asthma	3620	2789	2469	2548	2871	2145	2696	2450	2689	2368	2581	2434	2475	2388	2236	2554	3054	2882	2324	2150
Bronchitis	63089	54055	54006	60742	71419	57939	55870	57853	58794	53410	60963	61438	58908	57571	55674	67104	75425	66858	56686	49356
Pneumonia	27161	24492	23696	24763	27174	25166	23702	26058	28195	26246	29376	28098	30983	30844	29071	40373	42799	36891	38247	32577
Pleurisy	1476	1286	1117	1188	1369	1310	1334	1312	1584	1454	1677	1467	1611	1559	1321	1891	2005	1710	1837	1471
Other and undefined Diseases of Respiratory System*†	6034	5451	5329	5581	5944	5530	4314	4525	4886	4848	5359	5156	5127	4639	4204	4847	5306	4629	4246	3691
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis (Dis. of Mouth)*†	357	395	398	492	420	508	374	449	450	563	482	535	536	484	628	488	479	484	686	518
Dentition	5212	4886	4470	4659	4256	4124	4550	4673	4762	4942	4653	4899	4219	4235	4366	4542	4661	4242	4057	3553
Sore-throat, Quinsy*	264	189	265	336	329	396	579	629	747	727	654	604	684	564	696	674	611	702	562	562
Dyspepsia*	277	293	348	347	364	426	403	484	477	507	447	520	528	457	535	536	535	590	647	597
Hæmatemesis	362	346	379	366	365	348	343	358	431	405	379	330	338	335	362	344	297	261	285	234
Melæna	143	151	144	128	152	130	126	137	155	169	173	184	178	140	181	119	132	133	134	100
Diseases of Stomach*†	1029	1020	941	995	984	1037	2555	2548	2458	2768	2800	3437	3424	3329	3476	3917	3983	4057	4668	4329
Enteritis*	2893	2804	2602	2901	2445	3036	2720	2974	2888	3240	2979	3949	3651	3621	4555	5165	5179	5633	3654	5946
Ulceration of Intestine†	1244	1238	1245	1235	1165	1225	409	410	697	689	644	570	423	366	466	322	340	347	328	338
Ileus, Obstruction of Intestine	1547	1550	1637	1595	1757	1806	1767	1812	1770	1818	1919	1912	1907	2017	1996	2012	2064	1924	2083	2067
Stricture or Strangulation of Intestine†	357	397	465	422	461	449	226	232	239	206	238	234	205	181	208	163	173	157	158	143
Intussusception of Intestine	418	459	429	426	430	497	411	407	425	444	446	463	407	451	478	378	447	394	442	400
Hernia	1140	1082	1094	1147	1119	1153	1123	1141	1108	1131	1149	1207	1211	1197	1315	1220	1256	1294	1395	1217
Fistula	92	119	110	96	111	101	65	73	125	131	112	123	113	93	98	77	77	76	51	64
Peritonitis	2165	2071	1971	1924	1963	2154	2028	2015	2265	2393	2362	2333	2370	2422	2374	2502	2594	2294	2575	2092
Ascites	533	523	499	449	431	453	415	436	425	355	340	325	268	226	239	242	187	153	175	134
Gallstones	100	108	160	167	172	194	231	222	203	208	212	210	316	280	289	329	265	295	316	449
Cirrhosis of Liver	2416	2570	2778	2838	2799	2792	3013	3047	3183	3360	3324	3505	3341	3362	3481	3563	3641	3609	3584	3473
Other Diseases of Liver*	8166	7631	7280	7477	6966	6755	6299	6415	6082	6045	5921	5823	5445	5051	4876	4586	4469	4044	4118	3470
Other and undefined Diseases of Digestive System*†	1836	1818	2098	2046	1872	1940	1114	1181	1021	748	553	570	601	863	715	796	718	613	715	611
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen	89	96	127	135	126	146	118	117	142	112	138	131	102	104	132	98	93	94	101	75
Diseases of Lymphatic System*	10	21	36	64	63	50	215	225	121	171	203	219	190	229	230	223	244	284	255	271
Diseases of Thyroid Body	56	65	74	95	81	80	91	114	89	117	111	123	141	137	152	174	163	174	237	195
Diseases of Supra-Renal Capsules	94	92	92	120	122	117	105	133	149	127	147	167	157	148	136	169	138	146	154	153

* See note *, p. xxxviii.

† See note †, p. xxxviii.

TABLE 18 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Persons.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis*	62	50	39	41	42	40	45	55	56	61	59	52	58	56	51	54	48	47	56	46
Croup	189	172	158	162	141	138	138	175	172	176	156	134	143	129	114	109	91	76	71	58
Other Dis. of Larynx and Trachea*	3	2	1	1	3	2	9	9	8	9	6	6	7	7	6	6	5	6	5	4
Emphysema, Asthma	151	114	100	102	113	83	104	93	101	88	95	2232	2117	2041	1957	2333	2593	2267	1906	1642
Bronchitis	2623	2212	2187	2426	2815	2247	2145	2197	2208	1978	2240	2232	2117	2041	1957	2333	2593	2267	1906	1642
Pneumonia	1129	1002	959	980	1071	976	910	989	1059	972	1079	1021	1113	1093	1022	1494	1472	1251	1286	1084
Pleurisy	61	53	45	47	54	51	51	50	59	54	62	53	58	55	46	66	69	58	62	49
Other and undefined Diseases of Respiratory System*†	251	223	216	223	234	215	166	172	183	180	197	187	184	164	148	169	182	157	143	123
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis (Dis. of Mouth)*†	15	16	16	20	17	20	14	17	17	22	18	19	19	17	22	17	16	16	23	17
Dentition	217	200	181	186	168	160	175	177	179	183	171	178	152	150	153	158	160	144	136	118
Sore-throat, Quinsy*	11	8	11	13	13	15	22	24	28	27	24	22	25	20	21	24	23	21	24	19
Dyspepsia*	12	12	14	14	14	17	15	18	18	19	16	19	19	16	19	19	18	20	22	20
Hæmatemesis	15	14	15	15	14	13	13	14	16	15	14	12	12	12	13	12	10	9	10	8
Melæna	6	6	6	5	6	5	5	5	6	6	6	7	6	5	5	4	5	5	5	5
Diseases of Stomach*†	43	42	38	40	39	40	98	97	92	103	103	125	123	118	122	136	137	138	156	144
Enteritis*	120	115	105	116	96	118	104	113	108	120	109	143	131	128	160	180	178	191	290	198
Ulceration of Intestine†	52	51	50	49	46	48	16	16	26	26	24	21	15	13	16	11	12	12	11	11
Ileus, Obstruction of Intestine	64	63	66	64	69	70	68	69	66	67	71	69	69	72	70	70	71	65	70	69
Stricture or Strangulation of Intestine†	15	16	19	17	18	17	9	9	9	8	9	9	7	6	7	6	6	5	5	5
Intussusception of Intestine	17	19	17	17	17	19	16	15	16	16	16	17	15	16	17	13	15	13	15	13
Hernia	47	44	44	46	44	45	43	43	42	42	42	44	44	42	46	42	43	44	47	40
Fistula	4	5	4	4	4	4	2	3	5	5	4	4	4	3	3	3	3	3	2	2
Peritonitis	90	85	80	77	77	84	78	77	85	89	87	85	85	86	83	87	89	78	87	70
Ascites	22	21	20	18	17	18	16	17	16	13	12	12	10	8	8	8	6	5	6	4
Gallstones	4	4	6	7	7	8	9	8	8	8	8	8	11	10	10	11	9	10	11	15
Cirrhosis of Liver	100	105	112	113	110	108	116	116	120	124	122	127	120	119	121	124	125	122	121	116
Other Diseases of Liver*	340	312	295	299	275	263														

TABLE 17 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Persons.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	978	985	890	952	1143	1116	1093	1103	1219	1177	1226	1193	1231	1443	1376	1626	1800	1861	1912	1902
Bright's Disease, Albuminuria	3841	4100	4763	4801	5062	4842	5103	5489	6200	6297	6538	6839	6848	6941	7069	7319	7529	7878	7590	7531
Uræmia	282	318	307	378	415	439	447	463	441	473	463	500	429	487	497	489	526	499	510	416
Suppression of Urine	127	140	127	144	133	126	130	148	180	139	135	160	119	122	112	110	111	95	106	92
Calculus	248	242	245	265	237	229	235	254	240	226	214	260	255	259	242	251	237	230	241	245
Hæmaturia	168	157	141	158	164	145	145	182	147	161	153	145	144	137	104	124	131	100	102	95
Diseases of Bladder and of Prostate*	1633	1551	1512	1656	1691	1691	1856	1772	2088	2020	2094	2107	2042	2073	2123	2060	2171	2147	2117	2016
Other and undefined Diseases of Urinary System*	1584	1394	1211	1028	1065	997	911	993	1422	1431	1263	1190	1332	1105	1009	985	1073	932	842	647
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease*	415	400	451	466	343	334	591	542	572	598	567	589	600	558	498	494	536	499	506	435
Diseases of Uterus and Vagina*†	851	787	833	835	900	743	701	647	669	683	700	680	678	614	617	648	648	675	723	734
Disorders of Menstruation*	107	97	90	112	104	84	98	98	91	94	73	63	85	84	81	87	77	63	71	76
Pelvic Abscess	70	53	45	61	62	62	115	106	99	175	154	158	164	165	155	159	135	101	64	61
Perineal Abscess	46	19	43	37	37	33	34	23	39	36	47	23	51	54	41	26	28	23	37	25
Dis. of Testes, Penis, Scrotum, &c.*	32	27	26	64	69	71	68	92	57	78	91	73	57	72	54	73	69	73	77	65
DISEASES OF PARTURITION.																				
Abortion, Miscarriage	186	139	126	152	107	82	168	169	83	96	104	107	80	88	88	185	228	255	161	160
Puerperal Mania	85	132	92	99	89	83	100	109	101	114	97	71	84	70	87	87	105	77	83	76
Puerperal Convulsions	443	387	359	351	382	381	391	407	329	352	412	335	336	362	313	296	373	333	376	350
Placenta Prævia, Flooding	792	851	706	698	703	721	763	743	794	762	852	774	738	763	726	700	778	806	803	780
Phlegmasia Dolens	83	90	105	74	69	68	76	77	85	112	114	82	71	71	57	60	96	83	71	90
Other and undefined Accidents of Childbirth*	971	797	611	511	526	498	442	455	500	443	450	430	401	420	462	971	1234	1284	1433	1152
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis*	899	857	994	1056	1006	973	991	1007	1127	1094	1102	1141	1055	1007	1072	1012	1023	981	942	934
Arthritis, Ostitis, Periostitis	143	118	166	155	166	154	161	170	209	152	229	224	184	246	213	256	254	263	294	277
Other and undefined Diseases of Organs of Locomotion*	1449	1509	1549	1654	1590	1553	1258	1254	1375	1230	1182	1168	1295	1188	1111	1015	898	682	524	492
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle	245	219	263	226	248	235	184	161	187	154	180	164	172	151	160	161	175	169	149	118
Phlegmon, Cellulitis*	274	314	444	442	380	383	180	220	232	286	286	266	255	310	234	324	295	376	457	370
Lupus	78	83	61	70	77	68	63	64	72	74	63	73	75	80	70	69	78	78	57	62
Ulcer, Bedsore*	676	520	544	601	574	547	562	539	608	572	541	591	605	579	544	548	538	555	575	562
Eczema	308	263	343	344	308	330	311	376	359	406	395	410	351	372	388	394	429	418	460	386
Pemphigus	54	59	47	54	56	59	62	97	75	75	71	89	96	106	101	106	123	105	135	122
Other and undefined Diseases of Integumentary System*	275	244	282	274	226	217	225	205	223	251	211	215	201	194	184	192	178	200	214	207

* See note *, p. xxxviii.

† See note †, p. xxxviii.

TABLE 18 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Persons.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	41	40	36	38	45	43	42	42	46	44	45	43	44	51	48	57	62	63	64	63
Bright's Disease, Albuminuria	160	168	193	192	200	188	196	208	233	233	240	248	246	246	248	254	259	250	256	251
Uræmia	12	13	12	15	16	17	17	18	17	18	17	18	15	17	17	17	18	17	17	14
Suppression of Urine	5	6	5	6	5	5	5	6	7	5	5	6	4	4	4	4	4	3	4	3
Calculus	10	10	10	11	9	9	9	10	9	8	8	9	9	9	8	9	8	8	8	8
Hæmaturia	7	6	6	6	6	6	6	7	6	6	6	5	5	5	4	4	5	3	3	67
Diseases of Bladder and of Prostate*	68	63	61	66	67	66	71	67	78	75	77	77	73	73	75	72	75	73	71	22
Other and undefined Diseases of Urinary System*	66	57	49	41	42	39	35	38	53	53	46	43	48	39	35	34	37	32	28	22
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease*	17	16	18	19	14	15	23	21	21	22	21	21	22	20	18	17	18	17	17	14
Diseases of Uterus and Vagina*†	35	32	34	33	35	29	27	25	25	25	26	25	24	22	22	23	22	23	25	24
Disorders of Menstruation*	4	4	4	4	4	3	4	4	3	3	3	6	6	6	5	6	5	3	2	2
Pelvic Abscess	3	2	2	2	2	2	4	4	4	7	6	6	6	6	5	6	5	3	2	1
Perineal Abscess	2	1	2	1	1	1	1	1	1	1	2	1	2	2	1	1	1	1	1	1
Dis. of Testes, Penis, Scrotum, &c.*	1	1	1	3	3	3	3	3	2	3	3	3	2	3	2	3	2	2	3	2
DISEASES OF PARTURITION.																				
Abortion, Miscarriage	8	6	5	6	4	3	6	6	3	4	4	4	3	3	3	6	8	9	5	5
Puerperal Mania	4	5	4	4	4	3	4	4	4	4	4	3	3	2	3	3	4	3	3	3
Puerperal Convulsions	18	16	15	14	15	15	15	15	12	13	15	12	12	13	11	10	13	11	13	12
Placenta Prævia, Flooding	33	35	29	28	28	28	29	28	30	28	31	28	27	27	26	24	27	27	27	26
Phlegmasia Dolens	3	4	4	3	3	3	3	3	3	4	4	3	3	3	2	2	3	3	2	3
Other and undefined Accidents of Childbirth*	40	33	25	20	21	19	17	17	19	16	17	16	14	15	16	34	42	44	48	38
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis*	37	35	40	42	40	38	38	38	42	41	40	41	38	36	38	35	35	33	32	31
Arthritis, Ostitis, Periostitis	6	5	7	6	7	6	6	6	8	6	8	8	7	9	7	9	9	9	10	9
Other and undefined Diseases of Organs of Locomotion*	60	62	63	66	63	60	48	48	52	46	43	42	47	40	39	35	31	23	18	16
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle	10	9	11	9	10	9	7	6	7	6	7	6	6	5	6	6	6	6	5	4
Phlegmon, Cellulitis*	11	13	18	18	15	15	7	8	9	11	11	10	9	11	8	11	10	13	15	12
Lupus	3	3	2	3	3	3	2	2	3	3	2	3	3	3	2	2	3	3	2	2
Ulcer, Bedsore*	28	21	22	24	23	21	22	20	23	21	20	21	22	21	19	19	19	19	19	19
Eczema	13	11	14	14	12	13	12	14	13	15	15	15	13	13	14	14	15	14	15	13
Pemphigus	2	2	2	2	2	2	2	4	3	3	3	3	3	4	4	4	4	4	4	4
Other and undefined Diseases of Integumentary System*	11	10	11	11	9	8	9	8	8	9	8	8	7	7	6	7	6	7	7	7

* See note *, p. xxxviii.

† See note †, p. xxxviii.

TABLE 17 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Persons.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
ACCIDENT OR NEGLIGENCE.																				
In Mines and Quarries -																	920	945	1129	1122
Vehicles and Horses -																	2512	2474	2398	2400
Ships, Boats, and Docks (not Drowning) -																	150	177	216	219
Building Operations -																	151	167	195	199
Machinery -																	220	228	265	233
Weapons and Implements -																	234	248	233	151
Burns and Scalds -	16914	16176	15615	16694	15275	15187	15829	15350	15755	15312	14939	14860	15518	14908	15025	16263	2250	2369	2351	2191
Poison, Poisonous Vapours -																	544	514	597	588
Drowning -																	2708	2637	2747	2589
Suffocation -																	2264	2166	2140	2081
Falls -																	2583	2417	2499	2401
Weather Agencies -																	285	244	407	184
Otherwise or not stated -																	1867	1757	1947	1770
Homicide -	351	412	347	374	310	310	365	363	322	326	309	311	352	301	290	286	315	300	337	298
Suicide -	1601	1770	1699	1764	2035	1979	1955	1965	1962	2043	2007	2254	2234	2308	2170	2205	2483	2583	2599	2729
Execution -	23	21	23	15	15	14	11	11	14	14	13	19	21	17	12	16	14	16	16	18
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy* -	3180	2921	2747	2609	2357	2131	1882	1852	1848	866	418	336	325	319	257	271	271	248	210	190
Debility, Atrophy, Inanition* -	29477	28157	26585	27835	25781	27886	22699	23318	24329	24937	22131	24146	21879	20741	21311	21434	21934	21303	22929	18281
Mortification*† -	737	661	634	588	631	628	564	485	273	190	152	68	93	53	31	59	56	53	33	39
Tumour } -							353	351	357	384	318	359	192	124	140	153	135	151	119	126
Abscess } -	513	415	291	324	259	269	636	656	644	707	658	645	671	573	573	568	533	562	553	441
Hæmorrhage† -							159	182	181	143	186	144	175	105	125	145	123	127	161	157
Sudden Deaths (Cause unascertained) -	2816	2537	2543	2498	2656	2269	370	373	418	509	486	438	464	403	377	437	394	402	348	285
Other ill-defined and not specified Causes* -	2757	1958	1610	1400	1329	1115	3562	3260	3778	3529	3288	3147	3166	2814	2652	2816	2694	2330	1922	1764

* See note *, p. xxxviii.

† See note †, p. xxxviii.

xlviii

TABLE 18 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Persons.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
ACCIDENT OR NEGLIGENCE.																				
In Mines and Quarries -																	32	32	38	37
Vehicles and Horses -																	86	84	81	80
Ships, Boats, and Docks (not Drowning) -																	5	6	7	7
Building Operations -																	5	6	7	7
Machinery -																	8	8	9	8
Weapons and Implements -																	8	8	8	5
Burns and Scalds -	703	662	632	667	602	589	608	583	592	567	549	540	558	528	528	565	77	80	79	73
Poison, Poisonous Vapours -																	19	17	20	20
Drowning -																	93	89	92	86
Suffocation -																	78	73	72	69
Falls -																	89	82	84	80
Weather Agencies -																	10	8	14	6
Otherwise or not stated -																	64	60	65	59
Homicide -	15	17	14	15	12	12	14	14	12	12	11	11	13	11	10	10	11	10	11	10
Suicide -	67	72	69	70	80	77	75	75	74	76	74	82	80	82	76	77	85	88	87	91
Execution -	1	1	1	1	1	1	0	0	1	1	0	1	1	1	0	1	0	0	1	1
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy* -	132	120	111	104	93	83	72	70	69	32	15	12	12	11	9	9	9	8	7	6
Debility, Atrophy, Inanition* -	1226	1152	1076	1112	1016	1081	871	885	914	924	813	877	786	735	749	745	754	722	771	608
Mortification*† -	31	27	26	23	25	24	22	18	10	7	6	2	3	2	1	2	2	2	1	1
Tumour } -							14	13	13	14	12	13	7	4	5	5	5	5	4	4
Abscess } -	21	17	12	13	10	10	24	25	24	26	24	23	24	20	20	20	18	19	19	15
Hæmorrhage† -							0	7	7	5	7	5	0	4	4	5	4	4	5	5
Sudden Deaths (Cause unascertained) -	117	104	103	100	105	88	14	14	16	19	18	16	17	14	13	15	14	14	12	9
Other ill-defined and not specified Causes* -	118	81	68	51	51	38	139	128	146	134	122	115	109	99	93	97	92	79	64	63

* See note *, p. xxxviii.

† See note †, p. xxxviii.

xlix

TABLE 19.—ENGLAND.—Deaths from Various Causes, 1875-94.—Males.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	
ALL CAUSES	282202	265076	260567	278772	271496	273442	253605	265767	269262	273522	268305	275874	272137	263294	266102	290448	302494	286062	291889	256015	
MIASMATIC DISEASES.																					
Small-pox* { Vaccinated - - -	490	1305	2439	978	283	339	360	103	44	286	343	18	23	55	2	4	2	32	99	80	
Unvaccinated - - -							538	188	95	340	433	21	57	159	1	-	8	8	59	140	84
No Statement - - -							725	467	400	597	841	145	225	400	12	8	18	166	643	301	
Chickenpox	48	54	55	54	44	66	57	64	55	72	51	56	49	64	37	55	53	70	71	66	
Measles†	3077	5104	4685	3969	4678	6312	3693	6628	4872	5831	7396	6090	8657	5096	7716	6516	6509	6907	5771	6107	
Epidemic Rose Rash†	-	-	-	-	-	-	28	54	52	41	62	57	90	63	83	38	24	41	19	30	
Scarlet Fever	10502	8616	7405	9592	9148	8841	7145	6904	6449	5504	3210	2999	3899	3218	3353	3481	2495	2799	3430	2452	
Typhus*	804	614	606	472	304	265	280	499	475	157	186	140	110	87	78	80	74	48	71	58	
Relapsing Fever	25	17	22	11	10	9	6	4	7	6	5	3	3	4	1	2	4	7	2	2	
Influenza	218	103	102	101	121	85	50	43	47	37	66	42	41	49	29	2415	8621	7673	4808	3233	
Whooping-cough	6511	4833	5180	8033	5804	6084	4798	6898	4855	5188	5819	5894	4928	5578	5622	6166	6051	6005	4515	5547	
Mumps	44	31	44	42	35	48	52	47	50	34	59	47	47	47	50	39	40	44	49	35	
Diphtheria	1606	1460	1255	1692	1425	1273	1512	1867	1979	2345	2129	1918	2116	2264	2446	2469	2365	3156	4652	4198	
Cerebro-spinal Fever	-	11	23	32	28	22	14	23	25	15	15	22	17	9	12	25	10	13	10	7	
Simple and Ill-defined Fever**	1278	992	947	837	734	750	574	496	464	358	305	282	255	208	182	172	146	121	128	103	
Enteric Fever†	4371	3728	3448	3731	2920	3286	2797	3173	3120	3295	2496	2671	2671	2624	2598	2769	2603	2194	3611	2701	
Other Miasmatic Diseases*	58	18	9	5	3	2	-	2	2	1	2	1	1	-	1	3	12	15	7	5	
DIARRHEAL DISEASES.																					
Cholera	289	332	183	356	122	457	174	201	221	467	164	288	257	109	175	239	175	265	767	137	
Diarrhoea, Dysentery	12865	11709	8063	13127	6903	15879	7676	8967	8213	13672	7069	12936	10725	6757	9733	9098	7185	7851	14853	5502	
MALARIAL DISEASES.																					
Remittent Fever†	40	29	45	48	89	44	119	122	88	98	71	63	47	39	40	29	21	17	16	7	
Ague	65	54	62	65	53	52	62	61	49	67	57	54	69	52	52	59	59	61	48	56	
ZOOGENOUS DISEASES.																					
Hydrophobia	33	45	61	35	29	24	24	24	31	21	43	24	27	10	22	4	6	5	3	11	
Glanders	1	2	3	6	5	3	4	3	2	1	5	4	5	2	7	3	4	4	6	1	
Anthrax, Splenic Fever	3	-	5	7	6	15	8	10	5	13	7	8	10	11	6	3	1	5	6	7	
Cowpox and other Effects of Vaccination*	17	11	19	23	16	21	25	33	31	28	23	19	25	20	27	22	21	30	34	26	
VENEREAL DISEASES.																					
Syphilis*	1167	1135	1056	1123	1056	1127	1099	1158	1180	1174	1161	1168	1095	984	1069	1049	1042	1108	1190	1066	
Gonorrhoea, Stricture of Urethra	320	281	271	268	283	281	237	249	255	287	254	292	286	276	273	272	333	299	291	316	
SEPTIC DISEASES.																					
Phagedæna**	-	-	-	-	-	-	31	32	29	23	23	21	19	35	20	25	28	24	35	20	
Erysipelas*	1629	1244	1117	986	990	1043	1247	1280	1164	1139	1058	804	919	860	595	707	644	767	1025	706	
Pyæmia, Septicæmia	345	294	289	285	330	322	357	293	284	290	240	200	202	200	166	183	166	168	193	154	
Puerperal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* See note *, p. xxxviii.

† See note †, p. xxxviii.

TABLE 20.—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Males.
(Decimals are omitted, the nearest whole number being taken. When the Deaths from any Cause were too few to give a rate of 0·5, a cipher is inserted.)

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
ALL CAUSES	24111	22285	21672	22878	21974	21786	20011	20749	20801	20850	20292	20644	20150	19237	19290	20833	21466	20023	20262	17577
MIASMATIC DISEASES.																				
Small-pox* { Vaccinated - - -	42	110	203	80	23	27	28	8	3	22	26	1	2	4	0	0	0	2	7	5
Unvaccinated - - -							46	15	7	26	33	2	4	12	0	0	1	4	10	6
No Statement - - -							57	36	31	46	64	11	17	29	1	1	1	12	45	21
Chickenpox	4	5	5	4	4	5	4	5	4	5	4	4	4	5	3	4	4	5	5	5
Measles†	263	429	390	326	379	503	291	517	376	444	559	456	641	372	559	407	462	483	401	419
Epidemic Rose Rash†	-	-	-	-	-	-	2	4	4	3	5	4	7	5	6	3	2	3	1	2
Scarlet Fever	897	724	616	787	741	704	564	539	498	420	243	224	289	235	243	250	177	196	238	168
Typhus*	69	52	50	39	25	21	22	39	37	12	14	10	8	6	6	6	5	3	5	4
Relapsing Fever	2	1	2	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Influenza	19	9	8	8	10	7	4	3	4	3	5	3	3	4	2	173	612	538	334	222
Whooping-cough	556	406	431	659	470	485	379	559	375	395	440	441	365	408	408	442	420	420	313	381
Mumps	4	3	4	3	3	4	4	4	4	3	4	4	3	3	4	3	3	3	3	2
Diphtheria	137	123	104	139	115	101	119	146	153	179	161	144	157	165	177	177	168	221	323	288
Cerebro-spinal Fever	-	1	2	3	2	2	1	2	2	1	1	1	1	1	1	2	1	1	1	0
Simple and Ill-defined Fever**	109	83	79	69	59	60	45	39	36	27	23	21	19	15	13	12	10	8	9	7
Enteric Fever†	373	313	287	306	236	262	221	248	241	251	189	200	198	192	188	199	185	154	251	185
Other Miasmatic Diseases*	5	2	1	0	0	0	-	0	0	0	0	0	0	-	0	0	1	1	0	0
DIARRHEAL DISEASES.																				
Cholera	25	28	15	29	10	36	14	16	17	36	12	22	19	8	13	17	12	19	53	9
Diarrhoea, Dysentery	1099	984	671	1077	486	1265	606	700	635	1042	535	968	794	494	706	653	510	549	1031	378
MALARIAL DISEASES.																				
Remittent Fever†	3	2	4	4	7	4	9	10	7	7	5	5	3	3	3	2	1	1	1	0
Ague	6	5	5	5	4	4	5	5	4	5	4	4	5	4	4	4	4	4	3	4
ZOOGENOUS DISEASES.																				
Hydrophobia	3	4	5	3	2	2	2	2	2	2	3	2	2	1	2	0	0	0	0	1
Glanders	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Anthrax, Splenic Fever	0	-	0	1	0	1	1	1	0	1	1	1	1	1	0	0	0	0	0	0
Cowpox and other Effects of Vaccination*	1	1	2	2	1	2	2	3	2	2	2	1	2							

TABLE 19 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Males.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
PARASITIC DISEASES.																				
Thrush	675	685	629	742	491	702	409	404	441	458	387	427	366	290	307	308	300	249	213	177
Other Dis. from Vegetable Parasites*	11	6	7	5	9	4	3	9	4	2	2	3	4	5	2	2	2	1	8	3
Hydatid Disease	21	13	27	28	22	21	23	36	25	30	21	24	23	25	19	24	20	21	23	32
Other Dis. from Animal Parasites*	76	72	52	84	78	91	79	75	66	56	36	48	52	44	40	36	34	36	33	21
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk*	307	245	361	401	319	386	264	266	263	162	153	132	168	162	176	166	183	184	222	163
Scurvy†	—	—	—	—	—	—	15	10	6	4	10	13	17	13	12	14	10	13	14	12
Intemp. { Chronic Alcoholism	438	411	479	489	389	407	500	604	550	537	552	586	631	653	691	902	857	859	927	795
Delirium Tremens	419	406	370	290	225	230	322	278	336	306	340	297	283	276	307	406	470	372	407	314
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart*	962	810	756	749	696	984	1262	1374	1239	1381	1493	1282	1320	1365	1132	1215	1278	1306	1546	1280
Rheumatism*†	1136	1031	1088	963	1032	729	499	410	471	418	418	382	430	427	415	377	494	454	408	359
Gout†	466	457	507	440	515	482	411	423	406	423	465	423	444	438	438	479	521	487	482	428
Rickets	96	139	195	291	267	295	261	261	290	325	346	457	378	501	532	653	714	728	710	713
Cancer*†	3614	3708	3950	4164	4149	4423	4611	4685	4967	5346	5495	5754	6262	6284	6891	7137	7294	7547	7908	8077
Tabes Mesenterica	4518	4099	4173	4591	4059	5052	3965	4455	4093	4448	3674	4416	3773	3659	4025	4113	3897	3753	4116	3005
Tubercular Meningitis (Acute) Hydrocephalus†	4465	4379	4608	4967	4742	4858	4116	3970	3907	3993	3788	3953	3674	3722	3650	3823	3992	3734	3663	3385
Phthisis	26368	26443	26165	26943	26423	24331	24339	24934	25466	25276	24796	25042	23337	23505	23711	26049	25090	23223	23600	22755
Other Forms of Tuberculosis, Scrofula*	1462	1442	1727	1694	1548	1779	1980	2124	2189	2363	2262	2605	2673	2534	2725	2870	3123	3025	2926	2993
Purpura, Hæmorrhagic Diathesis*†	137	144	183	174	173	169	180	190	189	185	157	189	165	150	199	155	211	172	190	188
Anæmia, Chlorosis, Leucocythæmia*	226	240	276	326	302	405	367	432	394	370	414	458	474	518	531	471	558	583	553	629
Diabetes Mellitus	614	582	663	669	645	624	769	733	838	886	896	978	1019	1070	980	1076	1082	1142	1169	1166
Other and undefined Constitutional Diseases*†	1	1	—	3	2	1	197	185	181	200	205	206	232	241	198	224	251	234	268	237
DEVELOPMENTAL DISEASES.																				
Premature Birth	6616	6448	6543	6798	6755	6851	6714	6895	7314	7340	7330	7614	7906	7943	8109	8489	9125	9344	9673	8990
Atelectasis†	—	—	—	—	—	—	339	399	356	320	382	394	416	455	445	434	547	544	593	562
Cyanosis	370	459	487	508	517	570	506	525	522	570	590	604	520	493	549	530	551	584	566	655
Spina Bifida	246	276	289	293	271	288	254	296	272	283	267	295	309	255	276	260	290	302	292	278
Imperforate Anus	116	94	134	150	129	141	144	143	144	190	118	129	130	130	124	117	137	126	122	131
Cleft Palate, Harelip	71	71	74	114	112	100	111	108	119	125	110	110	113	98	112	105	125	115	115	114
Other Congenital Defects*	155	126	130	135	155	127	153	144	111	132	167	168	177	167	169	222	202	205	299	283
Old Age	12330	10870	11252	12064	13072	11408	11704	11218	12060	11714	12143	12290	11648	11732	11275	12059	12487	11813	11188	10414

* See note *, p. xxxviii.

† See note †, p. xxxviii.

TABLE 20 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Males.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
PARASITIC DISEASES.																				
Thrush	58	58	52	61	40	56	32	32	34	35	29	32	27	21	22	22	21	17	15	12
Other Dis. from Vegetable Parasites*	1	1	1	0	1	0	0	1	3	0	0	0	0	0	0	0	0	0	1	0
Hydatid Disease	2	1	2	2	2	2	2	3	2	2	2	2	2	2	1	2	1	1	2	2
Other Dis. from Animal Parasites*	6	6	4	7	6	7	6	6	5	4	3	4	4	3	3	3	2	3	2	1
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk*	26	21	30	33	26	31	21	21	20	12	12	10	12	12	13	12	13	13	15	11
Scurvy†	—	—	—	—	—	—	1	1	0	0	1	1	1	1	1	1	1	1	1	1
Intemp. { Chronic Alcoholism	37	35	40	40	31	32	39	47	42	41	42	44	47	48	50	65	61	60	64	55
Delirium Tremens	36	34	31	24	18	18	25	22	26	23	26	22	21	20	22	29	33	26	28	22
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart*	82	68	63	61	56	78	100	107	96	105	113	96	98	100	82	87	91	91	107	88
Rheumatism*†	97	87	90	79	84	58	39	32	36	32	32	29	32	31	30	27	35	32	28	25
Gout†	40	38	42	36	42	38	32	33	31	32	35	32	33	32	32	34	37	34	33	29
Rickets	8	11	16	24	22	24	21	20	22	25	26	34	28	36	39	47	51	51	49	49
Cancer*†	309	312	329	342	336	352	364	366	384	408	416	431	464	459	500	512	518	528	550	555
Tabes Mesenterica	386	345	347	377	329	403	313	348	316	339	278	330	279	267	292	295	277	263	286	206
Tubercular Meningitis (Acute) Hydrocephalus†	381	368	383	408	384	387	325	310	302	304	287	296	272	272	265	274	283	261	254	232
Phthisis	2296	2223	2176	2211	2140	1939	1920	1947	1967	1927	1875	1874	1728	1717	1719	1868	1781	1626	1639	1562
Other Forms of Tuberculosis, Scrofula*	125	121	144	139	125	142	156	166	169	180	171	195	198	185	198	206	222	212	203	206
Purpura, Hæmorrhagic Diathesis*†	12	12	15	14	14	13	14	15	14	14	12	14	12	11	14	11	15	12	13	13
Anæmia, Chlorosis, Leucocythæmia*	19	20	23	27	24	32	29	34	30	28	31	34	35	38	38	34	40	41	38	43
Diabetes Mellitus	52	49	54	55	52	50	61	57	65	68	68	73	75	78	71	77	77	80	81	80
Other and undefined Constitutional Diseases*†	0	0	—	0	0	0	16	14	14	15	16	15	17	18	14	16	18	16	19	16
DEVELOPMENTAL DISEASES.																				
Premature Birth	565	542	544	558	547	546	530	538	565	560	554	570	585	580	588	609	648	654	671	617
Atelectasis†	—	—	—	—	—	—	27	31	28	24	29	29	31	33	32	31	39	38	41	39
Cyanosis	32	39	41	42	42	45	40	41	40	43	45	45	39	36	40	38	39	41	39	45
Spina Bifida	21	23	24	24	22	23	20	23	21	22	20	22	23	19	20	19	21	21	20	19
Imperforate Anus	10	8	11	12	10	11	11	11	11	14	9	10	10	10	8	8	10	0	8	9
Cleft Palate, Harelip	6	6	6	9	9	8	9	9	8	9	8	8	8	7	8	8	9	8	8	8
Other Congenital Defects*	13	11	11	11	13	10	12	11	9	10	13	13	13	12	12	16	14	14	21	19
Old Age	1053	914	936	990	1057	909	924	876	932	893	918	920	862	857	817	865	886	827	778	715

See note *, p. xxxviii.

† See note †, p. xxxviii.

TABLE 19 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Males.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes*†	3515	3491	3577	3796	3789	4304	3943	4345	4668	4737	4627	4969	4848	4664	4579	4962	4574	4172	4265	3594
Apoplexy†	6640	6527	6416	6796	6904	6873	6204	6307	6804	6843	7140	7612	7399	7394	7279	7819	8234	7829	7775	7372
Softening of Brain -	1873	1722	1779	1869	2002	1877	1827	1878	1786	1831	1893	1975	1896	1816	1804	1909	1757	1730	1624	1417
Hemiplegia, Brain Paralysis*†	6833	6051	5981	6052	6339	6034	4739	4719	4745	4398	4265	4331	4324	4027	3934	4050	3881	3630	3472	2963
Paralysis Agitans*	76	62	52	59	76	82	87	81	92	91	122	118	96	113	113	137	165	128	167	143
Insanity, General Paralysis of } Insane†	458	421	754	909	804	811	1623	1497	1754	1706	1585	1439	1443	1568	1742	1630	1671	1638	1757	1893
Chorea -	23	19	16	23	24	22	28	28	19	34	40	33	28	25	25	26	36	32	39	30
Epilepsy*	1496	1539	1564	1505	1555	1421	1880	1871	1663	1642	1678	1665	1504	1484	1494	1553	1563	1458	1446	1302
Convulsions -	14683	14390	13698	13996	13639	13253	12522	12847	12803	13010	12462	12892	12169	11639	12197	12091	12726	11705	11579	10245
Laryngismus Stridulus -	391	436	579	535	610	480	441	449	526	479	478	448	430	490	441	411	515	450	351	310
Idiopathic Tetanus†	22	25	17	18	20	25	48	37	41	29	31	41	29	36	34	32	29	37	23	22
Paraplegia, Dis. of Spinal Cord*†	348	365	330	387	399	427	805	904	866	864	965	1077	1067	1073	1096	1142	1227	1195	1196	1230
Other and undefined Diseases of } Brain or Nervous System*†	1970	1790	1821	1733	1785	1567	2089	2400	2548	2398	2418	2375	2390	2422	2112	1746	1748	1618	1709	1437
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa -	69	75	118	151	137	167	203	255	175	228	222	214	224	298	305	336	316	349	447	389
Epistaxis and Dis. of Nose -	39	20	34	35	23	44	38	41	46	36	40	45	39	52	39	43	47	50	50	44
Ophthalmia and Dis. of Eye -	19	13	27	16	22	33	30	33	26	30	32	36	40	43	42	37	21	32	38	33
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease*†	118	135	107	125	106	137	2589	2614	2818	2912	3058	3318	3438	3602	3584	3851	4232	3991	4243	4400
Pericarditis*	282	210	269	223	280	260	209	216	249	233	255	248	287	340	255	362	363	346	379	355
Hypertrophy of Heart -	299	298	292	276	243	265	193	164	206	212	208	191	158	186	161	153	193	172	145	120
Angina Pectoris -	259	237	298	284	294	336	314	327	334	386	361	376	362	430	422	420	455	424	402	403
Syncope -	706	789	926	935	1047	1100	536	616	575	763	650	744	786	817	939	1237	1355	941	848	864
Aneurism -	574	618	633	618	610	649	606	600	591	643	637	680	585	602	629	659	565	630	657	660
Senile Gangrene -	400	368	345	402	445	376	434	432	634	708	759	817	801	843	813	793	851	805	708	681
Embolism, Thrombosis -	84	94	139	158	187	211	233	234	203	276	285	325	351	371	407	389	472	404	455	436
Phlebitis -	56	51	44	50	49	54	56	54	58	49	67	51	87	51	56	60	65	65	71	49
Varicose Veins*	17	27	55	34	27	33	20	38	27	29	26	34	33	41	33	35	35	32	33	35
Other and undefined Diseases of } Heart or Circulatory System*†	13419	13164	14046	14622	15180	14037	12135	11976	13054	13284	14264	14760	15046	15574	15323	16213	16412	15916	15144	14540

* See p. xxxviii.

† See note †, p. xxxviii.

‡ Exclusive of cases in which "Tetanus" was stated to be the result of injury.

11

TABLE 20 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Males.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes*†	300	293	298	312	307	343	311	339	361	361	350	372	359	341	332	356	325	292	296	247
Apoplexy†	567	549	534	558	559	548	490	492	526	522	540	570	548	540	528	561	584	548	540	506
Softening of Brain -	160	145	148	153	162	150	144	147	138	140	143	148	140	133	131	137	125	121	113	97
Hemiplegia, Brain Paralysis*†	545	509	497	497	513	481	374	368	367	335	323	324	320	294	285	291	275	254	241	203
Paralysis Agitans*	6	5	4	5	6	7	7	6	7	7	9	9	7	8	8	10	12	9	12	10
Insanity, General Paralysis of } Insane†	39	35	63	75	65	65	120	117	136	130	120	108	107	115	126	117	119	115	122	130
Chorea -	2	2	1	2	2	2	2	2	1	3	3	2	2	2	2	2	3	2	3	2
Epilepsy*	128	129	130	124	126	113	109	107	128	125	127	125	111	108	108	111	111	102	100	89
Convulsions -	1254	1210	1139	1149	1104	1056	988	1003	991	992	943	965	901	851	884	867	903	820	804	703
Laryngismus Stridulus -	33	37	48	44	49	38	35	35	41	37	36	34	32	36	32	29	37	31	24	21
Idiopathic Tetanus†	2	2	1	1	2	2	4	3	3	2	2	3	2	3	2	2	2	3	2	2
Paraplegia, Dis. of Spinal Cord*†	30	31	27	32	32	34	64	71	67	66	73	81	79	78	79	82	87	84	83	84
Other and undefined Diseases of } Brain or Nervous System*†	168	150	151	142	145	125	165	187	197	183	183	178	177	177	153	125	124	113	119	99
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa -	6	6	10	12	11	13	16	20	14	17	17	16	17	22	22	24	22	24	31	27
Epistaxis and Dis. of Nose -	3	2	3	3	2	4	3	3	4	3	3	3	3	4	3	3	3	3	3	3
Ophthalmia and Dis. of Eye -	2	1	2	1	2	3	2	3	2	2	2	3	3	3	3	3	1	2	3	2
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Diseases*†	10	11	9	10	9	11	204	204	218	222	231	248	255	263	260	276	300	280	295	302
Pericarditis*	24	18	22	18	23	21	16	17	19	18	19	19	21	25	18	26	26	24	26	24
Hypertrophy of Heart -	26	25	24	23	20	21	15	13	16	16	16	14	12	14	12	11	14	12	10	8
Angina Pectoris -	22	20	25	23	24	27	25	26	26	29	27	28	27	31	31	30	32	30	28	28
Syncope -	60	66	77	77	85	88	42	48	44	58	49	56	58	60	68	89	96	66	59	59
Aneurism -	49	52	53	51	49	52	48	47	40	49	48	51	43	44	46	47	40	44	46	45
Senile Gangrene -	34	31	29	33	36	30	34	34	53	54	57	61	59	62	59	57	60	56	49	47
Embolism, Thrombosis -	7	8	12	13	15	17	18	18	16	21	22	24	26	27	30	28	33	28	32	30
Phlebitis -	5	4	4	4	4	4	4	4	4	4	5	4	6	4	4	4	5	5	5	3
Varicose Veins*	1	2	5	3	2	3	2	3	2	2	2	3	2	3	2	3	2	2	2	2
Other and undefined Diseases of } Heart or Circulatory System*†	1146	1107	1168	1200	1229	1118	958	935	1008	1013	1079	1105	1114	1138	1111	1163	1165	1114	1051	998

* See note *, p. xxxviii.

† See note †, p. xxxviii.

‡ See note on preceding page.

11

TABLE 19 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Males.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis*	822	676	521	523	614	596	640	784	814	900	860	748	840	860	774	838	765	766	884	758
Croup	2447	2262	2100	2198	1932	1905	1896	2444	2464	2532	2278	2007	2092	1971	1728	1760	1392	1217	1153	939
Other Dis. of Larynx and Trachea*	47	29	24	14	39	35	123	129	114	139	93	103	104	114	102	80	80	102	87	79
Emphysema, Asthma	2106	1669	1480	1491	1674	1288	1595	1454	1620	1412	1505	1434	1449	1386	1360	1507	1752	1672	1406	1263
Bronchitis	31908	27899	27824	30663	35595	29617	28374	29318	29868	27445	30782	30481	29333	29105	27850	33686	37802	33071	27735	24656
Pneumonia	15968	14085	13672	14131	15721	14606	13805	14990	16382	15187	16992	16093	17817	18115	16643	24138	25332	21231	22103	18605
Pleurisy	856	759	693	694	777	790	785	741	931	826	938	869	935	931	793	1158	1213	1033	1101	879
Other and undefined Diseases of } Respiratory System**	3401	3102	2953	3065	3274	3028	2351	2544	2674	2676	2918	2821	2834	2515	2251	2660	2880	2490	2311	2028
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis (Dis. of Mouth)**	171	164	167	235	184	243	186	215	223	286	229	277	252	233	320	246	220	241	349	271
Dentition	2844	2694	2460	2592	2392	2253	2478	2631	2650	2727	2588	2696	2339	2404	2410	2462	2554	2351	2197	1959
Sore-throat, Quinsy*	162	105	143	181	185	210	300	311	420	373	345	317	350	301	294	336	346	315	376	289
Dyspepsia*	126	146	159	157	174	195	188	234	237	229	216	254	233	238	256	241	255	309	322	292
Hæmatemesis	204	198	235	229	228	203	208	207	242	235	217	170	201	190	212	196	167	145	156	132
Melæna	74	80	73	79	76	70	68	70	86	90	98	107	93	67	71	69	76	74	70	53
Diseases of Stomach**	438	460	411	446	413	447	1203	1180	1142	1283	1310	1563	1550	1537	1580	1696	1732	1727	2063	1883
Enteritis*	1527	1455	369	1521	1187	1521	1351	1524	1417	1619	1503	2022	1803	1872	2328	2587	2653	2906	4592	3111
Ulceration of Intestine†	591	582	620	616	561	576	210	211	310	316	305	284	198	179	220	150	172	175	163	168
Ileus, Obstruction of Intestine	739	769	813	805	868	887	893	915	853	904	940	936	904	987	937	988	957	910	1010	959
Stricture or Strangulation of } Intestine†	159	208	265	226	250	220	106	114	120	102	131	113	98	95	90	80	104	92	82	89
Intussusception of Intestine	213	261	232	286	233	297	225	213	241	263	236	253	241	260	274	223	270	213	247	243
Hernia	585	533	565	565	546	572	563	594	557	546	592	608	599	596	639	582	599	608	676	621
Fistula	64	74	72	70	80	72	47	53	89	90	76	83	86	69	61	54	50	48	32	43
Peritonitis	831	850	870	860	834	938	870	949	1005	1098	1107	1079	1165	1206	1118	1162	1163	1089	1181	966
Ascites	210	177	198	159	153	173	149	149	168	129	115	102	94	74	87	82	79	47	63	54
Gallstones	35	26	56	52	52	61	75	75	65	67	52	62	111	86	95	105	86	98	104	151
Cirrhosis of Liver	1445	1494	1598	1653	1597	1561	1694	1724	1826	1852	1847	1974	1886	1908	1926	2002	2089	2029	2007	1983
Other Diseases of Liver*	4045	3731	3628	3652	3456	3314	3690	3056	2876	2968	2867	2819	2630	2515	2341	2236	2213	1973	2055	1675
Other and undefined Diseases of } Digestive System**	801	818	987	940	913	905	575	612	540	386	277	288	291	456	376	448	392	332	393	331
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen	48	54	60	81	66	69	59	60	71	47	69	72	56	60	72	49	48	47	49	34
Diseases of Lymphatic System*	5	14	24	30	32	24	128	121	74	95	138	143	116	126	126	145	146	167	149	166
Diseases of Thyroid Body	10	10	12	17	13	13	21	26	9	25	14	23	29	28	26	32	31	34	24	29
Diseases of Supra-Renal Capsules	42	43	51	58	60	62	52	59	70	50	68	101	80	71	61	97	55	72	69	79

* See note *, p. xxxviii.

† See note †, p. xxxviii.

LVI

TABLE 20 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Males.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis*	70	57	43	43	50	47	50	61	63	69	65	56	62	63	56	60	54	54	61	52
Croup	209	190	175	180	156	152	150	191	190	197	172	150	155	144	125	126	99	85	80	64
Other Dis. of Larynx and Trachea*	4	2	2	1	3	3	10	10	9	11	7	8	8	8	7	7	6	7	6	5
Emphysema, Asthma	180	140	123	122	130	103	126	114	125	108	114	107	107	101	99	108	124	117	98	87
Bronchitis	2726	2345	2314	2514	2882	2360	2239	2289	2307	2092	2328	2281	2172	2127	2019	2416	2683	2315	1926	1693
Pneumonia	1364	1184	1137	1160	1273	1104	1089	1170	1266	1158	1285	1204	1319	1324	1206	1731	1798	1486	1534	1277
Pleurisy	73	64	58	57	63	63	62	58	72	63	71	65	69	68	57	83	86	72	76	60
Other and undefined Diseases of } Respiratory System**	291	261	246	252	265	241	186	199	207	204	221	211	210	184	163	191	204	174	160	139
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis (Dis. of Mouth)**	15	14	14	19	15	19	15	17	17	22	17	21	19	17	23	18	16	17	24	19
Dentition	243	226	205	213	194	180	196	206	205	208	196	202	173	176	175	177	181	165	153	135
Sore-throat, Quinsy*	14	9	12	15	15	17	24	24	32	28	26	24	26	22	21	24	25	22	26	20
Dyspepsia*	11	12	13	13	14	16	15	18	18	17	16	19	17	17	19	17	18	22	22	20
Hæmatemesis	17	17	20	19	18	16	16	16	19	16	7	8	7	5	5	5	5	5	5	4
Melæna	6	7	6	6	6	6	5	5	5	7	7	7	7	5	5	5	5	5	5	4
Diseases of Stomach**	37	39	34	37	33	36	95	92	88	98	99	117	115	112	115	122	123	121	143	129
Enteritis*	130	122	114	125	96	121	107	119	109	123	114	151	134	137	169	186	188	204	320	214
Ulceration of Intestine†	50	49	52	51	45	46	16	16	24	24	23	21	15	13	16	11	12	12	11	12
Ileus, Obstruction of Intestine	63	65	68	66	70	71	70	71	66	69	71	70	67	72	68	71	68	64	70	66
Stricture or Strangulation of } Intestine†	14	17	22	19	20	18	8	9	9	8	10	8	7	7	7	6	7	6	6	6
Intussusception of Intestine	18	22	19	19	24	18	18	17	19	20	18	19	18	19	20	16	19	15	17	17
Hernia	50	45	47	46	44	46	44	46	43	42	45	45	44	44	46	42	43	43	47	43
Fistula	5	6	6	6	6	6	4	4	4	4	4	8	8	8	6	6	6	6	6	4
Peritonitis	71	71	72	71	68	75	69	74	78	84	84	81	86	88	81	83	83	76	76	74
Ascites	18	15	16	13	12	14	12	12	13	10	9	5	8	6	7	8	6	7	7	10
Gallstones	3	2	5	4	4	5	134	135	141	141	140	148	140	139	140	144	148	142	139	130
Cirrhosis of Liver	123	126	133	136	129	124	244	239	222	226	217	211	195	184	170	160	157	138	143	115
Other Diseases of Liver*	340	314	302	300	280	264	46	48	41	29	21	22	22	33	27	32	27	23	27	23
Other and undefined Diseases of } Digestive System**	68																			

TABLE 19 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Males.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis - - - - -	581	566	525	586	658	656	637	619	681	674	687	653	703	845	755	874	1044	1090	1102	1052
Bright's Disease, Albuminuria - -	2190	2343	2692	2731	2845	2737	2838	3062	3386	3449	3554	3709	3762	3761	3854	4049	4067	3993	4126	4107
Uræmia - - - - -	168	207	171	232	243	248	243	256	237	268	258	258	232	246	249	267	285	258	279	207
Suppression of Urine - - - - -	81	92	85	89	91	86	85	94	102	89	93	97	72	80	75	74	64	63	67	59
Calculus - - - - -	214	209	206	223	198	194	186	202	197	180	165	213	206	204	183	205	176	164	186	192
Hæmaturia - - - - -	127	127	100	122	122	125	111	131	107	111	117	104	98	99	80	95	99	76	70	71
Diseases of Bladder and of Prostate* } Other and undefined Diseases of } Urinary System* } - - - - -	1483 942	1401 833	1367 799	1486 656	1532 654	1516 618	1636 573	1576 654	1856 856	1819 880	1888 782	1855 751	1821 797	1852 683	1892 646	1847 626	1951 657	1907 576	1881 555	1763 408
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease* - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina** -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation* - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - - - -	35	16	36	34	30	27	32	21	33	33	41	22	43	43	34	23	24	22	37	25
Dis. of Testes, Penis, Scrotum, &c.* } } - - - - -	32	27	26	64	69	71	68	92	57	78	91	73	57	72	54	73	69	73	77	65
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and undefined Accidents } of Childbirth* } - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis* - - - - -	542	493	579	605	600	594	595	588	709	642	663	687	609	584	623	600	555	576	518	531
Arthritis, Ostitis, Periostitis -	81	68	96	103	104	95	97	104	115	82	124	123	110	144	126	140	137	150	149	163
Other and undefined Diseases of } Organs of Locomotion* } - - - - -	826	852	889	901	896	859	695	676	761	672	664	623	719	649	615	554	497	327	264	246
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - - - -	174	152	177	164	165	162	116	113	129	104	116	116	120	110	99	102	119	102	94	78
Phlegmon, Cellulitis* - - - - -	162	182	245	252	213	230	112	121	126	170	181	156	141	165	139	180	178	226	249	225
Lupus - - - - -	28	35	29	33	29	29	21	29	30	29	27	19	20	27	23	29	18	25	19	24
Ulcer, Bedsore* - - - - -	272	180	192	227	213	208	236	207	228	213	205	202	231	208	195	196	173	177	216	194
Eczema - - - - -	176	160	207	190	183	190	183	221	215	242	243	227	192	226	226	240	249	230	255	238
Pemphigus - - - - -	31	31	26	31	27	27	34	47	41	32	37	54	64	60	40	57	64	61	68	64
Other and undefined Diseases of } Integumentary System* } - - - - -	149	115	146	149	116	115	118	99	108	135	110	99	95	106	76	83	84	100	102	89

* See note *, p. xxxviii.

† See note †, p. xxxviii.

lviii

TABLE 20 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons Living, 1875-94.—Males.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis - - - - -	50	48	44	48	53	52	50	48	53	51	52	49	52	62	55	63	74	77	76	72
Bright's Disease, Albuminuria - -	188	197	224	224	230	218	224	239	262	263	269	278	279	275	279	290	289	280	286	282
Uræmia - - - - -	14	17	14	19	20	20	19	20	18	20	20	19	17	18	18	19	20	18	19	14
Suppression of Urine - - - - -	7	8	7	7	7	7	7	7	8	7	7	7	5	6	5	5	5	4	5	4
Calculus - - - - -	18	18	17	18	16	15	15	16	15	14	12	16	15	15	13	15	12	11	13	13
Hæmaturia - - - - -	11	11	8	10	10	10	9	10	8	8	9	8	7	7	6	7	7	5	5	5
Diseases of Bladder and of Prostate* } Other and undefined Diseases of } Urinary System* } - - - - -	127 80	118 70	114 66	122 54	124 53	121 49	129 45	123 51	143 66	139 67	143 59	139 56	135 59	135 50	137 47	132 45	138 47	134 40	131 39	121 28
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease* - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina** -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation* - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - - - -	3	1	3	3	2	2	3	2	3	3	3	2	3	3	2	2	5	5	3	2
Dis. of Testes, Penis, Scrotum, &c.* } } - - - - -	3	2	2	5	6	6	5	7	4	6	7	5	4	5	4	5	5	5	5	4
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and undefined Accidents } of Childbirth* } - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis* - - - - -	46	41	48	50	49	47	47	46	55	49	50	51	45	43	45	43	39	40	36	36
Arthritis, Ostitis, Periostitis -	7	6	8	8	8	8	8	8	9	6	9	9	8	11	9	10	10	11	18	11
Other and undefined Diseases of } Organs of Locomotion* } - - - - -	71	72	74	74	73	68	55	53	59	51	50	47	53	47	45	40	35	23	18	17
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - - - -	15	13	15	13	13	13	9	9	10	8	9	9	9	8	7	7	8	7	7	5
Phlegmon, Cellulitis* - - - - -	14	15	20	21	17	18	9	9	10	13	14	12	10	12	10	13	13	10	17	15
Lupus - - - - -	2	3	2	3	2	2	2	2	2	2	2	1	1	2	2	2	1	2	1	2
Ulcer, Bedsore* - - - - -	23	15	16	19	17	17	19	16	18	16	16	15	17	15	14	14	12	12	15	13
Eczema - - - - -	15	13	17	16	15	15	14	17	17	18	18	17	14	17	16	17	18	16	18	16
Pemphigus - - - - -	3	3	2	3	2	2	3	4	3	2	3	4	5	4	3	4	5	4	5	4
Other and undefined Diseases of } Integumentary System* } - - - - -	13	10	12	12	9	9	9	8	8	10	8	7	7	8	6	6	6	7	7	6

* See note *, p. xxxviii.

† See note †, p. xxxviii.

lix

TABLE 19 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Males.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
ACCIDENT OR NEGLIGENCE.																				
In Mines and Quarries - - -																	919	944	1128	1121
Vehicles and Horses - - -																	2186	2149	2102	2111
Ships, Boats, and Docks (not Drowning) - - - - -																	149	175	215	219
Building Operations - - -																	151	167	195	199
Machinery - - - - -																	209	213	248	220
Weapons and Implements - - -																	186	190	187	134
Burns and Scalds - - - - -	12512	12123	11605	12147	11167	11241	11539	11406	11583	11208	10807	10812	11103	10546	10790	11600	1048	1069	1061	1005
Poison, Poisonous Vapours - - -																	378	340	400	399
Drowning - - - - -																	2273	2231	2343	2172
Suffocation - - - - -																	1161	1180	1119	1106
Falls - - - - -																	1603	1451	1410	1386
Weather Agencies - - - - -																	219	179	318	147
Otherwise or not stated - - -																	1317	1222	1357	1228
HOMICIDE.																				
Homicide - - - - -	207	235	205	206	168	168	199	214	188	178	172	181	181	155	159	160	158	153	185	162
SUICIDE.																				
Suicide - - - - -	1184	1312	1311	1299	1519	1496	1476	1446	1445	1550	1529	1694	1675	1732	1626	1635	1863	1907	1940	2052
EXECUTION.																				
Execution - - - - -	22	21	23	14	12	14	11	11	13	11	13	18	20	17	12	16	13	16	16	17
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy* - - - - -	1802	1257	1145	1087	942	860	734	763	729	365	156	136	130	120	90	101	109	96	84	72
Debility, Atrophy, Inanition* - - -	15584	14881	14104	14647	13569	14693	12196	12478	12974	13325	11888	13109	11802	11325	11608	11431	12073	11718	12601	9994
Mortification*† - - - - -	440	387	352	315	350	353	308	270	154	100	76	33	46	24	13	29	23	22	16	16
Tumour } - - - - -							112	122	111	115	90	119	75	38	42	53	56	61	45	48
Abscess }† - - - - -	235	213	147	140	120	125	325	305	316	363	332	327	350	288	266	271	261	268	276	209
Hæmorrhage† - - - - -							89	112	109	81	116	85	101	63	73	83	78	71	86	99
Sudden Deaths (Cause unascertained) - - - - -	1596	1462	1435	1466	1543	1359	237	245	253	307	301	260	266	244	222	243	253	230	197	164
Other ill-defined and not specified Causes* - - - - -	1461	1053	876	774	727	609	1984	1834	2141	1989	1885	1777	1808	1587	1481	1648	1552	1341	1087	1002

* See note *, p. xxxviii.

† See note †, p. xxxviii.

xi

TABLE 20 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Males.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
ACCIDENT OR NEGLIGENCE.																				
In Mines and Quarries - - -																	65	66	78	77
Vehicles and Horses - - -																	155	150	146	145
Ships, Boats, and Docks (not Drowning) - - - - -																	11	12	15	15
Building Operations - - - - -																	11	12	14	14
Machinery - - - - -																	15	15	17	15
Weapons and Implements - - -																	13	13	13	9
Burns and Scalds - - - - -	1069	1019	965	997	904	896	910	891	895	854	817	809	822	771	782	832	74	75	74	69
Poison, Poisonous Vapours - - -																	27	24	28	27
Drowning - - - - -																	161	156	163	149
Suffocation - - - - -																	83	83	78	76
Falls - - - - -																	114	102	98	95
Weather Agencies - - - - -																	16	13	22	10
Otherwise or not stated - - -																	93	86	94	84
HOMICIDE.																				
Homicide - - - - -	18	20	17	17	14	13	16	17	15	14	13	14	13	11	12	11	11	11	13	11
SUICIDE.																				
Suicide - - - - -	101	110	109	107	123	119	117	113	112	118	116	127	124	127	118	117	132	133	155	141
EXECUTION.																				
Execution - - - - -	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy* - - - - -	111	106	95	89	76	69	58	60	56	28	12	10	10	9	7	7	8	7	6	5
Debility, Atrophy, Inanition* - - -	1331	1251	1173	1202	1099	1171	962	975	1002	1016	899	981	874	828	841	820	855	820	875	686
Mortification*† - - - - -	38	33	29	26	28	28	24	21	12	8	6	2	3	2	1	2	2	2	1	1
Tumour } - - - - -							9	10	9	9	7	9	6	3	3	4	4	4	3	3
Abscess }† - - - - -	20	18	12	11	10	10	26	24	24	28	25	24	26	21	19	19	19	19	19	14
Hæmorrhage† - - - - -							7	9	8	6	9	6	7	5	5	6	6	5	6	7
Sudden Deaths (Cause unascertained) - - - - -	136	123	119	120	125	108	19	19	20	23	23	19	20	18	16	17	18	16	14	11
Other ill-defined and not specified Causes* - - - - -	133	84	75	66	55	43	155	139	161	152	141	130	138	112	109	119	110	94	75	82

* See note *, p. xxxviii.

† See note †, p. xxxviii.

xi

TABLE 21.—ENGLAND.—Deaths from Various Causes, 1875-94.—Females.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
ALL CAUSES	264251	245239	239929	261100	254759	255182	238330	250887	253735	257306	254445	261402	258621	247677	252251	271800	285431	273622	278069	242812
MIASMATIC DISEASES.																				
Small-pox* { Vaccinated	359	1103	1839	878	253	309	292	73	34	207	237	7	19	36	2	-	1	23	51	73
Unvaccinated							480	137	67	255	362	22	54	110	1	-	9	47	113	92
No Statement							653	349	317	549	611	62	128	266	5	4	11	104	411	190
Chickenpox	53	55	55	52	45	37	76	58	44	57	58	37	38	52	46	40	38	53	56	42
Measles†	3096	4867	4360	3796	4507	6016	3607	6083	4457	5493	7099	5923	8108	4688	7016	6098	6164	6646	5339	5650
Epidemic Rose Rash†	-	-	-	-	-	-	35	58	53	46	51	41	92	60	65	39	27	37	26	22
Scarlet Fever	9967	8277	7051	9250	8465	8563	7130	6828	6200	5359	3145	2987	3960	3160	3345	3493	2464	2319	3552	2580
Typhus*	695	551	498	434	229	265	272	441	402	171	132	105	101	73	59	71	63	37	66	57
Relapsing Fever	27	13	13	14	12	12	9	9	9	6	5	4	6	4	2	1	7	-	7	5
Influenza-	231	100	103	94	145	86	49	47	60	35	72	41	44	43	26	2108	8065	8064	4861	3392
Whooping-cough	7769	5723	6178	9751	6948	7578	6032	8361	5616	6288	7287	7042	6323	6709	6603	7590	7561	7401	5661	6807
Mumps	26	34	23	27	31	34	54	43	36	23	36	26	40	39	29	39	37	40	28	26
Diphtheria	1809	1691	1476	1806	1628	1537	1641	2125	2239	2675	2342	2180	2327	2551	2922	2681	2671	3396	4814	4576
Cerebro-spinal Fever	-	16	23	26	18	21	20	19	13	17	12	18	7	9	11	13	21	16	3	16
Simple and Ill-defined Fever††	1321	982	976	939	738	740	585	520	499	410	357	323	252	228	231	189	179	123	137	100
Enteric Fever†	4542	3822	3431	3921	2940	3424	2732	2863	2958	3085	2269	2390	2484	2224	2413	2377	2272	1843	3190	2080
Other Miasmatic Diseases*	63	13	6	3	-	-	-	-	2	2	1	-	-	-	1	1	7	8	5	2
DIARRHOEAL DISEASES.																				
Cholera	261	266	126	273	87	340	143	150	171	338	144	248	205	111	155	169	134	173	584	113
Diarrhoea, Dysentery	11864	10708	7219	11976	5460	14306	6860	8218	7720	12740	6329	11812	9517	6082	8701	8331	6468	7047	13517	5011
MALARIAL DISEASES.																				
Remittent Fever†	30	19	36	42	29	32	130	124	106	79	67	64	46	42	37	39	19	12	22	11
Ague	50	41	65	54	46	39	51	38	45	32	32	34	31	26	29	19	34	20	34	14
ZOOGENOUS DISEASES.																				
Hydrophobia	14	8	18	15	6	5	10	4	3	7	17	2	2	4	8	4	1	1	1	2
Glanders	-	-	1	1	3	-	-	-	-	1	-	1	1	-	1	-	-	1	-	1
Anthrax, Splenic Fever	2	4	5	7	6	3	1	5	3	5	4	3	1	1	1	1	2	1	1	3
Cowpox and other Effects of Vaccination*	20	10	13	16	20	20	33	32	24	25	24	26	20	25	31	21	22	28	25	24
VENEREAL DISEASES.																				
Syphilis*	971	1005	1026	1065	976	1033	998	1069	1133	1106	1035	1063	969	943	984	1007	922	933	964	945
Gonorrhoea, Stricture of Urethra-	3	-	-	-	1	-	-	2	2	4	2	2	8	9	2	4	10	7	12	6
SEPTIC DISEASES.																				
Phagedæna††	-	-	-	-	-	-	35	41	42	46	37	25	20	38	30	17	26	28	43	24
Erysipelas*	1388	1083	960	884	834	971	1067	1155	1002	1006	938	719	934	775	614	668	619	707	896	647
Pyæmia, Septicæmia	301	255	295	292	313	324	289	251	228	274	244	175	143	192	146	179	157	174	191	153
Puerperal Fever	2505	1746	1444	1415	1464	1659	2287	2564	2616	2468	2420	2078	2450	2386	1852	1956	1973	2356	3023	2167

* See note *, p. xxxviii.

† See note †, p. xxxviii.

Lxii

TABLE 22.—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Females.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
ALL CAUSES	21412	19553	18927	20322	19564	19283	17822	18548	18545	18542	18177	18461	18057	17050	17214	18338	19040	18003	18145	15670
MIASMATIC DISEASES.																				
Small-pox* { Vaccinated	29	88	145	68	19	23	22	5	2	15	17	0	1	2	0	-	0	2	3	5
Unvaccinated							36	10	5	18	26	2	4	8	0	-	1	3	7	12
No Statement							49	26	23	40	44	4	9	18	0	0	1	7	27	12
Chickenpox	4	4	4	4	3	3	6	4	3	4	4	3	3	4	3	3	4	3	4	3
Measles†	251	388	344	295	346	455	270	450	320	396	507	418	566	323	479	411	411	437	348	365
Epidemic Rose Rash†	-	-	-	-	-	-	3	4	4	3	4	3	6	4	4	3	2	2	2	1
Scarlet Fever	808	660	556	720	650	647	533	505	453	386	225	211	276	218	228	236	164	185	232	167
Typhus*	56	44	39	34	18	20	20	33	29	12	9	7	7	5	4	5	4	4	4	0
Relapsing Fever	2	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
Influenza-	19	8	8	7	11	6	4	618	410	453	521	497	441	462	451	512	504	487	369	439
Whooping-cough	630	456	487	759	534	573	451	618	410	453	521	497	441	462	451	512	504	487	369	439
Mumps	2	3	2	2	2	3	4	3	3	2	3	154	162	170	199	181	178	223	314	295
Diphtheria	147	135	116	141	125	116	123	157	164	193	167	154	162	170	199	181	178	223	314	295
Cerebro-spinal Fever	-	1	2	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Simple and Ill-defined Fever††	107	78	77	73	57	56	44	38	36	30	26	23	18	16	16	13	12	8	0	6
Enteric Fever†	368	305	271	305	226	259	204	212	216	222	162	169	173	153	165	160	152	121	208	134
Other Miasmatic Diseases*	5	1	0	0	-	-	-	-	0	0	0	-	-	-	0	0	0	1	0	0
DIARRHOEAL DISEASES.																				
Cholera	21	21	10	21	7	26	11	11	12	24	10	18	14	8	11	11	9	11	38	7
Diarrhoea, Dysentery	953	854	570	932	419	1081	513	608	504	918	452	834	664	419	594	562	431	464	882	323
MALARIAL DISEASES.																				
Remittent Fever†	2	2	3	3	2	2	10	9	8	6	5	5	3	3	3	3	1	1	1	1
Ague	4	3	5	4	4	3	4	3	3	2	2	2	2	2	2	1	2	1	2	1
ZOOGENOUS DISEASES.																				
Hydrophobia	1	1	1	1	0	0	1	0	0	1	1	0	0	0	1	0	0	0	0	0
Glanders	-	-	0	0	0	-	-	-	-	0	-	0	0	0	0	-	2	0	0	0
Anthrax, Splenic Fever	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2
Cowpox and other Effects of Vaccination*	2	1	1	1	2	2	2	2	2	2	2	2	1	2	2	2	1	2	2	2
VENEREAL DISEASES.																				
Syphilis*	79	80	81	83	75	78	75	79	83	80	74	75	68	65	67	68	62	61	63	61
Gonorrhoea, Stricture of Urethra-	0	-	-	-	0	-	-	0	0	0	0	0	1	1	0	0	1	0	1	0
SEPTIC DISEASES.																				
Phagedæna††	-	-	-	-	-	-	3	3	3	3	3	2	1	3	2	1	2	2	3	2
Erysipelas*	112	86	76	69	64	73	80	85	73	72	67	51	65	53	42	45	41	47	58	42
Pyæmia, Septicæmia	24	20	23	23	24	24	22	19	17	20	17	12	10	13	10	12	10	11	12	10

TABLE 21 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Females.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
PARASITIC DISEASES.*																				
Thrush	608	557	505	678	436	574	399	319	404	395	305	383	289	249	247	250	234	230	221	162
Other Dis. from Vegetable Parasites*	5	1	6	4	2	2	5	3	-	2	2	3	2	2	2	3	-	230	221	-
Hydatid Diseases	22	18	24	31	29	39	28	23	28	29	25	34	24	29	28	29	26	27	35	20
Other Dis. from Animal Parasites*	92	94	109	88	90	90	73	100	71	77	51	68	64	65	62	50	42	51	43	40
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk*	259	235	292	306	287	319	204	199	207	139	116	115	133	146	134	118	148	150	196	121
Scurvy†	-	-	-	-	-	-	8	5	4	2	9	4	5	7	10	7	10	7	4	11
Intemp. { Chronic Alcoholism	216	247	255	288	266	269	347	400	354	379	388	459	471	472	511	661	645	683	782	672
{ Delirium Tremens	70	56	42	49	48	44	44	41	43	47	54	50	57	50	57	68	83	57	58	61
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism } of Heart*	855	781	748	677	660	918	1167	1216	1118	1333	1419	1248	1330	1332	1126	1203	1269	1217	1539	1366
Rheumatism*†	1091	1018	982	1031	1027	723	468	520	544	455	450	485	551	515	482	561	573	575	470	440
Gout†	132	148	152	153	167	162	86	99	118	112	122	101	129	120	107	125	132	113	137	137
Rickets	100	115	152	223	223	259	204	232	239	282	262	331	282	341	428	471	530	593	535	517
Cancer*†	7686	7784	8066	8389	8540	8742	8931	9372	9647	9852	10065	10489	10851	11222	11763	12296	12823	12806	13227	13345
Tabes Mesenterica	4099	3670	3639	4112	3558	4484	3437	3791	3590	3919	3151	3849	3261	3115	3620	3519	3404	3382	3751	2758
Tubercular Meningitis (Acute) } Hydrocephalus†	3229	3167	3273	3493	3416	3656	3060	2989	3079	3131	3086	3120	2907	3021	2997	3066	3188	2957	3062	2960
Phthisis	26075	25332	25188	25913	24849	23870	23202	23781	24587	24049	23379	22830	21598	20743	21027	22317	21425	20100	20032	18886
Other Forms of Tuberculosis, } Scrofula*	1259	1258	1394	1400	1402	1548	1805	1916	2079	2229	2022	2260	2298	2383	2480	2573	2788	2841	2592	2559
Purpura, Hæmorrhagic Diathesis*†	136	156	153	142	143	131	138	183	158	166	150	138	138	149	176	139	167	144	171	181
Anæmia, Chlorosis, Leucocythæmia*	281	336	469	467	543	589	604	681	668	657	688	809	841	961	901	918	1000	966	971	991
Diabetes Mellitus	326	328	343	388	403	435	468	520	531	589	628	656	731	703	774	787	848	869	913	871
Other and Undefined Constitutional Diseases*†	-	-	-	3	3	-	182	208	224	284	252	290	306	313	359	413	456	469	450	419
DEVELOPMENTAL DISEASES.																				
Premature Birth	5069	4998	5075	5204	5174	5415	5334	5539	5558	5736	5574	6028	6182	6120	6330	6719	7326	7233	7590	6847
Atelectasis†	-	-	-	-	-	-	289	291	246	223	292	273	291	370	300	323	375	395	393	407
Cyanosis	328	323	357	371	436	443	411	420	402	377	476	433	365	392	414	413	391	488	417	441
Spina Bifida	301	352	364	343	328	333	367	351	324	344	372	312	346	356	333	309	342	342	345	352
Imperforate Anus	47	55	74	45	61	70	50	62	65	98	74	56	51	41	64	44	61	56	53	66
Cleft Palate, Harelip	46	46	66	76	71	76	84	81	89	73	80	90	79	99	93	75	93	88	112	102
Other Congenital Defects*	127	102	116	122	92	127	116	124	92	117	121	146	117	178	142	178	174	197	261	205
Old Age	16184	14591	14826	15419	16453	14415	14668	14547	16036	15165	15828	16161	15283	15464	15364	16043	16980	16053	15340	14103

* See note *, p. xxxviii.

† See note †, p. xxxviii.

LXIV

TABLE 22 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Females.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
PARASITIC DISEASES.																				
Thrush	49	44	40	53	33	43	30	24	30	28	22	27	20	17	17	17	16	15	14	10
Other Dis. from Vegetable Parasites*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	14	-
Hydatid Disease	2	1	2	2	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	1
Other Dis. from Animal Parasites*	7	7	9	7	7	7	5	7	5	6	4	5	4	4	4	3	3	3	3	3
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk*	21	19	23	24	22	24	15	15	15	10	8	8	9	10	9	8	10	10	13	8
Scurvy†	-	-	-	-	-	-	1	0	0	0	1	0	0	0	1	0	1	0	0	1
Intemp. { Chronic Alcoholism	18	20	20	22	20	20	26	30	26	27	28	32	33	32	35	45	43	45	51	43
{ Delirium Tremens	6	4	3	4	4	3	3	3	3	3	4	4	4	3	4	5	6	4	4	4
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism } of Heart*	69	62	59	53	51	69	87	90	82	96	101	88	93	92	77	81	85	80	100	88
Rheumatism*†	88	81	77	80	79	55	35	38	40	33	32	34	38	35	33	38	38	38	31	28
Gout†	11	12	12	12	13	12	6	7	9	8	9	7	9	8	7	8	9	7	9	9
Rickets	8	9	12	17	17	20	15	17	17	20	19	23	20	23	29	32	35	39	35	33
Cancer*†	693	621	636	653	656	661	668	693	705	710	719	741	758	773	803	830	855	843	863	861
Tabes Mesenterica	332	292	287	320	273	339	257	280	262	282	225	272	228	214	247	237	227	223	245	178
Tubercular Meningitis (Acute) } Hydrocephalus†	262	253	258	272	262	276	229	221	225	226	220	220	203	208	205	207	213	195	200	191
Phthisis	2113	2020	1987	2017	1908	1804	1735	1758	1797	1733	1670	1612	1508	1428	1435	1506	1429	1322	1307	1217
Other Forms of Tuberculosis, } Scrofula*	102	100	110	109	108	117	135	142	152	161	144	160	160	164	169	174	186	187	169	165
Purpura, Hæmorrhagic Diathesis*†	11	12	12	11	11	10	10	14	12	12	11	10	10	10	12	9	11	9	11	12
Anæmia, Chlorosis, Leucocythæmia*	23	27	37	36	42	45	45	50	49	47	49	57	59	66	61	62	67	64	63	64
Diabetes Mellitus	26	26	27	30	31	33	35	38	39	42	45	40	51	48	53	53	57	57	60	56
Other and undefined Constitutional Diseases*†	-	-	-	0	0	-	14	15	16	17	18	20	21	22	25	28	30	31	29	27
DEVELOPMENTAL DISEASES.																				
Premature Births	411	399	400	405	397	409	399	409	406	413	398	426	432	421	432	453	489	476	495	442
Atelectasis†	-	-	-	-	-	-	22	22	18	16	21	19	20	25	20	22	25	26	26	26
Cyanosis	27	26	28	29	33	33	31	31	29	27	34	31	25	27	28	28	26	32	27	28
Spina Bifida	24	28	29	27	25	25	27	26	24	25	27	22	24	25	23	21	23	23	23	23
Imperforate Anus	4	4	6	4	5	5	4	5	5	7	5	4	4	3	4	3	4	4	3	4
Cleft Palate, Harelip	4	4	5	6	5	6	6	6	7	5	6	6	6	7	6	5	6	6	7	7
Other Congenital Defects*	10	8	9	9	7	10	9	9	7	8	9	10	8	12	10	12	12	13	17	13
Old Age	1311	1163	1170	1200	1264	1089	1097	1075	1172	1093	1131	1141	1067	1065	1048	1082	1129	1055	1001	910

* See note *, p. xxxviii.

† See note †, p. xxxviii.

A 87620.

LXV

TABLE 21 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Females.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes*†	2884	2784	2878	3154	3093	3436	3363	3777	3822	3888	3899	4340	4076	4025	3982	4068	3881	3660	3843	3299
Apoplexy†	6677	6688	6867	7115	7301	7414	7148	7186	7638	7894	8149	8473	8552	8733	8647	9051	9627	9299	9174	8725
Softening of Brain	1228	1171	1244	1382	1440	1408	1408	1371	1356	1433	1492	1497	1565	1448	1495	1555	1518	1393	1399	1192
Hemiplegia, Brain Paralysis*†	6353	5839	5855	5976	6254	5739	5807	5316	5397	5057	5006	5103	4840	4859	4563	4663	4670	4311	4076	3524
Paralysis Agitans*	38	42	49	51	66	49	95	56	61	78	102	91	56	87	100	122	134	130	100	113
Insanity, General Paralysis of Insane†	529	512	747	924	926	872	970	870	1234	1159	1119	928	1030	1023	1008	1036	1124	1040	1204	1131
Chorea	82	57	66	65	80	62	78	81	84	79	106	71	78	81	70	80	98	77	88	92
Epilepsy*	1418	1300	1362	1413	1421	1300	1394	1322	1471	1494	1486	1499	1480	1416	1421	1492	1491	1351	1365	1253
Convulsions	11378	11018	10449	10704	10214	10250	9678	10174	9874	10046	9540	9981	9490	9125	9308	9444	9496	8982	9277	7881
Laryngismus Stridulus	213	211	286	315	316	274	246	253	310	290	251	261	262	267	239	242	287	261	253	183
Idiopathic Tetanus†	10	12	10	3	8	8	13	10	10	13	11	10	13	15	16	7	18	8	9	6
Paraplegia, Dis. of Spinal Cord*†	266	301	281	301	313	369	593	639	629	709	744	845	778	822	803	859	912	842	839	850
Other and undefined Diseases of Brain or Nervous System*†	1696	1446	1437	1555	1503	1418	1821	1909	2142	2104	2011	1943	2080	2097	1801	1592	1635	1520	1729	1429
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhoea	60	58	102	116	106	115	156	198	168	163	193	195	184	218	204	253	251	265	324	344
Epistaxis and Dis. of Nose	33	21	24	34	34	27	35	29	43	42	29	44	54	36	43	29	38	36	45	44
Ophthalmia and Dis. of Eye	20	21	19	25	25	28	30	26	24	30	28	34	42	25	31	16	27	23	26	32
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease*†	137	139	129	113	128	147	2780	2895	3083	3326	3712	3770	3901	4014	4078	4505	5006	4781	4887	4915
Pericarditis*	240	187	203	173	206	174	190	199	207	215	225	228	228	227	176	274	305	262	283	252
Hypertrophy of Heart	248	224	231	256	229	196	172	164	185	174	164	148	141	157	144	127	148	128	110	98
Angina Pectoris	156	160	154	183	213	187	231	233	246	245	199	199	246	264	256	242	272	226	237	243
Syncope	825	828	1072	1087	1212	1162	678	706	928	761	819	819	1051	896	922	1250	1301	943	770	700
Aneurism	159	181	187	193	178	183	173	191	167	191	216	194	170	180	195	174	185	180	198	191
Senile Gangrene	293	266	220	279	308	246	307	308	491	503	607	657	629	612	611	640	717	603	531	600
Embolism, Thrombosis	131	160	249	304	391	382	382	411	437	438	516	548	605	672	665	604	578	619	689	674
Phlebitis	78	57	55	70	66	64	71	76	70	89	90	69	94	75	74	88	99	104	99	76
Varicose Veins*	32	37	40	47	67	55	55	66	56	57	65	50	55	52	68	54	72	78	78	64
Other and undefined Diseases of Heart or Circulatory System*†	14813	14466	15292	15823	17006	15229	13352	13750	14798	15005	16740	17106	17317	17815	17539	18414	19404	17998	17491	16464

* See note *, p. xxxviii. † See note †, p. xxxviii. ‡ Exclusive of cases in which "Tetanus" was stated to be the result of injury.

TABLE 22 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Females.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes*†	234	222	227	245	238	260	252	279	279	280	279	307	285	277	272	274	259	241	251	213
Apoplexy†	541	533	542	554	561	560	535	531	559	569	582	598	597	601	591	612	642	612	599	563
Softening of Brain	100	93	98	108	111	106	105	101	99	103	107	106	109	100	102	105	101	92	91	77
Hemiplegia, Brain Paralysis*†	515	465	462	465	480	434	397	393	394	364	358	360	338	335	311	315	312	284	266	227
Paralysis Agitans*	3	3	4	4	5	4	7	4	4	6	7	6	4	6	7	8	9	9	7	7
Insanity, General Paralysis of Insane†	43	41	59	72	71	66	73	64	90	84	80	66	72	70	69	70	75	68	79	73
Chorea	7	5	5	5	6	5	6	6	6	6	8	5	5	6	5	5	7	5	6	6
Epilepsy*	115	104	107	110	109	98	104	98	108	108	106	106	103	97	97	101	99	89	89	81
Convulsions	923	879	824	833	784	775	724	752	722	724	681	705	663	628	635	637	633	591	605	509
Laryngismus Stridulus	17	17	23	25	24	21	18	19	23	21	18	18	18	18	16	16	19	17	17	12
Idiopathic Tetanus†	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	0
Paraplegia, Diseases of Spinal Cord*†	22	24	22	23	24	28	44	47	46	51	53	60	54	57	55	58	61	55	55	55
Other and undefined Diseases of Brain or Nervous System*†	137	115	113	121	115	107	136	141	157	152	144	137	145	144	123	107	109	100	113	92
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhoea	5	5	8	9	8	9	12	15	12	12	14	14	13	15	14	17	17	17	21	22
Epistaxis and Dis. of Nose	3	2	2	3	3	2	3	2	3	3	2	3	4	2	3	2	3	2	3	3
Ophthalmia and Dis. of Eye	2	2	1	2	2	2	2	2	2	2	2	2	3	2	2	1	2	2	2	2
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease*†	11	11	10	9	10	11	208	214	225	240	265	266	272	276	278	304	334	315	319	317
Pericarditis*	19	15	16	13	16	13	14	15	15	15	16	16	16	16	12	18	20	17	18	16
Hypertrophy of Heart	20	18	18	20	18	15	13	12	14	13	12	10	10	11	10	9	10	8	7	6
Angina Pectoris	13	13	12	14	16	14	15	17	17	18	18	14	17	18	17	16	18	15	16	16
Syncope	67	66	85	85	93	88	51	50	52	67	54	58	73	62	63	84	87	62	50	45
Aneurism	13	14	15	14	14	14	13	14	12	14	15	14	12	12	13	12	12	12	13	12
Senile Gangrene	24	21	17	22	24	19	23	23	36	36	43	39	44	46	45	41	39	41	45	43
Embolism, Thrombosis	11	13	20	24	30	29	29	30	32	32	37	39	42	46	45	6	7	7	6	5
Phlebitis	6	5	4	5	5	5	5	6	5	6	6	5	7	5	5	5	5	5	5	4
Varicose Veins*	3	3	3	4	5	4	4	5	4	4	5	4	4	4	4	4	4	5	5	4
Other and undefined Diseases of Heart or Circulatory System*†	1200	1153	1206	1232	1306	1151	998	1017	1082	1081	1106	1208	1209	1226	1197	1242	1294	1184	1142	1063

* See note *, p. xxxviii.

† See note †, p. xxxviii.

‡ See note on preceding page.

TABLE 21 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Females.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis*	672	548	449	491	463	426	520	660	685	750	737	692	765	730	664	718	637	634	767	634
Croup	2095	1942	1810	1863	1642	1666	1698	2165	2127	2166	1957	1678	1887	1661	1513	1885	1246	1018	949	803
Other Dis. of Larynx and Trachea*	30	20	9	15	28	20	100	105	104	96	66	71	79	84	70	70	57	64	67	54
Emphysema, Asthma	1514	1120	989	1057	1197	857	1101	996	1069	956	1076	1090	1026	1002	876	1047	1302	1210	918	887
Bronchitis	31181	26156	26182	30079	35824	28322	27496	28535	28926	25965	30181	30957	29575	28466	27824	33418	37623	33787	28951	24700
Pneumonia	11193	10407	10024	10632	11453	10560	9897	11068	11813	11059	12384	12005	13166	12729	12428	16235	17467	15660	16144	13972
Pleurisy	620	527	424	494	592	520	549	571	653	628	739	598	676	628	528	733	792	677	736	592
Other and undefined Diseases of Respiratory System*†	2633	2349	2376	2516	2670	2502	1963	1981	2212	2172	2441	2335	2293	2124	1953	2187	2426	2139	1935	1663
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis (Dis. of Mouth)*†	186	231	231	257	236	265	188	234	227	297	253	258	284	251	308	242	259	243	337	247
Dentition	2368	2192	2010	2067	1864	1871	2072	2042	2112	2215	2065	2203	1880	1831	1956	2080	2107	1891	1860	1594
Sore-throat, Quinsy*	102	84	122	155	144	186	279	318	327	354	309	287	334	283	290	360	328	296	326	273
Dyspepsia*	151	147	189	190	190	231	215	250	240	278	231	266	295	219	279	295	280	281	325	305
Hæmatemesis*	158	148	144	137	137	145	135	151	189	170	162	160	137	145	150	148	130	116	129	102
Melæna	69	71	71	49	76	60	58	67	69	79	75	77	85	73	60	50	56	59	64	47
Diseases of Stomach*†	591	560	530	549	571	590	1352	1368	1316	1485	1490	1874	1874	1792	1896	2221	2251	2330	2605	2446
Enteritis*	1366	1349	1233	1380	1258	1515	1369	1450	1471	1621	1476	1927	1848	1740	2227	2578	2526	2727	4062	2835
Ulceration of Intestine†	653	656	625	619	604	649	199	199	387	373	339	286	225	187	246	172	168	172	165	170
Ileus, Obstruction of Intestine	808	781	824	790	889	919	874	897	917	914	979	976	1003	1030	1059	1024	1107	1014	1073	1108
Stricture or Strangulation of Intestine†	198	189	200	196	211	229	120	118	119	104	107	121	107	86	118	83	69	65	76	54
Intussusception of Intestine -	205	198	197	190	197	200	186	194	184	181	210	210	166	191	204	155	177	181	195	157
Hernia -	555	549	529	582	573	581	560	547	551	585	557	599	612	601	676	638	657	686	719	596
Fistula -	28	45	38	26	31	29	18	20	36	41	36	40	27	24	37	23	27	28	19	21
Peritonitis -	1334	1221	1101	1064	1129	1216	1158	1066	1260	1295	1255	1254	1205	1216	1256	1340	1431	1205	1394	1126
Ascites -	323	346	301	290	278	280	266	287	257	226	225	223	174	152	152	160	108	106	112	80
Gallstones -	65	82	104	115	120	133	156	147	138	141	160	148	205	194	194	224	179	197	212	298
Cirrhosis of Liver -	971	1076	1180	1185	1202	1231	1319	1323	1357	1508	1477	1531	1455	1454	1505	1561	1552	1580	1577	1490
Other Diseases of Liver*	4121	3900	3652	3825	3510	3441	3209	3359	3206	3077	3054	3004	2815	2536	2535	2350	2256	2071	2063	1795
Other and undefined Diseases of Digestive System*†	1035	1000	1111	1106	959	1035	539	569	481	362	276	282	310	407	339	348	326	281	322	280
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen -	41	42	67	54	60	77	59	57	68	65	69	59	46	44	60	49	45	47	52	41
Diseases of Lymphatic System*	5	7	12	34	31	26	87	104	50	76	65	76	74	103	104	78	98	117	106	105
Diseases of Thyroid Body -	46	55	62	78	68	67	70	88	80	92	97	100	112	109	126	142	132	140	213	166
Diseases of Supra-Renal Capsules -	52	49	41	62	62	55	53	74	79	77	79	66	77	77	75	72	83	74	85	74

* See note *, p. xxxviii.

† See note †, p. xxxviii.

lxviii

TABLE 22 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Females.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis*	54	44	35	38	36	32	39	49	50	54	53	49	53	50	45	48	42	42	50	41
Croup	170	155	143	145	126	126	127	160	155	156	140	119	132	114	103	93	83	67	62	52
Other Dis. of Larynx and Trachea*	2	2	1	1	2	2	7	8	8	7	5	5	6	6	5	5	4	4	4	3
Emphysema, Asthma	123	89	78	82	92	65	82	74	78	69	77	71	72	69	60	71	87	80	60	57
Bronchitis	2527	2085	2065	2341	2751	2140	2056	2110	2114	1871	2156	2186	2065	1960	1899	2255	2510	2223	1890	1594
Pneumonia	907	830	791	828	880	798	740	818	863	797	885	848	919	876	848	1095	1165	1030	1053	902
Pleurisy	50	42	33	38	45	39	41	42	48	45	53	42	47	43	36	49	53	45	48	38
Other and undefined Diseases of Respiratory System*†	213	187	187	196	205	189	147	146	162	157	174	165	160	146	133	148	162	141	126	107
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis (Dis. of Mouth)*†	15	18	18	20	18	20	14	17	17	21	18	18	20	17	21	16	17	16	22	16
Dentition	192	175	159	161	143	141	155	151	154	160	148	156	131	126	133	140	141	124	121	103
Sore-throat, Quinsy*	8	7	10	12	11	14	21	24	24	26	22	20	23	18	20	24	22	19	21	18
Dyspepsia*	12	12	15	15	15	17	16	18	18	20	17	19	21	15	19	20	19	18	21	20
Hæmatemesis*	13	12	11	11	11	11	10	11	14	12	12	11	10	10	10	10	9	8	8	7
Melæna	6	6	6	4	6	5	4	5	5	5	5	5	6	5	4	3	4	4	4	3
Diseases of Stomach*†	48	45	42	43	44	45	101	101	96	107	106	132	131	123	129	150	150	154	171	158
Enteritis*	111	108	97	107	97	114	102	107	108	117	105	136	129	120	152	175	168	180	266	183
Ulceration of Intestine†	53	52	49	48	46	49	15	15	28	27	24	20	16	13	17	12	11	11	11	11
Ileus, Obstruction of Intestine	65	62	65	61	68	69	65	66	67	66	70	69	70	71	72	69	74	67	70	72
Stricture or Strangulation of Intestine†	16	15	16	15	16	17	9	9	9	7	8	9	7	6	8	6	5	4	5	3
Intussusception of Intestine -	17	16	16	15	15	15	14	14	13	13	15	15	12	13	14	10	12	12	13	10
Hernia -	45	44	42	45	44	44	42	40	40	42	40	42	43	41	40	43	44	45	47	38
Fistula -	2	4	3	2	2	2	1	1	3	3	3	3	2	1	3	2	2	2	1	1
Peritonitis -	108	97	87	83	87	92	87	79	92	93	90	89	84	84	86	90	95	79	91	73
Ascites -	26	28	24	23	21	21	20	21	19	16	16	16	12	10	10	11	7	7	7	5
Gallstones -	5	7	8	9	9	10	12	11	10	10	11	10	14	13	13	15	12	13	14	19
Cirrhosis of Liver -	79	86	93	92	92	93	99	98	99	109	106	108	102	100	103	105	104	104	103	96
Other Diseases of Liver*	334	311	288	298	270	260	240	248	234	222	218	212	197	175	173	159	150	136	134	116
Other and undefined Diseases of Digestive System*†	84	80																		

TABLE 21 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Females.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	397	419	365	366	485	460	456	484	538	503	539	540	528	598	621	752	756	771	810	850
Bright's Disease, Albuminuria	1651	1757	2071	2070	2217	2105	2265	2427	2814	2848	2984	3130	3086	3180	3215	3270	3462	3385	3464	3424
Uræmia	114	111	136	146	172	191	204	207	204	205	205	242	197	241	248	222	241	241	231	209
Suppression of Urine	46	48	42	55	42	40	45	54	78	50	42	63	47	42	37	36	47	32	39	33
Calculus	34	33	39	42	39	35	40	52	52	46	49	47	49	55	59	46	61	66	55	53
Hæmaturia	41	30	41	36	42	20	34	51	40	50	36	41	46	38	24	29	32	24	32	24
Diseases of Bladder and Prostate*	150	150	145	170	159	175	220	196	232	201	206	252	221	221	231	213	220	240	236	253
Other and undefined Diseases of Urinary System*	642	561	412	372	411	379	338	339	566	551	481	439	535	422	363	359	416	356	287	239
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease*	415	400	451	466	343	384	591	542	572	598	567	589	600	558	498	494	536	499	506	435
Diseases of Uterus and Vagina**	851	787	833	835	900	743	701	647	669	683	700	680	678	614	617	648	648	675	723	734
Disorders of Menstruation*	107	97	90	112	104	84	98	98	91	94	73	63	85	84	81	87	77	63	71	76
Pelvic Abscess	70	53	45	61	62	62	115	106	99	175	154	158	164	165	155	159	135	101	64	61
Perineal Abscess	11	3	7	3	7	6	2	2	6	3	6	1	8	11	7	3	4	1	-	-
Dis. of Testes, Penis, Scrotum, &c.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage	186	139	126	152	107	82	168	169	83	96	104	107	80	88	88	185	228	255	161	160
Puerperal Mania	85	132	92	99	89	83	100	109	101	114	97	71	84	70	87	87	105	77	83	76
Puerperal Convulsions	443	387	359	351	382	381	391	407	329	352	412	335	336	362	313	296	373	333	376	350
Placenta Prævia, Flooding	792	851	706	698	703	721	763	743	794	762	852	774	738	763	726	700	778	806	803	780
Phlegmasia Dolens	83	90	105	74	69	68	76	77	85	112	114	82	71	71	57	60	96	83	71	90
Other and undefined Accidents of Childbirth*	971	797	611	511	526	498	442	455	500	443	450	430	401	420	462	971	1234	1284	1433	1152
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis*	357	364	415	451	406	379	396	419	418	452	439	454	446	423	449	412	468	405	424	403
Arthritis, Ostitis, Periostitis	62	50	70	52	62	59	64	66	94	70	105	101	74	102	87	116	117	113	145	114
Other and undefined Diseases of Organs of Locomotion*	623	657	660	753	694	694	563	578	614	558	518	545	576	489	496	461	401	355	260	246
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle	71	67	86	62	83	73	68	48	58	50	64	48	52	41	61	59	56	67	55	40
Phlegmon, Cellulitis*	112	132	199	190	167	153	68	99	106	116	105	110	114	145	95	144	117	150	208	145
Lupus	50	48	32	37	48	39	42	35	42	45	36	54	55	53	47	40	60	53	38	38
Ulcer, Bedsore*	404	340	352	374	361	339	326	332	380	359	336	389	374	371	349	352	365	378	359	368
Eczema	132	103	136	154	125	140	128	155	144	164	152	183	159	146	162	154	180	188	205	148
Pemphigus	23	28	21	23	29	32	28	50	34	43	34	35	32	46	61	49	59	44	67	58
Other and undefined Diseases of Integumentary System*	126	129	136	125	110	102	107	106	115	116	101	116	106	88	108	109	94	100	112	118

* See note *, p. xxxviii.

† See note †, p. xxxviii.

TABLE 22 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Females.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	32	33	29	28	37	35	34	36	39	36	39	38	37	41	42	51	50	51	53	55
Bright's Disease, Albuminuria	134	140	163	161	170	159	169	179	206	205	213	221	215	219	210	221	231	223	220	221
Uræmia	9	9	11	11	13	14	15	15	15	15	15	17	14	17	17	15	16	16	15	13
Suppression of Urine	4	4	3	4	3	3	3	4	6	4	3	4	3	3	3	2	3	2	3	2
Calculus	3	3	3	3	3	3	4	4	4	3	4	3	3	4	4	3	4	4	4	3
Hæmaturia	3	2	3	3	3	2	3	4	3	4	3	3	3	3	2	2	2	2	2	2
Diseases of Bladder and of Prostate*	12	12	11	13	12	13	16	14	17	14	15	18	15	15	16	14	15	16	15	16
Other and undefined Diseases of Urinary System*	52	45	33	29	32	29	25	25	41	40	34	31	37	29	25	24	28	23	19	15
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease*	34	32	36	36	26	29	44	40	42	43	41	42	42	38	34	33	36	33	33	28
Diseases of Uterus and Vagina**	69	63	66	65	69	56	52	48	49	49	50	48	47	42	42	44	43	44	47	47
Disorders of Menstruation*	9	8	7	9	8	6	7	7	7	7	5	4	6	6	6	6	5	4	5	5
Pelvic Abscess	6	4	4	5	5	5	9	8	7	13	11	11	11	11	11	11	9	7	4	4
Perineal Abscess	1	0	1	0	1	0	0	0	0	0	0	0	1	1	0	0	0	0	1	1
Dis. of Testes, Penis, Scrotum, &c.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage	15	11	10	12	8	6	13	12	6	7	7	8	6	6	6	12	15	17	10	10
Puerperal Mania	7	11	7	8	7	6	7	8	7	8	7	5	6	5	6	6	7	5	5	5
Puerperal Convulsions	36	31	28	27	29	29	29	30	24	25	29	24	23	25	21	20	25	22	25	23
Placenta Prævia, Flooding	64	68	56	54	54	54	57	55	58	55	61	55	52	53	50	47	52	53	52	50
Phlegmasia Dolens	7	7	8	6	5	5	6	6	6	8	8	6	5	5	4	4	6	5	5	6
Other and undefined Accidents of Childbirth*	79	64	48	40	40	38	33	34	37	32	32	30	28	29	32	66	82	83	94	74
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis*	29	29	33	35	31	29	30	31	31	33	31	32	31	29	31	28	31	27	28	26
Arthritis, Ostitis, Periostitis	5	4	6	4	5	4	5	5	7	5	8	7	5	7	6	8	8	7	9	7
Other and undefined Diseases of Organs of Locomotion*	50	52	52	59	53	52	42	43	45	40	37	38	40	34	34	31	27	23	17	16
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle	6	5	7	5	6	6	5	4	4	4	5	3	4	3	4	4	4	4	4	3
Phlegmon, Cellulitis*	9	11	16	15	13	12	5	7	8	8	8	8	8	10	6	10	8	10	14	9
Lupus	4	4	3	3	4	3	3	3	3	3	3	4	4	4	3	3	4	3	2	2
Ulcer, Bedsore*	4	4	3	3	4	3	4	3	4	3	3	27	26	20	24	24	24	25	23	24
Eczema	33	27	28	29	28	26	24	25	28	26	24	13	11	10	11	10	12	12	13	10
Pemphigus	11	8	11	12	10	11	10	11	11	12	11	2	2	3	4	3	4	3	4	4
Other and undefined Diseases of Integumentary System*	10	10	11	10	8	8	8	8	8	8	7	8	7	6	7	7	6	7	7	8

* See note *, p. xxxviii.

† See note †, p. xxxviii.

TABLE 21 (continued).—ENGLAND.—Deaths from Various Causes, 1875-94.—Females.

CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
ACCIDENT OR NEGLIGENCE.																				
In Mines and Quarries - - -																				
Vehicles and Horses - - -																	1	1	1	1
Ships, Boats, and Docks (not Drowning) - - - - -																	326	325	296	289
Building Operations - - -																	1	2	1	-
Machinery - - - - -																	-	-	-	-
Weapons and Implements - - -																	11	15	17	13
Burns and Scalds - - - - -	4402	4053	4010	4547	4108	3946	4290	3944	4172	4104	4132	4048	4415	4362	4235	4663	48	58	46	17
Poison, Poisonous Vapours - - -																	1202	1300	1290	1186
Drowning - - - - -																	166	174	197	189
Suffocation - - - - -																	435	406	404	417
Falls - - - - -																	1103	986	1021	*975
Weather Agencies - - - - -																	980	966	1089	1015
Otherwise or not stated - - -																	66	65	89	37
																	550	535	590	542
Homicide - - - - -	144	177	142	168	142	142	166	149	134	148	137	130	171	146	131	126	157	147	152	136
Suicide - - - - -	417	458	388	465	516	483	479	519	517	493	478	560	559	576	544	570	620	676	659	677
Execution - - - - -	1	-	-	1	3	-	-	-	1	3	-	1	1	-	-	-	1	-	-	1
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy* - - - - -	1878	1664	1602	1522	1415	1271	1148	1089	1119	501	262	200	195	199	167	170	162	152	126	118
Debility, Atrophy, Inanition* - -	13893	13276	12481	13188	12212	13193	10503	10840	11355	11612	10243	11037	10077	9416	9703	10003	9861	9585	10328	8287
Mortification*† - - - - -	297	273	282	273	281	275	256	215	119	90	76	35	47	29	18	30	33	31	17	23
Tumour } - - - - -							241	229	246	269	228	240	117	86	98	100	79	90	74	78
Abscess } - - - - -	278	202	144	184	139	144	311	351	328	344	326	318	321	285	307	297	272	294	277	232
Hæmorrhage† - - - - -							70	70	72	62	70	59	74	42	52	62	45	56	75	58
Sudden Deaths (Cause unascertained) - - - - -	1220	1075	1108	1032	1113	910	133	128	165	202	185	178	198	159	155	194	141	172	151	121
Other ill-defined and not specified Causes* - - - - -	1296	905	734	626	602	506	1578	1426	1637	1540	1403	1370	1358	1227	1171	1168	1142	989	835	762

* See note *, p. xxxviii.

† See note †, p. xxxviii.

1111

TABLE 22 (continued).—ENGLAND.—Annual Death-rates from Various Causes, to a Million Persons living, 1875-94.—Females.

CAUSES OF DEATH.*	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	1894.
ACCIDENT OR NEGLIGENCE.																				
In Mines and Quarries - - -																				
Vehicles and Horses - - -																				
Ships, Boats, and Docks (not Drowning) - - - - -																				
Building Operations - - -																				
Machinery - - - - -																				
Weapons and Implements - - -																				
Burns and Scalds - - - - -	357	323	316	354	315	298	321	292	305	96	295	286	308	302	289	315	31	31	31	31
Poison, Poisonous Vapours - - -																				
Drowning - - - - -																				
Suffocation - - - - -																				
Falls - - - - -																				
Weather Agencies - - - - -																				
Otherwise or not stated - - -																				
Homicide - - - - -	12	14	11	13	11	11	12	11	10	11	10	9	12	10	9	9	10	10	10	9
Suicide - - - - -	34	37	31	36	40	36	36	38	38	36	34	40	39	40	37	38	41	44	43	44
Execution - - - - -	0	-	-	0	0	-	-	-	0	0	-	0	0	-	-	-	0	-	-	0
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy* - - - - -	152	133	126	118	109	96	86	81	82	36	19	14	14	14	11	11	11	10	8	8
Debility, Atrophy, Inanition* - -	1126	1059	985	1026	938	997	786	801	830	837	732	780	704	648	662	675	656	631	674	535
Mortification*† - - - - -	24	22	22	21	22	21	19	16	9	6	5	2	3	2	1	2	2	2	1	1
Tumour } - - - - -							18	17	18	19	16	17	8	6	7	5	5	6	5	5
Abscess } - - - - -	23	16	11	14	11	11	23	26	24	25	23	22	22	20	21	20	18	19	18	15
Hæmorrhage† - - - - -							5	5	5	4	5	4	5	3	4	4	3	4	5	4
Sudden Deaths (Cause unascertained) - - - - -	99	86	87	80	85	69	10	9	12	15	13	13	14	11	11	13	9	11	10	8
Other ill-defined and not specified Causes* - - - - -	108	69	60	52	49	37	117	109	118	112	94	102	101	84	79	80	76	65	54	52

* For note *, see page xxxviii.

† For note †, see page xxxviii.

1111

Appendix to Tables 17-22.—(Alphabetical List of Diseases affected by the Changes of Classification introduced in 1881.)

(For explanation of the marks * and †, see pp. x-xi.)

Reference Number.	Name of Disease.	Heading to which referred in Annual Reports to 1880 (inclusive).		Heading to which referred since 1880.
		In Shorter List.	In Extended List and in Supplementary Table.	
1	Abortion	Childbirth	Abortion	Abortion, Miscarriage.
2	"Abscess"	Causes ill-defined, or not specified.	Abscess, Tumour	Abscess.
3	Addison's Disease	Kidney Disease, &c.	Addison's Disease	Dis. of Supra-Renal Capsules.
4	Adenitis	Scrofula	Adenitis	Dis. of Lymphatic System.
	<i>Amaurosis.</i> See 40*.			
5	Anæmia	Dropsy	Anæmia and Leucocythæmia.	Anæmia, Chlorosis, Leucocythæmia.
6	Angina Pectoris	Heart Disease, &c.	Angina Pectoris	Angina Pectoris.
7	Anus, Imperforate	Other Malformations	Anus Imperforatus	Imperforate Anus.
	<i>Apoplexy.</i> See 13†.			
8	Atelectasis	Lung Disease, &c.	Lung Disease (undistinguished).	Atelectasis.
9	Bedsore	Mortification	Bedsore	Ulcer, Bedsore.
10	Bladder, Catarrh of	Cystitis	Catarrh of the Bladder	Dis. of Bladder and of Prostate.
11	Bladder, Disease of	Kidney Disease, &c.	Bladder Disease	Dis. of Bladder and of Prostate.
12	Bowels, Obstruction of	Ileus	Obstruction of Bowels	Ileus, Obstruction of Intestine.
13	Brain, Congestion of	Apoplexy	Apoplexy	Other Dis. of Nervous System.
14	Brain Fever	Simple Continued Fever	Simple Continued Fever	Inflammation of Brain or its Membranes.
	<i>Brain, Inflammation of</i> See 85* (14, 22)†.			
15	Breast Abscess	Childbirth	Breast Abscess	Other Accidents of Childbirth.
	<i>Breast Milk, Want of</i> See <i>Starvation, Want of Breast Milk.</i>			
16	Bronchocele	Purpura and Scurvy	Bronchocele	Dis. of Thyroid Body.
17	Cæsarian Operation	Childbirth	Cæsarian Operation	Other Accidents of Childbirth.
	<i>Calculus.</i> See 52.			
	<i>Cancer.</i> See 45, 81, 133, (77, 113)*, 41†.			
18	Cancrum Oris	Cancrum Oris (Noma)	Cancrum Oris (Noma)	Stomatitis (Dis. of Mouth).
19	Carditis	Pericarditis	Carditis	Endocarditis, Valvular Disease.
20	Caries, Necrosis	Joint Disease, &c.	Caries and Necrosis	Caries, Necrosis.
	<i>Cataract.</i> See 40*.			
	<i>Cephalitis.</i> See <i>Brain, Inflammation of.</i>			
21	Cerebro-spinal Fever	Typhus Fever	Cerebro-spinal Fever	Cerebro-spinal Fever.
22	Cerebro-spinal Meningitis	Cephalitis	Myelitis	Inflammation of Brain or its Membranes.
	<i>Charbon.</i> See 135.			
23	Chickenpox	(Small-pox until 1875, other Zymotic Diseases from 1876 to 1880, inclusive.)	Chicken-pox	Chicken pox.
	<i>Childbirth, Other Accidents of.</i> See 43, 102, 111, 146, (1, 15, 17, 42, 83, 108, 110, 117, 118)*.			
24	Chlorosis	Paramenia	Chlorosis	Anæmia, Chlorosis, Leucocythæmia.

APPENDIX to TABLES 17-22—continued.

Reference Number.	Name of Disease.	Heading to which referred in Annual Reports to 1880 (inclusive).		Heading to which referred since 1880.
		In Shorter List.	In Extended List and in Supplementary Table.	
	<i>Circulatory System, Other Dis. of</i> See (6, 34, 59, 66, 86, 107, 109, 139, 142, 148)*, (57, 147)†.			
25	Cirrhosis of Liver	Liver Disease, &c.	Cirrhosis	Cirrhosis of Liver.
26	Cleft Palate	Other Malformations	Cleft Palate	Cleft Palate, Harelip.
	<i>Constitutional Dis., Other</i> See 28* (124, 126)†.			
27	Cowpox	Other Zymotic Diseases	Cowpox	Cowpox and other effects of Vaccination.
28	Cretinism	Purpura and Scurvy	Cretinism	Other Constitutional Diseases.
29	Cynanche Maligna	Diphtheria	Cynanche Maligna	Diphtheria.
30	Cystitis	Cystitis	Cystitis	Dis. of Bladder and of Prostate.
	<i>Debility, Atrophy, Inanition.</i> See 70*.			
	<i>Defects, Other Congenital</i> See (7, 26, 58, 86)*.			
31	Digestive System, other Dis. of	Stomach Dis., &c.	Stomach Dis. (undistinguished).	Other Dis. of Digestive System.
	See also 98*, 92†.			
	<i>Diphtheria.</i> See 29.			
	<i>Dropsy.</i> See (5, 66, 74)*.			
32	Dyspepsia	Stomach Disease, &c.	Dyspepsia	Dyspepsia.
	See also 121*.			
33	Eczema	Skin Disease, &c.	Eczema	Eczema.
34	Embolism	Heart Disease, &c.	Embolism and Thrombosis.	Embolism, Thrombosis.
35	Empyema	Pleurisy	Empyema	Pleurisy.
36	Endocarditis	Pericarditis	Endocarditis	Endocarditis, Valvular Disease.
	See also 19*, 147†.			
	<i>Enteric Fever.</i> See 123†.			
	<i>Enteritis.</i> See (50, 91, 106, 137)*.			
	<i>Epidemic Rose Rash.</i> See 129†.			
	<i>Epilepsy.</i> See 67*.			
37	Epistaxis	Lung Disease, &c.	Epistaxis	Epistaxis and Dis. of Nose.
	<i>Erysipelas.</i> See 38*.			
38	Erysipelas after Vaccination.	Erysipelas	Erysipelas after Vaccination.	Cowpox and other effects of Vaccination.
39	Erythema	Other Zymotic Diseases	Erythema	Other Dis. of Integumentary System.
40	Eye, Diseases of	Brain Disease, &c.	{ Ophthalmia. Cataract. Amaurosis. Glaucoma. }	Ophthalmia and Dis. of Eye.
41	Fibroid Tumour	Cancer	Cancer	Tumour (if localised, classed to organ affected).
42	Flooding	Childbirth	Flooding	Placenta Prævia, Flooding.
43	Fœtation, Extra-Uterine	Childbirth	Extra-uterine Fœtation	Other accidents of Childbirth.
44	Fright, Grief, Rage	Insanity	{ Fright. Grief. Rage. }	Other Dis. of Nervous System.
45	Fungus Hæmatodes	Cancer	Fungus Hæmatodes	Cancer.
46	Gallstones	Jaundice	Gallstone	Gallstones.
47	Gangræna Senilis	Mortification	Gangræna Senilis	Senile Gangrene.
48	Gastritis	Gastritis	Gastritis	Dis. of Stomach.
49	General Paralysis	Paralysis	Paralysis	Insanity, General Paralysis of Insane.
	<i>Glaucoma.</i> See 40*.			
50	Glossitis	Enteritis	Glossitis	Stomatitis (Dis. of Mouth).
	<i>Gout.</i> See 126†.			

Reference Number.	Name of Disease.	Heading to which referred in Annual Reports to 1880 (inclusive).		Heading to which referred since 1880.
		In Shorter List.	In Extended List and in Supplementary Table.	
51	Gonorrhœa - - -	Syphilis - - -	Gonorrhœa - - -	Gonorrhœa, Stricture of Urethra.
52	Gravel - - - <i>Grief. See 44.</i>	Calculus (Stone) - - -	Gravel - - -	Calculus.
53	Hæmatemesis - - -	Stomach Disease, &c. - - -	Hæmatemesis - - -	Hæmatemesis.
54	Hæmatocele - - -	Uterus Disease, &c. - - -	Hæmatocele - - -	<i>In Males</i> —Dis. of Testes, Penis, Scrotum, &c. <i>In Females</i> —Dis. of Uterus and Vagina.
55	Hæmaturia - - -	Kidney Disease, &c. - - -	Hæmaturia - - -	Hæmaturia.
56	Hæmoptysis - - -	Phthisis - - -	Hæmoptysis - - -	Phthisis.
57	Hæmorrhage - - -	Heart Disease, &c. - - -	Heart Disease (undistinguished).	Hæmorrhage.
58	Harelip - - -	Other Malformations - - -	Hare Lip - - -	Cleft Palate, Harelip.
59	Heart, Hypertrophy of	Heart Disease, &c. - - -	Hypertrophy of Heart	Hypertrophy of Heart.
60	Hemiplegia - - - <i>See also 133* (49, 100)†.</i>	Paralysis - - -	Paralysis - - -	Hemiplegia, Brain Paralysis.
61	Hepatitis - - -	Hepatitis - - -	Hepatitis - - -	Other Dis. of Liver.
62	Hospital Gangrene - - -	Other Zymotic Diseases	Hospital Gangrene - - -	Phagedæna.
63	Hydatid Disease - - -	Worms, &c. - - -	Hydatids - - -	Hydatid Disease.
64	Hydrocele - - -	Uterus Disease, &c. - - -	Hydrocele - - -	Diseases of Testes, Penis, Scrotum, &c.
65	Hydrocephalus (chronic) - - -	Hydrocephalus - - -	Hydrocephalus (Tubercular Meningitis).	Other Dis. of Nervous System.
66	Hydropericardium - - -	Dropsy - - -	Hydropericardium - - -	Other Dis. of Circulatory System.
67	Hysteria - - -	Epilepsy - - -	Hysteria - - -	Other Dis. of Nervous System.
68	Hysteritis - - -	Uterus Disease, &c. - - -	Hysteritis - - -	Dis. of Uterus and Vagina.
69	Idiopathic Tetanus - - - <i>Ileus, Obstruction of Intestine. See 12.</i> <i>Ill-defined and not specified causes. (See 2, 144)*.</i>	Brain Disease, &c. - - -	Idiopathic Tetanus - - -	Idiopathic Tetanus.
70	Inanition of Infancy - - - <i>Insanity, G. P. of Insane. See 80, 44*, 49†.</i> <i>Integumentary System, Other Dis. of See (33, 39, 103, 149)*.</i>	Want of Breast Milk - - -	Inanition of Infancy - - -	Debility, Atrophy, Inanition.
71	Intestine, Perforation of <i>Intestine, Stricture or Strangulation of See 92†.</i> <i>Intestine, Ulceration of See 71, 136†.</i>	Ulceration of Intestines	Perforation of Intestines.	Ulceration of Intestine.
72	Jaundice - - -	Jaundice - - -	Jaundice - - -	Other Dis. of Liver.
73	Laryngismus Stridulus - - - <i>Laryngitis See (73, 90)*.</i> <i>Larynx and Trachea, Other Dis. of See 90*.</i>	Laryngitis - - -	Laryngismus Stridulus	Laryngismus Stridulus.
74	Leucocythæmia - - - <i>Liver, Other Diseases of See (25, 61, 72)*.</i> <i>Locomotive System, Other Diseases of See 20*.</i>	Dropsy - - -	Anæmia and Leucocythæmia.	Anæmia, Chlorosis, Leucocythæmia.
75	Lumbar Abscess - - -	Scrofula - - -	Psoas and Lumbar Abscess.	Caries, Neerosis.
76	Lungs, Congestion of - - -	Lung Disease, &c. - - -	Congestion of Lungs - - -	Other Dis. of Respiratory System.
77	Lupus - - -	Cancer - - -	Lupus - - -	Lupus.
78	Lymphadenoma - - - <i>Lymphatic System, Diseases of See (4, 78)*.</i>	Scrofula - - -	Adenitis - - -	Dis. of Lymphatic System.

Reference Number.	Name of Disease.	Heading to which referred in Annual Reports to 1880 (inclusive).		Heading to which referred since 1880.
		In Shorter List.	In Extended List and in Supplementary Table.	
	<i>Malignant Pustule. See 135.</i> <i>Measles. See 129†.</i>			
79	Melæna - - -	Stomach Disease, &c. - - -	Melæna - - -	Melæna.
80	Melancholy - - -	Insanity - - -	Melancholia - - -	Insanity, General Paralysis of Insane.
81	Melanosis - - -	Cancer - - -	Melanosis - - -	Cancer.
82	Menorrhagia - - - <i>Menstruation, Disorders of See (24, 82, 99)*.</i> <i>Miasmatic Dis., Other See 150 (23, 27, 39, 62, 84, 135)*.</i>	Paramenia - - -	Menorrhagia - - -	Disorders of Menstruation.
83	Miscarriage - - - <i>Mortification. See (9, 47)*, 105†.</i>	Childbirth - - -	Miscarriage - - -	Abortion, Miscarriage.
84	Mumps - - -	Other Zymotic Diseases	Mumps - - -	Mumps.
85	Myelitis - - -	Cephalitis - - -	Myelitis - - -	Paraplegia, Dis. of Spinal Cord.
86	Nævus - - -	Heart Disease, &c. - - -	Nævus - - -	Other Congenital Defects.
87	Necrencephalus - - - <i>Necrosis. (See 20.)</i> <i>Nervous System, Other Dis. of See 88, (40, 67, 69, 87, 94, 95, 134)*, (13, 65)†.</i>	Brain Disease, &c. - - -	Necrencephalus - - -	Softening of Brain.
88	Neuralgia - - -	Brain Disease, &c. - - -	Neuralgia - - -	Other Dis. of Nervous System.
89	Noma Pudendi - - -	Cancerum Oris (Noma)	Cancerum Oris (Noma)	Dis. of Uterus and Vagina.
90	Œdema Glottidis - - -	Laryngitis - - -	Œdema Glottidis - - -	Other Dis. of Larynx and Trachea.
91	Œsophagitis - - -	Enteritis - - -	Œsophagitis - - -	Sore-throat, Quinsy.
92	Œsophagus, Stricture of.	Stricture of Intestines	Stricture of Intestines	Other Dis. of Digestive System.
	<i>Ophthalmia. See 40*.</i>			
93	Orchitis - - -	Uterus Disease, &c. - - -	Orchitis - - -	Dis. of Testes, Penis, Scrotum, &c.
94	Otitis - - -	Brain Disease, &c. - - -	Otitis and Otorrhœa - - -	Otitis, Otorrhœa.
95	Otorrhœa - - - <i>Ovarian Disease. See (96, 97)*.</i>	Brain Disease, &c. - - -	Otitis and Otorrhœa - - -	Otitis, Otorrhœa.
96	Ovarian Dropsy - - -	Ovarian Dropsy - - -	Ovarian Dropsy - - -	Ovarian Disease.
97	Ovariectomy - - -	Uterus Disease, &c. - - -	Ovariectomy - - -	Ovarian Disease.
98	Pancreas Disease - - -	Pancreas Disease, &c. - - -	Pancreas Disease - - -	Other Dis. of Digestive System.
	<i>Paralysis. See 60.</i> <i>Paralysis Agitans. See 133*.</i>			
99	Paramenia - - -	Paramenia - - -	Paramenia - - -	Disorders of Menstruation.
100	Paraplegia - - - <i>See also (85, 134, 140)*, 22†.</i> <i>Parasites, Animal, Other Dis. from See 141, (63, 114, 130)*.</i> <i>Parasites, Vegetable, Other Dis. from See 114*.</i>	Paralysis - - -	Paralysis - - -	Paraplegia, Dis. of Spinal Cord.
101	Pelvic Abscess - - -	Uterus Disease, &c. - - -	Pelvic Abscess - - -	Pelvic Abscess.
102	Pelvis, Deformed - - -	Childbirth - - -	Deformed Pelvis - - -	Other Accidents of Childbirth.
103	Pemphigus - - - <i>Pericarditis. (See 19, 36)*.</i>	Skin Disease, &c. - - -	Pemphigus - - -	Pemphigus.

Reference Number.	Name of Disease.	Heading to which referred in Annual Reports to 1880 (inclusive).		Heading to which referred since 1880.
		In Shorter List.	In Extended List and in Supplementary Table.	
104	Perineal Abscess	Uterus Disease, &c.	Disease or Abscess of Perinaeum.	Perineal Abscess.
105	Phagedæna <i>See also 62*.</i>	Mortification	Mortification	Phagedæna.
106	Pharyngitis	Enteritis	Pharyngitis	Sore-throat, Quinsy.
107	Phlebitis	Heart Disease, &c.	Phlebitis	Phlebitis.
108	Phlegmasia Dolens <i>Phlegmon.</i> <i>See (120, 132, 149)*.</i> <i>Phthisis.</i> <i>See 56, 112.</i>	Childbirth	Phlegmasia Dolens	Phlegmasia Dolens.
109	Piles	Heart Disease, &c.	Piles	Varicose Veins.
110	Placenta Prævia	Childbirth	Placenta Prævia	Placenta Prævia, Flooding.
111	Placenta, Retention of <i>Pleurisy.</i> <i>See 35.</i>	Childbirth	Retention of Placenta	Other Accidents of Childbirth.
112	Pneumothorax	Phthisis	Pneumothorax	Phthisis.
113	Polypus	Cancer	Polypus	Tumour (<i>if localised, classed to Organ affected</i>).
114	Porrigo	Worms, &c.	Porrigo	Other Dis. from Vegetable Parasites.
115	Prostate Gland, Dis. of	Kidney Disease, &c.	Disease of the Prostate Gland.	Dis. of Bladder and of Prostate.
116	Psoas Abscess	Scrofula	Psoas and Lumbar Abscess.	Caries, Necrosis.
117	Puerperal Convulsions	Childbirth	Puerperal Convulsions	Puerperal Convulsions.
118	Puerperal Mania	Childbirth	Puerperal Mania	Puerperal Mania.
119	Pulmonary Apoplexy <i>Purpura, Hæmorrhagic Diathesis.</i> <i>See (16, 28, 128)*, 131†.</i>	Lung Disease, &c.	Pulmonary Apoplexy	Other Dis. of Respiratory System.
120	Pyæmia <i>See also 132.</i>	Phlegmon	Pyæmia	Pyæmia, Septicæmia.
121	Pyrosis <i>Quinsy.</i> <i>See Sore Throat, Quinsy.</i> <i>Rage.</i> <i>See 44.</i>	Stomach Disease, &c.	Pyrosis	Dyspepsia.
122	Relapsing Fever	Simple Continued Fever	Relapsing Fever	Relapsing Fever.
123	Remittent Fever (Infantile and under 5). <i>Respiratory System, Other Dis. of</i> <i>See 76, 119, 37*, 8†.</i>	Enteric or Typhoid Fever.	Enteric or Typhoid Fever.	Remittent Fever.
124	Rheumatic Arthritis	Rheumatism	Rheumatism	Other Constitutional Diseases.
125	Rheumatic Fever <i>See also 127*.</i>	Rheumatism	Rheumatism of Heart or Pericardium.	Rheumatic Fever, Rheumatism of Heart.
126	Rheumatic Gout <i>Rheumatism.</i> <i>See (125, 127)*, 124†.</i>	Gout	Gout	Other Constitutional Diseases.
127	Rheumatism of Heart	Rheumatism	Rheumatism of Heart or Pericardium.	Rheumatic Fever, Rheumatism of Heart.
128	Rickets	Purpura and Scurvy	Rickets	Rickets.
129	Rötheln	Measles	Measles	Epidemic Rose Rash.
130	Scabies <i>Scrofula.</i> <i>See (4, 75, 78, 116)*.</i>	Worms, &c.	Scabies	Other Dis. from Animal Parasites.
131	Scurvy	Purpura and Scurvy	Purpura and Scurvy	Scurvy.
132	Septicæmia	Phlegmon	Pyæmia	Pyæmia, Septicæmia.
133	Shaking Palsy	Paralysis	Shaking Palsy	Paralysis Agitans.

Reference Number.	Name of Disease.	Heading to which referred in Annual Reports to 1880 (inclusive).		Heading to which referred since 1880.
		In Shorter List.	In Extended List and in Supplementary Table.	
	<i>Simple Continued Fever.</i> <i>See 122*, 14†.</i>			
	<i>Small-pox.</i> <i>See 23*.</i>			
	<i>Sore Throat, Quinsy.</i> <i>See (91, 106)*.</i>			
134	Spinal Marrow Disease	Brain Disease, &c.	Spinal Marrow Disease	Paraplegia, Dis. of Spinal Cord.
135	Splenic Fever <i>Starvation, Want of Breast Milk.</i> <i>See 70*.</i> <i>Stomach, Dis. of</i> <i>See (32, 48, 53, 79, 121)*, (31, 136)†.</i>	Other Zymotic Diseases	{ Malignant Pustule - Charbon - Woolsorter's Disease }	Anthrax, Splenic Fever.
136	Stomach, Ulcer of	Ulceration of Intestines	Ulceration of Intestines	Dis. of Stomach.
137	Stomatitis (Dis. of Mouth). <i>See also 50*, (18, 89)†.</i>	Enteritis	Stomatitis	Stomatitis (Dis. of Mouth).
138	Sweep's Cancer	Cancer	Sweep's Cancer	Cancer.
139	Syncope <i>Syphilis.</i> <i>See 51*.</i>	Heart Disease, &c.	Syncope	Syncope.
140	Tabes Dorsalis <i>Tabes Mesenterica.</i> <i>See 143.</i>	Uterus Disease, &c.	Tabes Dorsalis	Paraplegia, Dis. of Spinal Cord.
141	Tape Worms <i>Testes, Penis, Scrotum, &c. Dis. of</i> <i>See 54, 64, 93 (104, 140)*.</i>	Worms, &c.	Tape Worms	Other Dis. from Animal Parasites.
142	Thrombosis <i>Thyroid Body, Dis. of</i> <i>See 16*.</i>	Heart Disease, &c.	Embolism and Thrombosis.	Embolism, Thrombosis.
143	Tubercular Meningitis. <i>See 65†.</i>	Tabes Mesenterica	Tubercular Peritonitis	Tabes Mesenterica.
144	"Tumour" <i>See also (41, 113)†.</i> <i>Typhus.</i> <i>See 21*.</i> <i>Ulcer.</i> <i>See 9*.</i>	Causes, ill-defined, or not specified.	Abscess, Tumour	Tumour.
145	Uræmia <i>Urinary System, Other Dis. of</i> <i>See (3, 11, 55, 115, 145)*.</i>	Kidney Disease, &c.	Uræmia	Uræmia.
146	Uterus, Rupture of <i>Uterus, Vagina, Dis. of</i> <i>See 54, 68 (97, 101, 104, 140)*, 89†.</i> <i>Vaccination, Effects of.</i> <i>See Cowpox.</i>	Childbirth	Rupture of Uterus	Other Accidents of Childbirth.
147	Valvular Disease <i>See also (19, 36)*.</i>	Heart Disease, &c.	Heart Disease (undistinguished).	Endocarditis, Valvular Disease.
148	Varicose Veins <i>See also 109*.</i> <i>White Swelling.</i> <i>See Scrofula.</i>	Heart Disease, &c.	Varicose Veins	Varicose Veins.
149	Whitlow <i>Woolsorter's Disease.</i> <i>See 135.</i>	Phlegmon	Whitlow	Other Dis. of Integumentary System.
150	Yellow Fever	Other Zymotic Diseases	Yellow Fever	Other Miasmatic Diseases.

TABLE 23.—ENGLAND.—Annual Death-rates, from various Causes, to a Million Persons living, in Groups of Years, 1858-90.

CAUSE OF DEATH.*	3 Years 1858-60.	5 Years 1861-65.	5 Years 1866-70.	5 Years 1871-75.	5 Years 1876-80.	5 Years 1881-85.	5 Years 1886-90.
ALL CAUSES -	22221.3	22582.0	22424.6	21962.4	20791.0	19403.0	18894.6
Small-pox -	219.3	218.6	104.8	410.8	78.4	78.0	13.6
Measles -	480.0	456.6	428.4	373.2	384.8	413.0	468.4
Scarlet Fever -	891.0	982.4	959.8	758.6	679.6	435.8	240.6
Typhus -				81.4	34.2	22.8	6.6
Enteric Fever -	792.0	921.8	849.8	373.8	277.2	216.0	179.2
Simple and Ill-defined Fever -				140.2	69.2	34.2	16.6
Whooping-cough ¹ -	494.3	515.8	545.0	498.6	527.0	458.6	443.6
Diphtheria -	372.3	247.6	126.8	120.8	121.8	156.2	169.6
Other Miasmatic Diseases -	75.7	46.0	39.6	25.4	18.2	17.0	45.6
Cholera -	32.0	42.4	172.4	30.6	20.4	16.2	14.0
Diarrhoea, Dysentery -	777.3	874.0	1062.8	1000.4	832.4	655.8	667.0
Malarial Diseases -	32.7	16.2	10.0	8.4	7.4	11.2	6.4
Hydrophobia -	0.0	0.4	0.8	2.0	1.8	1.2	0.6
Other Zoogenous Diseases -	0.3	0.6	1.0	1.2	1.8	2.6	2.2
Venereal Diseases -	62.3	77.6	90.8	92.6	95.6	93.2	83.6
Erysipelas -	95.0	87.4	82.4	105.6	80.8	82.8	54.2
Puerperal Fever -	55.7	56.0	55.6	86.6	61.6	92.6	76.4
Other Septic Diseases -	?	? 8.3	14.6	20.8	23.8	23.0	14.4
Thrush -	57.0	50.0	49.8	49.8	48.0	29.4	22.0
Other Parasitic Diseases -	8.0	8.6	7.6	7.0	9.2	7.2	5.8
Intemperance -	40.3	41.6	35.4	37.6	42.2	48.2	56.0
Other Dietetic Diseases -	32.0	30.4	26.6	21.2	25.0	15.4	11.4
Rheumatic Fever, Rheumatism } of Heart -	102.7	108.2	115.0	127.2	139.0	97.6	89.2
Rheumatism -						84.8	33.0
Cancer -	335.3	367.8	403.8	445.6	493.6	547.6	631.6
Phthisis -	2565.0	2526.6	2447.8	2218.0	2039.8	1830.4	1635.4
Other Tubercular and Scrofulous } Diseases -	739.0	784.4	752.4	722.6	777.0	710.4	686.8
Diabetes Mellitus -	25.7	29.2	31.8	35.8	40.4	51.4	62.4
Other Constitutional Diseases -	46.0	51.2	63.8	59.6	86.8	107.8	130.8

* The figures for certain diseases prior to 1881 cannot be shown, and for other diseases the figures are only approximate. For table of changes of classification, see Appendix to Tables 17-22.

TABLE 23 (continued).—ENGLAND.—Annual Death-rates, from various Causes to a Million Persons living, in Groups of Years, 1858-90.

CAUSE OF DEATH.*	3 Years 1858-60.	5 Years 1861-65.	5 Years 1866-70.	5 Years 1871-75.	5 Years 1876-80.	5 Years 1881-85.	5 Years 1886-90.
Premature Birth -	378.7	392.4	406.0	446.8	472.8	475.2	507.2
Atelectasis -	?	?	?	?	?	23.6	26.0
Congenital Malformations -	57.7	61.6	64.8	65.6	84.4	84.6	80.2
Old Age -	1422.0	1352.8	1275.8	1203.8	1072.2	1014.0	975.8
Convulsions -	1296.7	1258.0	1204.0	1111.2	971.4	848.0	770.0
Diseases of Nervous System -	1484.0	1546.0	1605.2	1715.8	1803.2	1807.6	1779.2
Diseases of Organs of Special } Sense -	7.0	8.0	8.6	7.6	13.4	19.8	22.8
Diseases of Circulatory System -	900.3	996.6	1095.8	1256.8	1415.2	1467.4	1685.8
Croup -	274.7	287.6	208.0	184.2	154.2	163.4	125.8
Diseases of Respiratory System -	3265.0	3320.6	3394.2	3685.4	3765.8	3549.4	3639.6
Dentition -	197.0	201.0	191.4	187.8	179.0	177.0	158.2
Diseases of Liver, Ascites -	394.0	416.0	417.6	427.8	423.6	372.0	324.8
Other Diseases of Digestive } System -	628.0	603.0	566.0	558.6	571.6	568.6	616.2
Diseases of Spleen -	3.0	3.3	4.0	3.8	5.0	4.6	4.2
Diseases of Lymphatic System -	?	?	?	?	?	7.0	7.8
Diseases of other Ductless } Glands -	1.0	1.8	3.8	4.4	7.6	8.8	10.8
Diseases of Urinary System -	217.7	246.2	286.8	326.4	374.8	422.2	446.6
Diseases of Organs of Generation -	60.7	62.0	62.8	59.6	53.6	60.2	55.0
Diseases of Parturition -	110.3	113.4	106.0	107.6	79.6	72.8	66.0
Diseases of Organs of Locomotion -	89.3	106.4	98.2	101.6	107.8	94.2	86.2
Diseases of Integumentary System -	78.3	72.5	65.8	66.0	74.8	64.2	62.6
Accident and Negligence -	653.0	689.6	677.8	670.6	630.4	579.8	543.8
Homicide -	18.0	19.4	19.0	16.6	14.0	12.6	11.0
Suicide -	65.3	65.2	66.4	66.0	73.6	74.8	79.4
Execution -	0.3	0.8	0.4	0.4	1.0	0.4	0.8
Ill-defined and not specified } Causes -	2288.4	2207.6	2117.6	1829.6	1383.6	1140.6	943.2

* See note on preceding page.

TABLE 24.—ENGLAND.—Annual Death-rates from the Principal Zymotic Diseases and Infant Mortality, 1847-94.

Table with 12 columns: PERIOD, Small-pox, Measles, Scarlet Fever, Diphtheria, Whooping-cough, Typhus, Enteric Fever, Simple and Ill-defined Fever, Diarrhoea and Dysentery, Cholera, ANNUAL MORTALITY OF Infants under one year of age to 1000 Births. Rows include periods like 1838-42 (5 years), 1847-50 (4 years), 1851-60, 1861-70, 1871-80, 1881-90, and individual years from 1847 to 1894.

TABLE 25.—LONDON.*—Annual Death-rates from the Principal Zymotic Diseases, and Infant Mortality, 1845-94.

Table with 12 columns: PERIOD, Small-pox, Measles, Scarlet Fever, Diphtheria, Whooping-cough, Typhus, Enteric Fever, Simple and Ill-defined Fever, Diarrhoea and Dysentery, Cholera, ANNUAL MORTALITY OF Infants under one year of age to 1000 Births. Rows include periods like 1838-40 (3 years), 1841-50, 1851-60, 1861-70, 1871-80, 1881-90, and individual years from 1845 to 1894.

* For the purposes of this table LONDON includes, for recent years, the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, and the Metropolitan Hospitals and Asylums situated outside Registration London. Some of the figures for 1894 may differ, therefore, from those in Tables 11, 26, and 27.

TABLE 27.—ENGLAND.—Death-rates from the Principal Zymotic Diseases, from Phthisis, from Puerperal Fever and Childbirth, in

Table with columns for Registration County, Ten Years 1884 to 1893, and various diseases: Small-pox, Measles, Scarlet Fever, Diphtheria, Typhus, Enteric, Simple and Ill-defined, Fever, and Total. Includes sub-sections for London, South Eastern, South Midland, Eastern, South Western, West Midland, North Midland, North Western, York, Northern, and Welsh.

* See note to Table 25.

from Diseases of Circulatory, Respiratory (excluding Croup), and Urinary Systems, and Registration Counties, 1884-93, and 1894.

Table with columns for Registration County, Ten Years 1884 to 1893, and various diseases: Whooping-cough, Diarrhoea, Phthisis, Circulatory Diseases, Respiratory Diseases (excluding Croup), Urinary Diseases, Puerperal Fever and Accidents of Childbirth, and Total. Includes sub-sections for London, South Eastern, South Midland, Eastern, South Western, West Midland, North Midland, North Western, Yorkshire, Northern, and Welsh.

* See note to Table 25.

TABLE 28.—ENGLAND. Death-rates in Town* and Country Districts 1851-94.

YEAR.	Persons to a Square Mile in England and Wales.	ANNUAL DEATHS to 1000 Persons living in			Deaths in Town Districts to 100 Deaths in Country Districts, in equal Numbers living.
		England and Wales.	Town* Districts.	Country Districts.	
1851-60 - - - -	325	22.2	24.7	19.9	124
1861-70 - - - -	365	22.5	24.8	19.7	126
1871-80 - - - -	416	21.4	23.1	19.0	122
1881-90 - - - -	470	19.1	20.3	17.3	117
1881 - - - -	447	18.9	20.1	16.9	119
1882 - - - -	452	19.6	21.0	17.3	121
1883 - - - -	457	19.6	20.7	17.9	116
1884 - - - -	462	19.7	20.9	17.6	119
1885 - - - -	467	19.2	20.1	17.8	113
1886 - - - -	472	19.5	20.4	18.0	113
1887 - - - -	477	19.1	20.2	17.2	117
1888 - - - -	483	18.1	19.0	16.6	114
1889 - - - -	488	18.2	19.3	16.4	118
1890 - - - -	493	19.5	20.9	17.4	120
1891 - - - -	499	20.2	21.1	18.5	114
1892 - - - -	504	19.0	19.5	18.1	108
1893 - - - -	510	19.2	20.2	17.4	116
1894 - - - -	516	16.6	17.1	15.6	110

* For names of the Districts and Sub-districts taken to represent the Town Districts of England and Wales from 1851 to 1880, see Registrar-General's Forty-third Annual Report, page cv. For description of the Districts taken for 1881-94, see note to Table 29 below.

TABLE 29.—ENGLAND. Town and Country Districts.—Annual Death-rates in each Quarter of the Eleven Years, 1884-94.

Area in Acres.	ESTIMATED POPULATION in the middle of 1894.	Quarter ending	ANNUAL RATE of MORTALITY per 1000 in each Quarter of the Years.												
			1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	Mean of Ten Years, 1884-93.	1894.	
ENGLAND AND WALES	37,317,885	30,060,763	YEAR -	19.7	19.2	19.5	19.1	18.1	18.2	19.5	20.2	19.0	19.2	19.2	16.6
			March	19.7	22.0	23.1	20.9	21.4	19.9	23.3	22.0	24.9	19.7	21.7	20.0
			June	19.1	19.5	18.3	18.5	17.8	17.5	17.9	23.7	18.0	18.0	18.8	15.8
			Sept.	19.9	16.7	18.1	17.9	15.2	17.1	16.9	15.9	15.7	19.2	17.3	14.2
			Dec.	20.0	18.7	18.7	19.1	18.1	18.4	20.1	19.3	17.4	19.9	19.0	16.5
TOWN DISTRICTS*	4,222,051	20,252,051	YEAR -	20.9	20.1	20.4	20.2	19.0	19.3	20.9	21.1	19.5	20.2	20.2	17.1
			March	20.5	22.5	23.8	21.5	21.9	20.6	24.4	22.8	24.6	20.4	22.3	20.0
			June	19.9	20.3	18.6	19.3	18.2	18.3	18.7	24.7	18.5	18.7	19.5	16.2
			Sept.	21.8	17.8	19.5	19.5	16.2	18.5	18.5	16.8	16.6	20.6	18.6	14.9
			Dec.	21.3	19.7	19.9	20.4	19.5	19.7	22.0	20.3	18.3	20.9	20.2	17.1
COUNTRY DISTRICTS*	33,095,834	9,808,712	YEAR -	17.6	17.8	18.0	17.2	16.6	16.4	17.4	18.5	18.1	17.4	17.5	15.6
			March	18.3	21.3	22.0	19.7	20.5	18.5	21.7	20.7	25.5	18.4	20.7	19.8
			June	17.6	18.2	17.7	17.2	17.1	16.2	16.5	21.7	17.2	16.4	17.6	15.0
			Sept.	16.7	14.7	15.5	15.1	13.5	14.6	14.1	14.2	13.9	16.5	14.9	12.7
			Dec.	18.0	17.0	16.7	16.9	15.6	16.3	17.4	17.6	15.8	18.2	17.0	15.0

* For the years prior to 1894 the Town Districts consisted of the 33 great towns; 67 other large town districts (represented approximately by registration districts or sub-districts); and all other registration sub-districts, three-fourths of the population of which, as enumerated in 1881, resided within the boundaries of Urban Districts existing in 1886. For 1894 the Town Districts consisted of the 33 great towns, 67 other large towns, and all registration districts and sub-districts, three-fourths of the population of which, as enumerated in 1891, resided within the boundaries of Urban Districts. The Country Districts consisted of the remainder of England and Wales.

TABLE 30.—ENGLAND. Names on the Registers, Searches, and Fees received, at the General Register Office, 1845-94.

YEAR.	NAMES ON THE REGISTERS AT THE END OF EACH YEAR.				SEARCHES IN THE REGISTERS, INCLUDING NON-PAROCHIAL.	
	PERSONS MARRIED.	BIRTHS.	DEATHS.	TOTAL.	NUMBER.	AMOUNT RECEIVED FOR SEARCHES AND FOR CERTIFICATES.
1845 - - -	2,127,016	4,264,286	2,936,242	9,327,544	2,269	£ s. d. 329 1 6
1846 - - -	2,418,344	4,836,911	3,326,557	10,581,812	2,962	329 7 0
1847 - - -	2,690,034	5,376,876	3,749,861	11,816,771	2,278	339 13 0
1848 - - -	2,966,494	5,939,935	4,149,694	13,056,123	2,544	365 11 6
1849 - - -	3,250,260	6,518,094	4,590,533	14,358,887	2,534	357 1 6
1850 - - -	3,555,748	7,111,516	4,959,528	15,626,792	2,562	366 13 0
1851 - - -	3,864,160	7,727,381	5,354,924	16,946,465	2,895	419 10 6
1852 - - -	4,181,724	8,351,393	5,762,059	18,295,176	3,291	467 5 0
1853 - - -	4,510,764	8,963,784	6,183,156	19,657,704	3,520	505 4 0
1854 - - -	4,830,218	9,598,189	6,621,061	21,049,468	3,827	563 7 6
1855 - - -	5,134,444	10,233,232	7,046,764	22,414,440	3,989	592 9 0
1856 - - -	5,453,118	10,890,685	7,437,270	23,781,073	4,432	653 15 0
1857 - - -	5,771,312	11,553,756	7,857,085	25,182,153	4,355	690 1 6
1858 - - -	6,083,452	12,209,237	8,306,741	26,599,430	5,585	815 1 6
1859 - - -	6,418,898	12,899,118	8,747,522	28,065,538	6,483	949 17 0
1860 - - -	6,759,210	13,583,166	9,170,243	29,512,619	7,085	1,031 18 0
1861 - - -	7,086,622	14,279,572	9,605,357	30,971,551	7,484	1,099 1 6
1862 - - -	7,414,682	14,992,256	10,041,923	32,448,861	8,522	1,250 12 0
1863 - - -	7,761,702	15,719,673	10,515,760	33,997,135	8,825	1,280 17 6
1864 - - -	8,122,476	16,459,948	11,011,291	35,593,715	9,607	1,371 18 6
1865 - - -	8,493,424	17,208,017	11,502,200	37,203,641	10,182	1,487 12 0
1866 - - -	8,863,976	17,961,887	12,002,889	38,833,752	12,135	1,860 15 6
1867 - - -	9,227,284	18,730,236	12,473,962	40,431,482	12,343	1,906 16 6
1868 - - -	9,581,208	19,517,094	12,954,584	42,052,886	12,913	2,031 11 0
1869 - - -	9,935,148	20,290,475	13,449,412	43,675,035	14,260	2,247 7 6
1870 - - -	10,298,458	21,083,262	13,964,741	45,346,461	16,170	2,456 19 6
1871 - - -	10,673,682	21,860,690	14,479,620	47,033,992	17,910	2,705 7 0
1872 - - -	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867 5 6
1873 - - -	11,492,446	23,536,375	15,464,405	50,493,226	20,941	3,142 9 6
1874 - - -	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364 7 0
1875 - - -	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879 15 6
1876 - - -	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109 15 6
1877 - - -	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211 13 6
1878 - - -	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313 8 6
1879 - - -	13,835,614	28,790,401	18,614,428	61,240,443	29,690	4,517 15 0
1880 - - -	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695 3 0
1881 - - -	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976 12 6
1882 - - -	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170 15 0
1883 - - -	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356 0 0
1884 - - -	15,844,304	33,242,172	21,205,466	70,291,942	34,843	5,177 15 0
1885 - - -	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317 13 6
1886 - - -	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168 16 0
1887 - - -	17,032,972	35,928,533	22,796,250	75,757,755	37,750	5,347 5 0
1888 - - -	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,803 0 6
1889 - - -	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884 2 6
1890 - - -	18,314,400	38,562,282	24,387,822	81,264,504	43,574	6,178 4 6
1891 - - -	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458 10 6
1892 - - -	19,221,722	40,374,396	25,535,431	85,131,549	5,942	6,921 15 0
1893 - - -	19,639,100	41,288,968	26,053,889	87,063,457	50,623	6,845 6 6
1894 - - -	20,111,998	42,179,257	26,604,216	88,895,471	54,285	7,172 10 0

TABLE 31.—ISLANDS IN THE BRITISH SEAS. Area and Population; and Births and Deaths, 1874-94.

YEAR.	ISLANDS IN THE BRITISH SEAS.				ISLE OF MAN.		JERSEY.		GUERNSEY AND ADJACENT ISLANDS.	
	Area in Acres									
	193,647		145,325		28,717		19,605			
ENUMERATED POPULATION.										
1861	143,447		52,469		55,613		35,365			
1871	144,638		54,042		56,627		33,969			
1881	141,260		53,558		52,445		35,257			
1891	147,842		55,608		54,518		37,716			
	Births.*	Deaths.	Births.	Deaths.	Births.	Deaths.	Baptisms.	Deaths.		
1874	3,603	2,932	1,518	1,040	1,346	1,081	739	811		
1875	3,457	3,387	1,488	1,308	1,311	1,299	658	780		
1876	3,297	2,691	1,434	1,058	1,110	947	753	656		
1877	3,446	3,077	1,439	1,129	1,283	1,316	724	632		
1878	3,455	2,845	1,437	1,174	1,285	1,062	733	609		
1879	3,624	2,999	1,569	1,122	1,312	1,099	743	778		
1880	3,740	3,050	1,539	1,180	1,415	1,147	786	723		
1881	3,490	2,653	1,398	1,051	1,363	1,000	729	602		
1882	3,581	2,748	1,474	1,017	1,418	1,110	689	621		
1883	3,493	3,001	1,392	1,172	1,376	1,129	725	700		
1884	3,618	3,024	1,448	1,129	1,471	1,166	699	729		
1885	3,562	2,921	1,439	1,074	1,369	1,179	754	668		
1886	3,778	2,960	1,574	1,096	1,464	1,145	740	719		
1887	3,759	2,674	1,515	1,133	1,458	973	766	568		
1888	3,810	2,663	1,564	1,078	1,523	1,025	723	560		
1889	3,791	2,637	1,578	1,010	1,415	1,039	798	633		
1890	3,607	3,040	1,458	1,159	1,375	1,156	774	725		
1891	3,638	2,925	1,493	1,086	1,373	1,144	822	695		
1892	3,382	3,081	1,331	1,131	1,269	1,262	782	638		
1893	3,633	2,804	1,415	1,091	1,401	1,113	817	655		
1894	3,305	2,700	1,336	1,091	1,327	987	742	622		

Note.—The above numbers have been compiled from returns furnished to the Registrar-General by Claude Cannell, Esq., Registrar-General of the Isle of Man, Lieutenant-Colonel J. F. Murray, Government Secretary of Jersey, and Colonel W. Bell, Government Secretary of Guernsey.
* The figures in this column include the baptisms in Guernsey and adjacent Islands, the numbers of births not being available.

TABLE 32.—UNITED KINGDOM. Emigration, 1875-94.
(From Returns issued by the Board of Trade.)

YEAR.	TOTAL.	NATIONALITY OF EMIGRANTS.					DESTINATION OF EMIGRANTS OF ENGLISH ORIGIN.			
		ENGLISH.	SCOTCH.	IRISH.	FOREIGNERS.	NOT DISTINGUISHED.	NORTH AMERICAN COLONIES.	UNITED STATES.	AUSTRALIAN COLONIES AND NEW ZEALAND.	ALL OTHER PLACES.
1875	173,809	84,540	14,686	41,449	31,347	1,787	9,044	43,867	20,749	10,880
1876	138,222	73,306	10,097	25,976	25,584	3,169	6,227	34,612	20,582	11,975
1877	119,971	63,711	8,653	22,831	21,289	3,487	6,009	28,074	19,485	10,143
1878	147,663	72,323	11,087	29,492	31,697	3,064	7,957	32,099	23,055	9,212
1879	217,163	104,275	18,703	41,296	49,480	3,409	13,965	52,402	26,366	11,542
1880	332,294	111,845	22,056	93,641	100,369	4,383	13,541	69,081	15,176	14,047
1881	392,514	139,976	26,826	76,200	144,381	5,131	17,164	90,527	15,704	16,581
1882	413,288	162,992	32,242	84,132	130,029	3,893	27,763	94,599	24,245	16,285
1883	397,157	183,236	31,139	105,743	73,260	3,779	27,995	93,392	50,201	11,618
1884	503,901	147,660	21,953	72,566	57,733	3,089	23,463	83,324	30,987	9,906
1885	264,385	126,260	21,367	60,017	53,783	2,958	14,817	73,789	28,380	9,274
1886	330,801	146,301	25,223	61,276	94,370	3,531	18,886	83,063	33,764	10,585
1887	396,494	168,221	34,365	78,901	108,572	6,435	24,611	107,069	25,085	11,456
1888	398,494	170,822	35,673	78,233	113,230	5,366	26,711	103,674	24,743	15,694
1889	342,641	163,518	25,354	64,928	83,466	5,380	22,417	93,307	23,103	24,691
1890	315,980	139,979	20,653	57,434	94,515	3,349	18,393	86,442	15,989	19,153
1891	334,543	137,881	22,190	58,436	112,275	3,761	17,881	87,581	14,549	17,870
1892	321,397	133,815	22,325	52,922	107,351	4,004	19,937	84,667	12,188	17,023
1893	307,633	134,045	22,637	52,132	95,123	3,696	21,411	83,293	9,025	20,316
1894	226,827	99,590	14,432	42,008	67,032	3,765	15,558	54,253	9,251	20,523

TABLE 33.—ARMY. Strength and Mortality, 1866-94.
(Regiments on passage out and home are included with the Number Abroad.)

YEAR.	STRENGTH.			DEATHS.			DEATH-RATE PER 1000.		
	TOTAL ARMY.	IN UNITED KINGDOM.	ABROAD.	TOTAL ARMY.	IN UNITED KINGDOM.	ABROAD.	TOTAL ARMY.	IN UNITED KINGDOM.	ABROAD.
1866	201,641	84,124	117,517	2,853	1,056	1,802	14.2	12.6	15.3
1867	200,335	87,607	112,723	3,234	950	2,284	16.1	10.8	20.3
1868	196,900	89,633	107,267	2,804	1,088	1,716	14.2	12.1	16.0
1869	186,668	86,278	100,390	3,250	903	2,347	17.4	10.5	23.4
1870	180,444	89,670	90,774	2,633	1,029	1,609	14.6	11.5	17.7
1871	192,665	105,757	86,908	2,327	1,005	1,322	12.1	9.5	15.2
1872	192,007	104,154	87,853	2,649	940	1,709	13.8	9.0	19.5
1873	188,379	100,533	87,846	2,139	931	1,203	11.4	9.3	13.8
1874	186,389	97,635	88,754	2,136	1,007	1,129	11.5	10.3	12.7
1875	184,669	97,193	87,476	2,269	1,061	1,208	12.3	10.9	13.8
1876	184,433	97,146	87,287	2,102	930	1,172	11.4	9.6	13.4
1877	190,502	101,904	88,598	1,801	856	945	9.5	8.4	10.7
1878	200,758	109,201	91,557	2,249	778	1,471	11.2	7.1	16.1
1879	191,290	88,215	103,075	4,239	796	3,443	22.2	9.0	33.4
1880	188,988	91,887	97,099	3,333	756	2,577	17.6	8.2	26.5
1881	188,798	91,946	96,852	2,650	844	1,806	14.0	9.2	18.6
1882	189,229	94,295	94,934	2,224	806	1,418	11.8	8.5	14.9
1883	181,971	90,071	91,900	1,783	672	1,111	9.8	7.5	12.1
1884	183,004	89,994	93,010	1,611	523	1,088	8.8	5.8	11.7
1885	193,064	91,579	101,485	2,730	735	1,995	13.8	8.0	18.7
1886	203,805	98,057	105,748	2,313	703	2,110	13.8	7.2	20.0
1887	209,574	106,767	102,807	2,006	568	1,438	9.6	5.3	14.0
1888	211,105	106,913	104,192	2,041	731	1,310	9.7	6.8	12.6
1889	210,293	105,956	104,337	1,961	525	1,436	9.3	5.0	13.8
1890	209,221	105,668	103,553	1,813	631	1,182	8.7	6.0	11.4
1891	209,699	104,860	104,839	1,869	532	1,307	8.9	5.4	12.5
1892	213,540	103,115	107,425	1,950	502	1,448	9.1	4.7	13.5
1893	217,279	106,074	111,205	1,803	586	1,217	8.3	5.5	10.9
1894	219,121	105,749	113,372	1,871	447	1,424	8.5	4.2	12.6

TABLE 34.—ROYAL NAVY. Mortality in the Service Afloat, 1857-94.
(From Statistical Reports on the Health of the Navy.)

YEAR.	DEATH-RATE PER 1000.			YEAR.	DEATH-RATE PER 1000.		
	From All Causes.	From Disease.	From Violence.		From All Causes.	From Disease.	From Violence.
1857	19.4	14.7	4.7	1876	9.2	6.0	3.2
1858	25.8	22.0	3.8	1877	7.1	5.0	2.1
1859	16.7	11.8	4.9	1878	14.4	5.3	9.1
1860	14.7	11.1	3.6	1879	8.6	6.2	2.4
1861	15.0	11.5	3.5	1880	12.6	4.6	8.0
1862	15.3	9.6	5.7	1881	10.9	5.3	5.6
1863	11.3	7.6	3.7	1882	9.5	6.9	2.6
1864	14.0	9.0	5.0	1883	5.9	4.1	1.8
1865	11.3	8.1	3.2	1884	9.0	5.8	3.2
1866	10.2	7.9	2.3	1885	7.0	4.7	2.3
1867	11.5	8.4	3.1	1886	6.9	5.1	1.8
1868	8.9	6.5	2.4	1887	8.3	4.9	3.4
1869	9.9	7.3	2.6	1888	5.7	3.9	1.8
1870	19.6	6.7	12.9	1889	5.3	3.8	1.5
1871	8.5	6.3	2.2	1890	8.5	4.1	4.4
1872	8.2	5.6	2.6	1891	6.2	4.7	1.5
1873	8.3	6.0	2.3	1892	5.6	4.4	1.2
1874	9.4	6.7	2.7	1893	11.3	4.1	7.2
1875	8.8	6.9	1.9	1894	5.8	4.1	1.7

TABLE 35.—MERCHANT SERVICE. Number and Mortality of Seamen employed in Vessels registered in the United Kingdom, the Isle of Man, and Channel Islands, under the Merchant Shipping Act, reported to the Registrar-General of Seamen.

(Furnished to the Registrar-General by the Registrar-General of Shipping and Seamen.)

YEAR.	No. of PERSONS EMPLOYED.	No. of DEATHS REPORTED.	DEATH-RATE per 1000.	YEAR.	No. of PERSONS EMPLOYED.	No. of DEATHS REPORTED.	DEATH-RATE per 1000.
1853	172,525	3,276	19.0	1874	203,606	4,602	22.6
1854	162,416	2,772	17.1	1875	199,667	4,076	20.4
1855	168,537	3,318	19.7	1876	198,633	4,151	20.9
1856	173,918	3,549	20.4	1877	196,562	4,181	21.3
1857	176,387	3,444	19.5	1878	195,585	3,870	19.8
1858	177,832	3,486	19.6	1879	193,548	3,692	19.0
1859	172,506	3,430	19.9	1880	192,972	4,100	21.2
1860	171,592	3,760	21.9	1881	192,903	4,464	23.1
1861	171,957	3,580	20.8	1882	195,937	4,659	23.8
1862	173,863	3,620	20.8	1883	200,727	4,451	22.2
1863	184,727	3,380	18.3	1884	199,654	3,757	18.8
1864	195,756	3,893	19.9	1885	198,731	3,235	16.5
1865	197,643	4,600	23.3	1886	204,470	3,546	17.3
1866	196,371	4,866	25.8	1887	220,266	3,384	15.4
1867	196,340	5,233	26.9	1888	223,673	3,114	13.9
1868	197,502	5,237	26.6	1889	230,263	3,018	13.1
1869	195,490	4,832	24.7	1890	236,108	3,305	14.0
1870	195,962	4,523	23.1	1891	240,480	3,263	13.6
1871	199,738	4,338	21.7	1892	241,735	3,452	14.3
1872	203,720	4,123	20.2	1893	240,974	3,172	13.1
1873	202,239	5,393	26.6	1894	240,453	3,266	13.5

NOTE.—Up to and including 1886 masters were excluded from the above employment and mortality figures; the latter of which contained some cases of men who died in colonial vessels and fishing vessels not registered under the Merchant Shipping Acts, whose crews are not included in the employment column. Since 1886 masters are included in both columns, and the employment and mortality figures relate only to persons employed in vessels registered under Part I. of the Merchant Shipping Act, belonging to the United Kingdom, the Isle of Man, and Channel Islands. Deaths occurring in the United Kingdom after the seamen have been discharged from their ships, and on vessels employed exclusively in rivers and inland navigation, and on yachts, are not included.

TABLE 36.—MERCHANT SERVICE. Births and Deaths at Sea among Passengers (British Subjects), reported to the Registrar-General of Seamen.

(Furnished to the Registrar-General by the Registrar-General of Shipping and Seamen.)

YEAR.	BIRTHS.			DEATHS.		
	Total.	Males.	Females.	Total.	Males.	Females.
1857	310	168	142	437	297	140
1858	249	132	117	591	409	182
1859	267	135	132	1,023	720	303
1860	250	136	114	593	437	156
1861	218	110	108	403	282	121
1862	294	146	148	491	343	148
1863	244	139	105	694	463	231
1864	380	203	177	685	475	210
1865	412	210	202	938	623	315
1866	415	213	202	1,237	874	363
1867	339	162	177	752	538	214
1868	272	147	125	666	470	196
1869	258	134	124	553	369	184
1870	315	169	146	800	536	264
1871	208	106	102	445	299	146
1872	289	142	147	548	372	176
1873	309	145	164	1,207	765	442
1874	510	244	266	1,744	1,015	729
1875	357	184	173	786	510	276
1876	364	181	183	738	464	274
1877	287	148	139	646	428	218
1878	291	150	141	613	408	205
1879	344	184	160	776	526	250
1880	208	104	104	421	267	154
1881	169	84	85	612	415	197
1882	266	131	135	678	492	186
1883	430	228	202	941	607	334
1884	264	132	132	799	528	271
1885	141	62	79	598	439	159
1886	172	88	84	515	351	164
1887	144	73	71	870	544	326
1888	129	64	65	447	300	147
1889	128	70	58	454	353	131
1890	108	65	43	515	362	153
1891	87	36	51	386	279	107
1892	77	41	36	412	293	119
1893	78	44	34	420	304	116
1894	55	35	20	384	232	102

NOTE.—Natives of British India are not included in these columns.

TABLE 37.—ENGLAND. Prices and Pauperism, 1845-94.

Year.	AVERAGE PRICES.									PAUPERISM.				
	CONSOLS* (for Money).	WHEAT per Quarter in England and Wales.†	MEAT. Price per lb. at the Metropolitan Cattle Market (sinking the Offal).‡						Average Price of SEABORNE COAL per Ton in the London Market.§	Average Number, to 1000 Persons living, in receipt of Poor Law Relief.			In-door Paupers to 1000 in Receipt of Out-door Relief.	
			BEEF.			MUTTON.				Total.	In-door.	Out-door.		
			Inferior Quality.	Second Quality.	First Quality.	Inferior Quality.	Second Quality.	First Quality.						
1845	96 5 0	50 10	—	—	—	—	—	—	—	—	—	—	—	—
1846	92 11 3	54 8	—	—	—	—	—	—	—	—	—	—	—	—
1847	84 7 6	69 9	—	—	—	—	—	—	—	—	—	—	—	—
1848	87 5 0	50 6	—	—	—	—	—	—	—	—	—	—	—	—
1849	94 5 0	44 3	—	—	—	—	—	—	—	62.0	7.6	54.4	140	—
1850	96 15 0	40 3	3½	—	4½	—	—	—	5½	56.7	6.9	49.8	139	—
1851	97 7 6	38 6	3½	—	5	—	—	—	5½	52.4	6.4	46.0	138	—
1852	100 3 9	40 10	3½	—	5	—	—	—	5½	50.3	6.1	44.2	138	—
1853	97 14 1	53 3	4	—	5	—	—	—	5½	48.2	6.0	42.2	142	—
1854	91 15 8	72 5	4½	—	6	—	—	—	6	46.4	6.0	40.4	138	—
1855	90 7 2	74 8	4	—	6	—	—	—	6	47.7	6.5	41.2	156	—
1856	92 18 9	69 2	4	—	6	—	—	—	6	48.2	6.6	41.6	158	—
1857	91 16 3	56 4	4	—	6	—	—	—	6	44.6	6.3	38.3	165	—
1858	96 19 5	44 2	4	—	6	—	—	—	6	44.7	6.2	38.5	160	—
1859	95 0 0	43 9	4	—	6	—	—	—	7	41.5	5.6	35.9	157	—
1860	93 19 8	53 3	4	—	6	—	—	—	7½	40.1	5.6	34.5	161	—
1861	92 0 8	55 4	4	—	6	—	—	—	7½	41.9	6.1	35.8	170	—
1862	93 8 9	55 5	4	—	6	—	—	—	6	46.7	6.4	40.3	160	—
1863	92 17 10	44 9	4	—	6	—	—	—	7	48.0	6.3	41.7	151	—
1864	90 6 3	40 2	4	—	6	—	—	—	7	43.8	6.1	37.7	161	—
1865	89 11 7	41 10	4	—	7	—	—	—	8	41.9	6.0	35.9	168	—
1866	87 16 11	49 11	4	—	7	—	—	—	8	40.5	6.1	34.4	176	—
1867	93 1 3	64 5	4	—	6	—	—	—	7	42.5	6.4	36.1	178	—
1868	93 19 5	63 9	4	—	6	—	—	—	6	43.6	6.8	36.8	183	—
1869	93 2 2	48 2	4	—	7	—	—	—	7	43.4	6.7	36.7	183	—
1870	92 13 2	46 10	4	—	7	—	—	—	7	43.5	6.6	36.9	180	—
1871	92 18 5	56 8	5	—	7	—	—	—	8	41.6	6.3	35.3	179	—
1872	92 10 8	57 0	5	—	7	—	—	—	8	36.9	6.0	30.9	192	—
1873	92 14 8	58 8	5	—	8	—	—	—	9	31.0	5.9	28.0	210	—
1874	92 12 6	55 8	5	—	8	—	—	—	8	23.8	31.5	5.8	25.7	225
1875	93 15 11	45 2	5	—	8	—	—	—	9	21.8	29.7	5.6	24.1	233
1876	95 5 8	46 2	5	—	8	—	—	—	9	19.1	27.5	5.7	21.8	260
1877	95 10 0	56 9	4	—	8	—	—	—	9	17.5	27.0	6.0	21.0	283
1878	95 5 0	46 5	4	—	8	—	—	—	9	16.4	27.3	6.2	21.1	293
1879	97 12 10	43 10	4	—	7	—	—	—	8	15.11	29.0	6.5	22.5	290
1880	98 10 8	44 4	4	—	7	—	—	—	8	14.10	28.4	6.7	21.7	310
1881	100 2 6	45 4	4	—	7	—	—	—	9	16.0	28.2	6.8	21.4	318
1882	100 17 10	45 1	5	—	8	—	—	—	9	15.10	27.2	6.7	20.5	325
1883	101 8 2	41 7	5	—	8	—	—	—	9	16.10	26.7	6.6	20.1	331
1884	101 4 8	35 8	4	—	7	—	—	—	8	15.5	26.0	6.6	19.4	339
1885	99 4 8	32 10	3	—	7	—	—	—	8	15.5	26.0	6.6	19.4	338
1886	100 17 10	31 0	3	—	6	—	—	—	8	14.9	26.6	6.6	20.0	328
1887	101 16 2	32 6	3	—	5	—	—	—	7	14.10	26.2	6.6	19.6	336
1888	101 0 0	31 10	3	—	6	—	—	—	7	14.10	26.0	6.6	19.4	337
1889	98 0 9	29 9	—	—	—	—	—	—	—	16.6	25.0	6.4	18.6	345
1890	96 10 0	31 11	—	—	—	—	—	—	—	18.7	23.8	6.2	17.6	350
1891	95 14 8	37 0	—	—	—	—	—	—	—	18.3	22.8	6.0	16.8	360
1892	96 13 6	30 3	4	—	6	—	—	—	8	17.7	22.7	6.1	16.6	370
1893	98 7 4	26 4	4	—	6	—	—	—	8	19.0	23.2	6.4	16.8	378
1894	101 1 5	22 10	3	—	5	—	—	—	8	16.1	23.4	6.5	16.9	386

* The prices of Consols for the years 1844-52 relate to the 12 months beginning 1st April; from 1853 onwards the prices relate to calendar years. For the years 1845-88 the prices relate to stock bearing 3 per cent. interest, for 1889-94 to stock bearing 2½ per cent.
 † From the Board of Trade Statistical Abstract.
 ‡ The Registrar-General is unable to give precise information as to the price of meat for the years 1889-91. The prices of coal are furnished by the Mineral Statistics Department of the Home Office.
 § Derived from Returns, published by the Local Government Board, of the number of persons in receipt of Relief on the last day of each week.

TABLE 38.—Meteorological Elements, Greenwich,

YEAR.	Mean Weekly Movement of the Air in Miles.*	Departure from Average of 46 Years.	Fall of Rain in Inches.	Departure from Average of 46 Years.	Mean Degree of Humidity of the Air (Saturation = 100).	Departure from Average of 46 Years.	Mean TEMPERATURE of the AIR.	Departure from Average of 46 Years.
1849 - - -	1808	- 56	23.9	- 0.4	78	- 3	50.0	+ 0.7
1850 - - -	1841	- 23	19.7	- 4.6	79	- 2	49.3	0.0
1851 - - -	1730	-134	21.6	- 2.7	78	- 3	49.2	- 0.1
1852 - - -	1781	- 83	34.2	+ 9.9	76	- 5	50.6	+ 1.3
1853 - - -	1597	-267	29.0	+ 4.7	79	- 2	47.7	- 1.6
1854 - - -	1731	-133	18.7	- 5.6	83	+ 2	48.9	- 0.4
1855 - - -	1659	-205	21.1	- 3.2	83	+ 2	47.1	- 2.2
1856 - - -	1775	- 89	22.2	- 2.1	83	+ 2	49.0	- 0.3
1857 - - -	1562	-302	21.4	- 2.9	83	+ 2	51.0	+ 1.7
1858 - - -	1626	-238	17.8	- 6.5	79	- 2	49.2	- 0.1
1859 - - -	1598	-266	25.9	+ 1.6	80	- 1	50.7	+ 1.4
1860 - - -	1676	-188	32.0	+ 7.7	84	+ 3	47.0	- 2.3
1861 - - -	1666	-193	20.8	- 3.5	84	+ 3	49.4	+ 0.1
1862 - - -	1680	-184	26.2	+ 1.9	84	+ 3	49.5	+ 0.2
1863 - - -	1775	- 89	20.0	- 4.3	80	- 1	50.3	+ 1.0
1864 - - -	1697	-267	16.7	- 7.6	78	- 3	48.5	- 0.8
1865 - - -	1553	-311	29.0	+ 4.7	80	- 1	50.3	+ 1.0
1866 - - -	1917	+ 53	30.7	+ 6.4	82	+ 1	49.8	+ 0.5
1867 - - -	1981	+117	28.4	+ 4.1	82	+ 1	48.6	- 0.7
1868 - - -	2029	+165	25.2	+ 0.9	78	- 3	51.5	+ 2.2
1869 - - -	2043	+179	24.0	- 0.3	81	- 0	49.5	+ 0.2
1870 - - -	1872	+ 8	18.5	- 5.8	79	- 2	48.7	- 0.6
1871 - - -	1749	-115	22.3	- 2.0	81	0	48.7	- 0.6
1872 - - -	1998	+134	30.0	+ 5.7	82	+ 1	50.7	+ 1.4
1873 - - -	1940	+ 76	23.4	- 0.9	82	+ 1	48.9	- 0.4
1874 - - -	1915	+ 51	20.0	- 4.3	82	+ 1	49.3	0.0
1875 - - -	1942	+ 73	28.2	+ 3.9	80	- 1	49.2	- 0.1
1876 - - -	2036	+172	24.2	- 0.1	80	- 1	50.1	+ 0.8
1877 - - -	2184	+320	26.9	+ 2.6	79	- 2	49.4	+ 0.1
1878 - - -	1880	+ 16	29.2	+ 4.9	81	0	49.6	+ 0.3
1879 - - -	1873	+ 9	31.3	+ 7.0	83	+ 2	46.2	- 3.1
1880 - - -	1923	+ 64	29.8	+ 5.5	84	+ 3	49.4	+ 0.1
1881 - - -	2030	+166	25.2	+ 0.9	81	0	48.7	- 0.6
1882 - - -	2151	+287	25.2	+ 0.9	84	+ 3	49.7	+ 0.4
1883 - - -	2058	+194	21.9	- 2.4	82	+ 1	49.4	+ 0.1
1884 - - -	2034	+170	18.1	- 6.2	80	- 1	50.7	+ 1.4
1885 - - -	2008	+144	24.0	- 0.3	81	0	48.6	- 0.7
1886 - - -	1962	+ 98	24.2	- 0.1	81	0	48.7	- 0.6
1887 - - -	1927	+ 63	19.9	- 4.4	79	- 2	47.8	- 1.5
1888 - - -	2049	+185	27.5	+ 3.2	82	+ 1	47.7	- 1.6
1889 - - -	1934	+ 70	23.3	- 1.0	83	+ 2	48.8	- 0.5
1890 - - -	1946	+ 82	21.9	- 2.4	81	0	43.6	- 0.7
1891 - - -	1945	+ 81	25.1	+ 0.8	82	+ 1	48.4	- 0.9
1892 - - -	1863	- 1	22.3	- 2.0	80	- 1	48.1	- 1.2
1893 - - -	1909	+ 45	20.1	- 4.2	76	- 5	51.1	+ 1.8
1894 - - -	2019	+155	26.9	+ 2.6	81	0	49.9	+ 0.6
Average in 46 Years	1864	-	24.3	-	81	-	49.3	-

* Approximated to the results of Robinson's Anemometer by reductions from Whewell's up to 1859.

TABLE 39.—Meteorological Elements for different Parallels

PARALLEL of LATITUDE, &c.	Mean Elevation in Feet above the Sea Level.	Barometer.		Thermometer.					Mean Temperature		
		Mean Pressure of Dry Air reduced to the Sea Level.	Mean Monthly Range.	Mean of the highest Monthly Readings.	Mean of the lowest Monthly Readings.	Mean of the Yearly Range of Readings.	Mean of all the highest Daily Readings.	Mean of all the lowest Daily Readings.	Mean Daily Range.	Of the Air.	Of the Dew-point.
Guernsey - - -	275	29.774	0.956	81.1	16.2	64.9	57.4	48.3	9.1	51.9	46.6
Between the latitudes, -											
50° and 51° - - -	76	29.631	1.020	82.1	12.3	69.8	58.0	44.4	13.6	50.3	46.4
51° and 52° - - -	207	29.680	1.059	85.3	10.2	75.1	57.3	41.8	15.5	49.0	43.9
52° and 53° - - -	223	29.660	1.111	81.8	9.6	72.2	56.0	41.6	14.4	48.2	43.2
53° and 54° - - -	291	29.628	1.218	80.9	9.9	71.0	54.9	42.5	12.4	47.9	41.8
54° and 55° - - -	114	29.595	1.278	86.4	11.8	74.6	56.4	40.2	16.2	48.3	42.2

1849-94. By JAMES GLAISHER, Esq., F.R.S.

YEAR.	MEAN TEMPERATURES of the AIR in the Quarters ending the last day of							
	March.	Departure from Average of 46 Years.	June.	Departure from Average of 46 Years.	Sept.	Departure from Average of 46 Years.	Dec.	Departure from Average of 46 Years.
1849	41.9	+ 2.1	51.7	- 1.0	61.0	+ 0.8	44.8	+ 0.8
1850	39.4	- 0.4	53.5	+ 0.8	59.6	- 0.6	44.7	+ 0.7
1851	41.9	+ 2.1	51.5	- 1.2	59.8	- 0.4	43.7	- 0.3
1852	41.4	+ 1.6	51.2	- 1.5	61.8	+ 1.6	48.1	+ 4.1
1853	38.1	- 1.7	51.8	- 0.9	58.5	- 1.7	42.3	- 1.7
1854	40.8	+ 1.0	51.7	- 1.0	59.8	- 0.4	43.7	- 0.3
1855	34.1	- 5.7	50.5	- 2.2	60.4	+ 0.2	42.7	- 1.3
1856	40.0	+ 0.2	52.3	- 0.4	59.9	- 0.3	44.2	+ 0.2
1857	39.2	- 0.6	53.8	+ 1.1	63.3	+ 3.1	47.9	+ 3.9
1858	37.8	- 2.0	54.3	+ 1.6	61.0	+ 0.8	43.8	- 0.2
1859	43.3	+ 3.5	53.7	+ 1.0	62.8	+ 2.6	43.3	- 0.7
1860	38.8	- 1.0	50.5	- 2.2	56.2	- 4.0	42.6	- 1.4
1861	39.9	+ 0.1	51.8	- 0.9	60.4	+ 0.2	45.5	+ 1.5
1862	41.0	+ 1.2	53.3	+ 0.6	58.8	- 1.4	45.0	+ 1.0
1863	42.6	+ 2.8	53.1	+ 0.4	58.8	- 1.4	46.8	+ 2.8
1864	37.9	- 1.9	53.1	+ 0.4	59.4	- 0.8	43.7	- 0.3
1865	36.5	- 3.3	56.2	+ 3.5	62.5	+ 2.3	46.0	+ 2.0
1866	41.2	+ 1.4	53.0	+ 0.3	58.9	- 1.3	46.2	+ 2.2
1867	38.9	- 0.9	53.5	+ 0.8	59.7	- 0.5	42.5	- 1.5
1868	41.4	+ 1.6	55.8	+ 3.1	63.9	+ 3.7	45.1	+ 1.1
1869	41.3	+ 1.5	52.0	- 0.7	61.4	+ 1.2	43.3	- 0.7
1870	38.0	- 1.8	54.4	+ 1.7	60.7	+ 0.5	41.6	- 2.4
1871	40.2	+ 0.4	51.5	- 1.2	61.3	+ 1.1	41.8	- 2.2
1872	43.6	+ 3.8	52.8	+ 0.1	61.1	+ 0.9	45.3	+ 1.3
1873	39.4	- 0.4	51.8	- 0.9	60.3	+ 0.1	44.2	+ 0.2
1874	41.4	+ 1.6	52.8	+ 0.1	60.9	+ 0.7	42.3	- 1.7
1875	39.5	- 0.3	53.4	+ 0.7	60.7	+ 0.5	43.1	- 0.9
1876	39.5	- 0.3	51.7	- 1.0	61.8	+ 1.6	47.0	+ 3.0
1877	42.3	+ 2.5	51.9	- 0.8	58.5	- 1.7	45.0	+ 1.0
1878	41.5	+ 1.7	54.6	+ 1.9	60.8	+ 0.6	41.6	- 2.4
1879	37.1	- 2.7	49.5	- 3.2	58.1	- 2.1	39.9	- 4.1
1880	39.8	0.0	52.4	- 0.3	61.4	+ 1.2	44.0	0.0
1881	37.3	- 2.5	52.9	+ 0.2	60.0	- 0.2	44.6	+ 0.6
1882	42.3	+ 2.5	53.0	+ 0.3	58.1	- 2.1	44.7	+ 0.7
1883	40.0	+ 0.2	53.0	+ 0.3	59.5	- 0.7	44.9	+ 0.9
1884	43.4	+ 3.6	52.5	- 0.2	62.7	+ 2.5	44.1	+ 0.1
1885	40.3	+ 0.5	52.4	- 0.3	59.1	- 1.1	42.8	- 1.2
1886	36.5	- 3.3	52.5	- 0.2	61.2	+ 1.0	44.6	+ 0.6
1887	37.3	- 2.5	51.6	- 1.1	61.0	+ 0.8	41.3	- 2.7
1888	36.9	- 2.9	51.6	- 1.1	57.6	- 2.7	44.6	+ 0.6
1889	38.2	- 1.6	54.5	+ 1.8	58.9	- 1.3	43.5	- 0.3
1890	41.4	+ 1.6	52.8	+ 0.1	59.4	- 0.8	40.8	- 3.2
1891	37.6	- 2.2	51.6	- 1.1	59.3	- 0.9	45.0	+ 1.0
1892	37.5	- 2.3	53.4	+ 0.7	59.2	- 1.0	42.3	- 1.7
1893	40.9	+ 1.1	57.0	+ 4.3	61.9	+ 1.7	44.6	+ 0.6
1894	41.4	+ 1.6	53.3	+ 0.6	58.6	- 1.6	46.4	+ 2.4
Average in 46 Years.	39.8	-	52.7	-	60.2	-	44.0	-

of Latitude, 1894. By JAMES GLAISHER, Esq., F.R.S.

PARALLEL of LATITUDE, &c.	Mean Elastic Force of Vapour.	Mean Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight of Vapour required for Saturation.	Mean Degree of Humidity of the Air. (Saturation = 100.)	Mean Weight of a Cubic Foot of Air.	Wind.				Mean Amount of Cloud (0-10).	Rain.		
						Relative Proportion of					Mean Number of Days it fell.	Mean Amount collected.	
						N.	E.	S.	W.				
Guernsey.	in. .825	grs. 3.6	gr. 0.8	83	539	0.9	6	6	5	13	6.2	239	40.39
Between the latitudes, -													
50° and 51°	.822	3.6	0.6	87	542	0.7	8	6	8	9	5.0	196	40.75
51° and 52°	.295	3.4	0.7	83	541	1.2	8	6	7	10	6.5	185	32.08
52° and 53°	.286	3.3	0.7	83	541	1.4	7	6	8	10	6.5	199	24.67
53° and 54°	.271	3.1	0.8	80	540	0.8	6	7	7	11	6.7	201	33.58
54° and 55°	.272	3.2	0.8	79	543	1.2	5	7	5	14	6.9	199	38.88

TABLE 40.—Quarterly Meteorological

Compiled by JAMES GLAISHER, Esq., F.R.S., from Tables

Winter . . . Jan., Feb., March. Spring . . . April, May, June. Summer . . . July, Aug., Sept. Autumn . . . Oct., Nov., Dec.	Temperature of								Elastic Force of Vapour.		Weight of Vapour in a Cubic Foot of Air.		
	Air.		Evaporation.		Dew Point.		Air—Daily Range.		Mean.	Diff. from Average of 63 Years.	Mean.	Diff. from Average of 63 Years.	
	Mean.	Diff. from Average of 123 Years.	Mean.	Diff. from Average of 63 Years.	Mean.	Diff. from Average of 63 Years.	Mean.	Diff. from Average of 63 Years.					
1894.	o	o	o	o	o	o	o	o	in.	in.	grs.	grs.	
YEAR	- 49.9	+1.3	+0.7	47.1	+0.9	44.3	+0.8	14.8	-1.0	.299	+0.06	3.4	0.0
Winter Quarter	41.4	+2.5	+1.7	39.0	+0.9	36.2	+1.0	12.9	+1.1	.214	+0.07	2.5	+0.1
Spring do.	53.3	+1.0	+0.4	49.5	+0.4	45.7	+0.4	19.5	-0.5	.310	+0.03	3.5	0.0
Summer do.	58.6	-1.2	-1.6	55.5	-0.8	52.7	-0.3	16.5	-3.2	.400	-0.04	4.5	-0.1
Autumn do.	46.4	+2.8	+2.2	44.6	+3.1	42.5	+2.0	10.3	-1.5	.274	+0.18	3.1	0.0

In this table + and - respectively signify that the number in the preceding column is

TABLE 41.—Monthly Meteorological

By JAMES

1894. MONTH.	Mean Reading of the Barometer.	Temperature of the Air.							Departure from Average of 123 years (1771-1893).	Mean Temperature of the Dew Point.
		Highest by Day.	Lowest by Night.	Range in Month.	Mean of all Highest.	Mean of all Lowest.	Mean Daily Range.	Mean for the Month.		
January	in. 29.702	o 52.2	o 12.8	o 39.4	o 42.6	o 33.3	o 9.3	o 38.2	o +1.5	o 33.7
February	29.879	55.9	24.4	31.5	47.3	35.9	11.4	41.5	+2.7	36.8
March	29.805	68.0	29.3	38.7	53.9	35.9	18.0	44.4	+3.3	38.1
April	29.702	75.8	34.3	41.5	61.8	41.9	19.9	51.0	+4.9	43.6
May	29.765	70.4	32.3	38.1	60.9	41.6	19.3	50.3	-2.3	42.4
June	29.840	82.1	43.3	38.8	69.2	49.8	19.4	58.6	+0.3	51.1
July	29.724	86.0	49.0	37.0	73.0	53.7	19.3	62.0	+0.3	54.5
August	29.759	80.5	44.2	36.3	69.0	53.4	15.6	59.6	-1.3	54.1
September	29.952	70.3	33.3	37.0	62.2	47.5	14.7	54.1	-2.5	49.6
October	29.743	62.0	30.5	31.5	56.1	45.2	10.9	50.2	+0.7	46.3
November	29.808	64.9	31.1	33.8	52.4	41.4	11.0	46.9	+4.4	42.9
December	29.849	52.9	28.2	24.7	46.4	37.3	9.1	42.2	+3.2	38.2
Means	29.794	68.4	32.7	35.7	57.9	43.1	14.8	49.9	+1.3	44.3

Elements, Greenwich, 1894.

furnished to the Registrar-General by the Astronomer Royal.

Mean.	Degree of Humidity.	Reading of Barometer.		Weight of a Cubic Foot of Air.		Rain.		Reading of Thermometer on Grass.			1894. YEAR.		
		Mean.	Diff. from Average of 53 Years.	Mean.	Diff. from Average of 53 Years.	Amount.	Diff. from Average of 79 Years.	Number of Nights it was					
								At or below 30°.	Between 30° and 40°.	Above 40°.		Lowest Reading at Night.	Highest Reading at Night.
81	- 1	29.794	+0.020	541	-1	26.88	+1.84	52	158	155	12.8	56.2	1894.
83	- 1	29.795	+0.023	551	-1	5.40	+0.46	37	46	7	12.8	45.9	Winter Quarter.
74	- 3	29.769	-0.013	537	-1	5.00	-0.72	7	46	38	25.8	50.9	Spring do.
81	+ 3	29.812	+0.019	532	+2	7.54	+0.25	1	15	76	27.1	5.2	Summer do.
87	- 3	29.800	+0.050	545	-2	8.94	+1.85	7	51	34	26.0	54.0	Autumn do.

above or below the average to the amount of the quantities to which these signs are affixed.

Elements, Greenwich, 1894.

GLAISHER, Esq., F.R.S.

Mean Elastic Force of Vapour.	Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight required for Saturation.	Mean Degree of Humidity. Saturation = 100.	Mean Weight of a Cubic Foot of Air.	Relative Proportion of Wind.				Mean Amount of Cloud.	Rain.		1894. MONTH.
					N.	E.	S.	W.		Number of Days on which measured.	Amount collected.	
in. 193	grs. 2.3	grs. 0.4	87	553	4	6	12	9	6.9	21	3.09	January.
218	2.5	0.5	85	552	3	6	8	11	6.0	18	1.59	February.
230	2.7	0.7	78	548	5	10	8	8	4.8	12	0.72	March.
284	3.1	1.2	73	539	6	10	10	4	5.9	18	1.44	April.
271	3.1	1.0	74	540	11	4	9	7	6.8	17	1.52	May.
375	4.2	1.3	76	532	7	3	9	11	6.5	14	2.04	June.
425	4.7	1.5	76	527	6	5	9	11	6.6	22	3.26	July.
419	4.7	1.0	83	530	5	4	7	15	7.2	17	3.03	August.
356	4.0	0.7	84	539	17	8	1	4	6.5	13	1.25	September.
315	3.6	0.5	87	540	10	8	7	6	7.8	18	3.99	October.
276	3.1	0.6	87	545	4	6	14	6	6.2	17	3.00	November.
231	2.7	0.4	87	551	6	4	9	12	6.6	15	1.95	December.
299	3.4	0.8	81	541	84	74	103	104	6.5 Mean	192 Sum	26.88 Sum	Means.

TABLE 42.—Mean Annual Values of Meteorological Elements from Observations

NAME OF STATION.	Elevation in feet above the Sea Level.	Latitude.	Barometer.		Thermometer.						Mean Temperature	
			Mean.	Mean Monthly Range.	Highest Reading in the Year.	Lowest Reading in the Year.	Difference of Extreme Range.	Mean of all highest Daily Readings.	Mean of all lowest Daily Readings.	Mean Daily Range.	Of the Air.	Of the Dew-point.
Guernsey - - - -	275	49 27 N.	29.774	0.956	81.1	16.2	64.9	57.4	48.3	9.1	51.9	46.6
Truro - - - -	43	50 17	29.636	1.041	81.0	10.0	71.0	58.2	44.5	13.7	50.6	45.1
Osborne - - - -	172	50 45	29.626	0.998	83.2	14.6	68.6	57.7	44.3	13.4	49.9	47.7
Salisbury - - - -	186	51 4	87.0	11.0	76.0	58.9	39.3	19.6	48.9	44.2
Bath - - - -	596	51 15	29.661	1.047	83.1	10.2	72.9	55.0	42.5	12.5	47.9	43.7
Croydon - - - -	185	51 22	29.667	1.029	85.8	6.5	79.3	57.0	41.9	15.1	48.8	43.4
Whitchurch - - - -	150	51 29	29.713	..	85.2	13.2	72.0	57.2	41.6	15.6	48.8	44.2
Royal Observatory - - - -	159	51 29	29.667	1.065	86.0	12.8	73.2	57.9	43.1	14.8	49.9	44.3
Camden Square - - - -	123	51 32	29.680	1.070	88.2	13.1	75.1	58.1	43.2	14.9	49.9	43.9
Barnet - - - -	212	51 38	29.703	1.051	85.0	4.0	81.0	58.0	40.2	17.8	48.5	43.8
Oxford - - - -	212	51 43	29.667	1.092	82.5	11.1	71.4	55.9	42.8	13.1	49.2	43.8
Royston - - - -	301	52 2	29.728	1.033	84.9	10.0	74.9	57.7	41.6	16.1	48.7	43.6
Hereford - - - -	291	52 2	29.671	1.109	82.5	8.3	74.2	55.8	41.3	14.5	49.4	43.2
Cambridge - - - -	40	52 13	29.605	1.136	86.0	9.0	77.0	58.4	41.9	16.5	49.3	45.1
Coventry - - - -	300	52 24	29.664	1.054	83.0	7.0	76.0	56.2	41.5	14.7	47.8	42.3
Lowestoft - - - -	89	52 29	29.636	1.151	75.8	14.5	61.3	54.3	42.7	11.6	48.6	44.2
Somerleyton - - - -	50	52 31	29.642	1.142	79.3	8.5	70.8	55.2	42.4	12.8	47.9	43.5
Wolverhampton - - - -	500	52 37	29.690	1.077	81.8	8.3	73.5	54.7	39.4	15.3	46.4	42.3
Nottingham - - - -	215	52 57	29.647	1.138	81.3	11.3	70.0	55.4	41.8	13.6	47.9	41.8
Llandudno - - - -	100	53 20	29.617	1.158	82.6	15.0	67.6	56.1	45.2	10.9	50.1	43.4
Liverpool - - - -	197	53 24	29.633	1.208	81.0	12.6	68.4	55.1	44.5	10.6	48.9	42.9
Halifax - - - -	530	53 42	80.5	3.0	77.5	54.0	40.6	13.4	46.3	41.2
Halifax Pub. Lib. - - - -	625	53 43	29.661	1.206	76.9	7.4	69.5	52.6	41.4	11.2	46.1	40.4
Hull - - - -	6	53 45	29.617	1.197	80.0	10.0	70.0	55.4	40.4	15.0	47.7	41.1
Bradford - - - -	364	53 43	29.648	1.224	80.8	10.2	70.6	54.3	43.5	10.8	48.0	41.7
Leeds - - - -	145	53 48	29.567	1.216	85.0	11.0	74.0	55.3	43.6	11.7	48.5	41.6
Stonyhurst - - - -	363	53 51	29.653	1.316	80.5	10.0	70.5	56.0	40.7	15.3	47.4	42.0
Carlisle - - - -	114	53 53	29.595	1.278	86.4	11.8	74.6	56.4	40.2	16.2	48.3	42.2

at several Stations in the Year 1894. By JAMES GLAISHER, Esq., F.R.S.

Mean Monthly Elastic Force of Vapour.	Mean Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight of Vapour required for Saturation.	Mean Degree of Humidity (Saturation=100).	Mean Weight of a Cubic Foot of Air.	Mean estimated Strength.	Wind.				Mean Amount of Cloud (0-10).	Number of Days on which measured.	Amount collected.	NAME OF STATION.
						Relative Proportion of							
in.	grs.	gr.		grs.		N.	E.	S.	W.		days.	in.	
.325	3.6	0.8	83	539	0.9	6	6	5	13	6.2	239	40.39	Guernsey.
.304	3.4	0.8	82	542	1.2	8	6	8	9	4.8	204	44.16	Truro.
.339	3.9	0.4	92	541	0.3	7	5	9	10	5.1	188	37.34	Osborne.
.297	3.4	0.7	84	..	1.2	8	5	6	10	6.6	222	36.68	Salisbury.
.292	3.3	0.6	85	535	1.1	9	4	8	10	6.1	201	46.30	Bath.
.289	3.3	0.8	82	541	1.4	7	6	8	10	6.5	174	31.79	Croydon.
.298	3.4	0.7	85	543	1.1	6	8	7	10	6.4	181	29.00	Whitchurch.
.299	3.4	0.8	81	541	6.5	192	26.88	Royal Observatory.
.294	3.3	0.9	81	542	..	10	6	6	9	6.4	185	27.97	Camden Square.
.295	3.4	0.7	84	542	0.5	6	7	6	12	6.5	164	27.90	Barnet.
.293	3.4	0.7	82	541	2.2	7	6	9	9	7.1	165	30.09	Oxford.
.291	3.3	0.8	80	541	..	8	5	8	10	6.0	180	22.77	Royston.
.283	3.2	0.7	83	540	1.4	7	5	9	9	6.8	212	32.59	Hereford.
.309	3.6	0.6	86	544	1.3	7	5	9	10	6.4	189	22.69	Cambridge.
.274	3.1	0.9	82	540	..	7	5	10	8	5.9	214	25.88	Coventry.
.294	3.4	0.6	85	542	2.7	7	7	6	11	6.4	209	25.51	Lowestoft.
.291	3.3	0.6	84	545	1.1	7	6	8	10	6.3	193	23.80	Somerleyton.
.277	3.2	0.5	86	538	..	7	6	10	7	7.6	167	23.88	Wolverhampton.
.271	3.1	0.8	80	542	0.6	7	6	5	13	6.8	229	20.25	Nottingham.
.290	3.3	0.9	78	541	1.0	5	6	5	15	7.0	219	29.10	Llandudno.
.282	3.2	0.8	79	541	..	5	8	8	10	6.1	210	27.91	Liverpool.
.265	2.9	0.7	83	4	9	8	10	7.0	205	37.40	Halifax.
.255	2.9	0.8	81	536	0.7	6	7	5	12	7.7	158	36.02	Halifax Pub. Lib.
.264	3.0	0.9	79	546	1.3	6	7	8	10	5.9	185	26.99	Hull.
.269	3.1	0.8	80	538	0.4	7	8	6	10	7.2	214	32.78	Bradford.
.268	3.0	1.0	77	541	1.1	7	8	6	10	5.1	193	28.10	Leeds.
.273	3.1	0.7	82	539	0.4	6	6	7	12	7.5	224	50.32	Stonyhurst.
.272	3.2	0.8	79	543	1.2	5	7	5	14	6.9	199	38.88	Carlisle.

INTERNATIONAL VITAL STATISTICS.

TABLE 43.—Persons Married, Births, and Deaths per 1000 of the Population, in the UNITED KINGDOM and in OTHER EUROPEAN STATES.

(Tabulated from returns furnished by the authorities of the various States.)

YEAR.	UNITED KINGDOM.	ENGLAND AND WALES.	SCOTLAND.	IRELAND.	DENMARK.	NORWAY.	SWEDEN.	AUSTRIA.	HUNGARY.	SWITZERLAND.	GERMAN EMPIRE.	PRUSSIA.	THE NETHERLANDS.	BELGIUM.	FRANCE.	ITALY.	PERSONS MARRIED TO 1000 LIVING.																
																	14·4	15·6	13·9	9·0	15·2	13·7	13·1	16·3	19·1 (15yrs.)	14·7	16·4 (19yrs.)	16·7	15·1	14·2	15·4	15·6	
Average in the 20 years 1871-90																	14·4	15·6	13·9	9·0	15·2	13·7	13·1	16·3	19·1 (15yrs.)	14·7	16·4 (19yrs.)	16·7	15·1	14·2	15·4	15·6	
1872	15·9	17·4	15·1	10·0	15·0	14·0	13·9	18·6	—	15·7	20·6	20·7	16·5	15·5	19·5	15·0	1873	15·0	17·6	15·5	9·6	16·2	14·5	14·6	18·8	—	15·2	20·0	20·3	17·1	15·5	17·7	15·3
1874	15·6	17·0	15·2	9·2	16·4	15·3	14·5	18·1	—	16·6	19·1	19·4	16·8	15·1	16·6	15·2	1875	15·3	16·7	14·8	9·1	17·0	15·7	14·1	17·1	—	17·9	18·2	18·1	16·7	14·5	16·4	16·8
1876	15·3	16·5	14·8	9·9	17·1	15·4	14·2	16·5	20·0	16·2	17·0	17·1	16·5	14·3	15·8	16·4	1877	15·3	16·5	14·4	9·3	16·1	15·1	13·7	15·0	18·5	15·7	16·0	16·0	16·2	13·7	15·1	15·5
1878	14·1	15·2	13·4	8·5	14·8	14·6	12·9	15·2	20·8	13·8	15·0	15·3	15·3	13·5	15·1	14·3	1879	13·3	14·4	12·8	8·7	14·7	13·5	12·6	15·5	20·8	13·8	15·0	15·3	15·3	13·5	15·1	15·2
1880	13·6	14·9	13·2	7·8	15·2	13·3	12·6	15·3	18·3	13·7	15·0	15·3	15·0	14·1	14·9	13·9	1881	14·0	15·1	13·9	8·5	15·6	12·8	12·4	16·0	19·9	13·6	14·9	15·3	14·6	14·1	15·0	16·2
1882	14·4	15·5	14·1	8·6	15·4	13·4	12·7	16·4	20·6	13·6	15·3	15·8	14·3	13·9	14·8	15·6	1883	14·4	15·5	14·1	8·5	15·4	13·2	12·9	15·6	20·9	13·7	15·3	15·9	14·2	13·5	15·0	16·1
1884	14·1	15·1	13·6	9·1	15·6	13·7	13·1	15·8	20·6	13·8	15·7	16·2	14·4	13·5	15·3	16·5	1885	13·6	14·5	13·1	8·6	15·1	13·3	13·3	15·3	20·0	13·9	15·8	16·4	13·9	13·6	14·9	16·0
1886	13·3	14·2	12·6	8·4	14·2	13·0	12·8	15·6	19·3	13·8	15·8	16·3	13·9	13·4	14·8	15·9	1887	13·5	14·4	12·7	8·6	14·0	12·5	12·5	15·7	17·9	14·2	15·6	16·0	14·0	14·2	14·5	15·9
1888	13·5	14·4	12·8	8·6	14·0	12·2	11·8	15·8	18·7	14·1	15·6	16·0	13·8	14·2	14·4	15·9	1889	13·5	14·4	12·8	8·4	14·2	12·2	11·8	15·8	18·7	14·1	15·6	16·0	13·8	14·2	14·4	15·9
1890	14·1	15·0	13·3	9·0	14·2	12·5	12·0	16·0	16·3	14·1	16·0	16·3	13·9	14·5	14·2	14·5	1891	14·5	15·5	13·7	8·9	13·8	13·0	12·0	15·1	16·4	14·1	16·1	16·4	14·2	14·5	14·0	14·7
1892	14·6	15·6	13·9	9·2	13·6	13·2	11·7	15·4	17·2	14·4	16·1	16·3	14·2	14·8	15·0	15·0	1893	14·5	15·4	14·1	9·3	13·6	12·7	11·4	15·6	18·4	14·8	15·9	16·1	14·4	15·4	15·2	15·0
1894	14·2	15·1	13·4	9·4	13·9	12·8	—	—	—	—	—	—	—	—	—	14·8	1894	14·2	15·1	13·4	9·4	13·9	12·8	—	—	—	—	—	—	—	—	14·8	

YEAR.	BIRTHS TO 1000 LIVING.															
	32·6	34·0	33·6	24·9	31·7	30·7	29·8	33·6	44·0 (15yrs.)	29·4	38·1 (19yrs.)	33·2	35·2	31·0	24·6	37·3
1872	34·3	35·6	34·9	27·8	30·3	29·7	30·0	39·1	—	29·8	39·5	39·8	36·0	32·3	26·8	37·9
1873	34·0	35·4	34·8	27·1	30·8	29·9	30·8	39·9	—	29·7	39·7	39·6	36·2	32·5	26·1	36·3
1874	34·4	36·0	35·6	26·6	30·9	30·7	30·9	39·7	—	30·4	40·1	40·2	36·4	32·6	26·2	34·9
1875	33·9	35·4	35·2	26·1	31·9	31·2	31·2	39·9	—	31·8	40·6	40·8	36·6	32·5	26·0	37·7
1876	34·8	36·3	35·6	26·4	32·6	31·8	30·8	40·0	45·8	32·8	40·9	40·7	37·1	33·2	26·2	39·2
1877	34·4	36·0	35·3	26·2	31·8	31·8	31·1	38·7	43·2	32·0	40·0	39·9	36·6	32·3	25·5	37·0
1878	34·0	35·6	34·9	25·1	31·7	31·1	29·8	38·6	42·8	31·3	38·9	38·7	36·1	31·5	25·2	36·2
1879	33·3	34·7	34·3	25·2	32·0	32·0	30·5	39·2	45·7	30·5	38·9	39·0	36·7	31·5	25·0	37·8
1880	32·7	34·2	33·6	24·7	31·8	30·7	29·4	38·0	42·8	29·6	37·6	37·8	35·5	31·1	24·5	33·9
1881	32·5	33·9	33·7	24·5	32·3	30·0	29·1	37·7	42·9	29·8	37·0	37·0	35·0	31·4	24·9	33·0
1882	32·3	33·3	33·5	24·0	32·4	30·9	29·4	39·1	43·8	28·9	37·2	37·6	35·3	31·2	24·8	37·0
1883	34·0	33·5	32·8	25·5	31·8	30·9	28·9	38·2	44·8	28·5	36·6	37·1	34·3	30·5	24·8	37·2
1884	32·2	33·6	33·7	23·9	33·4	31·0	30·0	38·7	45·6	28·3	37·2	37·6	34·9	30·5	24·8	39·0
1885	31·6	32·9	32·7	23·5	32·6	31·3	29·4	37·6	44·8	27·7	37·0	37·8	34·4	29·9	24·2	38·5
1886	31·5	32·8	32·9	23·2	32·6	30·9	29·8	38·0	45·6	27·8	37·0	37·7	34·6	29·6	23·9	37·0
1887	30·7	31·9	31·7	23·1	32·0	30·8	29·7	38·2	44·2	27·9	36·9	37·7	33·7	29·4	23·5	39·0
1888	30·1	31·2	31·3	22·8	31·7	30·8	28·8	37·9	43·8	27·7	36·6	37·4	33·7	29·1	23·1	37·6
1889	30·0	31·1	30·9	22·7	31·3	29·7	27·7	37·9	43·7	27·6	36·4	37·1	33·2	29·5	23·0	38·4
1890	29·2	30·2	30·4	22·3	30·6	30·3	28·0	31·7	40·3	26·6	35·7	36·6	32·9	28·7	21·8	35·9
1891	30·4	31·4	31·2	23·1	31·0	30·9	28·3	38·1	42·3	28·3	37·0	37·7	33·7	29·6	22·6	37·3
1892	29·5	30·5	30·8	22·5	29·5	29·6	27·0	36·2	40·3	28·1	35·7	36·3	32·0	28·9	22·1	36·3
1893	21·9	30·8	31·0	23·0	30·6	30·7	27·4	37·9	42·5	28·5	36·7	37·5	33·8	29·5	22·9	33·7
1894	23·9	29·6	30·1	22·9	30·2	29·7	—	—	—	28·2	35·8	36·6	32·7	29·0	—	35·7

YEAR.	DEATHS TO 1000 LIVING.															
	19·9	20·3	20·4	18·0	19·0	16·9	17·6	30·6	33·7 (15yrs.)	22·1	23·0 (19yrs.)	25·6	21·6	21·4	22·8	28·6
1872	20·9	21·3	22·3	18·1	18·4	16·6	16·3	32·7	—	22·2	29·0	29·3	25·9	23·2	22·0	30·7
1873	20·7	21·0	22·4	18·3	18·6	16·9	17·2	35·1	—	22·7	28·3	28·0	24·2	21·5	23·3	30·0
1874	21·5	22·2	23·2	17·3	20·0	18·2	20·3	31·7	—	22·3	26·7	25·9	22·7	20·5	21·4	30·3
1875	22·1	22·7	23·3	18·5	21·0	18·8	20·3	30·0	—	24·6	27·6	26·6	25·6	22·7	23·1	30·7
1876	20·4	20·9	20·9	17·3	19·7	18·0	19·6	29·8	35·4	24·1	26·3	25·4	23·5	21·9	22·6	28·8
1877	19·9	20·3	20·6	17·5	18·7	16·9	18·7	31·6	36·3	23·5	26·4	25·6	22·2	21·1	21·6	28·3
1878	21·1	21·6	21·2	18·6	18·5	15·8	18·1	31·6	37·1	23·3	26·2	25·8	23·0	21·5	22·6	29·1
1879	20·5	20·7	20·0	19·6	19·8	15·0	16·9	29·9	35·6	22·6	25·6	24·7	22·5	21·9	22·5	29·8
1880	20·4	20·5	20·5	19·8	20·4	15·9	18·1	29·8	37·1	21·9	26·0	25·5	23·5	22·3	22·8	30·8
1881	18·7	18·9	19·3	17·5	18·3	16·8	17·7	30·6	34·3	22·4	25·5	24·9	21·5	20·9	22·0	27·6
1882	19·3	19·6	19·4	17·3	19·3	18·4	17·4	30·8	35·2	21·9	25·7	25·4	20·7	20·2	22·2	27·5
1883	19·6	19·6	20·2	19·2	18·4	17·1	17·3	30·1	32·1	20·4	25·9	25·6	21·8	20·8	22·2	27·5
1884	19·4	19·7	19·6	17·5	18·4	16·4	17·5	29·4	31·0	20·2	25·7	25·7	22·2	20·9	22·2	26·9
1885	19·1	19·2	19·3	18·4	17·9	16·5	17·8	30·1	31·8	21·3	25·7	25·4	21·0	20·1	21·9	27·0
1886	19·2	19·5	18·9	17·8	18·2	16·1	16·6	29·4	31·6	20·7	26·2	26·1	21·8	21·1	22·5	28·7
1887	19·0	19·1	19·0	18·2	18·3	16·0	16·1	28·9	33·8	20·2	24·2	23·8	19·7	19·3	22·0	28·0
1888	18·1	18·1	18·0	17·9	19·7	16·0	16									

TABLE 50.—SWEDEN. Population, Marriages, Births, and Deaths, 1851-94.

(Supplied by the Director of the Central Statistical Bureau of Sweden.)

YEAR.	NUMBERS.					PROPORTION PER 1000 OF THE POPULATION.		
	POPULATION, in the middle of each Year.	MAR-RIAGES.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.
1851	3,499,594	25,750	51,500	111,065	72,506	14.7	31.7	20.7
1852	3,523,523	24,150	48,300	108,305	80,090	13.7	30.7	22.7
1853	3,551,863	25,596	51,192	111,407	84,047	14.4	31.4	23.7
1854	3,585,720	27,585	55,170	120,107	70,846	15.4	33.5	19.8
1855*	3,624,568	27,253	54,506	115,072	77,734	15.0	31.7	21.4
1856	3,656,999	27,221	54,442	115,082	79,618	14.9	31.5	21.8
1857	3,680,295	28,531	57,062	119,349	101,491	15.5	32.4	27.6
1858	3,710,921	30,092	60,184	129,039	80,498	16.2	34.8	21.7
1859	3,760,987	31,125	62,250	131,605	75,720	13.6	35.0	20.1
1860*	3,823,732	29,839	59,678	133,162	67,502	15.6	34.8	17.7
1861	3,888,534	28,272	56,544	126,634	71,829	14.5	32.6	18.5
1862	3,941,619	27,825	55,650	131,584	84,350	14.1	33.4	21.4
1863	3,994,232	29,013	58,026	134,279	77,227	14.5	33.6	19.3
1864	4,046,313	28,248	56,496	136,004	81,937	14.0	33.6	20.2
1865	4,092,101	28,944	57,888	134,281	79,216	14.1	32.8	19.4
1866	4,137,409	27,797	55,594	136,989	82,666	13.4	33.1	20.0
1867	4,178,179	25,440	50,880	128,832	82,072	12.2	30.8	19.6
1868	4,184,381	22,833	45,666	114,955	87,807	10.9	27.5	21.0
1869	4,165,919	23,503	47,006	117,677	92,775	11.3	28.2	22.3
1870*	4,163,641	25,072	50,144	119,838	82,449	12.0	28.8	19.8
1871	4,186,351	27,187	54,374	127,333	72,046	13.0	30.4	17.2
1872	4,227,295	29,470	58,940	126,983	68,802	13.9	30.0	16.3
1873	4,274,192	31,257	62,514	131,643	73,525	14.6	30.8	17.2
1874	4,319,766	31,422	62,844	133,249	87,760	14.5	30.9	20.3
1875	4,362,425	30,762	61,524	135,958	88,439	14.1	31.2	20.3
1876	4,406,502	31,184	62,368	135,890	86,334	14.2	30.8	19.6
1877	4,457,127	30,674	61,348	133,476	83,175	13.7	31.1	18.7
1878	4,508,203	29,151	58,302	134,464	81,418	12.9	29.8	18.1
1879	4,555,382	28,635	57,270	139,043	77,152	12.6	30.5	16.9
1880*	4,572,235	28,919	57,838	134,262	82,753	12.6	29.4	18.1
1881	4,568,956	28,301	56,602	132,804	80,800	12.4	29.1	17.7
1882	4,575,680	28,967	57,934	134,300	79,406	12.7	29.4	17.4
1883	4,591,355	29,449	58,898	132,875	79,457	12.9	28.9	17.3
1884	4,624,022	30,200	60,400	138,745	81,077	13.1	30.0	17.5
1885	4,663,609	30,911	61,822	137,308	82,781	13.3	29.4	17.8
1886	4,699,979	30,133	60,266	139,882	78,045	12.8	29.8	16.6
1887	4,726,045	29,517	59,034	140,169	76,227	12.5	29.7	16.1
1888	4,741,579	28,075	56,150	136,451	75,331	11.8	28.8	16.0
1889	4,761,333	23,478	56,956	132,069	76,124	12.0	27.7	16.0
1890*	4,779,695	28,611	57,222	133,597	81,324	12.0	28.0	17.1
1891	4,793,866	27,940	55,880	135,516	80,603	11.7	28.3	16.8
1892	4,804,808	27,338	54,676	129,622	85,894	11.4	27.0	17.9
1893	4,815,508	27,219	54,438	131,729	81,027	11.3	27.4	16.8
1894	—	—	—	—	—	—	—	—

* Census year.

TABLE 51.—AUSTRIA. Population, Marriages, Births, and Deaths, 1853-94.

(Furnished by the President of the Statistical Central Commission of Austria.)

YEAR.	NUMBERS.					PROPORTION PER 1000 OF THE POPULATION.		
	ESTIMATED POPULATION, at the end of each Year.	MAR-RIAGES.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.
1853	17,816,877	137,621	273,242	665,994	570,885	15.4	37.4	32.0
1854	17,911,936	124,258	248,516	654,267	622,695	13.9	36.5	34.8
1855	17,733,086	115,223	230,446	577,177	787,649	13.2	32.5	44.4
1856	17,843,463	147,474	294,948	653,172	541,387	16.5	36.6	30.4
1857*	18,224,500	147,657	295,314	725,334	503,915	16.2	39.8	27.7
1858	18,453,396	155,073	310,146	729,666	532,920	16.8	39.5	28.8
1859	18,671,301	130,656	261,312	753,880	540,475	14.0	40.4	29.0
1860	18,884,693	158,340	316,680	715,606	502,809	16.8	37.9	26.6
1861	19,029,405	151,440	302,880	708,209	563,402	15.9	37.2	29.6
1862	19,193,087	168,684	337,368	726,474	562,792	17.6	37.9	29.3
1863	19,398,051	162,958	325,916	781,445	576,481	16.8	40.3	30.0
1864	19,602,736	160,740	321,480	789,827	585,142	16.4	40.3	30.0
1865	19,750,313	153,492	306,984	746,445	598,863	15.5	37.8	30.3
1866	19,992,487	128,051	256,102	746,507	804,333†	13.0	37.9	40.9†
1867	19,838,970	191,661	383,322	726,538	580,055	19.3	36.6	29.2
1868	20,026,554	182,940	365,880	758,591	571,558	18.3	37.9	28.5
1869*	20,217,531	208,787	417,574	795,360	583,995	20.7	39.3	28.9
1870	20,421,737	199,083	398,166	808,281	598,581	19.5	39.6	29.3
1871	20,601,118	194,591	389,182	801,515	616,729	18.9	38.9	29.9
1872	20,728,929	192,406	384,812	810,147	677,022	18.6	39.1	32.7
1873	20,740,538	194,315	389,630	823,030	811,150†	18.8	39.9	39.1†
1874	20,902,239	189,017	378,034	829,709	662,929	18.1	39.7	31.7
1875	21,105,317	180,349	360,698	842,303	634,083	17.1	39.9	30.0
1876	21,319,544	176,148	352,296	853,436	634,363	16.5	40.0	29.8
1877	21,467,718	161,337	322,674	830,776	677,748	15.0	38.7	31.6
1878	21,611,206	164,233	328,466	833,251	683,661	15.2	38.6	31.6
1879	21,812,654	169,088	338,176	855,593	652,491	15.5	39.2	29.9
1880*	21,981,821	167,200	334,400	827,980	654,258	15.3	38.0	29.8
1881	22,136,223	176,983	353,966	833,476	676,515	16.0	37.7	30.6
1882	22,320,116	183,373	366,756	873,522	686,951	16.4	39.1	30.8
1883	22,498,862	176,016	352,032	858,832	677,337	15.6	38.2	30.1
1884	22,707,345	179,171	358,342	878,321	666,523	15.8	38.7	29.4
1885	22,876,095	175,231	350,466	860,663	689,493	15.3	37.6	30.1
1886	23,070,688	180,191	360,382	876,033	678,453	15.6	38.0	29.4
1887	23,284,769	182,083	364,176	889,478	672,302	15.7	38.2	28.9
1888	23,484,995	185,991	371,982	889,901	686,573	15.8	37.9	29.2
1889	23,733,410	177,771	355,542	898,350	646,787	16.0	37.9	27.3
1890*	23,895,413	178,906	357,812	868,935	693,342	15.1	36.7	29.4
1891	24,127,412	186,418	372,836	947,017	673,315	15.4	38.1	27.9
1892	24,106,481	187,707	375,414	871,278	693,421	15.6	36.2	28.8
1893	24,310,327	193,235	386,470	923,420	660,981	15.9	37.9	27.1
1894	—	—	—	—	—	—	—	—

NOTE.—The figures in this table refer exclusively to the civil population.
* Census year.
† The excessive mortality in 1866 was due to cholera and the war.
‡ Cholera caused the deaths of 107,007 persons in 1873.

TABLE 56.—THE NETHERLANDS. Population, Marriages, Births, and Deaths, 1853-94.

(Compiled from the Annuaire Statistique des Pays Bas.)

YEAR.	NUMBERS.					PROPORTION PER 1000 OF THE POPULATION.		
	ESTIMATED POPULATION, in the middle of each Year.	MAR-RIAGES.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.
1853	3,154,730	24,487	48,974	104,297	77,415	15.5	33.1	24.5
1854	3,180,790	23,855	47,710	104,244	76,475	15.0	32.8	24.0
1855	3,207,065	23,367	46,734	102,815	90,202	14.6	32.1	23.1
1856	3,233,843	24,509	49,018	106,008	76,145	15.2	32.8	23.5
1857	3,267,058	25,950	51,900	113,426	87,625	15.9	34.7	26.8
1858	3,292,793	26,342	52,684	106,846	91,925	16.0	32.4	27.9
1859*	3,306,173	27,007	54,014	115,569	103,067†	16.3	35.0	31.2†
1860	3,322,699	27,108	54,216	105,847	82,545	16.3	31.9	24.8
1861	3,354,731	27,172	54,344	118,681	85,133	16.2	35.4	25.4
1862	3,391,692	26,541	53,082	112,768	80,822	15.7	33.2	23.8
1863	3,431,888	28,419	56,838	124,758	89,064	16.6	36.4	23.9
1864	3,472,645	29,154	58,308	123,795	87,766	16.8	35.7	25.3
1865	3,510,486	29,806	59,612	126,794	91,074	17.0	36.1	25.9
1866	3,540,841	29,620	59,240	125,253	101,854†	16.7	35.4	28.8†
1867	3,572,495	29,935	59,870	126,504	84,767	16.8	35.4	23.7
1868	3,610,442	27,080	55,360	126,059	89,944	15.3	34.9	24.9
1869*	3,606,219	27,796	55,592	123,789	82,553	15.4	34.3	22.9
1870	3,601,143	28,632	57,264	129,997	93,066	15.9	36.1	25.8
1871	3,627,801	28,991	57,982	128,305	106,978†	16.0	35.4	29.5†
1872	3,655,969	30,189	60,378	131,664	94,594	16.5	36.0	25.9
1873	3,695,331	31,671	63,342	133,796	89,287	17.1	36.2	24.2
1874	3,741,632	31,353	62,706	136,072	85,069	16.8	36.4	22.7
1875	3,788,395	31,553	63,106	138,469	96,834	16.7	36.6	25.6
1876	3,837,491	31,699	63,398	142,210	90,187	16.5	37.1	23.5
1877	3,895,124	31,470	62,940	142,618	86,289	16.2	36.6	22.2
1878	3,953,339	30,710	61,420	142,746	90,739	15.5	36.1	23.0
1879*	4,009,448	30,655	61,310	147,014	90,024	15.3	36.7	22.5
1880	4,048,801	30,349	60,698	143,855	95,282	15.0	35.5	23.5
1881	4,087,334	29,849	59,698	142,969	87,726	14.6	35.0	21.5
1882	4,143,524	29,571	59,142	146,454	85,950	14.3	35.3	20.7
1883	4,199,018	29,815	59,630	144,102	91,656	14.2	34.3	21.6
1884	4,251,669	30,528	61,056	148,480	94,413	14.4	34.9	22.2
1885	4,307,142	29,894	59,788	148,028	90,304	13.9	34.4	21.0
1886	4,363,434	30,298	60,596	150,351	95,239	13.9	34.6	21.8
1887	4,420,864	30,924	61,848	149,157	87,093	14.0	33.7	19.7
1888	4,478,401	30,862	61,724	151,094	91,241	13.8	33.7	20.4
1889*	4,527,264	31,494	62,988	150,529	91,115	13.9	33.2	20.1
1890	4,537,990	32,304	64,608	149,329	93,246	14.2	32.9	20.5
1891	4,593,155	32,707	65,414	154,687	94,844	14.2	33.7	20.7
1892	4,645,660	32,330	64,660	148,714	97,530	14.4	33.0	21.0
1893	4,701,343	34,311	68,622	159,005	90,372	14.6	33.8	19.2
1894	4,764,279	34,383	68,766	154,722	87,970	14.4	32.7	18.5

* Census year.
† Cholera prevailed in 1859 and 1866, and caused 3,378 and 19,686 deaths respectively; small-pox caused 5,787 deaths in 1871.

TABLE 57.—BELGIUM. Population, Marriages, Births, and Deaths, 1853-94.

(Furnished by the Director of the Statistical Department of Belgium.)

YEAR.	NUMBERS.					PROPORTION PER 1000 OF THE POPULATION.		
	ESTIMATED POPULATION, at the end of each Year.	MAR-RIAGES.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS. Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.
1853	4,548,507	30,636	61,272	127,728	100,333	13.5	28.1	22.1
1854	4,585,096	29,435	58,970	131,337	103,266	12.9	28.8	22.5
1855	4,607,066	29,815	59,630	125,955	112,716	12.9	27.3	24.5
1856*	4,529,461	32,926	65,852	134,187	97,395	14.5	29.6	21.5
1857	4,577,236	37,292	74,584	143,291	103,458	16.3	31.3	22.6
1858	4,623,197	38,237	76,474	145,074	107,910	16.5	31.4	23.3
1859	4,671,226	36,941	73,882	149,812	111,650	15.8	32.1	23.9
1860	4,731,996	35,112	70,224	144,668	92,871	14.8	30.6	19.6
1861	4,782,255	33,802	67,604	147,253	106,381	14.1	30.8	22.2
1862	4,836,566	34,146	68,292	145,568	100,124	14.1	30.1	20.7
1863	4,893,021	35,813	71,626	155,564	107,959	14.6	31.8	22.1
1864	4,940,570	36,959	73,918	155,872	115,948	15.0	31.5	23.5
1865	4,984,351	37,671	75,342	156,323	122,341	15.1	31.4	24.5
1866*	4,827,833	37,733	75,566	158,010	151,116†	15.7	32.7	31.3†
1867	4,897,794	38,244	76,488	157,149	105,576	15.6	32.1	21.6
1868	4,961,644	36,271	72,542	156,134	107,556	14.6	31.5	21.7
1869	5,021,336	37,134	74,268	158,687	109,607	14.8	31.6	21.8
1870	5,087,326	35,233	70,526	164,572	118,359	13.9	32.3	23.3
1871	5,113,680	37,533	75,076	158,760	145,746†	14.7	31.0	28.5†
1872	5,175,037	40,084	80,168	167,377	120,129	15.5	32.3	23.2
1873	5,253,794	40,598	81,196	170,708	112,873	15.5	32.5	21.5
1874	5,336,634	40,328	80,656	173,978	109,595	15.1	32.6	20.5
1875	5,402,938	39,050	78,100	175,552	122,480	14.5	32.5	22.7
1876*	5,336,185	38,228	76,456	176,915	116,787	14.3	33.2	21.9
1877	5,412,731	36,964	73,928	175,077	114,269	13.7	32.3	21.1
1878	5,476,939	36,669	73,338	172,730	117,721	13.4	31.5	21.5
1879	5,536,854	37,421	74,842	174,641	121,060	13.5	31.5	21.9
1880*	5,520,009	38,926	77,852	171,864	123,323	14.1	31.1	22.3
1881	5,585,846	39,437	78,974	175,411	117,007	14.1	31.4	20.9
1882	5,655,197	39,214	78,428	176,345	114,298	13.9	31.2	20.2
1883	5,720,807	38,666	77,332	174,484	119,196	13.5	30.5	20.8
1884	5,784,958	39,205	78,410	176,721	121,070	13.5	30.5	20.9
1885	5,853,278	39,910	79,820	175,043	117,775	13.6	29.9	20.1
1886	5,909,975	39,642	79,284	175,091	124,904	13.4	29.6	21.1
1887	5,974,743	42,491	84,982	175,466	115,296	14.2	29.4	19.3
1888	6,030,043	42,427	84,854	175,586	121,097	14.2	29.1	20.1
1889	6,093,798	43,759	87,518	177,542	119,726	14.5	29.5	19.1
1890*	6,069,321	44,596	89,192	176,595	126,545	14.5	28.7	20.6
1891	6,126,444	45,449	90,898	181,917	128,736	14.8	29.6	21.0
1892	6,195,355	47,209	94,418	177,485	133,693	15.4	28.9	21.8
1893	6,262,272	47,065	94,130	183,062	125,530	15.2	29.5	20.3
1894	6,341,958	47,735	95,470	181,466	118,213	15.1	29.0	18.6

* Census year. † Cholera prevailed in 1866, and small-pox in 1871.

Births exceeded by Deaths

TABLE 58.—FRANCE. Population, Marriages, Births, and Deaths, 1853-94.

(Supplied by the Director of the Statistical Bureau of France.)

YEAR.	NUMBERS.					PROPORTION PER 1000 OF THE POPULATION.		
	ESTIMATED POPULATION, in the middle of each Year.	MAR-RIAGES.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS. Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.
1853	36,108,206	280,609	561,218	936,967	795,607	15.5	25.9	22.0
1854	36,249,566	270,696	541,392	923,461	992,779	14.9	25.5	27.4
1855	36,180,248	283,335	566,670	902,336	937,942	15.7	24.9	25.9
1856*	36,139,364	284,401	568,802	952,116	837,082	15.7	26.3	23.2
1857	36,268,793	295,510	591,020	940,709	858,785	16.3	25.9	23.7
1858	36,350,717	307,056	614,112	969,343	874,186	16.9	26.7	24.0
1859	36,445,374	298,417	596,834	1,017,896	979,333	16.4	27.9	26.9
1860	36,484,437	288,936	577,872	956,875	781,635	15.8	26.2	21.4
1861*	37,386,313	305,203	610,406	1,005,078	866,597	16.3	26.9	23.2
1862	37,517,752	303,514	607,028	995,167	812,978	16.2	26.5	21.7
1863	37,699,941	301,376	602,752	1,012,794	846,917	16.0	26.9	22.5
1864	37,865,818	299,579	599,153	1,005,880	860,330	15.8	26.6	22.7
1865	38,011,368	299,242	598,484	1,005,753	921,887†	15.7	26.5	24.3†
1866*	38,067,064	303,634	607,268	1,006,258	884,573†	16.0	26.4	23.2†
1867	38,188,749	300,333	600,666	1,007,755	866,887	15.7	26.4	22.7
1868	38,329,617	301,225	602,450	984,140	922,038	15.7	25.7	24.1
1869	38,555,178	303,482	606,964	948,526	864,320	16.5	25.7	23.5
1870	38,985,212	223,705	447,410	943,515	1,046,909†	12.1	25.5	28.3†
1871	36,544,067	262,476	524,952	826,121	1,271,010†	14.4	22.6	34.8†
1872*	36,102,921	352,754	705,508	966,000	793,064	19.5	26.8	22.0
1873	36,281,335	321,238	642,476	946,354	844,588	17.7	26.1	23.3
1874	36,459,749	303,113	606,226	954,652	781,709	16.6	26.2	21.4
1875	36,638,163	300,427	600,854	950,975	845,062	16.4	26.0	23.1
1876*	36,905,788	291,966	582,732	966,682	834,074	15.8	26.2	22.6
1877	37,048,410	279,094	558,188	944,576	801,954	15.1	25.5	21.6
1878	37,146,585	279,892	559,784	937,211	839,036	15.1	25.2	22.6
1879	37,365,544	282,776	565,552	936,529	839,882	15.1	25.0	22.5
1880	37,518,796	279,046	558,092	920,177	858,237	14.9	24.5	22.3
1881*	37,672,048	282,079	564,158	937,057	828,828	15.0	24.9	22.0
1882	37,769,000	281,060	562,120	935,566	838,539	14.8	24.8	22.2
1883	37,866,000	284,519	569,038	937,944	841,141	15.0	24.8	22.2
1884	37,949,000	289,555	579,110	937,758	858,784	15.3	24.8	22.2
1885	38,128,000	283,170	566,340	924,558	836,897	14.9	24.2	21.9
1886*	38,218,903	283,208	566,416	912,838	860,222	14.8	25.9	22.5
1887	38,320,000	277,060	554,120	899,333	842,797	14.5	23.5	22.0
1888	38,390,000	276,848	553,696	882,639	837,367	14.4	23.1	21.3
1889	38,460,000	272,934	545,868	880,579	794,933	14.2	23.0	20.5
1890	38,430,000	269,332	538,664	838,059	876,505	14.0	21.8	22.6
1891*	38,343,000	285,458	570,916	866,377	876,882	15.0	22.6	22.6
1892	38,323,000	290,319	580,538	855,847	875,888	15.2	22.1	22.6
1893	38,330,000	287,294	574,588	874,672	867,526	15.1	22.9	22.8
1894	—	—	—	—	—	—	—	—

NOTE.—The population in the four years 1862-65 and in the years 1867-69 is estimated by means of the average annual rate of increase observed between the two enumerations of 1861 and 1866. The deaths of French men abroad, civil or military, are registered in the books of the Commune in which they were last domiciled.

* Census year.

† Cholera prevailed in 1865-66, and war raged in 1870 and 1871.

TABLE 59.—SPAIN. Population, Marriages, Births, and Deaths, 1861-94.

YEAR.	NUMBERS.					PROPORTION PER 1000 OF THE POPULATION.		
	ESTIMATED POPULATION, beginning of each year.	MAR-RIAGES.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS. Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.
1861	15,673,481	130,731	261,462	624,096	417,764	16.7	39.8	26.7
1862	15,867,326	128,696	257,392	615,919	430,663	16.2	38.8	27.1
1863	16,043,725	124,176	248,352	606,800	461,661	15.5	37.8	28.8
1864	16,180,205	126,303	252,606	629,546	499,486	15.6	38.9	30.9
1865	16,302,170	128,917	257,834	622,050	538,580	15.8	38.2	33.0
1866	16,378,503	131,981	263,962	618,981	463,684	16.1	37.8	28.3
1867	16,526,516	118,409	236,818	624,212	487,151	14.3	37.8	29.5
1868	16,656,961	111,687	223,374	579,563	548,690	13.4	34.8	32.9
1869	16,682,453	137,120	274,240	602,287	550,560	16.4	36.1	33.0
1870	16,728,589	103,807	207,614	598,347	512,249	12.4	35.8	30.6
1871-7	—	—	—	—	—	—	—	—
1878	16,634,345	117,693	235,385	608,682	509,598	14.2	36.6	30.6
1879	16,733,429	110,724	221,448	609,222	512,093	13.2	35.4	30.6
1880	16,830,558	104,214	208,423	606,436	508,243	12.4	36.0	30.2
1881	16,928,751	107,841	215,682	638,238	512,701	12.7	37.7	30.3
1882	17,054,289	102,727	205,454	625,601	535,570	12.0	36.7	31.4
1883	17,144,319	107,983	215,966	617,023	567,653	12.6	36.0	33.1
1884	17,193,689	115,470	230,940	637,052	535,256	13.4	37.1	31.1
1885	—	110,235	220,470	628,985	656,697	—	—	—
1886	—	110,857	221,774	639,667	611,280	—	—	—
1887*	17,565,632	96,313	192,624	633,243	674,435	11.0	26.1	32.7
1888	—	98,918	197,836	641,404	531,354	—	—	—
1889	—	138,229	276,458	647,441	545,182	—	—	—
1890	—	141,839	283,678	615,549	577,512	—	—	—
1891	—	156,591	313,182	635,377	568,054	—	—	—
1892	—	151,962	303,924	647,808	556,296	—	—	—
1893	—	—	—	—	—	—	—	—
1894	—	—	—	—	—	—	—	—

NOTE.—Statistics for the 7 years 1871-77 were not issued owing to the disturbed state of the country. The decline in registered marriages in 1870 is believed to be due to the introduction of civil registration, which occurred in that year.

* Census year.

TABLE 60.—ITALY. Population, Marriages, Births, and Deaths, 1866-94.

(Furnished by the Director of the Statistical Department of Italy.)

YEAR.	NUMBERS.					PROPORTION PER 1000 OF THE POPULATION.		
	ESTIMATED POPULATION in each Year. (See Note.)	MAR-RIAGES.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS. Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.
1866	25,119,111	142,024	284,048	980,200	733,190	11.3	39.0	29.2
1867	25,288,178	170,456	340,912	927,396	866,865	13.5	36.7	34.3
1868	25,437,246	182,743	365,486	900,416	777,224	14.4	35.4	30.5
1869	25,626,314	205,287	410,574	952,134	713,832	16.0	37.2	27.9
1870	25,795,382	188,986	377,972	951,495	773,169	14.7	36.9	30.0
1871*	25,964,450	192,839	385,678	960,020	778,798	14.9	37.0	30.0
1872	26,967,001	202,361	404,722	1,020,682	827,498	15.0	37.9	30.7
1873	27,132,848	214,906	429,812	985,188	813,973	15.8	36.3	30.0
1874	27,298,695	207,997	415,994	951,658	827,253	15.2	34.9	30.3
1875	27,464,542	230,486	460,972	1,035,377	843,161	16.8	37.7	30.7
1876	27,630,389	225,453	450,906	1,083,721	796,420	16.4	39.2	28.8
1877	27,796,236	214,672	429,944	1,029,037	787,817	15.5	37.0	28.3
1878	27,962,084	199,885	399,770	1,012,475	813,550	14.3	36.2	29.1
1879	28,127,932	213,096	426,192	1,064,153	836,682	15.2	37.8	29.8
1880	28,293,780	196,738	393,476	957,900	869,992	13.9	33.9	30.8
1881*	28,459,628	230,113	460,286	1,081,125	784,181	16.2	38.0	27.6
1882	28,648,381	224,041	448,082	1,061,094	787,323	15.6	37.0	27.5
1883	28,837,134	231,945	463,890	1,071,452	794,196	16.1	37.2	27.5
1884	29,026,887	239,513	479,026	1,130,741	780,361	16.5	39.0	26.9
1885	29,214,640	233,931	467,862	1,125,970	787,217	16.0	38.5	27.0
1886	29,403,393	233,310	466,620	1,086,960	844,603	15.9	37.0	28.7
1887	29,592,146	235,629	471,253	1,152,906	828,992	15.9	39.0	28.0
1888	29,780,900	236,883	473,766	1,119,563	820,431	15.9	37.6	27.6
1889	29,969,654	230,451	460,902	1,149,197	768,068	15.4	33.4	25.6
1890	30,158,408	221,972	443,944	1,083,103	795,911	14.7	35.9	26.4
1891	30,347,291	227,656	455,312	1,132,139	795,327	15.0	37.3	26.2
1892	30,536,348	228,572	457,144	1,110,573	802,779	15.0	36.3	26.3
1893	30,724,897	228,103	456,206	1,126,293	776,713	14.8	36.7	25.3
1894	30,913,663	231,581	463,162	1,102,935	776,372	15.0	35.7	25.1

NOTE.—The numbers for Rome were first included with those for the Kingdom of Italy in 1872. The population figures given for census years show the numbers enumerated on 31st December in each of those years; whereas for the end of each of the other years the population is estimated on the assumption that the rate of increase which prevailed in the last inter-censal period has since been maintained.

* Census year.

TABLE 61.—ENGLAND. Changes in the Constitution of Registration Districts and Sub-districts during the Year 1894.

N.B.—(1.) The Name of the DISTRICT is in SMALL CAPITALS, that of the *Sub-district* in *Italics*.
 (2.) The Populations quoted are the revised Numbers enumerated at the Census of 1891.

No. of District.	NAME OF REGISTRATION DISTRICT.	Date of Change.	Nature of Change.
23	ST. OLAVE SOUTHWARK	1894. 1 September	The sub-districts of <i>Leather Market</i> and <i>St. Mary Magdalen</i> were united under the name of <i>Leather Market</i> (population 30,552).
46	MEDWAY - - -	1 October -	The part of the parish of Chatham in <i>Gillingham</i> sub-district (population 25,889) was transferred to <i>Rochester</i> sub-district, which was re-named <i>Rochester and Chatham</i> .
75	CUCKFIELD - - -	1 June -	The parish of Balcombe (population 977) was transferred from <i>Lindfield</i> sub-district to <i>Cuckfield</i> sub-district.
116	WANTAGE - - -	1 August -	The sub-district of <i>Hendred</i> was dissolved and its parishes were distributed as follows: the parishes of Charlton, West Lockinge, East Lockinge, Ardington, West Hendred, and East Hendred (aggregate population 2,238) were added to the sub-district of <i>Wantage</i> ; and the parishes of Harwell, Chilton, Blewbury, and Upton (aggregate population 1,870) were added to the sub-district of <i>Ilsley</i> .
157	TOWCESTER - - -	1 October -	The parishes of Silverstone and Whittlebury (aggregate population 1,613) were transferred from <i>Abthorpe</i> sub-district to <i>Towcester</i> sub-district.
164	KETTERING - - -	1 August -	The sub-district of <i>Corby</i> was dissolved and its parishes were distributed as follows: the parishes of Weekley, Grafton Underwood, Geddington, and Newton (aggregate population 1,448) were added to <i>Kettering</i> sub-district and the parishes of Great Oakley, Little Oakley, Stanion, Corby, Beanfield Lawns, Cottingham, Middleton, and East Carlton (aggregate population 2,513) were added to <i>Rothwell</i> sub-district.
225	NORWICH - - -	1 October -	The sub-districts of <i>East Wymer</i> and <i>Conisford</i> were united under the name of <i>East Wymer</i> (population 32,158).
271	ST. THOMAS - - -	1 September	The sub-district of <i>Christow</i> was dissolved and its parishes, viz., Bridport, Christow, Doddiscombsleigh, and Ashton (aggregate population 1,455) were added to <i>St. Thomas</i> sub-district. The parishes of Bramford-speke and Upton Pyne (aggregate population 810) were transferred from <i>St. Thomas</i> sub-district to <i>Broad Clyst</i> sub-district.
339	HEREFORD - - -	1 January -	The parishes of Huntington and Holmer Within (aggregate population 1,945) were transferred from <i>Burghill</i> sub-district to <i>Hereford City</i> sub-district and the parish of Eaton Bishop (population 380) was transferred from <i>Burghill</i> sub-district to <i>Deuchurch</i> sub-district.
351	ATCHAM - - -	1 September	The sub-district of <i>Battlefield</i> was dissolved and its parishes were distributed as follows: the parishes of Preston-Gubbals, Albrighton, Astley, and Battlefield (aggregate population 853) were added to <i>St. Mary</i> sub-district; and the parishes of Uffington, Upton Magna, and Withington (aggregate population 937) were added to the <i>Condoover</i> sub-district.
364	LEEK - - -	1 January -	The parish of Biddulph (population 5,290) was separated from <i>Norton</i> sub-district and formed a new sub-district named <i>Biddulph</i> , which was numbered 2, the remainder of the sub-districts being re-numbered accordingly.

Table 61 (continued).—ENGLAND. Changes in the Constitution of Registration Districts and Sub-districts during the Year 1894.

No. of District.	NAME OF REGISTRATION DISTRICT.	Date of Change.	Nature of Change.
395	WARWICK - - -	1894. 1 May -	The sub-district of <i>Radford</i> was dissolved and its parishes were distributed as follows: the parishes of Lillington, Offchurch, Radford-Semele, Whitnash, and Bishops Tachbrook (aggregate population 3,050) were added to <i>Leamington</i> sub-district; and the parishes of Wappenbury, Eathorpe, Hunningham, Weston under Wetherley, and Cubbington (aggregate population 1,756) were added to <i>Kenilworth</i> sub-district. The parish of Honiley (population 51) was transferred from <i>Kenilworth</i> sub-district to <i>Warwick</i> sub-district.
410	MELTON MOWBRAY - - -	1 April -	The sub-district of <i>Clawson</i> was dissolved and its parishes were distributed as follows: the parish of Ab-Kettleby (population 242) was added to <i>Melton Mowbray</i> sub-district; and the parishes of Upper Broughton, Nether Broughton, Long Clawson, Hose, Harby, Stathern, Eaton, Branston, Eastwell, Goadby Marwood, Wycombe and Chadwell, Scalford and Holwell (aggregate population 5,173) were added to <i>Waltham</i> sub-district. The parish of Wyfordby (population 141) was transferred from <i>Waltham</i> sub-district to <i>Melton Mowbray</i> sub-district.
426	GAINSBOROUGH - - -	1 December	The sub-districts of <i>Owston</i> and <i>Misterton</i> were united under the name of <i>Misterton</i> (population 7,545).
465	SALFORD - - -	1 April -	The portion of Salford civil parish which is bounded by the Manchester, Bolton, and Bury Canal, by the Crescent, by Chapel Street, and by the River Irwell, and which had hitherto formed part of <i>Regent Road</i> sub-district (population 7,216) was transferred to <i>Greengate</i> sub-district.